

DAFTAR PUSTAKA

- Abbas, H., Tao, W., Khan, G., Alrefaei, A. F., Iqbal, J., Albeshr, M. F., & Kulsoom, I. (2023). Multilayer perceptron and Markov Chain analysis based hybrid-approach for predicting land use land cover change dynamics with Sentinel-2 imagery. *Geocarto International*, 38(1), 2256297. <https://doi.org/10.1080/10106049.2023.2256297>
- Afentina, A., Patimaleh, I., & Kurniadi, K. (2022). Above Ground Carbon Stock across Different Land Use Types in Central Kalimantan Indonesia – First Step Toward Redd Implementation. *Journal of Ecological Engineering*, 23(8), 169–179. <https://doi.org/10.12911/22998993/151072>
- Agus, F. (2010). *Measuring carbon stock in peat soils: Practical guidelines*. World Agroforestry Centre.
- Akbar, F. & Supriatna. (2019). Land cover modelling of Pelabuhanratu City in 2032 using cellular automata-markov chain method. *IOP Conference Series: Earth and Environmental Science*, 311(1), 012071. <https://doi.org/10.1088/1755-1315/311/1/012071>
- Akoglu, H. (2018). User's guide to correlation coefficients. *Turkish Journal of Emergency Medicine*, 18(3), 91–93. <https://doi.org/10.1016/j.tjem.2018.08.001>
- Al-Ahmadi, F., & Hames, A. (2009). Comparison of Four Classification Methods to Extract Land Use and Land Cover from Raw Satellite Images for Some Remote Arid Areas, Kingdom of Saudi Arabia. *Journal of King Abdulaziz University-Earth Sciences*, 20(1), 167–191. <https://doi.org/10.4197/Ear.20-1.9>
- Alberto, A., & Dasanto, B. D. (2010). MODEL PERUBAHAN PENGGUNAAN LAHAN DAN PENDUGAAN CADANGAN KARBON DI DAERAH ALIRAN SUNGAI CISADANE, JAWA BARAT. *Jurnal Agromet Indonesia*, 24(2), 18. <https://doi.org/10.29244/j.agromet.24.2.18-26>
- Ambarwulan, W., Yulianto, F., Widiatmaka, W., Rahadiati, A., Tarigan, S. D., Firmansyah, I., & Hasibuan, M. A. S. (2023). Modelling land use/land cover projection using different scenarios in the Cisadane Watershed, Indonesia: Implication on deforestation and food security. *The Egyptian Journal of Remote Sensing and Space Science*, 26(2), 273–283. <https://doi.org/10.1016/j.ejrs.2023.04.002>
- Andiko, J. A., . D., & Darmawan, A. (2019). Efisiensi Penggunaan Citra Multisensor untuk Pemetaan Tutupan Lahan. *Jurnal Sylva Lestari*, 7(3), 342. <https://doi.org/10.23960/jsl37342-349>

- Aquino, D. D. N., Rocha Neto, O. C. D., Moreira, M. A., Teixeira, A. D. S., & Andrade, E. M. D. (2018). Use of remote sensing to identify areas at risk of degradation in the semi-arid region. *REVISTA CIÊNCIA AGRONÔMICA*, 49(3). <https://doi.org/10.5935/1806-6690.20180047>
- Bao Pham, Q., Ajim Ali, S., Parvin, F., Van On, V., Mohd Sidek, L., Đurin, B., Cetl, V., Šamanović, S., & Nguyet Minh, N. (2024). Multi-spectral remote sensing and GIS-based analysis for decadal land use land cover changes and future prediction using random forest tree and artificial neural network. *Advances in Space Research*, 74(1), 17–47. <https://doi.org/10.1016/j.asr.2024.03.027>
- Blissag, B., Yebdri, D., & Kessar, C. (2024). Spatiotemporal change analysis of LULC using remote sensing and CA-ANN approach in the Hodna basin, NE of Algeria. *Physics and Chemistry of the Earth, Parts A/B/C*, 133, 103535. <https://doi.org/10.1016/j.pce.2023.103535>
- BPS Kabupaten Siak. (2023). *Kabupaten Siak dalam Angka 2023*. <https://siakkab.bps.go.id/>
- BPS Kabupaten Siak. (2024). *Kabupaten Siak dalam Angka 2024* (Vol. 23). <https://siakkab.bps.go.id/>
- BRG. (2018). *Penentuan Tingkat Rujukan (Reference Level) untuk Menduga Penurunan Emisi dari Restorasi Gambut* (H. Gunawan, Ed.). Badan Restorasi Gambut. Jakarta. <http://creativecommons.org/licenses/by/4.0/>.
- Bupati Siak. (2020). *Peraturan Daerah Kabupaten Siak Tentang Rencana Tata Ruang Wilayah Kabupaten Siak Tahun 2020-2040 (Perda Kabupaten Siak No. 1 tahun 2020)*.
- Chang, X., Xing, Y., Wang, J., Yang, H., & Gong, W. (2022). Effects of land use and cover change (LUCC) on terrestrial carbon stocks in China between 2000 and 2018. *Resources, Conservation and Recycling*, 182, 106333. <https://doi.org/10.1016/j.resconrec.2022.106333>
- Chen, J., Gao, M., Huang, S., & Hou, W. (2021). Application of remote sensing satellite data for carbon emissions reduction. *Journal of Chinese Economic and Business Studies*, 19(2), 109–117. <https://doi.org/10.1080/14765284.2021.1920329>
- Direktorat IPSDH KLHK. (2020). *Petunjuk Teknis Penafsiran Citra Satelit Resolusi Sedang Untuk Update Data Penutupan Lahan Nasional (Juknis No. 1/PSDH/PLA.1/7/2020)*.

- DLH Kabupaten Siak. (2021). *DOKUMEN INFORMASI KINERJA PENGELOLAAN LINGKUNGAN HIDUP DAERAH TAHUN 2021*. Dinas Lingkungan Hidup Kabupaten Siak.
- Eastman, J. R. (2012). *IDRISI Selva Tutorial Manual Version 17*. Clark Labs, Clark University.
- Gharaibeh, A., Shaamala, A., Obeidat, R., & Al-Kofahi, S. (2020). Improving land-use change modeling by integrating ANN with Cellular Automata-Markov Chain model. *Heliyon*, 6(9), e05092. <https://doi.org/10.1016/j.heliyon.2020.e05092>
- Gibson, L., Münch, Z., Palmer, A., & Mantel, S. (2018). Future land cover change scenarios in South African grasslands – implications of altered biophysical drivers on land management. *Heliyon*, 4(7), e00693. <https://doi.org/10.1016/j.heliyon.2018.e00693>
- Global Forest Watch. (2024). *World Resources Institute*. Diakses pada 24 Juni 2024. <http://www.globalforestwatch.org>
- Gubernur Riau. (2022). *Peraturan Gubernur Riau Tentang Rencana Pembangunan Rendah Karbon (Pergub Riau No. 56 tahun 2022)*.
- Hafni, D. A. F. (2017). *ESTIMASI LUAS KEBAKARAN DAN EMISI KARBON AKIBAT KEBAKARAN HUTAN DAN LAHAN GAMBUT DI KABUPATEN SIAK, PROVINSI RIAU*. Sekolah Pascasarjana. Institut Pertanian Bogor.
- Hayati, N., Sari, N., Arief, R., & Uzzulfa, M. A. (2022). PARAMETERS TO ESTIMATE CO2 EMISSION IN PEATLAND AREA BASED ON CARBON CONTENT AND SUBSIDENCE RATE FROM SAR INTERFEROMETRY. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLIII-B3-2022, 277–284. <https://doi.org/10.5194/isprs-archives-XLIII-B3-2022-277-2022>
- Hultera, H., Prasetyo, L. B., & Setiawan, Y. (2020). Spatial Model Of The Deforestation Potential 2020 & 2024 And The Prevention Approach, Kutai Barat District. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan (Journal of Natural Resources and Environmental Management)*, 10(2), 294–306. <https://doi.org/10.29244/jpsl.10.2.294-306>
- IPCC. (2006). *2006 IPCC guidelines for national greenhouse gas inventories* (H. S. Eggleston, L. Buendia, K. Miwa, T. Ngara, & K. Tanabe, Eds.). Institute for Global Environmental Strategies.

- IPCC. (2014). *2013 supplement to the 2006 IPCC guidelines for national greenhouse gas inventories: Wetlands : methodological guidance on lands with wet and drained soils, and constructed wetlands for wastewater treatment* (T. Hiraishi, T. Krug, K. Tanabe, N. Srivastava, B. Jamsranjav, M. Fukuda, & T. Troxler, Eds.). IPCC, Intergovernmental Panel on Climate Change.
- IPCC. (2019). *2019 Refinement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories* (E. E. C. Buendia, K. Tanabe, A. Kranjc, B. Jamsranjav, M. Fukuda, S. Ngarize, A. Osako, Y. Pyrozhenko, P. Shermanau, & S. Federici, Eds.). IPCC, Switzerland.
- Jasim, O. Z., AL-Anbari, R. H., & Mohammed, Z. T. (2020). MODIS and Landsat satellite images comparison for modeling near surface air temperature. *IOP Conference Series: Materials Science and Engineering*, 737(1), 012211. <https://doi.org/10.1088/1757-899X/737/1/012211>
- Kafy, A.-A., Abdullah-Al-Faisal, Rahman, Md. S., Islam, M., Al Rakib, A., Islam, Md. A., Khan, Md. H. H., Sikdar, Md. S., Sarker, Md. H. S., Mawa, J., & Sattar, G. S. (2021). Prediction of seasonal urban thermal field variance index using machine learning algorithms in Cumilla, Bangladesh. *Sustainable Cities and Society*, 64, 102542. <https://doi.org/10.1016/j.scs.2020.102542>
- Karimi, F., Sultana, S., Shirzadi Babakan, A., & Suthaharan, S. (2019). An enhanced support vector machine model for urban expansion prediction. *Computers, Environment and Urban Systems*, 75, 61–75. <https://doi.org/10.1016/j.compenvurbsys.2019.01.001>
- Kelly-Fair, M., Gopal, S., Koch, M., Pancasakti Kusumaningrum, H., Helmi, M., Khairunnisa, D., & Kaufman, L. (2022). Analysis of Land Use and Land Cover Changes through the Lens of SDGs in Semarang, Indonesia. *Sustainability*, 14(13), 7592. <https://doi.org/10.3390/su14137592>
- Khwarahm, N. R., Najmaddin, P. M., Ararat, K., & Qader, S. (2021). Past and future prediction of land cover land use change based on earth observation data by the CA–Markov model: A case study from Duhok governorate, Iraq. *Arabian Journal of Geosciences*, 14(15), 1544. <https://doi.org/10.1007/s12517-021-07984-6>
- KLHK. (2022a). *Rencana Kerja Provinsi Riau. Seri-A FOLU Net Sink 2030 Nomor: A-14/Renja-Riau/09/2022*.
- KLHK. (2022b). *Standar Penghitungan Penurunan Emisi dan/atau Peningkatan Serapan Gas Rumah Kaca untuk Pelaksanaan Indonesia FOLU Net Sink 2030*. Pusat Standardisasi Instrumen Ketahanan Bencana dan Perubahan Iklim. Kementerian Lingkungan Hidup dan Kehutanan.

- Krisnawati, H., Adinugroho, W. C., Imanuddin, R., & Hutabarat, S. (2014). *Estimation of forest biomass for quantifying CO₂ emissions in Central Kalimantan: A comprehensive approach in determining forest carbon emission factors*. Research and Development Center for Conservation and Rehabilitation, Forestry Research and Development Agency, Ministry of Forestry.
- Krisnawati, H., Imanuddin, R., Adinugroho, W. C., & Hutabarat, S. (2015). *Standard methods for estimating greenhouse gas emissions from forests and peatlands in Indonesia: Version 2*. Ministry of Environment and Forestry, Research, Development, and Innovation Agency.
- Kumar, V., & Agrawal, S. (2023). A multi-layer perceptron–Markov chain based LULC change analysis and prediction using remote sensing data in Prayagraj district, India. *Environmental Monitoring and Assessment*, 195(5), 619. <https://doi.org/10.1007/s10661-023-11205-w>
- Latifah, S., & Sulistiyono, N. (2013). Carbon Sequestration Potential in Aboveground Biomass of Hybrid Eucalyptus Plantation Forest. *Jurnal Manajemen Hutan Tropika (Journal of Tropical Forest Management)*, 19(1), 54–62. <https://doi.org/10.7226/jtfm.19.1.54>
- Leta, M. K., Demissie, T. A., & Tränckner, J. (2021). Modeling and Prediction of Land Use Land Cover Change Dynamics Based on Land Change Modeler (LCM) in Nashe Watershed, Upper Blue Nile Basin, Ethiopia. *Sustainability*, 13(7), 3740. <https://doi.org/10.3390/su13073740>
- Li, C., Zhao, J., Thinh, N., & Xi, Y. (2018). Assessment of the Effects of Urban Expansion on Terrestrial Carbon Storage: A Case Study in Xuzhou City, China. *Sustainability*, 10(3), 647. <https://doi.org/10.3390/su10030647>
- Liang, Y., Liu, L., & Huang, J. (2017). Integrating the SD-CLUE-S and InVEST models into assessment of oasis carbon storage in northwestern China. *PLOS ONE*, 12(2), e0172494. <https://doi.org/10.1371/journal.pone.0172494>
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote sensing and image interpretation* (Seventh edition). John Wiley & Sons, Inc.
- Liu, Q., Yang, D., Cao, L., & Anderson, B. (2022). Assessment and Prediction of Carbon Storage Based on Land Use/Land Cover Dynamics in the Tropics: A Case Study of Hainan Island, China. *Land*, 11(2), 244. <https://doi.org/10.3390/land11020244>

- Maanan, Maanan, Karim, Ait Kacem, Ajrhoug, Rueff, Snoussi, & Rhinane. (2019). Modelling the potential impacts of land use/cover change on terrestrial carbon stocks in north-west Morocco. *The International Journal of Sustainable Development and World Ecology*, 26(6), 560–570. <https://doi.org/10.1080/13504509.2019.1633706>
- Nie, X., Lu, B., Chen, Z., Yang, Y., Chen, S., Chen, Z., & Wang, H. (2020). Increase or decrease? Integrating the CLUMondo and InVEST models to assess the impact of the implementation of the Major Function Oriented Zone planning on carbon storage. *Ecological Indicators*, 118, 106708. <https://doi.org/10.1016/j.ecolind.2020.106708>
- Nurdiati, S., Sopaheluwakan, A., & Septiawan, P. (2021). Spatial and Temporal Analysis of El Niño Impact on Land and Forest Fire in Kalimantan and Sumatra. *Agromet*, 35(1), 1–10. <https://doi.org/10.29244/j.agromet.35.1.1-10>
- Pal, S., & Ziaul, Sk. (2017). Detection of land use and land cover change and land surface temperature in English Bazar urban centre. *The Egyptian Journal of Remote Sensing and Space Science*, 20(1), 125–145. <https://doi.org/10.1016/j.ejrs.2016.11.003>
- Pemerintah Indonesia. (2022). *Enhanced Nationally Determined Contribution Republic of Indonesia*.
- PPPEs KLHK dan Pemerintah Kabupaten Siak. (2021). *Rencana Perlindungan dan Pengelolaan Lingkungan Hidup Kabupaten Siak*. Pusat Pengendalian Pembangunan Ekoregion Sumatera Kementerian Lingkungan Hidup dan Kehutanan.
- Rossita, A., Boer, R., Hein, L., Nurrochmat, D., & Riqqi, A. (2023). Peatland fire regime across Riau peat hydrological unit, Indonesia. *Forest and Society*, 7(1), 76–94. <https://doi.org/10.24259/fs.v7i1.21996>
- Rwanga, S. S., & Ndambuki, J. M. (2017). Accuracy Assessment of Land Use/Land Cover Classification Using Remote Sensing and GIS. *International Journal of Geosciences*, 08(04), 611–622. <https://doi.org/10.4236/ijg.2017.84033>
- Shabani, M., Darvishi, S., Rabiei-Dastjerdi, H., Alavi, A., Choudhury, T., & Solaimani, K. (2022). An integrated approach for simulation and prediction of land use and land cover changes and urban growth (Case study: Sanandaj city in Iran). *Journal of the Geographical Institute Jovan Cvijic, SASA*, 72(3), 273–289. <https://doi.org/10.2298/IJGI2203273S>
- Smoot, L. D., & Baxter, L. L. (2003). Fossil Fuel Power Stations—Coal Utilization. In *Encyclopedia of Physical Science and Technology* (pp. 121–144). Elsevier. <https://doi.org/10.1016/B0-12-227410-5/00257-X>

- Supriatna, S., Mukhtar, M. K., Wardani, K. K., Hashilah, F., & Manessa, M. D. M. (2022). CA-Markov Chain Model-based Predictions of Land Cover: A Case Study of Banjarmasin City. *Indonesian Journal of Geography*, 54(3). <https://doi.org/10.22146/ijg.71721>
- Uryu, Y., Mott, C., Foead, N., Yulianto, K., Budiman, A., Setiabudi, Takakai, F., Nursamsu, Sunarto, Purastuti, E., Fadhli, N., Jaenicke, J., Hatano, R., Siegert, F., & Stüwe, M. (2008). *Deforestation, Forest Degradation, Biodiversity Loss and CO2 Emissions in Riau, Sumatra, Indonesia*. WWF Indonesia Technical Report.
- Verma, P., Siddiqui, A. R., Mourya, N. K., & Devi, A. R. (2024). “Forest carbon sequestration mapping and economic quantification infusing MLPnn-Markov chain and InVEST carbon model in Askot Wildlife Sanctuary, Western Himalaya.” *Ecological Informatics*, 79, 102428. <https://doi.org/10.1016/j.ecoinf.2023.102428>
- Verstegen, J. A., Van Der Laan, C., Dekker, S. C., Faaaj, A. P. C., & Santos, M. J. (2019). Recent and projected impacts of land use and land cover changes on carbon stocks and biodiversity in East Kalimantan, Indonesia. *Ecological Indicators*, 103, 563–575. <https://doi.org/10.1016/j.ecolind.2019.04.053>
- Verwer, C., & Meer, P. V. der. (2010). *Carbon Pools in Tropical Peat Forest—Towards a Reference Value for Forest Biomass Carbon in Relative Undisturbed Peat Swamp Forest in Southeast Asia*. Wageningen, Alterra, Alterra-report 2108.
- Wahyunto, Ritung, S., Suparto, & Subagjo, H. (2005). *Sebaran Gambut dan Kandungan Karbon di Sumatera dan Kalimantan* (I. N. N. Suryadiputra & D. Sutaryo, Eds.). Wetlands International – Indonesia Programme dan Wildlife Habitat Canada.
- Wang, Z., Li, X., Mao, Y., Li, L., Wang, X., & Lin, Q. (2022). Dynamic simulation of land use change and assessment of carbon storage based on climate change scenarios at the city level: A case study of Bortala, China. *Ecological Indicators*, 134, 108499. <https://doi.org/10.1016/j.ecolind.2021.108499>
- Xu, X., Kong, W., Wang, L., Wang, T., Luo, P., & Cui, J. (2024). A novel and dynamic land use/cover change research framework based on an improved PLUS model and a fuzzy multiobjective programming model. *Ecological Informatics*, 80, 102460. <https://doi.org/10.1016/j.ecoinf.2024.102460>
- Yadav, V. S., Yadav, S. S., Gupta, S. R., Meena, R. S., Lal, R., Sheoran, N. S., & Jhariya, M. K. (2022). Carbon sequestration potential and CO2 fluxes in a tropical forest ecosystem. *Ecological Engineering*, 176, 106541. <https://doi.org/10.1016/j.ecoleng.2022.106541>

- Yoro, & Daramola. (2020). *Advances in carbon capture: Methods, technologies and applications*. Elsevier. <https://doi.org/10.1016/C2018-0-05339-6>
- Yuen, J. Q., Ziegler, A. D., Webb, E. L., & Ryan, C. M. (2013). Uncertainty in below-ground carbon biomass for major land covers in Southeast Asia. *Forest Ecology and Management*, 310, 915–926. <https://doi.org/10.1016/j.foreco.2013.09.042>
- Yunardy, S. (2015). *Pemodelan Spasial Penggunaan Lahan Gambut Berbasis Mitigasi Emisi Karbon (Di Kubah Gambut Merang Sumatera Selatan)*. Disertasi. Fakultas Geografi. Universitas Gadjah Mada.
- Zadbagher, E., Becek, K., & Berberoglu, S. (2018). Modeling land use/land cover change using remote sensing and geographic information systems: Case study of the Seyhan Basin, Turkey. *Environmental Monitoring and Assessment*, 190(8), 494. <https://doi.org/10.1007/s10661-018-6877-y>
- Zhu, L., Xing, H., & Hou, D. (2022). Analysis of carbon emissions from land cover change during 2000 to 2020 in Shandong Province, China. *Scientific Reports*, 12(1), 8021. <https://doi.org/10.1038/s41598-022-12080-0>