

DAFTAR PUSTAKA

- Abdel, R. A. A. K., King, A., 2012. MRI and CT of Nasopharyngeal Carcinoma. *American Journal of Roentgenology*. 198(1): 11–18.
- Abdullah, B., Alias, A., Hassan, S., 2009. Challenges in the Management of Nasopharyngeal Carcinoma: A Review. *The Malaysian journal of medical sciences : MJMS*. 16(4): 50-54.
- Adham, M., Dadan R., Ika D. M., Zani M., 2014. Delayed Diagnosis of Nasopharyngeal Carcinoma in a Patient with Early Signs of Unilateral Ear Disorder. *Medical Journal of Indonesia*. 23(1): 52-57.
- Adham, M., Kurniawan, A. N., Muhtadi, A. I., Roezin, A., Hermani, B., Gondhowiardjo, S., Bing T. I., *et al.* (2012). Nasopharyngeal carcinoma in indonesia : Epidemiology, incidence, signs, and symptoms at presentation, *Chinese Journal of Cancer*, 31(4), pp. 185–196. doi: 10.5732/cjc.011.10328.
- Adham, M., Kurniawan, A.N., Muhtadi, A.I., Roezin, A., Hermani, B., Gondhowiardjo, S., Tan, I.B., Middeldorp, J.M., 2012. Nasopharyngeal carcinoma in Indonesia: epidemiology, incidence, signs, and symptoms at presentation. *Chin J Cancer* 31, 185–196. <https://doi.org/10.5732/cjc.011.10328>
- Adham, M., Stoker, S. D., Wildeman, M. A., Rachmadi, L., Gondhowiardjo, S., 2014. Current Status of Cancer Care for Young Patients with Nasopharyngeal Carcinoma in Jakarta, Indonesia. *PLOS ONE*. 9(7): e102353.
- American Cancer Society (ACS). 2015. Nasopharyngeal Cancer. Available at: <http://www.cancer.org/cancer/nasopharyngealcancer/detailedguide/nasopharyngeal-cancer-risk-factors>
- American Joint Committee on Cancer. 2010. *Pharynx dalam AJCC Cancer Staging Manual Edisi 7*. New York: Springer.
- Badan Pusat Statistik 2022, *Persentase Merokok Pada Penduduk Umur ≥ 15 Tahun Menurut Kelompok Umur di Indonesia 2017-2022*, Badan Pusat Statistik, viewed 07 October 2023.
- Bailey, B. J., Jonas T. J., 2006. *Head & Neck Surgery-Otolaryngology 4th edition*. Philadelphia: Lippincott Williams & Wilkins
- Bai, R., Sun, J., Xu, Y., Sun, Z., Zhao, X., 2022. Incidence and mortality trends of nasopharynx cancer from 1990 to 2019 in China: an age-period-cohort analysis. *BMC Public Health*. 22(1): 1351.
- Barnes, L., Eveson, J. W., Reichart, P., Sidransky, D., (2005). Pathology & Genetics Head And Neck Tumours. Who Classification Of Tumor, 85 – 97.
- Busson, P., 2013. *Nasopharyngeal Carcinoma: Keys for Translational Medicine and Biology*. New York: Springer

- Chan, A. T. C., Greoire, J. L., Lefebvre, L., Licitr, E., Felip., 2010. Nasopharyngeal Cancer: EHNS–ESMO–ESTRO Clinical Practice Guidelines for Diagnosis, Treatment and Follow-up. *Annals of Oncology*. 21 (5) : 187-9
- Chang, E.T., Adami, H. O., 2006. The Enigmatic Epidemiology of Nasopharyngeal Carcinoma. *Cancer Epidemiol Biomarkers Prevention* 15 (1) : 1765-77.
- Chang, E.T., Ye, W., Zeng, Y., Adami, H., 2021. The Evolving Epidemiology of Nasopharyngeal Carcinoma. *Cancer Epidemiology, Biomarkers & Prevention*. 30(6): 1035-1047.
- Chen, Y. P., Chan, A. T. C., Le, Q. T., Blanchard, P., Sun, Y., Mam, J., 2019. Nasopharyngeal carcinoma. *Lancet*. Jul 6;394(10192):64-80.
- Cheng, H., 2001. Nasopharyngeal Cancer And The Southeast Asian Patient. *American Family Physician*, 63:1776-82.
- Cho, E. Y., Hildesheim, A., Chen, C. J., Hsu, M. M., Chen, I. H., Mittl, B. F., Levine, P. H., Liu, M. Y., Chen, J. Y., Brinton, L. A., *et al.* 2003. Nasopharyngeal carcinoma and genetic polymorphisms of DNA repair enzymes XRCC1 and hOGG1. *Cancer Epidemiol. Biomarkers Prevention*. 12 (1) : 1100–1104
- Cognetti, D. M., Weber, R. S., Lai, S. Y., 2008. Head and neck cancer an evolving treatment paradigm. *Cancer*. 113(7):1911–1932
- Departemen Kesehatan Republik Indonesia (Depkes RI). 2009. *Pedoman Penilaian Kinerja Sumber Daya Manusia Kesehatan Di Puskesmas*. Jakarta: Departemen Republik Indonesia
- Departemen Kesehatan Republik Indonesia. 2009. *Profil Kesehatan Indonesia*. Jakarta: Departemen Republik Indonesia
- Desen W. *Tumor kepala dan leher. Dalam: Desen W, editor. Buku ajar onkologi klinis Edisi II*. Jakarta: Balai Penerbit FKUI
- Dewi, Y. A., 2010. Karsinoma Nasofaring. Bandung: Fakultas Kedokteran Universitas Padjadjaran, THT-KL
- Dinas Kesehatan Provinsi DIY 2021, *Profil Kesehatan D.I. Yogyakarta Tahun 2021*, Dinas Kesehatan Provinsi DIY. Viewed 06 October 2023.
- Diniati, A., Wiwit, A. f., Harianto., (2016). Distribusi Keganasan Nasofaring Berdasarkan Pemeriksaan Histopatologi Pada Rumah Sakit Di Kota Pekanbaru Tahun 2009 – 2013. *Jom Fk*, 3(1): 1 – 18.
- Edge, S. B., Byrd, D. R., Compton, C. C., Fritz, A. G., Greene, F. L., Trotti, A., 2010. *AJCC Cancer Staging Manual 7th ed*. New York: Springer
- Farhat, *et al.*, (eds) (2020) ‘KARSINOMA NASOFARING’, in Karsinoma Nasofaring. Jakarta: EGC, pp. 159–189.
- Fitriatuzzakiyyah, N., Sinuraya, R. K., ; Puspitasari, I. M., (2017) ‘Cancer Therapy with Radiation: The Basic Concept of Radiotherapy and Its Development in Indonesia’, *Indonesian Journal of Clinical Pharmacy*, 6(4), pp. 311–320. doi: 10.15416/ijcp.2017.6.4.311.

- Fles, R., Wildeman, M. A., Sulistiono, B., Haryana, S. M., ; Tan, I. B., 2010. Knowledge Of General Practitioners About Nasopharyngeal Cancer At The Puskesmas In Yogyakarta, Indonesia. *BMC Medical Education*. 10 (1) : 81.
- Friborg, J., Yuan, J., Wang, R., Koh, W., Lee, H., Yu, M., 2007. A Prospective Study of Tobacco and Alcohol Use as Risk Factors for Pharyngeal Carcinomas in Singapore Chinese. *Pubmed*;109(6):1183-91
- Hafidhaturrahmah, D. A. B., 2010. Distribusi Data Kanker Nasofaring Di RSUD Margono Soekarjo Purwokerto Tahun 2009. *Referat*. Purwokerto : SMF Telinga Hidung dan Tenggorokkan (THT) Fakultas Kedokteran Universitas Jenderal Soedirman
- Harry, A. 2002. *Penataaksanaan Radioterapi pada Karsinoma Nasofaring*. Sumatera: Fakultas Kedokteran Universitas Sumatera Utara
- Hasselt, C. A. V., Gibb, A. G., 1999. Nasopharyngeal Carcinoma. Hong Kong and London: The Chinese University Press, Greenwich Medical Media LTD : 111-125
- Hendrawan, A., 2013. Faktor Risiko Karsinoma Nasofaring. *Cermin Dunia Kedokteran*. 40 (5) : 348-351
- Hildesheim, A., Anderson, L. M., Chen, C. J., Cheng, Y. J., Brinton, L. A., Daly, A. K., Reed, C. D., Chen, I. H., Caporaso, N. E., Hsu, M. M., *et al.*, 1997. CYP2E1 genetic polymorphisms and risk of nasopharyngeal carcinoma in Taiwan. *Journal National Cancer Institute*. 89 (1) : 1207–1212
- Hildesheim, A., Apple, R. J., Chen, C. J., Wang, S. S., Cheng, Y. J., Klitz, W., Mack, S. J., Chen, I. H., Hsu, M. M., Yang, C.S., *et al.* 2002. Association of HLA class I and II alleles and extended haplotypes with nasopharyngeal carcinoma in Taiwan. *Journal National Cancer Institute*. 94 (1) : 1780–1789.
- Hsu, W. L., Chen, J. Y., Chien, Y. C., *et al.*, 2009. Independent Effect of EBV and Cigarette Smoking on Nasopharyngeal Carcinoma: A 20-Year Follow-Up Study on 9,622 Males without Family History in Taiwan. *Cancer Epidemiol Biomarkers Prevention*. 18 : 1218-26
- Hu, T., Ye, W., Zeng Y. X., Adami, H. O., 2021. The Evolving Epidemiology of Nasopharyngeal Carcinoma. *Cancer Epidemiology, Biomarkers & Prevention*. 30(6): 1035-1047.
- Huang, D. P., Lo, K. W., 1999. *Aetiological Factors and Pathogenesis*. Dalam: van Hasselt CA, Gibb AG, editors. *Nasopharyngeal Carcinoma*. Hongkong : The Chinese University of Hong Kong
- Jeyakumar, A., Todd, M.B., Alwin, J., Timothy, D. 2006. Review of nasopharyngeal carcinoma. *Ear, Nose & Throat Journal* 85(3):168-73
- Jia, W., Luo, X., Feng, B., Ruan, H., Bei, J., Liu, W., *et al.* 2010. Traditional Cantonese Diet and Nasopharyngeal Carcinoma Risk: a Large-Scale Case-Control Study in Guangdong, China. *Pubmed*;10:446
- Jiade, J. I., Jay, S. C., Anne, W. M. I., 2010. *Medical Radiology-Diagnostic Imaging And Radiation Oncology*. Verlag Berlin Heidelberg : Springer.

- Karen, J., Marcus, M., Roy, B., Tishler, M. D., 2010. Head and neck carcinomas across the age spectrum: epidemiology, therapy, and late effects. *Semin Radiat Oncol*;20:52-7
- Kementerian Kesehatan RI 2014, *Pedoman Penetapan Rumah Sakit Rujukan Nasional*, Kementerian Kesehatan RI, viewed on 06 October 2023.
- Kementerian Kesehatan RI (2017) Pedoman Nasional Pelayanan Kedokteran : Kanker Nasofaring, Komite Penanggulangan Kanker Nasional.
- Kentjono, W. A., 2003. Perkembangan Terkini Penatalaksanaan Karsinoma Nasofaring. *Majalah Kedokteran Tropis Indonesia* 14 (2)
- Linton, R.E., Daker, M., Khoo, A.S.-B., Choo, D.C.Y., Viljoen, M., Neilsen, P.M., 2021. Nasopharyngeal carcinoma among the Bidayuh of Sarawak, Malaysia: History and risk factors. *Oncol Lett* 22, 514.
<https://doi.org/10.3892/ol.2021.12775>
- Lo, K.W., To, K. F., Huang, D. P., (2004) Focus On Nasopharyngeal Carcinoma, *Cancer Cell*; 5 (5): 423-8
- Maasland, D. H., *et al.* 2004. Alcohol consumption, cigarette smoking and the risk of subtypes of head-neck cancer: results from the netherlands cohort study. *Bmc Cancer*. 14(1):187
- McDermott, A. L., Dutt, S. N., Watkinson, J. C., 2001. The Aetiology of Nasopharyngeal Carcinoma. *Clinical Otolaryngology*. 26th Edition: 89-92.
- Michaels, L., Hellquist, H. B., 2001. *Ear, Nose and Throat Histopathology Second Edition*. Singapore : Springer.
- Munir, D., 2009 Karsinoma Nasofaring. Medan: USU press;
- National Comprehensive Cancer Network. 2020. Head and Neck Cancer. *NCCN Clinical Practice Guidelines in Oncology*.
- National Patient Safety Agency, 2010. *Delayed Diagnosis of Cancer*. UK: Royal College of General Practitioners.
- Nazar, S., Vaughan, T. L., Burt, R. D., Chen, C., Berwick, M., and Swanson, G. M., 1999. Glutathione S-transferase M1 and susceptibility to nasopharyngeal carcinoma. *Cancer Epidemiol. Biomarkers Prevention*. 8: 547–551.
- Nugrahenny, G., 2006. Efek Dosis Radioterapi Area Kepala dan Leher terhadap pH Saliva. Yogyakarta: Gadjah Mada University.
- Nurul, F., Gunawan, C. R., (2019) ‘Segmentasi Citra Ct Scan Paru-Paru Dengan Menggunakan Metode Active Contour’, *JURIKOM*, 6(2). doi: 10.30865/jurikom.v6i2.1166.
- Pai, S. I., Westra, W. H., (2009). *Molecular Pathology of Head and Neck Cancer: Implications for Diagnosis, Prognosis, and Treatment*. , 4(1), 49–70. doi : 10.1146/annurev.pathol.4.110807.092158
- Paramita, D. K., Fachiroh, J., Haryana, S. M., Middeldorp, J. M., 2009. Two Step Eipstein Barr Virus Immunoglobulin A enzyme-linked immunosorbent assay sysitem for serologic screening and confirmation of nasopharyngeal carcinoma. *Clinical and Vaccine Immunology* : 16 (5) : 706-711

- Perfors, I., Helsper, C. W., Noteboom, E. A., van der Wall, E., de Wit, N. J., & May, A. M., (2018). Randomised controlled trial protocol (GRIP study): examining the effect of involvement of a general practitioner and home care oncology nurse after a cancer diagnosis on patient reported outcomes and healthcare utilization. *BMC cancer*, 18(1), 132 doi: 10.1186/s12885-018-4005-6
- Reffai, A., Mesmoudi, M., Derkaoui, T., Ghailani Nourouti, N., Barakat, A., Sellal, N., Mallick, P., Bennani Mechita, M., 2021. Epidemiological Profile and Clinicopathological, Therapeutic, and Prognostic Characteristics of Nasopharyngeal Carcinoma in Northern Morocco. *Cancer Control* 28, 10732748211050587. <https://doi.org/10.1177/10732748211050587>
- Ren, Z. F., Liua, W. S., Qina, H. D., Xua, Y.F., Yua, D. D., Fenga, Q. S., *et al.* 2010. Effect of Family History of Cancers and Environmental Factors on Risk of Nasopharyngeal Carcinoma in Guangdong, China. *ScienceDirect - Cancer Epidemiology*; 34(4):419-24
- Romdhoni AC. *et al.*, Clinical presentation of nasopharyngeal Carcinoma in East Java, Indonesia. *Pakistan J. Med. Heal. Sci.* 2020; 14; p. 942–6.
- Safavi Naini, A., Rostami, M.M., Shojaeian, F., Azizmohammad Looha, M., Ghanbari Motlagh, A., Safavi, A.A., Safavi-Naini, S.A.A., 2023. Epidemiology and Histopathology of Nasopharyngeal Neoplasms in Iran. *Iran J Otorhinolaryngol* 35, 3–12. <https://doi.org/10.22038/IJORL.2022.63193.3180>
- Salehiniya, H., Moohammadian, M., Mohammadian, H. A., & Mahdavifar, N. 2018. Nasopharyngeal Cancer in the World:Epidemiology, Incidence,Mortality and Risk Factors. *World Cancer Research Journal*, 5(1), 1–8.
- Sastroamoro, S., Ismael, S., 2010. *Dasar – Dasar Metodologi Penelitian Klinis*. Jakarta : Sagung Seto.
- Schwartz, L. H., *et al.* (2016) ‘RECIST 1.1 - Update and clarification: From the RECIST committee’, *European Journal of Cancer*, 62(March), pp. 132–137. doi: 10.1016/j.ejca.2016.03.081.
- Sevilla, C., *et.al* (2007). *Research Methods*. Rex Printing Company. Quezon City
- Shah, J. P., 2001. *Atlas of Clinical Oncology Cancer of the Head and Neck*. Hamilton, London: BC Decker Inc
- Siegel, R. L, Miller, K. D., Jemal, A., 2018. Cancer statistics, 2018. *CA Cancer J Clin* ;68: 7-30.
- Siti-Azrin, A.H., Norsa’adah, B., Naing, N.N., 2014. Five-year survival and median survival time of nasopharyngeal carcinoma in Hospital Universiti Sains Malaysia. *Asian Pac J Cancer Prev* 15, 6455–6459. <https://doi.org/10.7314/apjcp.2014.15.15.6455>
- Song, Y., Cheng, W., Li, H., Liu, X., 2022. The global, regional, national burden of nasopharyngeal cancer and its attributable risk factors (1990–2019) and

predictions to 2035. *Cancer Med* 11, 4310–4320.
<https://doi.org/10.1002/cam4.4783>

Susworo, R., (2007) *Radioterapi : Dasar-Dasar Radioterapi, Tata laksana Radioterapi Penyakit Kanker*. Jakarta: UI-Press.

Sveistrup, J., *et al.* (2014) ‘Improvement in toxicity in high risk prostate cancer patients treated with image-guided intensity-modulated radiotherapy compared to 3D conformal radiotherapy without daily image guidance’, *Radiation Oncology*, 9(1), pp. 1–8. doi: 10.1186/1748-717X-9-44.

Tao, Q., Chan, A. T. C., 2007. Nasopharyngeal Carcinoma: Molecular Pathogenesis and Therapeutic Developments. *Expert Reviews Cambridge University Press*. 9 : 12

Tang, S. Q. *et al.* The evolution of the nasopharyngeal carcinoma staging system over a 10-year period: implications for future revisions. *Chin. Med. J. (Engl)*. 2020: 133; p.2044–53

Tejpal, G., *et al.* (2010) ‘IMRT and IGRT in head and neck cancer: Have we delivered what we promised?’, *Indian Journal of Surgical Oncology*, 1(2), pp. 166–185. doi: 10.1007/s13193-010-0030-x.

Thompson, M. P., Kurzrock R. 2004. Epstein-Barr Virus and Cancer. *American Association for Cancer Research*. 1;10:803-21

Tobungan, N., Aliyah, S. H., Wijayanti, N., 2015. Epidemiologi, stadium, dan derajat diferensiasi kanker kepala dan leher. *Biogenesis Jurnal Ilmiah Biologi*. 3(1):47–52.

Tse, L. A., Yu, I.T.S, Mang, O. W. K., Wong, S. L., 2006. Incidence Rate Trends of Histological Subtypes of Nasopharyngeal Carcinoma in Hong Kong. *British J Can*; 95: 1269-73

Wee, J., Ha, T., Loong, S., Qian, C., 2010. Is Nasopharyngeal Cancer Really a "Cantonese Cancer"? *Pubmed*; 29(5):517-26.

Wei, K. R., Zheng, R. S., Zhang, S. W., Liang, Z. H., Li, Z. M., & Chen, W. Q. 2017. Nasopharyngeal carcinoma incidence and mortality in China, 2013. *Chinese journal of cancer*, 36(1), 90.

William, W., Jonathan, S. T., 2005. Nasopharyngeal Carcinoma. *Lancet* 365: 2041–54

Wu, L., Li, C., & Pan, L. 2018. Nasopharyngeal carcinoma: A review of current updates. *Experimental and therapeutic medicine*, 15(4), 3687–3692.

Xie SH. Yu IT. sunTse LA. Au JSK. & Lau JSM., Occupational risk factors for nasopharyngeal carcinoma in Hong Kong Chinese: a case-referent study. *Int. Arch. Occup. Environ. Health*. 2017: 90; p.443–9.

Yang, X., Diehl, S., Pfeiff, E. R., Chen, C. J, Hsu, W. L., Dosemeci, M., *et al.* 2005. Evaluation of Risk Factors for Nasopharyngeal Carcinoma in High-Risk Nasopharyngeal Carcinoma Families in Taiwan. *Cancer Epidemiol Biomarkers Prevention* 14 : 900-5.

- Yu, M. C., and Yuan, J. M. 2002. Epidemiology of nasopharyngeal carcinoma. *Semin. Cancer Research*. 12 : 421–430.
- Yulin, A., 2011. Analisis Hubungan Antara Faktor Risiko Dengan Tipe Histopatologik Pada Karsinoma Nasofaring. Semarang. Universitas Dipenogoro. Skripsi: 34-35
- Zhang, L., Chen, Q. Y., Liu, H., Tang, L. Q., Mai, H. Q., 2013. Emerging Treatment Options for Nasopharyngeal Carcinoma. *Drug Design, Development and Therapy*. 7 : 37–52. doi: 10.2147/DDDT.S30753