DAFTAR PUSTAKA

Anwar, S.L., Raharjo, C.A., Herviastuti, R. et al. 2019. Pathological Profiles and Clinical Management Challenges of Breast Cancer Emerging in Young Women in Indonesia: A Hospital-Based Study. *BMC Women's Health* 19, 28.

Ashariati, A., Sedana, M. P., Bintoro, U. Y. *et.al.,* 2019. Manajemen Kanker Payudara Komprehensif. Airlangga University Press, Surabaya. ISBN 978-602-473-185-4.

Bill C. A., Allen C.M., Vines C.M., 2022. C-C Chemokine Receptor 7 in Cancer. Cells 11(4):656.

Badowska-Kozakiewicz, A., Sobol, M., Patera, J., 2016. Expression of Hypoxia-Inducible Factor 1α in Invasive Breast Cancer with Metastasis to Lymph Nodes: Correlation with Steroid Receptors, HER2 and EPO-R. *Adv Clin Exp Med.* 25(4):741-50.

Buonomo, O.C., Caredda, E., Portarena, I. et. al., 2017. New Insights into The Metastatic Behavior After Breast Cancer Surgery, According to Well-Established Clinicopathological Variables and Molecular Subtypes. *PLoS ONE* 12(9):1–17.

Cai, F., Xu, C., Pan, X., Cai, L., Lin, X., Chen, S., Biskup, E., 2016. Prognostic Value Of Plasma Levels Of HIF-1α Dan PGC-1 A in Breast Cancer. *Oncotarget.* 7(47):77793-77806

Cao, Q., Mushajiang, M., Tang, C.Q., Ai, X.Q., 2023. Role Of Hypoxia-Inducible Factor-1α And Surviving in Breast Cancer Recurrence and Prognosis. *Heliyon.* 9(3) : e14132

Campbell, E. J., Dachs, G., U., Morrin, H., R., et. al., 2019. Activation Of the Hypoxia Pathway In Breast Cancer Tissue and Patient Survival Are Inversely Associated with Tumor Ascorbate Levels. *BMC Cancer*. 19:307.

Castaneda,M., Petra den Hollander, Kuburich, N.A., Rosen, J.M., Mani, S.A.,2022. Mechanisms Of Cancer Metastasis. *Seminars in Cancer Biology* 87, 17–31.

Chang, J. M., Leung, J. W. T., Moy, L., Ha, S. M., Moon, W. K., 2020. Axillary Nodal Evaluation In Breast Cancer : State Of The Art. *Radiology*. 295:3, 500-515

Chao, Y., Zhang-Feng. Z., Sheng-Peng., W, Chi-Teng, V., Bin, Y., Yi-Tai, W., 2021. HIF-1 : Structure, Biologi And Natural Modulators. *Chin J Nat. Med* 19(7): 521 – 527

Chen, H., Ding, A., Wang, M., Yin, C., Zhang, Z., 2017. Prognostic Significance of Lymph Node Metastasis in Triple Negative Ductal Carcinoma of The Breast: A Retrospective Cohort Study. *Int J Clin Exp Med*. 10: 2727-36

Chen, J. M., Luo, B., Ma, R., Luo, X. X., Chen, Y. S., Li, Y., 2021. Lymphatic Endothelial Markers and Tumor Lymphangiogenesis Assessment in Human Breast Cancer. *Diagnostics (Basel)*. 12(1):4

Choi, E., Mun, G., Lee, J., Lee, H., Cho, J., Lee, Y., 2023. BRCA1 Deficiency In Triple-Negative Breast Cancer : Protein Stability As A Basis For Therapy. *Biomedicine & Pharmacotherapy* 158. 114090

Collin, L., J., Maliniak, M., L., Cronin-Fenton, D., P., *et.al.,* 2021. Hypoxia-Inducible Factor-1α Expression and Breast Cancer Recurrence in A Danish PopulationBased Case Control Study. *Breast Cancer Res* 23: 103.

Cui, J., Jiang, H., 2019. Prediction Of Postoperative Survival of Triple-Negative Breast Cancer Based on Nomogram Model Combined with Expression Of HIF1α And C-Myc. *Medicine (Baltimore)*.98(40): e17370.

Cvetkovic-Vega, A., Maguina, J., L., Soto, A., Valdivia, J., L., Lopez, L., 2021. Cross-Sectional Studies. *Rev. Fac. Med. Hum*. 21(1): 164-170

De Heer, E. C., Jalving, M., Harris, A.L., 2020. Hifs, Angiogenesis, And Metabolism : Elusive Enemies in Breast Cancer. *J Clin Invest*. 130(10):5074-5087.

Derakhshan, F., Reis-Filho, J.S., 2022. Pathogenesis Of Triple-Negative Breast Cancer. *Annu Rev Pathol*. 17:181-204.

Desai, A.A., Hoskin, T.L., Day, C.N., Habermann, E.B., Boughey, J.C., 2018. Effect Of Primary Breast Tumor Location on Axillary Nodal Positivity. Ann. Surg. Oncol. 25:3011–3018

Englander, K., Neha, C., Gallagher, J., Elleson, K., Sun, W., *Et.Al.,* 2023. Factors Influencing Lymph Node Positivity in HER2/Neu Breast Cancer Patients. Curr. Oncol 30. 2825 – 2833.

Farooq, M., Bhat, G.R., Besina, S. Et Al., 2023. Expression Of HIF-1α And Markers Of Angiogenesis and Metabolic Adaptation in Molecular Subtypes of Breast Cancer. Transl Med Commun 8, 2

Ferlay, J., Ervik, M., Lam, F., Colombet, M., Mery, L., Piñeros, M., Et.A.L, 2020. Global Cancer Obser-Vatory: Cancer Today. International Agency for Research on Cancer: Lyon, France.

Gunawan, I., Hatta, M., Benyamin, A. F., Islam, A. A., 2020. The Hypoxic Response Expression as Survival Biomarkers in Treatment-Naïve Advanced Breast Cancer. Asian Pac J Cancer Prev; 21(3), 629-637.

Gorji-Bahri, G., Moradtabrizi, N., Hashemi, A., 2021. Uncovering The Stability Status of The Reputed Reference Genes in Breast and Hepatic Cancer Cell Lines. Plos One. 16(11): E0259669.

Jana S., Muscarella R. A. Jr, Jones D., 2021. The Multifaceted Effects of Breast Cancer on Tumor-Draining Lymph Nodes. Am J Pathol. 191(8):1353-1363.

Jarman, E. J., Ward, C., Turnbull, A. K., Martinez-Perez, C., Meehan, J., Xintaropoulou, C., Sims, A. H., Langdon, S. P., 2019. HER2 Regulates HIF-2α And Drives an Increased Hypoxic Response in Breast Cancer. Breast Cancer Res. 21:10

Jo¨Gi, A., Ehinger, A., Hartman, L., Alkner, S., 2019. Expression Of HIF-1α Is Related to A Poor Prognosis and Tamoxifen Resistance in Contralalateral Breast Cancer. Plos ONE 14(12): E0226150.

Kędzierawski, P., Bocian, A., Radowicz-Chil, A., Huruk-Kuchinka, A., Mężyk, R., 2023. Subtype Of Breast Cancer Influences Sentinel Lymph Node Positivity. Arch Med Sci. 19 (3): 618–625.

Kementerian Kesehatan Republik Indonesia, 2018. Pedoman Nasional Pelayanan Kedokteran Tata Laksana Kanker Payudara. Kementerian Kesehatan Republik Indonesia, Jakarta.

Kementerian Kesehatan Republik Indonesia, 2022. Profil Kesehatan Indonesia Tahun 2021. Kementerian Kesehatan Republik Indonesia, Jakarta.

Kozakiewicz, A. B., Sobol, M., Patera, J., 2016. Expression Of Hypoxia-Inducible Factor 1α In Invasive Breast Cancer with Metastasis to Lymph Nodes: Correlation With Steroid Receptors, HER2 And EPO-R. Adv Clin Exp Med 25, 4, 741–750

Kozal, K., Krześlak, A., 2022. The Role of Hypoxia-Inducible Factor Isoforms In Breast Cancer and Perspectives on Their Inhibition In Therapy. Cancers (Basel) 14(18):4518

Kumar, V., Abbas, A.K., Aster, J.C., Deyrup,A.T., Das, A., 2023. Robbins And Kumar Basic Pathology, Eleventh Edition. Elsevier, Philadelphia.

Kunita, A., Baeriswyl, V., Meda, C. Et. Al., 2018. Inflammatory Cytokines Induce Podoplanin Expression at The Tumor Invasive Front. Am J Pathol 188: 1276e1288

Lai, S.W., Cheng, Y.C., Kiu, K.T., *et.al.,* 2024. PROX1 Interaction with α-SMA-Rich Cancer-Associated Fibroblasts Facilitates Colorectal Cancer Progression and Correlates With Poor Clinical Outcomes And Therapeutic Resistance. *Aging (Albany NY).* 16(2):1620-1639

Li, T., Mao, C., Wang, X., Shi, Y, Tao, Y., 2020. Epigenetic Crosstalk Between Hypoxia And Tumor Driven By HIF-1α Regulation. *J Exp Clin Cancer Res* **39**, 224

Li, Z., Wei, H., Li, S., Wu, P., Mao, X., 2022. The Role Of Progesterone Receptors In Breast Cancer. *Drug Des Devel Ther* 16:305-314.

Liu, Q., Palmgren, V.A.C., Danen, E.H.J., Devedec, S.E., 2022. Acute Vs Chronic Vs Intermittent Hypoxia In Breastcancer : A Review On Its Application In In Vitro Research. *Molecular Biology Report* 49 : 10961-10973.

Łukasiewicz, S., Czeczelewski, M., Forma, A., Baj, J., Sitarz, R., Stanisławek, A., 2021. Breast Cancer—Epidemiology, Risk Factors, Classification, Prognostic Markers, And Current Treatment Strategies—An Updated Review. Cancers 13(17):4287.

Maldonado, V., Melendez-Zajgla, J., The Role Of Hypoxia-Associated Long Non-Coding Rnas In Breast Cancer. *Cells.* 11(10)1679.

Maria Badowska-Kozakiewicz, A. And Piotr Budzik, M,. 2018. Triple – Negative Breast Cancer : Expression Of Hypoxia - Inducible Factor 1 Alfa In Triple – Negative Breast Cancer With Metastasis To Lymph Nodes. *Intechopen.* DOI: 10.5772/Intechopen.75354

Marino MA, Avendano D, Zapata P, Riedl CC, Pinker K. Lymph Node Imaging In Patients With Primary Breast Cancer: Concurrent Diagnostic Tools. *Oncologist.* 25(2):E231-E242

Marta S.N., Hary Mastika N.D.A,, Irawan H., 2020. A Review And Current Update On Sentinel Lymph Node Biopsy Of Breast Cancer. *Open Access Maced J Med Sci* 15:8(F):78-83.

Morfoisse, F., Kuchnio, A., Frainay, C., *Et.Al.,* 2014. Hypoxia Induces VEGF-C Expression In Metastatic Tumor Cells Via A HIF-1α Independent Translation - Mediated Mechanism. *Cell Reports* 6 : 155 – 167.

Morfoisse, F., Renaud, E., Hantelys, F., Prats, A.C., Garmy-Susini, B., 2015. Role Of Hypoxia And Vascular Endothelial Growth Factors In Lymphangiogenesis. *Mol Cell Oncol.* 2(4):E1024821.

Namdar, Z.M., Omidifar, N., Arasteh, P. Et Al. How Accurate Is Frozen Section Pathology Compared To Permanent Pathology In Detecting Involved Margins And Lymph Nodes In Breast Cancer?. *World J Surg Onc* 19, 261

Ni, X., Zhao, Y., Ma, J., Xia, T., Liu, X., Ding, Q., *Et.Al.,* 2013. Hypoxia-Induced Factor-1 Alpha Upregulates Vascular Endothelial Growth Factor C To Promote Lymphangiogenesis And Angiogenesis In Breast Cancer Patients. *Journal Of Biomedical Research*, 27(6), 478–485.

Nie, C,, Lv, H., Bie, L., Hou, H., Chen, X., 2018. Hypoxia-Inducible Factor 1-Alpha Expression Correlates With Response To Neoadjuvant Chemotherapy In Women With Breast Cancer. *Medicine (Baltimore)* 97(51):E13551.

Noviral, D., Nawangtantrini, G., Sulistyo, H., Dwi, H., S., Djatmiko, W., 2019. Association Between Axillary Lymph Node Involevement And Clinicopathological Features Of Breast Cancer Among Indonesian Women. *Med J Indones* 29:32-7.

Ntikoudi, E., Pergaris, A., Kykalos, S., Politi, E., Theocharis, S., 2022. The Role Of PROX1 In Neoplasia: A Key Player Often Overlooked. Diagnostics. 12(7):1624

Park, M., Kim, D., Ko, S., Kim, A., Mo, K., Yoon, H., 2022. Breast Cancer Metastasis: Mechanisms And Therapeutic Implications. *Int. J. Mol. Sci* 23, 6806.

Peiró, C.H.F., Encina, J.A., Perez, M.M., Aquino, G.S.A., Veiga, G.L., Fonseca, F., Alves, B.C.A., 2019. The Role of Hypoxia Induced Factor 1α In Breast Cancer. *J Cancer Metastasis and Treatment* 5:49.

Raj-Kumar, P.-K., Liu, J., Hooke, J. A., Kovatich, A. J., Kvecher, L., Shriver, C. D., Hu, H., 2019. PCA-PAM50 Improves Consistency Between Breast Cancer Intrinsic And Clinical Subtyping Reclassifying a Subset of Luminal A Tumors as Luminal B. *Sci. Rep* 9, 7956.

Rauniyar, K., Jha, S. K., Jeltsch, M., 2018. Biology Of Vascular Endothelial Browth Factor C In the Morphogenesis of Lymohatic Vessels. *Front. Bioeng. Biotechnol*. 6:7.

Rizeq B., Malki M.I., 2020. The Role of CCL21/CCR7 Chemokine Axis in Breast Cancer Progression. *Cancers (Basel)* 12(4):1036.

Ruscitto, F., Roda, N., Priami, C., Migliaccio, E., Pelicci, P.G., 2022. Beyond Genetics: Metastasis As an Adaptive Response in Breast Cancer. International Journal *Of* Molecular Sciences. 23(11):6271.

Schito, L., Rey, S., Tafani, M., Zhang, H., Wong, C. C., Russo, A., Russo, M. A., Semenza, G. L., 2012. Hypoxia-Inducible Factor 1-Dependent Expression Of

Platelet-Derived Growth Factor B Promotes Lymphatic Metastasis of Hypoxic Breast Cancer Cells. *Proc Natl Acad Sci U S A*. 109(40): E2707-16.

Semenza, G. L., 2016. The Hypoxic Tumor Microenvironment : A Driving Force For Breast Cancer Progression. *Biochimica Et Biophysica Acta – Molecular Cell Research*. 1863 (3) : 382 – 391.

Septiawati, T., Manuaba, I.B.T., Adiputra, P. A. T., 202. Hubungan Antara Microvessel Density Dan Lymphovascular Invasion Dengan Metastasis Jauh Pada Pasien Kanker Payudara Di RSUP Sanglah, Bali, Indonesia. *Intisari Sains Medis*. 3: 1436-1442

Simon, A, Manuaba, T. W., 2017. Pengaruh Grading Dan Lymphovascular Invasion Terhadap Metastasis Kelenjar Getah Bening Axilla Pada Kanker Payudara. E-Jurnal Medika Udayana, 5(6)

Shamis, S., A., K., Mcmillan, D., C., Edwards, J., 2021. The Relationship Between Hypoxia-Inducible Factor 1α (HIF-1α) And Patient Survival in Breast Cancer: Systematic Review And Meta-Analysis. *Critical Reviews In Oncology/Hematology*. 159, 103231.

Shi, R., Liao, C., Zhang, Q., 2021. Hypoxia-Driven Effects in Cancer: Characterization, Mechanisms, And Therapeutic Implications. Cells. 10:678.

Solikhah, S., Perwitasari, D.A., Rejeki, D.S.S., 2022. Geographic Characteristics Of Various Cancers in Yogyakarta Province, Indonesia: A Spatial Analysis at The Community Level. *Asian Pac J Cancer Prev*. 23(4):1231-1238.

Steinberger, K., J., Eubank, T., D., 2023. The Underexplored Landscpae Of HypoxiaInducible Factor 2 Alpha And Potentian Roles In Tumor Macrophages : A Review. *Oxygen*. 3(1), 45-76.

Strien, L., Joensuu, K., Heikkilä, P., Leidenius, M. H., 2017. Different Expression Patterns Of CXCR4, CCR7, Maspin and FOXP3 In Luminal Breast Cancers and Their Sentinel Node Metastases. *Anticancer Res*. 37, 175–182.

Sung, H., Ferlay, J., Siegel, R.L., Laversanne, M., Soerjomataran, I., Jemal, A., *Et.Al.,* 2021. Global Cancer Statistics 2020 : GLOBOCAN Estimates Of Incidence And Mortality Worldwide For 36 Cancers In 185 Countries. *CA Cancer J Clin*. 71(3) : 209 – 49.

Tam, S.Y., Wu, V. W. C., Law, H. K. W., 2020. Hypoxia-Induced Epithelial-Mesenchymal Transition in Cancers: HIF-1α And Beyond. *Front Oncol*. 10:486.

The Global Cancer Observatory, 2021. Globocan : Indonesia. International Agency for Research On Cancer, France. Available From: Https://Gco.Iarc.Fr/ Data/Factsheets/Populations/360-Indonesia-Fact-Sheets.

Thewes, B., Rietjens, J. A. C., Van Den Berg, S. W., Et Al., 2018. One Way Or Another: The Opportunities and Pitfalls Of Self-Referral And Consecutive Sampling As Recruitment Strategies for Psycho-Oncology Intervention Trials. *Psychooncology*. 27(8):2056-2059

Tirpe, Alexandru & Gulei, Ciortea, Crivii, Berindan - Neagoe, Ioana, 2019. Hypoxia: Overview On Hypoxia-Mediated Mechanisms with A Focus On The Role Of HIF

Genes. *International Journal of Molecular Sciences*. 20. 6140. 10.3390/Ijms20246140.

Tutunea-Fatan, E., Majumder, M., Xin, X. Et Al., 2015. The Role of CCL21/CCR7 Chemokine Axis in Breast Cancer-Induced Lymphangiogenesis. *Mol Cancer* 14, 35.

Van Nijnatten, T. J. A., Jochelson, M. S., Lobbes, M. B. I., 2022. Axillary Lymph Node Characteristics In Breast Cancer Patients Versus Post-COVID-19 Vaccination: Overview Of Current Evidence Per Imaging Modality. *Eur J Radiol*. 152:110334

Wang, C., Dan Chu, M., 2022. Advances In Drugs Targeting Lymphangiogenesis For Preventing Tumor Progression and Metastasis. *Front. Oncol*. 11:783309.

Wang, L., Zhang, S., And Wang, X., 2021. The Metabolic Mechanisms of Breast Cancer Metastasis. *Front. Oncol* 10:602416.

Wang, Y., Zhang, G., Han, J., 2019. HIF1A-AS2 Predicts Poor Prognosis And Regulates Cell Migration and Invasion in Triple-Negative Breast Cancer. *Journal Of Cellular Biochemistry*, 120(6), 10513–10518.

Wang, X., Xinge Ji, M., S., 2020. Sample Size Estimation In Clinical Research : From Randomized Controlled Trials to Observational Studies. *Chest*. 158(1S): S12-S20

Weitzenfeld, P., Kossover, O., Körner, C., Meshel, T., Wiemann, S., Seliktar, D., Legler, D.F., Ben-Baruch, A., 2016. Chemokine Axes in Breast Cancer: Factors Of The Tumor Microenvironment Reshape the CCR7-Driven Metastatic Spread of Luminal-A Breast Tumors. *J. Leukoc. Biol*. 99, 1009–1025.

WHO Classification of Tumours Editorial Board. 2019. Breast Tumours 5th Ed. *International Agency for Research on Cancer, Lyon*. France.

Wicks, E., And Semenza, G. L., 2022. Hypoxia-Inducible Factors : Cancer Progression And Clinical Translation. *J Clin Invest*. 2022;132(11): E159839

Widiana, I.K., Irawan, H., 2020. Clinical And Subtypes of Breast Cancer in Indonesia. *Asian Pac J Cancer Care* 5 (4), 281-285.

Widodo, I., Dwianingsih, E.K., Utoro, T., Anwar, S.L., Aryandono, T., Soeripto, 2018. Prognostic Value of Lymphangiogenesis Determinants in Luminal and Non-Luminal Breast Carcinomas. *Asian Pac J Cancer Prev* 19 (9), 2461-2467.

Widodo, I., Dwianingsih, E.K., Aryandono, T., Soeripto, 2019. Clinicopathological Characteristic And Prognostic Significance of Indonesian Triple Negative Breast Cancer. *Indones Biomed J.* 11(3): 286-92

Wild CP, Weiderpass E, Stewart BW. (Eds.), 2020. World Cancer Report: Cancer Research For Cancer Prevention. *International Agency for Research on Cancer, Lyon*. France. Available From: Http://Publications.Iarc.Fr/586

Wu, J., Li, L., Liu, J., Wang, Y., Wang, Z., Liu, W., Zhou, Z., Chen, C., Liu, R., Yang, R., 2018. CC Chemokine Receptor 7 Promotes Triple-Negative Breast Cancer Growth and Metastasis. *Acta Biochim. Biophys. Sin. (Shanghai)* 50, 835–842.

Xie, Q., Shang, T., Feng, S., *Et.Al.,* 2021. Hyposia Inhibits Proliferation of Human Dermal Lymphatic Endothelial Cells Via Downregulation of Carcinoembryonic Antigen-Related Cell Adhesion Molecule 1 Expression. *Current Medical Science*

41(6):1192-1197

Yang, Jun & Harris, Adrian & Davidoff, Andrew., 2018. Hypoxia And HormoneMediated Pathways Converge at The Histone Demethylase KDM4B In Cancer. *International Journal of Molecular Sciences* 19. 240. 10.3390/Ijms19010240.

Yang, Z.J., Yu, Y., Hou, X.W., Chi, J.R., Ge, J., Wang, X., Cao, X.C., 2017. The Prognostic Value of Node Status in Different Breast Cancer Subtypes. *Oncotarget* 8(3):4563-4571

Yeeravalli, R., Das, A., 2021. Molecular Mediators of Breast Cancer Metastasis. *Hematol Oncol Stem Cell Ther* 14: 275 –289

Yong, L., Tang, S., Yu, H., Zhang, H., Zhang, Y., Wan, Y., Cai, F., 2022. The Role Of Hypoxia-Inducible Factor-1 Alpha in Multidrug-Resistant Breast Cancer. *Front Oncol.* 12:964934

Zhang, M., Zhang, Y., Ding, Y., Huang, J., Yao, J., Xie, Z., Et. Al., 2022. Regulating The Expression Of HIF-1α Or Lncrna: Potential Directions for Cancer Therapy. *Cells* 11, 2811.

Zhang, S., Zhang, D., Yi, S., Gong, M., Lu, C., Cai, Y., Et. Al., 2017. The Relationship Of Lymphatic Vessel Density, Lymphovascular Invasion, And Lymph Node Metastasis in Breast Cancer: A Systematic Review and Meta-Analysis. *Oncotarget.* 8(2):2863-2873.

Zhang, S., Zhang, D., Gong, M., Wen, L., Liao, C., Zou, L., 2017. High Lymphatic Vessel Density and Presence of Lymphovascular Invasion Both Predict Poor Prognosis in Breast Cancer. *BMC Cancer*. 17:335.

Zhang, Y., Coleman, M., Brekken, R.A>, 2021. Perspectives On Hypoxia Signaling In Tumor Stroma. *Cancers (Basel).* 13(12):3070

Zhang, Y., Zhang, H., Wang, M., *Et.Al.,* 2021. Hypoxia In Breast Cancer- Scientific Translation To Theurapeutic and Diagnostic Clinical Applications. *Front. Oncol*. 11:652266

Zhang, X., 2023. Molecular Classification Of Breast Cancer : Relevance And Challenges. Arch Pathol Lab Med. 147 (1): 46–51

Zhao, Y., Xing, C., Deng, Y., Ye, C., Peng, H., 2023. HIF-1α Signaling : Essential Roles In Tumorigenesis And Implication In Targeted Therapies. *Genes Dis*. (1):234-251

Zhang, Z., Han, Y., Nian, Q., *Et.Al.,* 2015. Tumor Invasiveness, Not Lymphangiogenesis, Is Correlated with Lymph Node Metastasis And Unfavorable Prognosis In Young Breast Cancer Ptients (≤ 35 Years). *Plos ONE* 10(12): E0144376

Zhao, Z., Mu, H., Li, Y., Liu, Y., Zou, J., Zhu, Y., 2020. Clinicopathological And Prognostic Value Of Hypoxia-Inducible Factor-1α In Breast Cancer : A Meta Analysis Including 5177 Patients. *Clinical And Translational Oncology* 22: 18921906.

Zhou, B., Si, W., Su, Z., Deng, W., Tu, X., Wang, Q., 2013. Transcriptional Activation

Of The Prox1 Gene By HIF-1α and HIF-2α In Response to Hypoxia. *FEBS Lett*. 587(6):724-31.

Zhou, H., Lei, P.J., Padera, T. P., 2021. Progression Of Metastasis Through Lymphatic System. *Cells* 10, 627.

Zhu, L., Tian, Qi., Gao, Hu., *Et. Al.,* 2022. PROX1 Promotes Breast Cancer Invasion and Metastasis Through WNT/B-Catenin Pathway Via Interacting with Hnrnpk. *Int J Biol Sci*. 18(5):2032-204