

DAFTAR PUSTAKA

- Alexis M. Mckee, M., And J.E.M.M.Bch. (2021) *Obesity in The Elderly*. Available at: <https://www.ncbi.nlm.nih.gov/sites/books/NBK532533/>
- American Diabetes Association (2020) ‘Older Adults: Standards of Medical Care in Diabetes—2020’, *Diabetes Care*, 43(Supplement_1), Pp. S152–S162. [DOI: 10.2337/dc20-s012]
- Anker, S.D., Morley, J.E. And Haehling, S. (2016) ‘Welcome to the ICD-10 Code for Sarcopenia’, *Journal of Cachexia, Sarcopenia and Muscle*, 7(5), Pp. 512–514. Available at: <https://doi.org/10.1002/jcsm.12147>.
- Badan Pusat Statistik (2022) ‘Statistik Penduduk Lanjut Usia 2020’. Available at: <https://www.bps.go.id> (accessed: 11 November 2022).
- Badan Pusat Statistika (2023) ‘Statistik Penduduk Usia Lanjut 2023’, *Badan Pusat Statistik*.
- Badan Pusat Statistik DIY. (2023). *Provinsi DI Yogyakarta Dalam Angka 2023*. Yogyakarta: BPS DI Yogyakarta. ISSN / ISBN : 2657-1218
- Barale, C. And Russo, I. (2020) ‘Influence of Cardiometabolic Risk Factors on Platelet Function’, *International Journal of Molecular Sciences*. MDPI AG. Available at: <https://doi.org/10.3390/ijms21020623>.
- Bharmal, M., & Thomas, J. (2006). Comparing the EQ-5D and the SF-6D descriptive systems to assess their ceiling effects in the US general population. *Value in Health*, 9(4), 262–271.
- Buch, A. *et al.* (2016) ‘Muscle Function and Fat Content About Sarcopenia, Obesity. And Frailty of Old Age — An Overview’, *Experimental Gerontology*. Elsevier Inc., Pp. 25–32. Available at: <https://doi.org/10.1016/j.exger.2016.01.008>.
- Bowling, A. (2012) 'Ageing Well: Quality of Life in Old Age'. In: Craig, R.K. (ed.) *Berkshire Encyclopedia of Sustainability*. Berkshire Publishing, pp. 11–16.
- Chang, C. I., Huang, K. C., Chan, D. C., Wu, C. H., Lin, C. C., Hsiung, C. A., Hsu, C. C., & Chen, C. Y. (2015). The impacts of sarcopenia and obesity on physical

performance in the elderly. *Obesity Research & Clinical Practice*, 9(3), 256-265. DOI: 10.1016/j.orcp.2014.08.003.

Chang, H.K. *Et al.* (2020) ‘Prevalence of Sarcopenia in Community-Dwelling Older Adults According to Simplified Algorithms for Sarcopenia Consensus Based on Asian Working Group for Sarcopenia’, *Clinical Interventions in Aging*, 15. Available at: <https://doi.org/10.2147/cia.s281131>.

Chaudhary, P.K., Kim, Sanggu. and Kim, Soochong (2022) ‘an Insight into Recent Advances on Platelet Function in Health and Disease’, *International Journal of Molecular Sciences*, 23(11), P. 6022. Available at: <https://doi.org/10.3390/ijms23116022>.

Callaghan, B. C., Cheng, H. T., Stables, C. L., Smith, A. L., Feldman, E. L. (2012). Diabetic neuropathy: Clinical manifestations and current treatments. *The Lancet Neurology*, 11(6), 521-534. [https://doi.org/10.1016/S1474-4422\(12\)70065-0](https://doi.org/10.1016/S1474-4422(12)70065-0)

Charlson, M. E., Pompei, P., Ales, K. L., & MacKenzie, C. R. (1987). A new method of classifying prognostic comorbidity in longitudinal studies: development and validation. *Journal of Chronic Diseases*, 40(5), 373–383. [https://doi.org/10.1016/0021-9681\(87\)90171-8](https://doi.org/10.1016/0021-9681(87)90171-8).

Chen, L.K. *et al.* (2014) ‘Sarcopenia in Asia: Consensus Report of The Asian Working Group for Sarcopenia’, *Journal of the American Medical Directors Association*. Available at: <https://doi.org/10.1016/j.jamda.2013.11.025>.

Chen, L.-K.*et al.* (2019) *Asian Working Group for Sarcopenia: 2019 Consensus Update on Sarcopenia Diagnosis and Treatment*.

Chen, L.-K. *et al.* (2020) ‘Asian Working Group for Sarcopenia: 2019 Consensus Update on Sarcopenia Diagnosis and Treatment’, *Journal of The American Medical Directors Association*, 21(3), Pp. 300-307.E2. Available at: <https://doi.org/10.1016/j.jamda.2019.12.012>.

Chhetri, J.K. *et al.* (2018) ‘Chronic Inflammation and Sarcopenia: A Regenerative Cell Therapy Perspective’, *Experimental Gerontology*. Elsevier Inc., Pp. 115–123. Available at: <https://doi.org/10.1016/j.exger.2017.12.023>.

Cho, N.H. *et al.* (2019) ‘IDF Diabetes Atlas: Global Estimates of Diabetes Prevalence For 2017 And Projections For 2045’, *Diabetes Research and Clinical Practice*, 138, Pp. 271–281. Available at: <https://doi.org/10.1016/j.diabres.2018.02.023>.

- Choi, K.M. (2016) ‘Sarcopenia and Sarcopenic Obesity’, *Korean Journal of Internal Medicine*. Available at: <https://doi.org/10.3904/kjim.2016.193>.
- Cicchetti, D. V. (1994) ‘Guidelines, Criteria, And Rules of Thumb for Evaluating Normed and Standardized Assessment Instruments in Psychology’, *Psychological Assessment*, 6(4). Available at: <https://doi.org/10.1037/1040-3590.6.4.284>.
- Cicich, L.H.M. (2019) ‘Info Demografi BKKBN’, In *Demografi BKKBN*.
- Coelho Júnior, H.J. *et al.* (2016) ‘Cutoffs and Cardiovascular Risk Factors Associated with Neck Circumference Among Community-Dwelling Elderly Adults: A Cross-Sectional Study’, *Sao Paulo Medical Journal*, 134(6). Available at: <https://doi.org/10.1590/1516-3180.2016.0160110906>.
- Cohen, J. (1960) ‘Cohen, J. (1960). A Coefficient of Agreement for Nominal Scales. Educational And Psychological Measurement, 20(1), 37–46. Doi:10.1177/001316446002000104A Coefficient of Agreement for Nominal Scales’, *Educational and Psychological Measurement*, 20(1).
- Cooper, R., Kuh, D., & Hardy, R. (2010). Secara obyektif mengukur tingkat kemampuan fisik dan mortalitas: tinjauan sistematis dan meta-analisis. *BMJ*, 341, c4467. [Artikel gratis PMC] [PubMed] [Google Cendekia].
- Crapo RO, Casaburi R, Coates AL, Enright PL, MacIntyre NR, McKay RT, *et al.* (2002). ATS Statement: Guidelines for the Six-Minute Walk Test. *Am J Respir Crit Care Med*. 2002;165(1):111–117.
- Cruz-Jentoft, A. J., Bahat, G., Bauer, J., Boirie, Y., Bruyère, O., Cederholm, T., & Landi, F. (2019). Sarcopenia: revised European consensus on definition and diagnosis. *Age and ageing*, 48(1), 16-31.
- Dahlan, M. S., dr., M.Epid. (2009). *Seri Evidence Based Medicine 2. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan, Edisi 3*. Jakarta: Penerbit Salemba Medika.
- Davies, M.J. *et al.* (2018) ‘Management of Hyperglycemia in Type 2 Diabetes, 2018. A Consensus Report by The American Diabetes Association (ADA) and the European Association for The Study of Diabetes (EASD)’, *Diabetes Care*. Available at: <https://doi.org/10.2337/dci18-0033>.

- Dent, E. *et al.* (2018) 'International Clinical Practice Guidelines for Sarkopenia (ICFSR): Screening, Diagnosis and Management', *The Journal of Nutrition, Health & Aging*, 22(10), Pp. 1148–1161. Available at: <https://doi.org/10.1007/s12603-018-1139-9>.
- Deyo, R. A., Cherkin, D. C., & Ciol, M. A. (1992). Adapting a clinical comorbidity index for use with ICD-9-CM administrative databases. *Journal of Clinical Epidemiology*, 45, 613–619. [https://doi.org/10.1016/0895-4356\(92\)90133-8](https://doi.org/10.1016/0895-4356(92)90133-8).
- EuroQol Group. (1990). "EuroQol - a new facility for measuring health-related quality of life". *Health Policy*, 16(3), 199–208. doi: 10.1016/0168-8510(90)90421-9. PMID 10109801.
- EuroQol Research Foundation. (2019). EQ-5D-5L User Guide Version 3.0: Basic information on how to use the EQ-5D-5L instrument. Available at: <https://euroqol.org/publications/user-guides>.
- Fábrega-Cuadros, R., Hita-Contreras, F., Martínez-Amat, A., Jiménez-García, J.D., Achalandabaso-Ochoa, A., Lavilla-Lerma, L., García-Garro, P.A., Álvarez-Salvago, F., and Aibar-Almazán, A. (2021) 'Relationship between the Severity of Sarcopenia and Health-Related Quality of Life in Middle-Aged and Older Adults Living in the Community', *International Journal of Environmental Research and Public Health*, 18(15), 8026. doi: 10.3390/ijerph18158026.
- Feng, Y.-S. *et al.* (2021) 'Psychometric Properties of the EQ-5D-5L: A Systematic Review of The Literature', *Quality of Life Research*, 30(3), Pp. 647–673. Available at: <https://doi.org/10.1007/s11136-020-02688-y>
- Feigin, V. L., Lawes, C. M., Bennett, D. A., & Barker-Collo, S. L. (2009). Stroke epidemiology: a review of population-based studies of incidence, prevalence, and case-fatality in the late 20th century. *The Lancet Neurology*, 8(1), 43–53. [https://doi.org/10.1016/S1474-4422\(08\)70291-0](https://doi.org/10.1016/S1474-4422(08)70291-0)
- Feng Chen. *et al.* (2020)' Risk Factors for Sarcopenia in the Elderly with Type 2 Diabetes Mellitus and the Effect of Metformin', *Journal of Diabetes Research* Volume 2020. Available at: <https://doi.org/10.1155/2020/3950404>
- Feng, L., Gao, Q., Hu, K., Wu, M., Wang, Z., Chen, F., Mei, F., Zhao, L., & Ma, B. (2022). Prevalence and Risk Factors of Sarcopenia in Patients With Diabetes: A Meta-analysis. *The Journal of Clinical Endocrinology & Metabolism*, 107, 1470–1483. <https://doi.org/10.1210/clinem/dgab884>

- Flint, B. and Tadi, P., 2023. Physiology, Aging. [Updated 4 January 2023]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; January 2024-. Available from: <<https://www.ncbi.nlm.nih.gov/>>
- Fougère, B. *et al.* (2017) ‘Chronic Inflammation: Accelerator of Biological Aging’, *The Journals of Gerontology: Series A*, 72(9), Pp. 1218–1225. Available at: <https://doi.org/10.1093/gerona/glw240>.
- Forbes, J. M., & Cooper, M. E. (2013). Mechanisms of diabetic complications. *Physiological Reviews*, 93(1), 137-188. Available at: <https://doi.org/10.1152/physrev.00045.2011>
- Fonarow, G. C., Albert, N. M., Curtis, A. B., Stough, W. G., Gheorghiad, M., Heywood, J. T., McBride, M. L., Inge, P. J., Mehra, M. R., O'Connor, C. M., Reynolds, D., Walsh, M. N., Yancy, C. W., & Yokose, A. (2008). Incremental reduction in risk of death associated with use of guideline-recommended therapies in patients with heart failure: a nested case-control analysis of IMPROVE HF. *Journal of the American Heart Association*, 1(4), 308–316. <https://doi.org/10.1161/jaha.108.768721>
- Gilbert, T. R., Noar, A., Blalock, O., & Polonsky, W. H. (2021). Changes in Hemoglobin A1c and Quality of Life with Real-Time Continuous Glucose Monitoring Used by Insulin-Treated Diabetes Patients in a Landmark Study. doi: 10.1089/dia.2020.0666.
- Guralnik JM, Simonsick EM, Ferrucci L, Glynn RJ, Berkman LF, Blazer DG, et al. (1994). Short Physical Performance Battery assessing lower extremity function: relationship with self-reported disability and prediction of mortality and nursing home admission. *J Gerontol.* 1994;49:M85-94.
- Go, S.W. *et al.* (2013) ‘Association Between Sarcopenia, Bone Density, And Health-Related Quality of Life in Korean Men’, *Korean Journal of Family Medicine*, 34(4). Available at: <https://doi.org/10.4082/kjfm.2013.34.4.281>.
- Han, E., Lee, Y. H., Lee, B. W., Kang, E. S., Lee, I. K., & Cha, B. S. (2017). Anatomic fat depots and cardiovascular risk: a focus on the leg fat using nationwide surveys (KNHANES 2008–2011). *Cardiovascular Diabetology*, 16, 54.
- Hu, Y.W., Yeh, C.M., Liu, C.J., Chen, T.J., Huang, N., & Chou, Y.J. (2023). Adapted Diabetes Complications Severity Index and Charlson Comorbidity Index in predicting all-cause and cause-specific mortality among patients with type 2

diabetes. *BMJ Open Diabetes Research & Care*, 11, e003262.
<https://doi.org/10.1136/bmjdr-2022-003262>.

International Diabetes Federation. (2019). *IDF Diabetes Atlas (9th ed.)*. Brussels, Belgium: International Diabetes Federation. <https://www.diabetesatlas.org>

Institute of Medicine (US) Committee on Understanding the Biology of Sex and Gender Differences. (2001). *Exploring the Biological Contributions to Human Health: Does Sex Matter?* Washington (DC): National Academies Press (US).

Kaplan, M. H., & Feinstein, A. R. (1974). The importance of classifying initial comorbidity in evaluating the outcome of diabetes mellitus. *Journal of Chronic Diseases*, 27(7–8), 387–404. [https://doi.org/10.1016/0021-9681\(74\)90017-4](https://doi.org/10.1016/0021-9681(74)90017-4).

Khadra D, Itani L, Chebaro Y, Obeid M, Jaber M, Ghanem R, et al. (2019). Association between sarcopenic obesity and higher risk of type 2 diabetes in adults: a systematic review and meta-analysis. *World J Diabetes*, 10, 311–323. doi:10.4239/wjd.v10.i5.311.

Kwon, J. (2012). Evaluation, Co-Morbidity and Management of Obesity in the Elderly. *The Korean Journal of Obesity*, 21 (2). Available at: <https://doi.org/10.7570/kjo.2012.21.2.77>.

Kidney Disease: Improving Global Outcomes (KDIGO) CKD Work Group. (2013). *KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease*. *Kidney International Supplements*, 3(1), 1-150.

Kemenkes RI. (2016). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 25 Tahun 2016 tentang Rencana Aksi Nasional Kesehatan Lanjut Usia Tahun 2016-2019*. Jakarta: Kementerian Kesehatan Republik Indonesia.

Kemenkes RI (2019) ‘Indonesia Memasuki Periode Aging Population’, *Kementerian Kesehatan RI* [Preprint].

Kementerian Kesehatan Republik Indonesia. (2014). *Penyelenggaraan Pelayanan Kesehatan Geriatri di Rumah Sakit*. Peraturan Menteri Kesehatan Republik Indonesia Nomor 79 Tahun 2014.

Leelarathna, L., & Thabit, H. (2016). Hypoglycemia in diabetes: impact of hypoglycemia on patient-reported outcomes. *Journal of Diabetes*, 8(1), 76-87. <https://doi.org/10.1111/1753-0407.12327>

- Liguori I, Russo G, Aran L, Bulli G, Curcio F, Della-Morte D, et al. (2018). Sarcopenia: assessment of disease burden and strategies to improve outcomes. *Clinical Interventions in Aging*, 13, 913-927.
- Luo, N., Johnson, J. A., Shaw, J. W., & Coons, S. J. (2009). Relative efficiency of the EQ-5D, HUI2, and HUI3 index scores in measuring health burden of chronic medical conditions in a population health survey in the United States. *Medical Care*, 47(1), 53–60.
- Lord SR, Murray SM, Chapman K, Munro B, Tiedemann A. (2002). The performance of sit-to-stand is dependent on sensation, speed, balance, and psychological status in addition to strength in older adults. *J Gerontol - Ser A Biol Sci Med Sci*. 2002;57:M539-43.
- Ma, L., Li, Z., Tang, Z., Sun, F., Diao, L., Li, J., & Wei, M. (2021). Health-Related Quality of Life and Associated Factors Among Oldest-Old in China. *The Journal of Nutrition, Health & Aging*, 25(8), 1133–1139. <https://doi.org/10.1007/s12603-021-1641-8>
- Ma, R. C. W., & Chan, J. C. N. (2013). Type 2 diabetes in East Asians: similarities and differences with populations in Europe and the United States. *Annals of the New York Academy of Sciences*, 1281(1), 64–91. <https://doi.org/10.1111/nyas.12098>
- McCoy, R. G., Van Houten, H. K., Ziegenfuss, J. Y., Shah, N. D., Wermers, R. A., & Smith, S. A. (2012). Self-report of hypoglycemia and health-related quality of life in patients with type 1 and type 2 diabetes. *Endocrine Practice*, 18(6), 722-727. <https://doi.org/10.4158/ep12066.or>.
- Milanesi, A. and Weinreb, J.E., 2020. Diabetes in the elderly. In: K.R. Feingold, B. Anawalt, M.R. Blackman, et al., eds. *Endotext* [Internet]. South Dartmouth (MA): MDText.com, Inc. Available at: <https://www.ncbi.nlm.nih.gov/sites/books/NBK279147/>.
- Mesinovic, J. *et al.* (2019) ‘Sarcopenia and Type 2 DM: A Bidirectional Relationship’, *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, Volume 12, Pp. 1057–1072. Available at: <https://doi.org/10.2147/dms.o.s186600>
- Murai, J., Nishizawa, H., Otsuka, A., Fukuda, S., Tanaka, Y., Nagao, H., Sakai, Y., Suzuki, M., Yokota, S., Tada, H., Doi, M., Fujishima, Y., Kita, S., Funahashi, T., Maeda, N., Nakamura, T., & Shimomura, I. (2018). Low muscle quality in

Japanese type 2 diabetic patients with visceral fat accumulation. *Cardiovascular Diabetology*, 17(1), 112–. doi:10.1186/s12933-018-0755-3

Murphy, C. *et al.* (2020). Prevalence of Sarcopenia in Community-Dwelling Older Adults in Ireland: Comparison of EWGSOP1 And EWGSOP2 Definitions’, *Proceedings of The Nutrition Society*, 79(OCE2). Available at: <https://doi.org/10.1017/S0029665120001093>

Mordarska, K. and Godziejewska-Zawada, M., 2017. Diabetes in the elderly. *Prz Menopauzalny*, 16(2), pp.38–43. Published online 30 June 2017. doi: 10.5114/pm.2017.68589.

Morley JE, Malmstrom TK, Rodriguez-Mañas L, Sinclair AJ (2014). Frailty, sarcopenia. and diabetes. *J Am Med Dir Assoc* 2014, 15(12):853-9

United Nations. (2019). World Population Ageing 2019: Highlights. Retrieved from <https://www.un.org/en/development/desa/population/publications/pdf/ageing/WorldPopulationAgeing2019-Highlights.pdf>

Nawawi, A., Justine, M. And Razali, R.M. (2021) ‘Quality of Life, Hospitalisation and Sarcopenia Among the Elderly: A Systematic Review’, *Journal of Gerontology and Geriatrics*. Available at: <https://doi.org/10.36150/2499-6564-340>

NCD Risk Factor Collaboration (2016) ‘Trends In Adult Body-Mass Index in 200 Countries From 1975 To 2014 : A Pooled Analysis Of 1698 Population-Based Measurement Studies With 19·2 Million Participants LK - <https://maastrichtuniversity.on.worldcat.org/oclc/8100887452>’, *The Lancet*, 387.

Ogura, Y. *et al.* (2013) ‘Proinflammatory Cytokine Tumor Necrosis Factor (TNF)-Like Weak Inducer of Apoptosis (TWEAK) Suppresses Satellite Cell Self-Renewal Through Inversely Modulating Notch And NF-Kb Signaling Pathways’, *Journal of Biological Chemistry*, 288(49), Pp. 35159–35169. Available at: <https://doi.org/10.1074/jbc.m113.517300>

Okauchi, Y., Nishizawa, H., Funahashi, T., Ogawa, T., Noguchi, M., Ryo, M., Kihara, S., Iwahashi, H., Yamagata, K., Nakamura, T., Shimomura, I., & Matsuzawa, Y. (2007). Reduction of visceral fat is associated with decrease in the number of metabolic risk factors in Japanese men. *Diabetes Care*, 30, 2392–2394.

Palta, M., Chen, H. Y., Kaplan, R. M., Feeny, D., Cherepanov, D., & Fryback, D. G. (2011). Standard error of measurement of 5 health utility indexes across the

range of health for use in estimating reliability and responsiveness. *Medical Decision Making*, 31(2), 260–269.

Patel, H.P.*et al.* (2013) ‘Prevalence of Sarcopenia in Community-Dwelling Older People in The UK Using the European Working Group on Sarcopenia in Older People (EWGSOP) Definition: Findings from the Hertfordshire Cohort Study (HCS)’, *Age and Ageing*, 42(3). Available at: <https://doi.org/10.1093/ageing/afs197>

Perkeni. (2021) *Konsensus Pedoman Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Di Indonesia.*, Perkeni.

Perrin, N. E., Davies, M. J., Robertson, N., Snoek, F. J., Khunti, K. (2016). The prevalence of diabetes-specific emotional distress in people with Type 2 diabetes: A systematic review and meta-analysis. *Diabetic Medicine*, 33(11), 1508-1520. <https://doi.org/10.1111/dme.13176>

Philp, I. (2015) ‘The Contribution of Geriatric Medicine to Integrated Care for Older People’, *Age and Ageing*, 44(1). Available at: <https://doi.org/10.1093/ageing/afu180>.

Purba, F. D., Hunfeld, J. A. M., Iskandarsyah, A., Fitriana, T. S., Sadarjoen, S. S., Ramos-Goñi, J. M., & Busschbach, J. J. V. (2017). The Indonesian EQ-5D-5L value set. *PharmacoEconomics*, doi : 10.1007/s40273-017-0538-9

Rahman, Md Saifur, *et al.* (2017) 'Impact of Ageing on Quality of Life among Community Dwelling Elderly.' *International Journal of Community Medicine and Public Health*, vol. 4, no. 12, p. 4571. doi.org, doi: [10.18203/2394-6040.ijcmph20175177](https://doi.org/10.18203/2394-6040.ijcmph20175177)

Rawlins, M. D., & Culyer, A. J. (2004). National Institute for Clinical Excellence and its value judgments. *BMJ*, 329(7459), 224–227.

Remelli, F., Maietti, E., Abete, P., Bellelli, G., Bo, M., Cherubini, A., Corica, F., Di Bari, M., Maggio, M., Rizzo, M. R., Rossi, A. P., Landi, F., & Volpato, S. (2022). Prevalence of obesity and diabetes in older people with sarcopenia defined according to EWGSOP2 and FNHI criteria. ‘*Aging Clin Exp Res*’, 34(1), 113–120. doi: [10.1007/s40520-021-01949-1](https://doi.org/10.1007/s40520-021-01949-1).

Roberts HC, Denison HJ, Martin HJ, et al. (2011). A review of grip strength measurement in clinical and epidemiological studies: towards a standard approach. *Age and Ageing*, 40, 423–429. [PubMed] [Google Scholar].

- Ryota Imai PhD, *et al* (2022). ‘Association between chronic pain with pre sarcopenia and central sensitization in Japanese community-dwelling older adults: A cross-sectional study. Available at: <http://do.org/10.1097/MD.0000000000029998>
- Schrager, M.A. *et al.* (2007) ‘Sarcopenic Obesity and Inflammation in the Inchianti Study’, *Journal of Applied Physiology*, 102(3), Pp. 919–925. Available at: <https://doi.org/10.1152/jappphysiol.00627.2006>.
- Sequist, E. R., Anderson, J., Childs, B., Cryer, P., Dagogo-Jack, S., Fish, L., & Vigersky, R. (2013). Hypoglycemia and diabetes: a report of a workgroup of the American Diabetes Association and the Endocrine Society. *Diabetes Care*, 36(5), 1384-1395. <https://doi.org/10.2337/dc12-2480>.
- Seung Hoo Lee and Hyun Sik Gong. (2020). Measurement and Interpretation of Hand Grip Strength for Sarcopenia and Osteoporosis Research. *Journal of Bone Metabolism*, 27(2), 85–96. Published online 2020 May 31. doi: 10.11005/jbm.2020.27.2.85.
- Sharda, M. (2021) ‘Integrated Care for Older People (ICOPE)’, *Journal of The Indian Academy of Geriatrics*, 17(4), P. 103. Available at: <https://doi.org/10.4103/0974-3405.332858>.
- Stenholm, S. *Et al.* (2008) ‘Sarcopenic Obesity-Definition, Etiology and Consequences’, *Curr Opin Clin Nutr Metab Care*, 11(6).
- Stefanacci, R. G. (2024). Quality of Life in Older Adults. Retrieved from <https://www.msmanuals.com/professional/geriatrics/aging-and-quality-of-life/quality-of-life-in-older-adults>
- Supriyono Pangaribowo (2022) ‘Infodatin-Lansia Berdaya, Bangsa Sejahtera’, *Pusdatin* 2022. Available at: <https://www.kemkes.go.id/downloads/resources/download/pusdatin/infodatin/infodati.Pdf> (Accessed: 18 January 2023).
- Sun et al. (2019). “The Impact of Sarcopenia on Health-Related Quality of Life in Elderly People: Korean National Health and Nutrition Examination Survey. *KJIM* 2019. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/pmc6610192/>
- Tancredi, M., Rosengren, A., Svensson, A.M., et al., 2015. Excess mortality among persons with type 2 diabetes. *New England Journal of Medicine*, 373, pp.1720–1732.

- TANITA Corporation. (2015). Body Composition Guide. Retrieved from www.tanita.asia. [Accessed: 18 January 2023].
- Teissier, T., Boulanger, E. And Cox, L.S. (2022) “Interconnections Between Inflammaging and Immunosenescence During Ageing”, *Cells*. NLM (Medline). available at: <https://doi.org/10.3390/cells11030359>.
- Terwee, C.B. *et al.* (2007) ‘Quality Criteria Were Proposed for Measurement Properties of Health Status Questionnaires’, *Journal of Clinical Epidemiology*, 60(1). Available at: <https://doi.org/10.1016/j.jclinepi.2006.03.012>.
- The Biostatistics Resource Channel (2013) How to Use SPSS-Replacing Missing Data Using Multiple Imputation (Regression Method) [Video], Youtube.
- Thomas, D.R. (2010) ‘Sarcopenia’, *Clinics in Geriatric Medicine*, 26(2), Pp. 331–346. Available at: <https://doi.org/10.1016/j.cger.2010.02.012>.
- Tordrup, D., Mossman, J., & Kanavos, P. (2014). Responsiveness of the EQ-5D to clinical change: Is the patient experience adequately represented? *International Journal of Technology Assessment in Health Care*, 30(1), 10–19.
- Tsekoura, M. *et al.* (2017) ‘Sarcopenia and Its Impact on Quality of Life’, In *Advances in Experimental Medicine and Biology*. Springer New York LLC, Pp. 213–218. Available at: https://doi.org/10.1007/978-3-319-57379-3_19.
- Van Hout B, Janssen MF, *et al.* (2012). Interim Scoring for the EQ-5D-5L: Mapping The EQ-5D-5L To EQ-5D-3L Value Sets. *Value In Health* 2012 Jul-Aug;15(5):708-15.
- Wang, D. (2016) “Global Action Against Dementia: Emerging of A New Era”, *Translational Neuroscience and Clinics*, 2(3). Available at: https://doi.org/10.18679/cn11-6030_r.2016.023.
- Wang, M. *et al.* (2020) “Diabetes and Sarcopenic Obesity: Pathogenesis, Diagnosis, and Treatments”, *Frontiers in Endocrinology*, 11. Available at: <https://doi.org/10.3389/fendo.2020.00568>.
- Wannamethee, S.G. And Atkins, J.L. (2015) “Muscle Loss and Obesity: The Health Implications of Sarkopenia and Sarcopenic Obesity”, In *Proceedings of The Nutrition Society*. Available at: <https://doi.org/10.1017/s002966511500169x>.

- Wenger, N. K. (2008). Women and coronary heart disease: A century after Herrick: Understudied, underdiagnosed, and undertreated. *Circulation*, 117(19), 2463–2465. <https://doi.org/10.1161/Circulationaha.108.775296>
- World Health Organization. (2022). WHOQOL: Measuring Quality of Life. Retrieved from <https://www.who.int/health-topics/quality-of-life#tab=tab>
- WHO (2000) “The Asia Pacific: Redefining Obesity and Its Treatment”, International Association for The Study of Obesity [Preprint].
- WHO (2000) Obesity: Preventing and Managing the Global Epidemic: Report of A WHO Consultation. World Health Organization.
- Yusufov, M., Wexler, D., Ramesh, S., & Korvick, J. (2021). Hypertension and Quality of Life: A Systematic Review and Meta-analysis. *Journal of General Internal Medicine*, 36(8), 2503–2512. <https://doi.org/10.1007/s11606-021-06977-3>
- Yee, X. S., Ng, Y. S., Allen, J. C., Latib, A., Tay, E. L., Abu Bakar, H. M., Ho, C. Y. J., Koh, W. C. C., Kwek, H. H. T., & Tay, L. (2021). Sit-to-stand test performance in relation to functional fitness measures and sarcopenia diagnosis in community-dwelling older adults. *European Review of Aging and Physical Activity*, 18(1).
- Yoshimura, N. *et al.* (2017) “Is Osteoporosis A Predictor for Future Sarkopenia or Vice Versa, Four-Year Observations Between the Second and Third Road Study Survey”, *Osteoporosis International*, 28(1). Available at: <https://doi.org/10.1007/s00198-016-3823-0>
- Zamboni, M. *et al.* (2008) ‘Sarcopenic Obesity: A New Category of Obesity in The Elderly’, *Nutrition, Metabolism and Cardiovascular Diseases*, 18(5), Pp. 388–395. Available at: <https://doi.org/10.1016/j.numecd.2007.10.002>.
- Zhang, X. *et al.* (2022) ‘Immune System and Sarcopenia: Presented Relationship and Future Perspective’, *Experimental Gerontology*. Elsevier Inc. Available at: <https://doi.org/10.1016/j.exger.2022.111823>.