

DAFTAR PUSTAKA

- Abdelrahim, N. A., Fadl-Elmula, I. M., & Ali, H. M. (2019). "Bacterial meningitis in Sudanese children; Critical evaluation of the clinical decision using clinical prediction rules." *BMC Pediatrics*, 19(1).
<https://doi.org/10.1186/s12887-019-1684-3>
- Agrawal, S., & Nadel, S. (2011). "Acute Bacterial Meningitis in Infants and Children Epidemiology and Management." *Pediatr Drugs*, 13(6), 385–400.
- Al-Obaidi, M. M. J., & Desa, M. N. M. (2018). "Mechanisms of Blood Brain Barrier Disruption by Different Types of Bacteria, and Bacterial–Host Interactions Facilitate the Bacterial Pathogen Invading the Brain". In *Cellular and Molecular Neurobiology* (Vol. 38, Issue 7, pp. 1349–1368). Springer New York LLC.
<https://doi.org/10.1007/s10571-018-0609-2>
- Appelgren, D., Enocsson, H., Skogman, B. H., Nordberg, M., Perander, L., Nyman, D., Nyberg, C., *et al.*, (2020). Neutrophil extracellular traps (NETs) in the cerebrospinal fluid samples from children and adults with central nervous system infections. *Cells*, 9(1). <https://doi.org/10.3390/cells9010043>
- Arydina, Herini, E., & Triono, A. (2014). "Bacterial Meningeal Score (BMS) Sebagai Indikator Diagnosis Meningitis Bakterialis di RSUP Dr. Sardjito Yogyakarta." *Sari Pediatri*, 15(5), 274–280.
- Balta, S., Demirkol, S., Cakar, M., Arslan, Z., Unlu, M., & Celik, T. (2013). "Other inflammatory markers should not be forgotten when assessing the neutrophil-to-lymphocyte ratio." In *Clinical and Applied Thrombosis/Hemostasis* (Vol. 19, Issue 6, pp. 693–694).
<https://doi.org/10.1177/1076029613486019>
- Bao, Y., Yang, M., Jin, C., Hou, S., Shi, B., Shi, J., & Lin, N. (2018). "Preoperative Hematologic Inflammatory Markers as Prognostic Factors in Patients with Glioma." *World Neurosurgery*, 119, e710–e716.
<https://doi.org/10.1016/j.wneu.2018.07.252>
- Bonilla, F. A., & Oettgen, H. C. (2010). "Adaptive immunity." *Journal of Allergy and Clinical Immunology*, 125(2)
<https://doi.org/10.1016/j.jaci.2009.09.017>
- Chaudhuri, A. (2004). "Personal view Bacterial meningitis." *The Lancet Neurology*, 3, 54–62.
<http://neurology.thelancet.com>
- Chou, M., Abdulkareem, O.B., Tara, L.W., Fabrice, C., David, B., Thierry, B. (2023) "Blood-brain crosstalk the roles of neutrophils, platelets, and neutrophil extracellular traps in neuropathologies". *Trends Neurosci*, 46(9), 764-779
- Dando, S. J., Mackay-Sim, A., Norton, R., Currie, B. J., st. John, J. A., Ekberg, J. A. K., Batzloff, M., Ulett, G. C., & Beacham, I. R. (2014). "Pathogens penetrating the central nervous system: Infection pathways and the cellular and molecular mechanisms of invasion." *Clinical Microbiology Reviews*, 27(4), 691–726.
<https://doi.org/10.1128/CMR.00118-13>

- Davis, L. E. (2018). "Acute Bacterial Meningitis." *Continuum (Minneap Minn)*, 24 (5, *Neuroinfectious Disease*), 1264–1283.
<http://journals.lww.com/continuum>
- Eegberts, A., & Mattace-Raso, F. U. S. (2017). "Increased neutrophil-lymphocyte ratio in delirium: A pilot study." *Clinical Interventions in Aging*, 12, 1115–1121.
<https://doi.org/10.2147/CIA.S137182>
- Ethier, J. L., Desautels, D., Templeton, A., Shah, P. S., & Amir, E. (2017). "Prognostic role of neutrophil-to-lymphocyte ratio in breast cancer: A systematic review and meta-analysis." *Breast Cancer Research*, 19(1).
<https://doi.org/10.1186/s13058-016-0794-1>
- Forget, P., Khalifa, C., Defour, J. P., Latinne, D., van Pel, M. C., & de Kock, M. (2017). "What is the normal value of the neutrophil-to-lymphocyte ratio?" *BMC Research Notes*, 10(1), 1–4.
<https://doi.org/10.1186/s13104-016-2335-5>
- Fuchs, T., Kerstin, P., David, H., Armin, P., Bjorn, R., Christopher, S., *et al.*, (2019). "Immediate neutrophil-variable-T cell receptor host response in bacterial meningitis." *Frontiers in Neurology*, 10(APR).
<https://doi.org/10.3389/fneur.2019.00307>
- Garges, H., Anthony, M., Michael, C., Brian, S., Kenneth, F., Robert, L., *et al.* (2006). "Neonatal meningitis: What is the correlation among cerebrospinal fluid cultures, blood cultures, and cerebrospinal fluid parameters?" *Pediatrics*, 117(4), 1094–1100.
<https://doi.org/10.1542/peds.2005-1132>
- Giede-Jeppe, A., Atay, S., Koehn, (2021). "Neutrophil-to-lymphocyte ratio is associated with increased cerebral blood flow velocity in acute bacterial meningitis." *Sci Rep* 11, 11383
<https://doi.org/10.1038/s41598-021-90816-0>
- Goh, B., Ferrone, M., Barghi, A., Liu, C., Cronin, P., Blucher, J., *et al.*, (2020). "The Prognostic Value of Laboratory Markers and Ambulatory Function at Presentation for Post-Treatment Morbidity and Mortality following Epidural Abscess." *Spine*, 45(15), E959–E966.
<https://doi.org/10.1097/BRS.00000000000003454>
- Gokhan, S., Ozhasenekler, A., Durgun, H., Akil, E., Ustundag, M., & Orak, M. (2013). "Neutrophil Lymphocyte Ratios in Stroke Subtypes and Transient Ischemic Attack." *European Review for Medical and Pharmacological Sciences*, 17, 653–657.
- Gowin, E., Wysocki, J., Avonts, D., Januszkiewicz-Lewandowska, D., & Michalak, M. (2016). "Usefulness of inflammatory biomarkers in discriminating between bacterial and aseptic meningitis in hospitalized children from a population with low vaccination coverage." *Archives of Medical Science*, 12(2), 408–414.
<https://doi.org/10.5114/aoms.2016.59269>
- Gray, L. D., & Fedorko, D. P. (1992). Laboratory Diagnosis of Bacterial Meningitis. In *Clinical Microbiology Reviews* (Vol. 5, Issue 2).

- <http://cmr.asm.org/>
- Guroi, G., Ciftci, I. H., Terzi, H. A., Atasoy, A. R., Ozbek, A., & Koroglu, M. (2015). "Are There standardized cutoff values for neutrophil-lymphocyte ratios in bacteremia or sepsis?" *Journal of Microbiology and Biotechnology*, 25(4), 521–525.
<https://doi.org/10.4014/jmb.1408.08060>
- Hadinegoro, S. (2000). "Kejadian Ikutan Pasca Imunisasi." *Sari Pediatri*, 2(1), 2–10.
- Herlambang, G., Widjaja, L., Hafidh, Y., & Salimo, H. (2019). "Hubungan Rasio Neutrofil Limfosit dengan Hipertensi Arteri Pulmonal pada Anak dengan Penyakit Jantung Bawaan Asianotik." *Sari Pediatri*, 21(2), 96–101.
- Iliaz, S., Iliaz, R., Ortakoylu, G., Bahadir, A., Bagci, B. A., & Caglar, E. (2014). "Value of neutrophil/lymphocyte ratio in the differential diagnosis of sarcoidosis and tuberculosis." *Annals of Thoracic Medicine*, 9(4), 232–235.
<https://doi.org/10.4103/1817-1737.140135>
- Julián-Jiménez, A., & Morales-Casado, M. I. (2019). "Usefulness of blood and cerebrospinal fluid laboratory testing to predict bacterial meningitis in the emergency department." *Neurología (English Edition)*, 34(2), 105–113.
<https://doi.org/10.1016/j.nrleng.2018.05.005>
- Karhade, A. v., Shah, K. C., Shah, A. A., Ogink, P. T., Nelson, S. B., & Schwab, J. H. (2019). "Neutrophil to lymphocyte ratio and mortality in spinal epidural abscess." *Spine Journal*, 19(7), 1180–1185.
<https://doi.org/10.1016/j.spinee.2019.02.005>
- Kawakami, Y., Mitsutoshi, T., Kentaro, K., Takehisa, F., Osamu, F., Shuji, K., *et al.*, (2011). "Tumour Necrosis Factor- α -induced Mononuclear Cell Death May Contribute to Polymorphonuclear Cell Predominance in the Cerebrospinal Fluid of Patients with Bacterial Meningitis." *J Nippon Med Sch*, 78(6), 360–366
- Kim, K. S. (2003). "Pathogenesis of bacterial meningitis: From bacteraemia to neuronal injury." *Nature Reviews Neuroscience*, 4(5), 376–385.
<https://doi.org/10.1038/nrn1103>
- Kim, K. S. (2008). "Mechanisms of microbial traversal of the blood-brain barrier." In *Nature Reviews Microbiology* (Vol. 6, Issue 8, pp. 625–634).
<https://doi.org/10.1038/nrmicro1952>
- Kotzbauer, D., Curtis, T., Carig, S., Margaux, C., Anthony, C., Deborah, A., *et al.*, (2017). "Etiology and Laboratory Abnormalities in Bacterial Meningitis in Neonates and Young Infants." *Clinics and Practice*, 7(2), 943.
<https://doi.org/10.4081/cp.2017.943>
- Kuppermann, N., Peter, S., Deborah, A., Melissa, V., Leah, T., Micahel, T., *et al.*, (2019). "A Clinical Prediction Rule to Identify Febrile Infants 60 Days and Younger at Low Risk for Serious Bacterial Infections." *JAMA Pediatrics*, 173(4), 342–351.
<https://doi.org/10.1001/jamapediatrics.2018.5501>
- Lee, J. S., Kim, N. Y., Na, S. H., Youn, Y. H., & Shin, C. S. (2018). "Reference values of neutrophil-lymphocyte ratio, lymphocyte-monocyte ratio, trombosit-lymphocyte ratio, and mean trombosit volume in healthy adults in

- South Korea.” *Medicine (United States)*, 97(26).
<https://doi.org/10.1097/MD.00000000000011138>
- Lempinen, L., Karppinen, M., Pelkonen, T., Laulajainen, H., Aarnisalo, A., Sinkkonen, S., *et al.*, (2019). “Otitis Media-associated Bacterial Meningitis in Children in a Low-income Country.” *Pediatric Infectious Disease Journal*, 38(8), 791–797. <https://doi.org/10.1097/INF.0000000000002335>
- Liu, Z., Xiangxin, L., Melpin, Z., Xiaofei, H., Jun, B., Zhiwei, P., *et al.*, (2018). “The role of Mean Platelet Volume/platelet count Ratio and Neutrophil to Lymphocyte Ratio on the risk of Febrile Seizure.” *Scientific Reports*, 8(1).
<https://doi.org/10.1038/s41598-018-33373-3>
- Liu, X., Shen, Y., Wang, H., Ge, Q., Fei, A., & Pan, S. (2016). “Prognostic Significance of Neutrophil-to-Lymphocyte Ratio in Patients with Sepsis: A Prospective Observational Study.” *Mediators of Inflammation*, 2016. <https://doi.org/10.1155/2016/8191254>
- Marais, S., Katalin, A., Maia, L., Anna, K., Armin, D., Dominique, J., *et al.*, (2014). “Neutrophil-associated central nervous system inflammation in tuberculous meningitis immune reconstitution inflammatory syndrome.” *Clinical Infectious Diseases*, 59(11), 1638–1647.
<https://doi.org/10.1093/cid/ciu641>
- Martinot, M., Greigert, V., Souply, L., Rosolen, B., De Briel, D., Mohseni, M., *et al.*, (2018). “Cerebrospinal fluid monocytes in bacterial meningitis, viral meningitis, and neuroborreliosis.” *Medecine et Maladies Infectieuses*, 48(4), 286–290.
<https://doi.org/10.1016/j.medmal.2018.03.002>
- Mentis, A. F. A., Kyprianou, M. A., & Tzanakaki, G. (2017). “Age-specific application of neutrophil-to-lymphocyte ratio in meningitis: a nationwide study.” *European Journal of Clinical Microbiology and Infectious Diseases*, 36(9), 1553–1557.
<https://doi.org/10.1007/s10096-017-2967-y>
- Mentis, A. F. A., Kyprianou, M. A., Xirogianni, A., Kesanopoulos, K., & Tzanakaki, G. (2016). “Neutrophil-to-lymphocyte ratio in the differential diagnosis of acute bacterial meningitis.” *European Journal of Clinical Microbiology and Infectious Diseases*, 35(3), 397–403.
<https://doi.org/10.1007/s10096-015-2552-1>
- Mintegi, S., (2020). “Clinical prediction rule for distinguishing bacterial from aseptic meningitis.” *Pediatrics*, 146(3).
<https://doi.org/10.1542/PEDS.2020-1126>
- Mohanty, T., Jane, F., Anahita, B., Ariane, N., Jose, F., Pereira, C., *et al.*, (2019). “Neutrophil extracellular traps in the central nervous system hinder bacterial clearance during pneumococcal meningitis.” *Nature Communications*, 10(1).
<https://doi.org/10.1038/s41467-019-09040-0>
- Neal, J. W., & Gasque, P. (2013). “How Does the Brain Limit the Severity of Inflammation and Tissue Injury During Bacterial Meningitis?” *J Neuropathol Exp Neurol*, 72(5), 370–385.
<https://academic.oup.com/jnen/article/72/5/370/2917488>

- Negrini, B., Kelleher, K. J., & Wald, E. R. (2000). "Cerebrospinal Fluid Findings in Aseptic Versus Bacterial Meningitis." *Pediatrics*, 105(2), 316–319. www.aappublications.org/news
- Nelson, R. P. (2006). "Bacterial meningitis and inflammation." *Current Opinion in Neurology*, 19, 369–373.
- Nuraeni, F., Dzulfikar, D., & Solek, P. (2019). "Feritin Cairan Serebrospinal sebagai Biomarker untuk Membedakan Meningitis Bakterialis dan Meningitis Tuberkulosis pada Anak." *Sari Pediatri*, 21(4), 246–252.
- Oordt-Speets, A. M., Bolijn, R., van Hoorn, R. C., Bhavsar, A., & Kyaw, M. H. (2018). "Global etiology of bacterial meningitis: A systematic review and meta-analysis." In *PLoS ONE* (Vol. 13, Issue 6). Public Library of Science. <https://doi.org/10.1371/journal.pone.0198772>
- Portier, I., Campbell, R. A. (2021). "Role of platelets in detection and Regulation of Infection." *Arterioscler Thromb Vasc Biol*, 41(1), 70-78
- Powers, W. J. (1985). "Cerebrospinal Fluid Lymphocytosis in Acute Bacterial Meningitis." *The American Journal of Medicine*, 79, 216–220.
- Prakoewa, F. R. (2020). "Peranan Sel Limfosit Dalam Imunologi: Artikel Review." *Jurnal Sains Dan Kesehatan*, 2(4), 525–537. <https://doi.org/10.25026/jsk.v2i4.212>
- Qiu, X., Haiqing, Z., Dongxu, L., Jing, W., Zhigang, J., Yuanzhong, Z., *et al.*, (2019). "Analysis of clinical characteristics and poor prognostic predictors in patients with an initial diagnosis of autoimmune encephalitis." *Frontiers in Immunology*, 10(JUN). <https://doi.org/10.3389/fimmu.2019.01286>
- Qu, J., Hai Yan, Ying, H., Qiang, Q., Zhan Bo, O., Guo, H., *et al.*, (2019). "Evaluation of neutrophil-lymphocyte ratio in predicting bloodstream infection." *Biomarkers in Medicine*, 13(15), 1255–1261. <https://doi.org/10.2217/bmm-2018-0253>
- Ratnasari, I., Nur, F. T., & Riza, M. (2021). "Rasio Neutrofil Limfosit untuk Membedakan Meningitis Bakterial dan Viral pada Anak." *Sari Pediatri*, 23(4), 222–227.
- Russell, C., Arun, P., Jugo, J., Naomi, S., Philipp, S., Cornelia, P., *et al.*, (2019). "The utility of peripheral blood leucocyte ratios as biomarkers in infectious diseases: A systematic review and meta-analysis." *Journal of Infection*, 78(5), 339–348. <https://doi.org/10.1016/j.jinf.2019.02.006>
- Rzaska, M., Niewiadomski, S., & Karwacki, Z. (2017). "Molecular mechanisms of bacterial infections of the central nervous system." In *Anaesthesiology Intensive Therapy* (Vol. 49, Issue 5, pp. 387–392). Via Medica. <https://doi.org/10.5603/AIT.2017.0080>
- Saleh, E. S., Mhaibes, S. H., Al-Anbaki, M. S., & Naser, S. I. (2020). "Assessment of Some Inflammatory Biomarkers in Children with Febrile Seizure and Bacterial Meningitis." *Medico-Legal Update, October-December*, 20(4), 957–962.
- Sanaei Dashti, A., Alizadeh, S., Karimi, A., Khalifeh, M., & Shoja, S. A. (2017). "Diagnostic value of lactate, procalcitonin, ferritin, serum-C-reactive protein, and other biomarkers in bacterial and viral meningitis." *Medicine (United States)*, 96(35).

- <https://doi.org/10.1097/MD.00000000000007637>
- Saputra, I., Gustawan, W., Utama, M., & Arhana, B. (2019). "Rasio Neutrofil dan Limfosit (NLCR) Sebagai Faktor Risiko Terjadinya Infeksi Bakteri di Ruang Rawat Anak RSUP Sanglah Denpasar." *Sari Pediatri*, 20(6), 354–359. <https://doi.org/10.2478/s11536>
- Scheld, W. M., Koedel, U., Nathan, B., & Pfister, H.-W. (2002). "Pathophysiology of Bacterial Meningitis: Mechanism(s) of Neuronal Injury." *Journal of Infectious Diseases*, 186, 225–233. <http://www.vaccinealliance.org>
- Schmidt, E. P., Lee, W. L., Zemans, R. L., Yamashita, C., & Downey, G. P. (2011). On, around, and through: "Neutrophil-endothelial interactions in innate immunity." *Physiology*, 26(5), 334–347. <https://doi.org/10.1152/physiol.00011.2011>
- Seehusen, D. A., Reeves, M. M., & Fomin, D. A. (2003). "Cerebrospinal Fluid Analysis." *American Family Physician*, 68, 1103–1108.
- Shao, S. L., Cong, H. Y., Wang, M. Y., & Liu, P. (2020). "The diagnostic roles of neutrophil in bloodstream infections." In *Immunobiology* (Vol. 225, Issue 1). Elsevier GmbH. <https://doi.org/10.1016/j.imbio.2019.10.007>
- Singh, A. K., Wagner, A. L., Joshi, J., Carlson, B. F., Aneja, S., & Boulton, M. L. (2017). "Application of the revised WHO causality assessment protocol for adverse events following immunization in India." *Vaccine*, 35(33), 4197–4202. <https://doi.org/10.1016/j.vaccine.2017.06.027>
- Templeton, A., Mairead, G., Bostjan, S., Fransisco, E., Priya, A., Alberto, O., *et al.*, (2014). "Prognostic role of neutrophil-to-lymphocyte ratio in solid tumors: A systematic review and meta-analysis." In *Journal of the National Cancer Institute* (Vol. 106, Issue 6). Oxford University Press. <https://doi.org/10.1093/jnci/dju124>
- Varatharaj, A., & Galea, I. (2017). "The blood-brain barrier in systemic inflammation." In *Brain, Behavior, and Immunity* (Vol. 60, pp. 1–12). Academic Press Inc. <https://doi.org/10.1016/j.bbi.2016.03.010>
- Vibha, D., Bhatia, R., Prasad, K., Srivastava, M. V. P., Tripathi, M., Kumar, G., & Singh, M. B. (2012). "Validation of diagnostic algorithm to differentiate between tuberculous meningitis and acute bacterial meningitis." *Clinical Neurology and Neurosurgery*, 114(6), 639–644. <https://doi.org/10.1016/j.clineuro.2011.12.033>
- Wang Y, Cao M, Zhu X *et al.* (2022). "The cerebrospinal fluid neutrophil tolymphocyte ratio is a sensitive biomarker for bacterial meningitis is children." *Childs Nervous System*, 1165-1171, 38(6)
- Yokoyama, T., Oda, M., Ogura, S., Horiuchi, T., & Seino, Y. (1996). "Relationship of interleukin-8 and colony-stimulating factors to neutrophil migration in aseptic meningitis." *Acta Paediatr*, 85, 303–310.



- Zahorec, R. (2021). "Neutrophil-to-lymphocyte ratio, past, present and future perspectives." *Bratislava Medical Journal*, 122(7), 474–488.
https://doi.org/10.4149/BLL_2021_078
- Zainel, A., Mitchell, H., & Sadarangani, M. (2021). "Bacterial meningitis in children: Neurological complications, associated risk factors, and prevention". *Microorganisms*, 9(3), 1–12.
<https://doi.org/10.3390/microorganisms9030535>
- Zakerihamidi, M., Boskabadi, H., & Heidari, E. (2020). "Etiology, clinical findings and laboratory parameters in neonates with acute bacterial meningitis". *Iranian Journal of Microbiology*, 12(2), 89–97.
<http://ijm.tums.ac.ir>