

DAFTAR PUSTAKA

- Abdul Razzaque, M.R., Tebha, S.S., Tukruna, A., Arif, A., Kogut, L.M., Afsar, N.A., Shabbir, D., Zaidi, Z.A. 2023. 25-Hydroxyvitamin-D deficiency in chronic kidney disease stages III, IV, and V in South Asian population: a retrospective cohort. *SAGE Open Med*, 11:205031212211486.
- Aursulesei, V., Costache, I.I. 2019. Anticoagulation in chronic kidney disease: from guidelines to clinical practice. *Clin Cardiol*. John Wiley and Sons Inc., 774–782.
- Baralić, Marko, Gligorijević, N., Brković, V., Katrlík, J., Pažitná, L., Šunderić, M., Miljuš, G., Penezić, A., Dobrijević, Z., Laušević, M., Nedić, O., Robajac, D. 2020. Fibrinogen fucosylation as a prognostic marker of end-stage renal disease in patients on peritoneal dialysis. *Biomolecules*, 10(8):1–12.
- Baralić, M, Robajac, D., Penezić, A., Miljuš, G., Šunderić, M., Gligorijević, N., Nedić, O. 2020. Fibrinogen Modification and Fibrin Formation in Patients with an End-Stage Renal Disease Subjected to Peritoneal Dialysis. *Biochemistry (Moscow)*, 85(8):947–954.
- Bucharles, S.G.E., Wallbach, K.K.S., de Moraes, T.P., Pecoits-Filho, R. 2019. Hypertension in patients on dialysis: diagnosis, mechanisms, and management. *Brazilian Journal of Nephrology*, 41(3):400–411.
- Burton, A.G., Jandrey, K.E. 2020. Use of Thromboelastography in Clinical Practice. *Veterinary Clinics of North America - Small Animal Practice*, 50(6):1397–1409.
- Câmara, N.O.S., Iseki, K., Kramer, H., Liu, Z.H., Sharma, K. 2017. Kidney disease and obesity: Epidemiology, mechanisms and treatment. *Nat Rev Nephrol*, 13(3):181–190.
- Cassery, L.F., Dember, L.M. 2003a. Thrombosis in End-Stage Renal Disease. *Semin Dial*, 16(3):245–256.
- Cassery, L.F., Dember, L.M. 2003b. Thrombosis in End-Stage Renal Disease. *Semin Dial*, 16(3):245–256.
- Caughey, M.C., Derebail, V.K., Key, N.S., Reiner, A.P., Gottesman, R.F., Kshirsagar, A. V., Heiss, G. 2019. Thirty-year risk of ischemic stroke in individuals with sickle cell trait and modification by chronic kidney disease: The atherosclerosis risk in communities (ARIC) study. *Am J Hematol*, 94(12):1306–1313.

- Cha, J., Han, D. 2020a. Health-related quality of life based on comorbidities among patients with end-stage renal disease. *Osong Public Health Res Perspect*, 11(4):194–200.
- Cha, J., Han, D. 2020b. Health-related quality of life based on comorbidities among patients with end-stage renal disease. *Osong Public Health Res Perspect*, 11(4):194–200.
- Chandel, A., Patolia, S., Looby, M., Bade, N., Khangoora, V., King, C.S. 2021. Association of D-dimer and Fibrinogen With Hypercoagulability in COVID-19 Requiring Extracorporeal Membrane Oxygenation. *J Intensive Care Med*, 36(6):689–695.
- Chen, D., Daigh, C.A., Hendricksen, J.I., Pruthi, R.K., Nichols, W.L., Heit, J.A., Owen, W.G. 2008. A highly-sensitive plasma von Willebrand factor ristocetin cofactor (VWF:RCo) activity assay by flow cytometry. *Journal of Thrombosis and Haemostasis*, 6(2):323–330.
- Chen, X., Geng, X., Jin, S., Xu, J., Guo, M., Shen, D., Ding, X., Liu, H., Xu, X. 2021. The Association of Syndecan-1, Hypercoagulable State and Thrombosis and in Patients With Nephrotic Syndrome. *Clinical and Applied Thrombosis/Hemostasis*, 27.
- Corey, K.M., Olson, L.B., Naqvi, I.A., Morrison, S.A., Davis, C., Nimjee, S.M., Que, L.G., Bachelder, R.E., Kraft, B.D., Chen, L., Nair, S.K., Levy, J.H., Sullenger, B.A. 2022. Suppression of Fibrinolysis and Hypercoagulability, Severity of Hypoxemia, and Mortality in COVID-19 Patients: A Retrospective Cohort Study. *Anesthesiology*, 137(1):67–78.
- Darlington, A., Ferreira, J.L., Ueno, M., Suzuki, Y., Desai, B., Capranzano, P., Capodanno, D., Tello-Montoliu, A., Bass, T.A., Nahman, N.S., Angiolillo, D.J. 2011. Haemostatic profiles assessed by thromboelastography in patients with end-stage renal disease. *Thromb Haemost*, 106(1):67–74.
- Davenport, A., Sheikh, M.F., Lamb, E., Agarwal, B., Jalan, R. 2017. Acute kidney injury in acute-on-chronic liver failure: where does hepatorenal syndrome fit? *Kidney Int*. Elsevier B.V., 1058–1070.
- Dikshit, S. 2015. Fibrinogen degradation products and periodontitis: Deciphering the connection. *Journal of Clinical and Diagnostic Research*, 9(12):ZC10–ZC12.
- Domingueti, C.P., Fóscolo, R.B., Dusse, L.M.S., Reis, J.S., Carvalho, M.D.G., Gomes, K.B., Fernandes, A.P. 2018. Association of different biomarkers of renal function with D-dimer levels in patients with type 1 diabetes mellitus (Renal biomarkers and D-dimer in diabetes). *Arch Endocrinol Metab*, 62(1):80–86.

Effective Health Care Program, A. 2018. *Results of Topic Selection Process & Next Steps Topic Brief Topic Number and Name: Vascular Access for Hemodialysis in Elderly Background*.

Eikelboom, J., Floege, J., Thadhani, R., Weitz, J.I., Winkelmayer, W.C. 2021. Anticoagulation in patients with kidney failure on dialysis: factor XI as a therapeutic target. *Kidney Int*, 100(6):1199–1207.

Gäckler, A., Rohn, H., Lisman, T., Benkö, T., Witzke, O., Kribben, A., Saner, F.H. 2019. Evaluation of hemostasis in patients with end-stage renal disease. *PLoS One*, 14(2).

Gaipov, A., Issanov, A., Kadyrzhanuly, K., Galiyeva, D., Khvan, M., Aljofan, M., Molnar, M.Z., Kovesdy, C.P. 2020. Epidemiology of dialysis-treated end-stage renal disease patients in Kazakhstan: Data from nationwide large-scale registry 2014-2018. *BMC Nephrol*, 21(1):1–9.

García-trabanino, R., Hernández, C., Rosa, A., Blanca, T., Salvador, E., Investigación, D. De, Rosales, H.N., Salvador, S., Salvador, E., Social, F., Emergencia, D., Blanca, C.T., Salvador, E., Salud, B. De, Sibasi, I., Salud, M. De, Salvador, E., Primaria, A., Sanitaria, Á., *et al.* 2016. Original article Incidence , mortality , and prevalence of end-stage chronic renal disease in the Bajo Lempa region of El Salvador : A ten-year community registry &, 6(5):517–522.

Gee, E. 2018. Principles and nursing management of anticoagulation. *Nursing Standard*, 32(23):50–63.

Goel, N., Jain, D., Haddad, D.B., Shanbhogue, D. 2020. Anticoagulation in patients with end-stage renal disease and atrial fibrillation: Confusion, concerns and consequences. *J Stroke*, 22(3):306–316.

Goldwasser, P., Feldman, J.G., Emiru, M., Barth, R.H. 2004. Effect of dialysis modality on plasma fibrinogen concentration: A meta-analysis. *American Journal of Kidney Diseases*, 44(6):941–949.

Gubensek, J., Lolic, M., Ponikvar, R., Buturovic-Ponikvar, J. 2016. D-dimer levels in maintenance hemodialysis patients: High prevalence of positive values also in the group without predisposing diseases. *Hemodialysis International*, 20(2):198–203.

Gunawan, A., SAKTI, P.T. 2021. Pos-662 5-year survival rate of continuous ambulatory peritoneal dialysis in end-stage renal disease in indonesia can capd be solution for esrd in low income developing country? *Kidney Int Rep* [Preprint].

Gupta, D., Jyani, G., Ramachandran, R., Bahuguna, P., Ameel, M., Dahiya, B.B. 2022. Peritoneal dialysis—first initiative in India: a cost-effectiveness analysis. *Clin Kidney J*, 15.

Haemonetics. 2019. *Clinical Aid TEG 5000 Thromboelastograph Hemostasis System*. Haemonetics The Blood Management Company.

Hashmi, M., Benjamin, O., Lappin, S. 2024. *End-Stage Renal Disease*. StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK499861/>.

Van Hinsbergh, V.W.M. 2012. Endothelium - Role in regulation of coagulation and inflammation. *Semin Immunopathol*, 93–106.

Huang, M.J., Wei, R.B., Wang, Y., Su, T.Y., Di, P., Li, Q.P., Yang, X., Li, P., Chen, X.M. 2017a. Blood coagulation system in patients with chronic kidney disease: A prospective observational study. *BMJ Open*, 7(5).

Huang, M.J., Wei, R.B., Wang, Y., Su, T.Y., Di, P., Li, Q.P., Yang, X., Li, P., Chen, X.M. 2017b. Blood coagulation system in patients with chronic kidney disease: A prospective observational study. *BMJ Open*, 7(5).

Huang, M.J., Wei, R.B., Wang, Y., Su, T.Y., Di, P., Li, Q.P., Yang, X., Li, P., Chen, X.M. 2017c. Blood coagulation system in patients with chronic kidney disease: A prospective observational study. *BMJ Open*, 7(5).

Inker, L.A., Eneanya, N.D., Coresh, J., Tighiouart, H., Wang, D., Sang, Y., Crews, D.C., Doria, A., Estrella, M.M., Froissart, M., Grams, M.E., Greene, T., Grubb, A., Gudnason, V., Gutiérrez, O.M., Kalil, R., Karger, A.B., Mauer, M., Navis, G., *et al.* 2021. New Creatinine- and Cystatin C–Based Equations to Estimate GFR without Race. *New England Journal of Medicine*, 385(19):1737–1749.

Jäger, U., Barcellini, W., Broome, C.M., Gertz, M.A., Hill, A., Hill, Q.A., Jilma, B., Kuter, D.J., Michel, M., Montillo, M., Röth, A., Zeerleder, S.S., Berentsen, S. 2020. Diagnosis and treatment of autoimmune hemolytic anemia in adults: Recommendations from the First International Consensus Meeting. *Blood Rev.* Churchill Livingstone.

Josh, F. 2021. *Coagulation tests (conventional & viscoelastic)*. *Internet Book of Critical Care (IBCC)*. EMCrit, Metasin LLC. Available at: <https://emcrit.org/ibcc/coag/#pitfalls> (Accessed: 10 March 2024).

Kashuk, J.L., Moore, E.E., Sabel, A., Barnett, C., Haenel, J., Le, T., Pezold, M., Lawrence, J., Biffl, W.L., Cothren, C.C., Johnson, J.L. 2009. Rapid

thrombelastography (r-TEG) identifies hypercoagulability and predicts thromboembolic events in surgical patients. *Surgery*, 146(4):764–774.

Khalid, A., Zafar, L. 2015. Effect of Haemodialysis on Mean Prothrombin Time and Activated Partial Thromboplastin Time in Patients of End Stage Renal Disease. *Journal of Rawalpindi Medical College (JRMCI)*, 19(3):247–249.

Kohli, R., Platton, S., Forbes, S., Thuraisingham, R., Tan, J., Green, L., MacCallum, P. 2023. Renal transplant and hemostasis: early postoperative changes in recipients and donors. *Res Pract Thromb Haemost*, 7(4).

Lai, T.S., Hsu, C.C., Lin, M.H., Wu, V.C., Chen, Y.M. 2022. Trends in the incidence and prevalence of end-stage kidney disease requiring dialysis in Taiwan: 2010–2018. *Journal of the Formosan Medical Association*, 121:S5–S11.

Levy, J.H., Szlam, F., Wolberg, A.S., Winkler, A. 2014. Clinical use of the activated partial thromboplastin time and prothrombin time for screening: A review of the literature and current guidelines for testing. *Clin Lab Med*, 34(3):453–477.

Lew, Q.L.J., Jafar, T.H., Talaei, M., Jin, A., Chow, K.Y., Yuan, J.M., Koh, W.P. 2017. Increased body mass index is a risk factor for end-stage renal disease in the Chinese Singapore population. *Kidney Int*, 92(4):979–987.

Liang, C., Yang, Y., He, Z., Ma, S., Qu, X., Luo, Y., Shen, C., Xu, R. 2020a. Comparison between thromboelastography and the conventional coagulation test in detecting effects of antiplatelet agents after endovascular treatments in acute ischemic stroke patients: A STROBE-compliant study. *Medicine (United States)*, 99(10):E19447.

Liang, C., Yang, Y., He, Z., Ma, S., Qu, X., Luo, Y., Shen, C., Xu, R. 2020b. Comparison between thromboelastography and the conventional coagulation test in detecting effects of antiplatelet agents after endovascular treatments in acute ischemic stroke patients: A STROBE-compliant study. *Medicine (United States)*, 99(10):E19447.

Lim, H.Y., Lui, B., Tacey, M., Barit, D., Patel, S.K., Donnan, G., Nandurkar, H., Burrell, L.M., Ho, P. 2023. Global coagulation assays in patients with chronic kidney disease and their role in predicting thrombotic risk. *Thromb Res*, 226:127–135.

Liu, C., Guan, Z., Xu, Q., Zhao, L., Song, Y., Wang, H. 2016. Relation of thromboelastography parameters to conventional coagulation tests used to evaluate the hypercoagulable state of aged fracture patients. *Medicine (United States)*, 95(24):1–6.

Lloyd-Donald, P., Vasudevan, A., Angus, P., Gow, P., Mårtensson, J., Glassford, N., Eastwood, G.M., Hart, G.K., Jones, D., Weinberg, L., Bellomo, R. 2020. Comparison of Thromboelastography and Conventional Coagulation Tests in Patients With Severe Liver Disease. *Clinical and Applied Thrombosis/Hemostasis*, 26.

Lu, H.Y., Liao, K.M. 2018. Increased risk of deep vein thrombosis in end-stage renal disease patients. *BMC Nephrol*, 19(1).

Made, N., Pasek, A.L., Ristyaning Ayu, P., Carolia, N. 2019. Perbedaan Kadar Hemoglobin pada Pasien End Stage Renal Disease (ESRD) Sebelum dan Setelah Mendapat Terapi Eritropoietin di RSUD Dr. H. Abdul Moeloek Bandar Lampung. *Medula*, 9(3):533–537.

Malfica, M.J., Rosita, L., Yuantari, R. 2023. Hubungan Ureum dan Kreatinin Serum dengan Lamanya Terapi Hemodialisis pada Pasien Penyakit Ginjal Kronis (PGK) di RS PKU Bantul. *Berkala Ilmiah Kedokteran dan Kesehatan Masyarakat*, 1(1):8–18.

Marx, N., Wanner, C., Jankowski, J., März, W., Krane, V., Genser, B. 2023. Recurrent cardiovascular events in patients with type 2 diabetes and haemodialysis: analysis from the 4D Study. *Clin Kidney J*, 16(10):1612–1621.

Di Micco, P., D’Uva, M., Strina, I., Mollo, A., Amato, V., Niglio, A., De Placido, G. 2004. The role of D-dimer as first marker of thrombophilia in women affected by sterility: Implications in pathophysiology and diagnosis of thrombophilia induced sterility. *J Transl Med*, 2:1–6.

MJM. 2023. *MED J MALAYSIA Vol 78 No 3, May 2023*. Available at: <https://www.e-mjm.org/>.

Mukhyarjon, Wahid, I., Manaf, A. 2020. Profil dan Beberapa Faktor yang Berhubungan dengan Hemostasis Pasien Diabetes Melitus Tipe 2 Tak Terkontrol. *Jurnal Kedokteran dan Kesehatan*, 16(2):128–135. Available at: <https://jurnal.umj.ac.id/index.php/JKK>.

Nakae, R., Murai, Y., Yokobori, S. 2022. Biomarkers in Neurological Injury: Fibrinogen, Fibrinogen/Fibrin Degradation Products (FDPs), and D-dimer. *In:*, 1–15.

Nampoory, M.R.N., Das, K.C., Johny, K. V, Al-Hilali, N., Abraham, M., Easow, S., Saed, T., Al-Muzeirei, I.A., Sugathan, T.N., Al Mousawi, M. 2003. Hypercoagulability, a serious problem in patients with ESRD on maintenance hemodialysis, and its correction after kidney transplantation. *American Journal of Kidney Diseases*, 42(4):797–805.

Nopp, S., Moik, F., Jilma, B., Pabinger, I., Ay, C. 2020. Risk of venous thromboembolism in patients with COVID-19: A systematic review and meta-analysis. *Res Pract Thromb Haemost*, 4(7):1178–1191.

Nunns, G.R., Moore, E.E., Chapman, M.P., Moore, H.B., Stettler, G.R., Peltz, E., Burlew, C.C., Silliman, C.C., Banerjee, A., Sauaia, A. 2017a. The hypercoagulability paradox of chronic kidney disease: The role of fibrinogen. *Am J Surg*, 214(6):1215–1218.

Nunns, G.R., Moore, E.E., Chapman, M.P., Moore, H.B., Stettler, G.R., Peltz, E., Burlew, C.C., Silliman, C.C., Banerjee, A., Sauaia, A. 2017b. The hypercoagulability paradox of chronic kidney disease: The role of fibrinogen. *Am J Surg*, 214(6):1215–1218.

Ocak, G., Vossen, C.Y., Rotmans, J.I., Lijfering, W.M., Rosendaal, F.R., Parlevliet, K.J., Krediet, R.T., Boeschoten, E.W., Dekker, F.W., Verduijn, M. 2011. Venous and arterial thrombosis in dialysis patients. *Thromb Haemost*, 106(6):1046–1052.

Occelli, F., Deram, A., Génin, M., Noël, C., Cuny, D., Glowacki, F., Aazib, L., Benziane, A., Bonnard, G., Burda, G., Macnamara, E., Ratsimbazafy, A., Skalli, A., Wajsbro, L., Bataille, P., Billion, S., Botte-Noël, A., Daroux, M., Mesbah, R., *et al.* 2014. Mapping end-stage renal disease (ESRD): Spatial variations on small area level in northern france, and association with deprivation. *PLoS One*, 9(11).

Olivo, R.E., Davenport, C.A., Diamantidis, C.J., Bhavsar, N.A., Tyson, C.C., Hall, R., Bidulescu, A., Young, B., Mwasongwe, S.E., Pendergast, J., Boulware, L.E., Scialla, J.J. 2018. Obesity and synergistic risk factors for chronic kidney disease in African American adults: the Jackson Heart Study. *Nephrology Dialysis Transplantation*, 33(6):992–1001.

Opatrny Jr, K., Zemanova, P., Opartna, S., Vit, L. 2002. Fibrinolysis in Chronic Renal Failure, Dialysis and Renal Transplantation, 7:34–43.

Pandey, C.K., Prakash, K., Karna, S.T., Nayak, S.L., Tandon, M., Jain, P. 2019a. Detection of coagulopathy in chronic renal disease using thromboelastography and its comparison with conventional tests. *Journal of Association of Physicians of India*, 67(June):34–37.

Pandey, C.K., Prakash, K., Karna, S.T., Nayak, S.L., Tandon, M., Jain, P. 2019b. Detection of coagulopathy in chronic renal disease using thromboelastography and its comparison with conventional tests. *Journal of Association of Physicians of India*, 67(June):34–37.

Paredes, H.J., Gonzalez, M.F. 2012. Hypercoagulability Assessment of End-Stage Renal Disease Patients With Thrombotic Events. *Am J Clin Pathol*, 138(suppl 2):A216–A216.

Park, M.S., Martini, W.Z., Dubick, M.A., Salinas, J., Butenas, S., Kheirabadi, B.S., Pusateri, A.E., Vos, J.A., Guymon, C.H., Wolf, S.E., Mann, K.G., Holcomb, J.B. 2009. Thromboelastography as a better indicator of hypercoagulable state after injury than prothrombin time or activated partial thromboplastin time. *Journal of Trauma - Injury, Infection and Critical Care*, 67(2):266–275.

Pieters, M., Wolberg, A.S. 2019. Fibrinogen and fibrin: An illustrated review. *Res Pract Thromb Haemost*. Blackwell Publishing Ltd, 161–172.

Ponziani, F.R., Santopaolo, F., Gasbarrini, A., De Cristofaro, R., Pompili, M. 2023. From coagulation imbalance to prediction of advanced chronic liver disease decompensation: The wind of change? *J Hepatol*. Elsevier B.V., e25–e27.

Puiu, L., Nemes, R., Pop senior, M., Petrovan, A., Deleanu, O., Fira-Mladinescu, O. 2019. Albumin: a Link Between Endothelial Dysfunction and Osa Syndrome. *Chest*, 155(4):314A.

Putri, S., Nugraha, R.R., Pujiyanti, E., Thabrany, H., Hasnur, H., Istanti, N.D., Evasari, D., Afiatin. 2022. Supporting dialysis policy for end stage renal disease (ESRD) in Indonesia: an updated cost-effectiveness model. *BMC Res Notes*, 15(1).

Quencer, K.B., Oklu, R. 2017. Hemodialysis access thrombosis. *Cardiovasc Diagn Ther*, 7(Suppl 3):S299–S308.

Rauch, A., Labreuche, J., Lassalle, F., Goutay, J., Caplan, M., Charbonnier, L., Rohn, A., Jeanpierre, E., Dupont, A., Duhamel, A., Faure, K., Lambert, M., Kipnis, E., Garrigue, D., Lenting, P.J., Poissy, J., Susen, S. 2020. Coagulation biomarkers are independent predictors of increased oxygen requirements in COVID-19. *Journal of Thrombosis and Haemostasis*, 18(11):2942–2953.

Robbins, Kumar. 2022. *Basic Pathology*. 11th edn. Edited by Vinay Kumar *et al*.

Scheiner, B., Northup, P.G., Lisman, T., Mandorfer, M. 2020. Author response to Letter to the Editor: ‘AB0, von Willebrand factor/Factor VIII and portal vein thrombosis in decompensated cirrhosis: Too late to unmask the culprit?’ *Liver International*, 40(7):1790–1791.

Sehgal, T., Aggarwal, M., Baitha, U., Gupta, G., Prakash, B., Gupta, A., Kumar, G., Biswas, A., Khan, M., Shalimar, D.M. 2022a. Thromboelastography determined

dynamics of blood coagulation and its correlation with complications and outcomes in patients with coronavirus disease 2019. *Res Pract Thromb Haemost*, 6(1).

Sehgal, T., Aggarwal, M., Baitha, U., Gupta, G., Prakash, B., Gupta, A., Kumar, G., Biswas, A., Khan, M., Shalimar, D.M. 2022b. Thromboelastography determined dynamics of blood coagulation and its correlation with complications and outcomes in patients with coronavirus disease 2019. *Res Pract Thromb Haemost*, 6(1).

Sertsu, A., Worku, T., Fekadu, G., Tura, A.K. 2022. Prevalence of chronic kidney disease and associated factors among patients visiting renal unit of St. Paul's Hospital Millennium Medical College, Addis Ababa, Ethiopia: A cross-sectional study design. *SAGE Open Med*, 10:205031212211169.

Sharma, S., Kumar, S., Tewari, P., Pande, S., Murari, M. 2018. Utility of thromboelastography versus routine coagulation tests for assessment of hypocoagulable state in patients undergoing cardiac bypass surgery. *Ann Card Anaesth*, 21(2):151–157.

Shaydakov, M.E., Sigmon, D.F., Blebea, J. 2022. Thromboelastography. Treasure Island (FL): StatPearls Publishing.

Shaydakov, M.E., Sigmon, D.F., Blebea, J. 2023. Thromboelastography. In: StatPearls Publishing LLC.

Shaydakov, M.E., Sigmon, D.F., Blebea J. 2023. *Thromboelastography - StatPearls - NCBI Bookshelf*. Treasure Island (FL): StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK537061/> (Accessed: 21 February 2023).

Shin, K., Kim, I., Lee, H.J., Kim, H., Chang, C.L., Hong, Y.M., Yoon, K.T., Cho, M. 2017. Thromboelastographic Evaluation of Coagulation in Patients With Liver Disease, 204–212.

Singh, J., Khadka, S., Solanki, D., Kichloo, A., Shah, H., Vyas, M.J., Chugh, S., Patel, N., Solanki, S. 2021. Pulmonary embolism in chronic kidney disease and end-stage renal disease hospitalizations: Trends, outcomes, and predictors of mortality in the United States. *SAGE Open Med*, 9:205031212110229.

Sun, L., Zou, L.X., Han, Y.C., Huang, H.M., Tan, Z.M., Gao, M., Ma, K.L., Liu, H., Liu, B.C. 2016. Forecast of the incidence, prevalence and burden of end-stage renal disease in Nanjing, China to the Year 2025. *BMC Nephrol*, 17(1).

Surendra, N.K., Manaf, M.R.A., Hooi, L.S., Bavanandan, S., Nor, F.S.M., Khan, S.S.F. 2019. Cost utility analysis of end stage renal disease treatment in Ministry of Health

dialysis centres, Malaysia: Hemodialysis versus continuous ambulatory peritoneal dialysis. *PLoS One*, 14.

Tanaka, K.A., Terada, R., Butt, A.L., Mazzeffi, M.A., McNeil, J.S. 2023. Factor VIII: A Dynamic Modulator of Hemostasis and Thrombosis in Trauma. *Anesth Analg*, 136(5):894–904.

Tawhari, M., Alrushid, E., Alquwaiee, G., Alanazi, S., Alkhudair, J., Aldalaan, A., Alsuwaid, S., Alabdulkarim, A., Tawhari, F., Hattan, K.M., Tawhari, I., Radwi, M. 2022. Presentation and Outcomes of Patients With End-Stage Kidney Disease Hospitalized With COVID-19 at a Tertiary Center in Riyadh, Kingdom of Saudi Arabia. *Cureus* [Preprint].

Thakur, M., Ahmed, A.B. 2012. A review of thromboelastography. *International Journal of Perioperative Ultrasound and Applied Technologies*, 1(1):25–29.

Torreggiani, M., Fois, A., Njandjo, L., Longhitano, E., Chatrenet, A., Esposito, C., Fessi, H., Piccoli, G.B. 2021. Toward an individualized determination of dialysis adequacy: a narrative review with special emphasis on incremental hemodialysis. *Expert Rev Mol Diagn*, 21(11):1119–1137.

Tripodi, A., Salerno, F., Chantarangkul, V., Clerici, M., Cazzaniga, M., Primignani, M., Mannucci, P.M. 2005. Evidence of normal thrombin generation in cirrhosis despite abnormal conventional coagulation tests. *Hepatology*, 41(3):553–558.

Vaziri, N.D., Gonzales, E.C., Wang, J., Said, S. 1994. Blood Coagulation, Fibrinolytic, and Inhibitory Proteins in End-Stage Renal Disease: Effect of Hemodialysis. *American Journal of Kidney Diseases*, 23(6):828–835.

Wahid, I., Manaf, A. no date. *Profil dan Beberapa Faktor yang Berhubungan dengan Hemostasis Pasien Diabetes Melitus Tipe 2 Tak Terkontrol*. Available at: <https://jurnal.umj.ac.id/index.php/JKK>.

Wahyudi, I.E.D., Pujo, J.L. 2012. ANGKA KEMATIAN PASIEN END STAGE RENAL DISEASE DI ICU DAN HCU RSUP DR. KARIADI. *JURNAL MEDIA MEDIKA MUDA*, 1(1):1–13.

Wanaratwichit, P., Chai-Adisaksopha, C., Inmutto, N., Noppakun, K. 2023. Risk factors of worsening kidney function and mortality in patients with renal vein thrombosis: a retrospective study. *J Nephrol* [Preprint].

Wang, X., Shi, A., Huang, J., Chen, Y., Xue, W., Zhang, J. 2020. Assessment of hypercoagulability using thromboelastography predicts advanced status in renal cell carcinoma. *J Clin Lab Anal*, 34(1).

Wang, Z., Li, J., Cao, Q., Wang, L., Shan, F., Zhang, H. 2018a. Comparison Between Thromboelastography and Conventional Coagulation Tests in Surgical Patients With Localized Prostate Cancer. *Clinical and Applied Thrombosis/Hemostasis*, 24(5):755–763.

Wang, Z., Li, J., Cao, Q., Wang, L., Shan, F., Zhang, H. 2018b. Comparison Between Thromboelastography and Conventional Coagulation Tests in Surgical Patients With Localized Prostate Cancer. *Clinical and Applied Thrombosis/Hemostasis*, 24(5):755–763.

Wanner, C., Krane, V., März, W., Olschewski, M., Mann, J.F.E., Ruf, G., Ritz, E. 2005. *Atorvastatin in Patients with Type 2 Diabetes Mellitus Undergoing Hemodialysis*. Available at: www.nejm.org.

Whitton, T.P., Healy, W.J. 2023. Clinical Use and Interpretation of Thromboelastography. *ATS Sch*, 4(1):3–4.

Wright, F.L., Vogler, T.O., Moore, E.E., Moore, H.B., Wohlauser, M. V., Urban, S., Nydam, T.L., Moore, P.K., McIntyre, R.C. 2020. Fibrinolysis Shutdown Correlation with Thromboembolic Events in Severe COVID-19 Infection. *J Am Coll Surg*, 231(2):193-203.e1.

Wu, T., Tang, L. V., Hu, Y. 2022. Venous Thromboembolism in Kidney Diseases and Genetic Predisposition. *Kidney Diseases*, 8(3):181–189.

Xu, H., Peng, W., Yang, Z., Zhang, Y., Xia, C., Li, Z., Xu, R., Guo, Y. 2021. The association of secondary hyperparathyroidism and myocardial damages in hemodialysis end-stage renal disease patients: assessed by cardiovascular magnetic resonance native T1 mapping. *Journal of Cardiovascular Magnetic Resonance*, 23(1).

Yeh, C.H., De Wit, K., Levy, J.H., Weitz, J.I., Vaezzadeh, N., Liaw, P.C., Fox-Robichaud, A., Soliman, K., Kim, P.Y. 2020. Hypercoagulability and coronavirus disease 2019-associated hypoxemic respiratory failure: Mechanisms and emerging management paradigms. *Journal of Trauma and Acute Care Surgery*, 89(6):e177–e181.

Yeung, E., Bello, A.K., Levin, A., Lunney, M., Osman, M.A., Ye, F., Ashuntantang, G., Bellorin-Font, E., Benganem Gharbi, M., Davison, S., Ghnaimat, M., Harden, P., Jha, V., Kalantar-Zadeh, K., Kerr, P., Klarenbach, S., Kovesdy, C., Luyckx, V., Neuen, B., *et al.* 2021. Current status of health systems financing and oversight for end-stage kidney disease care: A cross-sectional global survey. *BMJ Open*, 11(7).

Yi-fan, L., Dai-jun, X., Hong-wei, T., Hong-rui, Z., Xiao-li, W., Yin-jing, X., Mian-yang, L., Cheng-bin, W., Deng-qing, L. 2013. Thrombelastography and coagulation parameters in chronic kidney disease patients and theirs clinical significance.

Yu, Y., Zhu, C., Lin, Y., Qian, Q., Shen, X., Zou, W., Wang, M., Gong, J., Chen, M., Liu, L., Yu, R., Shen, Q., Shao, L., Zhu, B. 2023. Plasma D-dimer levels are associated with disease progression in diabetic nephropathy: a two-center cohort study. *Ren Fail*, 45(2):2285868.

Zhu, Q., Scherer, P.E. 2018. Immunologic and endocrine functions of adipose tissue: implications for kidney disease. *Nat Rev Nephrol*, 14(2):105–120.

Zhu, Y., Tao, S., Zhang, D., Xiao, J., Wang, X., Yuan, L., Pan, H., Wang, D. 2022a. Association between fibrinogen/albumin ratio and severity of coronary artery calcification in patients with chronic kidney disease: a retrospective study. *PeerJ*, 10:1–15.

Zhu, Y., Tao, S., Zhang, D., Xiao, J., Wang, X., Yuan, L., Pan, H., Wang, D. 2022b. Association between fibrinogen/albumin ratio and severity of coronary artery calcification in patients with chronic kidney disease: a retrospective study. *PeerJ*, 10:1–15.

Ziemba, R., Campbell, K.N., Yang, T.-H., Sara, ;, Schaeffer, E., Mayo, K.M., McGann, P., Quinn, S., Roach, J., Huff, ; Edwin D. 2020. *Morbidity and Mortality Weekly Report Excess Death Estimates in Patients with End-Stage Renal Disease-United States, February-August 2020*. Available at: <https://www.cms.gov/Medicare/End-Stage->