



DAFTAR PUSTAKA

- Ahmad, T., Valentonic, M. A., & Rankin, G. O. (2018). Effects of cytochrome P450 single nucleotide polymorphisms on methadone metabolism and pharmacodynamics. *Biochemical Pharmacology*, 153: 196-204.
- Al-Jawadi, A. A., Priliani, L., Oktavianthi, S., Febinia, C. A., Daya, M., Artika, M., & Malik, S. G. (2021). Association of FTO rs1421085 single nucleotide polymorphism with fat and fatty acid intake in Indonesia adults. *BMC Research Notes*, 14(411): 1-7.
- Al-Ogaidi, S. O., Abdulsattar, S. A., & Al-Dulaimi, H. M. J. (2020). Studying the association of genetic polymorphism in FTO gene with maternal obesity and metabolic phenotypes in a sample of Iraqi pregnant women. *Jordan Journal of Biological Sciences*, 13(1): 29-34.
- Angely, C., Nugroho, K. P. A., & Agustina, V. (2021). Gambaran pola asuh anak obesitas usia 5-12 tahun di SD Negeri 09 Rangkang, Kabupaten Bengkayang, Kalimantan Barat. *Jurnal Sains dan Kesehatan*, 3(6): 816-825.
- Basen-Engquist, K. & Chang, M. (2011). Obesity and cancer risk: recent review and evidence. *Curr Oncol Rep*, 13: 71-76.
- Chandler-Laney, P. C., Morrison, S. A., Goree, L. L. T., Ellis, A. C., Casazza, K., Desmond, R., & Gower, B. A. (2014). Return of hunger following a relatively high carbohydrate breakfast is associated with earlier recorded glucose peak and nadir. *Appetite*, 80: 236-241.
- Chauhan, G., Tabassum, R., Mahajan, A., Dwivedi, O. P., Mahendran, Y., Kaur, I., Nigam, S., Dubey, H., Varma, B., Madhu, S. V., Mathur, S. K., Ghosh, S., Tandon, N., & Bharadwaj, D. (2011). Common variants of FTO and the risk of obesity and type 2 diabetes in Indians. *Journal of Human Genetics*, 56: 720-726.
- DiMeglio, L. A., Evans-Molina, C., & Oram, R. A. (2018). Type 1 diabetes. *Lancet*, 391: 2449-2462.



- Divella, R., De Luca, R., Abbate, I., Naglieri, E., & Daniele, A. (2016). Obesity and cancer: the role of adipose tissue and adipocytokines-induced chronic inflammation. *Journal of Cancer*, 7(15): 2346-2359.
- Fawcett, K. A. & Barroso, I. (2010). The genetics of obesity: *FTO* leads the way. *Trends in Genetics*, 26(6): 266-274.
- Frayling, T. M., Timpson, N. J., Weedon, M. N., Zeggini, E., Freathy, R. M., Lindgren, C. M., Perry, J. R. B., Elliott, K. S., Lango, H., Rayner, N. W., Shields, B., Harries, L. W., Barrett, J. C., Ellard, S., Groves, C. J., Knight, B., Patch, A., Ness, A. R., Ebrahim, S., Lawlor, D. A., Ring, S. M., Ben-Shlomo, Y., Jarvelin, M., Sovio, U., Bennet, A. J., Melzer, D., Ferruci, L., Loos, R. J. F., Barroso, I., Wareham, N. J., Karpe, F., Owen, K. R., Cardon, L. R., Walker, M., Hitman, G. A., Palmer, C. N. A., Doney, A. S. F., Morris, A. D., Smith, G. D., Hattersley, A. T., & McCarthy, M. I. (2007). A common variant in the *FTO* gene is associated with body mass index and predisposes to childhood and adult obesity. *Science*, 316(5826): 889-894.
- Fredriksson, R., Hagglund, M., & Olszewski, P. K. (2008). The obesity gene, *FTO*, is of ancient origin, upregulated during food deprivation and expressed in neurons of feeding-related nuclei of the brain. *Endocrinology*, 149: 2062-2071.
- Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K. B., Ostolaza, H., & Martín, C. (2020). Pathophysiology of type 2 diabetes mellitus. *International Journal of Molecular Sciences*, 21(6275): 1-34.
- Garcia-Alegria, A. M., Anduro-Corona, I., Perez-Martinez, C. J., Corella-Madueno, M. A. G., Rascon-Duran, M. L., & Astiazaran-Garcia, H. (2020). Quantification of DNA through the nanodrop spectrophotometer: methodological validation using standard reference material and sprague dawley rat and human DNA. *International Journal of Analytical Chemistry*, 2020: 1-9.
- Garibyan, L. & Avashia, N. (2013). Research techniques made simple: polymerase chain reaction (PCR). *J Invest Dermatol*, 133(3): 1-8.



- Gerken, T., Girard, C. A., Tung, Y. L., Webby, C. J., Saudek, V., Hewitson, K. S., Yeo, G. S. H., McDonough, M. A., Cunliffe, S., McNeill, L. A., Galvanovskis, J., Rorsman, P., Robins, P., Prieur, X., Coll, A. P., Ma, M., Jovanovic, Z., Farooqi, S., Sedgwick, B., Barroso, I., Lindahl, T., Ponting, C. P., Ashcroft, F. M., O’Rahilly, S., & Schofield, C. J. (2007). The obesity-associated *FTO* gene encodes a 2-oxoglutarate-dependent nucleic acid demethylase. *Science*, 318(5855): 1469-1472.
- Guh, D. P., Zhang, W., Bansback, N., Amarsi, Z., Birmingham, C. L., & Anis, A. H. (2009). The incidence of co-morbidities related to obesity and overweight: a systematic review and meta-analysis. *BMC Public Health*, 9(88): 1-20.
- Herrera, B. M. & Lindgren, C. M. (2010). The genetics of obesity. *Curr Diab Rep*, 10: 498-505.
- Huang, T., Shu, Y., & Cai, Y. (2015). Genetic differences among ethnic groups. *BMC Genomics*, 16(1093): 1-10.
- Huang, T., Qi, Q., Zheng, Y., Ley, S. H., Manson, J. E., Hu, F. B., & Qi, L. (2015). Genetic predisposition to central obesity and risk of type 2 diabetes: two independent cohort studies. *Diabetes Care*, 38: 1306-1311.
- Kahn, S. E., Cooper, M. E., & Prato, S. D. (2014). Pathophysiology and treatment of type 2 diabetes: perspectives on the past, present, and future. *Lancet*, 383(9922): 1068-1083.
- Kahn, S. E., Hull, R. L., & Utzschneider, K. M. (2006). Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature*, 444: 840-846.
- Kapoor, N., Arora, S., & Kalra, S. (2021). Gender disparities in people living with obesity – an uncharted territory. *Journal of Mid-life Health*, 12(2): 103-107.
- Kementerian Kesehatan RI. (2018). Epidemi Obesitas [PDF file]. Kementerian Kesehatan Republik Indonesia. https://p2ptm.kemkes.go.id/uploads/N2Va aXIxZGZwWFpEL1VIRFdQQ3ZRZz09/2018/02/FactSheet_Obesitas_Kit_Informasi_Obesitas.pdf.
- Kumar, R., Ningombam, S. S., Kumar, R., Goel, H., Gogia, A., Khurana, S., Deo, S. V. S., Mathur, S., & Tanwar, P. (2022). Comprehensive mutations analyses of *FTO* (fat mass and obesity-associated gene) and their effects on *FTO*’s



- substrate binding implicated in obesity. *Frontiers in Nutrition*, 9(852944): 1-18.
- Lan, N., Lu, Y., Zhang, Y., Pu, S., Xi, H., Nie, X., Liu, J., & Yuan, W. (2020). FTO – a common genetic basis for obesity and cancer. *Frontiers in Genetics*, 11(559138): 1-12.
- Leaché, A. D. & Oaks, J. R. (2017). The utility of single nucleotide polymorphism (SNP) data in phylogenetics. *Annu. Rev. Ecol. Evol. Syst.*, 48: 69-84.
- Lonetti, A., Fontana, M. C., Martinelli, G., & Iacobucci, I. (2016). Single Nucleotide Polymorphisms as Genomic Markers for High-Throughput Pharmacogenomic Studies. In P. C. H. Li, A. Sedighi, & L. Wang (Eds.), *Microarray Technology* (Vol. 1368, pp. 143-159). New York: Springer.
- Loos, R. J. (2012). Genetic determinants of common obesity and their value in prediction. *Best Practice & Research Clinical Endocrinology & Metabolism*, 26: 211-226.
- Loos, R. J. & Yeo, G. S. (2014). The bigger picture of FTO: the first GWAS-identified obesity gene. *Nature Reviews Endocrinology*, 10(1): 51-61.
- Lucena-Aguilar, G., Sanchez-Lopez, A. M., Barberan-Aceituno, C., Carrillo-Avila, J. A., Lopez-Guerrero, J. A., & Aguilar-Quesada, R. (2016). DNA source selection for downstream applications based on DNA quality indicators analysis. *BIO PRESERVATION AND BIOBANKING*, 14(4): 264-270.
- Malik, V. S., Willett, W. C., & Hu, F. B. (2013). Global obesity: trends, risk factors and policy implications. *Nature Reviews Endocrinology*, 9(1): 13-27.
- Medrano, R. F. V. & de Oliveria, C. A. (2014). Guidelines for the tetra-primer ARMS-PCR technique development. *Mol Biotechnol*, 56: 599-608.
- Mehrdad, M., Doaei, S., Gholamalizadeh, M., & Eftekhari, M. H. (2020). The association between FTO genotype with macronutrients and calorie intake in overweight adults. *Lipids in Health and Disease*, 19(197): 1-6.
- Montecucco, F., Steffens, S., & Mach, F. (2008). Insulin resistance: a proinflammatory state mediated by lipid-induced signaling dysfunction and involved in atherosclerotic plaque instability. *Mediators of Inflammation*, 2008: 1-10.



- Mozafarizadeh, M., Mohammadi, M., Sadeghi, S., Hadizadeh, M., Talebzadeh, T., & Houshmand, M. (2019). Evaluation of *FTO* rs9939609 and *MC4R* rs17782313 polymorphism as prognostic biomarkers of obesity: a population-based cross-sectional study. *Oman Medical Journal*, 34(1): 56-62.
- Nurcahyo, F. (2011). Kaitan antara obesitas dan aktivitas fisik. *Jurnal Ilmiah Kesehatan Olahraga*, 7(1): 87-96.
- Ojo, O. A., Ibrahim, H. S., Rotimi, D. E., Ogunlakin, A. D., & Ojo, A. B. (2023). Diabetes mellitus: from molecular mechanism to pathophysiology and pharmacology. *Medicine in Novel Technology and Devices*, 19: 1-8.
- Papathanasopoulos, A. & Camilleri, M. (2010). Dietary fiber supplements: effects in obesity and metabolic syndrome and relationship to gastrointestinal functions. *Gastroenterology*, 138(1): 65-72.
- Peña-Martínez, E. G. & Rodríguez-Martínez, J. A. (2024). Decoding non-coding variants: recent approaches to studying their role in gene regulation and human diseases. *Frontiers in Bioscience (Schol Ed)*, 16(1): 1-14.
- Peng, S., Zhu, Y., Xu, F., Ren, X., Li, X., & Lai, M. (2011). *FTO* gene polymorphisms and obesity risk: a meta-analysis. *BMC Medicine*, 9: 1-15.
- Permatasari, P. D. & Pertiwi, K. R. (2022). Asupan makronutrien dan hubungannya dengan obesitas remaja putri di yogyakarta dan sekitarnya. *KINGDOM The Journal of Biological Studies*, 8(1): 18-33.
- Prasitiwi, E. D., Agustina, W., & Fatmawati, D. N. (2019). Pengaruh obesitas sentral terhadap status kesehatan karyawan. *Jurnal Ilmiah Media Husada*, 8(1): 1-7.
- Priliani, L., Oktavianthi, S., Hasnita, R., Nussa, H. T., Inggriani, R. C., Febinia, C. A., Bowolaksono, A., Puspitaningrum, R., Nugroho, R. A., Suastika, K., & Malik, S. G. (2020). Obesity in the Balinese is associated with *FTO* rs9939609 and rs1421085 single nucleotide polymorphisms. *PeerJ*. pp. 1-15.
- Qi, L., & Cho, Y. A. (2008). Gene-environment interaction and obesity. *Nutrition Reviews*, 66(12): 684-694.
- Seidell, J. C. Y& Halberstadt, J. (2015). The global burden of obesity and the challenges of prevention. *Annals of Nutrition & Metabolism*, 66(2): 7-12.



- Septiyanti, & Seniwati. (2020). Obesitas dan obesitas sentral pada masyarakat usia dewasa di daerah perkotaan Indonesia. *Jurnal Ilmiah Kesehatan*, 2(3): 118-127.
- Shuster, A., Patlas, M., Pinthus, J. H., & Mourtzakis, M. (2012). The clinical importance of visceral adiposity: a critical review of methods for visceral adipose tissue analysis. *The British Journal of Radiology*, 85: 1-10.
- Tauqeer, Z., Gomez, G., & Stanford, F. C. (2018). Obesity in women: insights for the clinician. *Journal of Women's Health*, 27(4): 444-457.
- Torres-Carot, V., Suárez-González, A., & Lobato-Foulques, C. (2022). The energy balance hypothesis of obesity: do the laws of thermodynamics explain excessive adiposity?. *European Journal of Clinical Nutrition*, 76: 1374-1379.
- Wilfinger, W. W., Chomczynski, P., & Mackey, K. (1997). Effect of pH and ionic strength on the spectrophotometric assessment of nucleic acid purity. *BioTechniques*, 22(3): 474-481.
- Zammit, C., Liddicoat, H., Moonsie, I., & Makker, H. (2010). Obesity and respiratory diseases. *International Journal of General Medicine*, 2010(2): 335-343.
- Zhang, X., Qi, Q., Zhang, C., Hu, F. B., Sacks, F. M., & Qi, L. (2012). FTO genotype and 2-year change in body composition and fat distribution in response to weight-loss diets. *Diabetes*, 61: 3005-3011.
- Zhao, X., Yang, Y., Sun, B., Zhao, Y., & Yang, Y. (2014). FTO and obesity: mechanisms of association. *Curr Diab Rep*, 14(486): 1-9.