



DAFTAR PUSTAKA

- Aguiar, A. J. and Zelmer, J. E., 1969 " Dissolution Behavior of Polymorphs of Chloramphenicol Palmitate and Mefenemic Acid", *J. Pharm, Sci.* 58, 983 - 987.
- Anonim.(1979) *Farmakope Indonesia*, Ed III, Departemen Kesehatan RI, Jakarta . 610 - 611.
- Banker G,S & Rhodes C,T (1979) *Modern Pharmaceutics*, Marcel - Dekker Inc, New York and Bansel 170 - 171
- Benet, L,Z. (1973),Biopharmaceutic as a Basis for the Design of Drug Product, *Medical Chemistry Drug Design* , Volume III, Academic Press, New York, 74
- Burger A.(1982),Termodynamic and Other Aspect of the Polymorphism of Drug, *Trends, Pharmacy Internasional*, 158 - 163.
- Carstensen, J. T., 1974 " Theories of Dissolustion : Single Particulate System ", in: Lesson, L. J. and Carstensen, J. T.(Ed), *Dissolution Technology*, The Industrial Pharmaceutical Technology Section of Academy of Pharmaceutical Sciences, Washington D.C. 1-32.
- Clarke E,G,C & Berle J., 1971 , *Isolasi and Identifica - tion of Drug*, The Pharmaceutical Pres, London 576
- Colton T., 1985, *Statistics in Medicine*, terjemahan Rossi Sanusi, Gadjah Mada Press, Yogyakarta, 147-158,165-180.
- Finholt, P.,1974, "Influence of Formulation on Dissolution Rate" in: Cartensen, J. T. (Ed.), *Dissolution Technology*, 1st. Ed., 106 - 146, The Industrial Pharmaceutical Technology Sciences of Academy Pharmaceutical ,Wishing - ton, D. C.
- Gibaldi, M.(1976),Biopharmaceutics,In Lachman,L. et al, *The Theory and Practice of Industrial Pharmacy*, second e - dition, Lea & Febiger, Philadelphia, 78 - 116.
- Goldberg, A.H., Gibaldi, M., Kanig J.L., 1965, Increasing Dissolution Rates and Gastrointestinal Absorption of Drug via Solid Solution and Eutectic Mixture, *J. Pharm. Sci.*, 54, 1145-1148.
- Haleblian J & Mc Crone W. 1969 Pharmaceutical Application of Pholymorphism. *J. Pharm.Sci.* 58.8, 909 - 929.
- Haleblian J,K. (1975) Characterization of Habit and Crystal - line Modification of Solid and Their Pharmaceutical Application, *J. Pharm.Sci.*, 64, 1269-1286.



- Hwaing Ou Lin, and Guillory J. K., 1970, "Polymorphism in Sulfanilamid-d₄", *J. Pharm Sci*, 59, 972-975.
- Leiberman H.A and Lachman L, 1989, *The Theory and Practice of Industrial Pharmacy*, terjemahan Suliani, Universitas Indonesia, Jakarta, 381-441.
- Makin Ibnu Hadjar, 1987, *Spektroskopi I*, PAU Bioteknologi, Universitas Gadjah Mada, Yogyakarta, 75-91.
- Martin, A. Swarbrick, J. Cammanrats, A. (1988), *Physical Pharmacy*, 4nd Ed, Lea and Febiger, Philadelphia, 26 - 29, 72-73, 575 - 576.
- Montgomery, D. C. 1976, *Design and Analysis of Experiments*, John Wiley & Sons, New York, 48-50, 410.
- Rana Kusuma Dr, (1987) *Diabetes Millitus*, Universitas Indonesia Press, Jakarta. ii.
- Shargel, L., and Andrew, B. C., 1985, *Applied Biopharmaceutics and Pharmacokinetics*, 2nd. Ed., Appleton-Century-Crofts, Norwalk, Connecticut, 67 - 78.
- Silverstein, Bassler and Morrill, 1986, *Spektrometric Identification of Organic Compounds*, terjemahan Hartomo dan Anny Victor Purba, Erlangga, Bandung, 97-100.
- Stechner, P., 1983, *Merk Indeks*, 10th Ed, Merck and Co, Inc Rahway, USA 1312.
- Sulistia Gan, 1980, *Farmakologi dan Terapi*, Edisi 2, Fakultas Kedokteran Universitas Indonesia, Jakarta, 353.
- Tawashi, R., 1968, "Aspirin Dissolution Rates of Two Polymorphic Form", *Science*, 160, 76.
- Tuladhar, M. D., Carless, J. E., and Summers, M. P., 1983 "The Effect of Polymorphism, Particle Size and Compression Pressure on the Dissolution Rate of Phenylbutazone Tablets", *J. Pharm. Pharmacol.*, 35, 269 - 274.
- United States Pharmacopoeia XX*, 15th Ed., United States Pharmacopoeial Convention Inc., Twin Brook Parkway, Rockville 1260.
- Wagner, J.G, (1971), *Biopharmaceutics and Relevant Pharmacokinetics*, first edition, Drug Intelligence Publications, Hamilton, Illinois, 98-117.
- Wood, J. H. Syarto, J. E., and Letterman, H., 1965, "Improved Holder of Intrinsic Dissolution Rate Studies", *J. Pharm. Sci.*, 54 1068.



UNIVERSITAS
GADJAH MADA

Wuster, D.E. Taylor, P.W., (1965) Dissolution Rates, *J. Pharm. Sci.*,
54 , 2.

Yuwono, T., 1987, " Pengaruh Kofeina terhadap Kelarutan dan
Ketersediaan Hayati O-Etoksibenzamida pada Tikus Jan-
tan", *Disertasi*, Institut Tehnologi Bandung, Bandung,
71.

Yuwono, T., 1988, " Pembentukan Dispersi Solid Asam Mefena-
mat untuk Meningkatkan Kecepatan Dissolusinya", *Lapor-
an Penelitian*, Fakultas Farmasi, Universitas Gadjah Ma-
da, Yogyakarta, 34.