

DAFTAR PUSTAKA

- Akbarzadeh, S., McKenzie, M. B., Rahman, M. M., & Cleland, H. (2021). Allogeneic Platelet-Rich Plasma: Is It Safe and Effective for Wound Repair? *European Surgical Research*, 62(1), 1–9. <https://doi.org/10.1159/000514223>
- Alibegović, A., Blagus, R., & Martinez, I. Z. (2020). Safranin O without fast green is the best staining method for testing the degradation of macromolecules in a cartilage extracellular matrix for the determination of the postmortem interval. *Forensic Science, Medicine, and Pathology*, 16(2), 252–258. <https://doi.org/10.1007/s12024-019-00208-0>
- Araya, N., Miyatake, K., Tsuji, K., Katagiri, H., Nakagawa, Y., Hoshino, T., Onuma, H., An, S., Nishio, H., Saita, Y., Sekiya, I., & Koga, H. (2020). Intra-articular Injection of Pure Platelet-Rich Plasma Is the Most Effective Treatment for Joint Pain by Modulating Synovial Inflammation and Calcitonin Gene-Related Peptide Expression in a Rat Arthritis Model. *American Journal of Sports Medicine*, 48(8), 2004–2012. <https://doi.org/10.1177/0363546520924011>
- Auer, J. A., Stick, J. A., Kummerle, J. M., Prange, T. (2019). *Equine Surgery* (fifth). W.B. Saunders.
- Bacha, W. J. (2013). *COLOR ATLAS OF VETERINARY HISTOLOGY* Third Edition. UK: Wiley Blackwell.
- Bansal, H., Leon, J., Pont, J. L., Wilson, D. A., Bansal, A., Agarwal, D., & Preoteasa, I. (2021). Platelet-rich plasma (PRP) in osteoarthritis (OA) knee: Correct dose critical for long term clinical efficacy. *Scientific Reports*, 11(1), 1–10. <https://doi.org/10.1038/s41598-021-83025-2>
- Bao, Z., Chen, M., Li, C., Shan, Q., Wang, Y., & Yang, W. (2022). Monosodium iodoacetate-induced subchondral bone microstructure and inflammatory changes in an animal model of osteoarthritis. *Open Life Sciences*, 17(1), 781–793. <https://doi.org/10.1515/biol-2022-0079>
- Barry, F., Chai, F., Chijcheapaza-Flores, H., Garcia-Fernandez, M. J., Blanchemain, N., & Nicot, R. (2023). Comparison of chemical-induced temporomandibular osteoarthritis rat models (monosodium iodoacetate versus collagenase type II) for the study of prolonged drug delivery systems. *PLoS ONE*, 18(1 January), 1–14. <https://doi.org/10.1371/journal.pone.0281135>
- Beerts, C., Broeckx, S. Y., Depuydt, E., Tack, L., Van Hecke, L., Chiers, K., Van Brantegem, L., Braun, G., Hellmann, K., de Bouvre, N., Van Bruaene, N., De Ryck, T., Duchateau, L., Van Ryssen, B., Peremans, K., Saunders, J. H., Verhoeven, G., Pauwelyn, G., & Spaas, J. H. (2023). Low-dose xenogeneic mesenchymal stem cells target canine osteoarthritis through systemic

immunomodulation and homing. *Arthritis Research and Therapy*, 25(1), 1–18. <https://doi.org/10.1186/s13075-023-03168-7>

Bertrand, J. Held, A. (2017). *Cartilage*. Springer.

Brondeel, C., Pauwelyn, G., de Bakker, E., Saunders, J., Samoy, Y., & Spaas, J. H. (2021). Review: Mesenchymal Stem Cell Therapy in Canine Osteoarthritis Research: “Experientia Docet” (Experience Will Teach Us). *Frontiers in Veterinary Science*, 8(May), 1–13. <https://doi.org/10.3389/fvets.2021.668881>

Catarino, J., Carvalho, P., Santos, S., Martins, Â., & Requicha, J. (2020). Treatment of canine osteoarthritis with allogeneic platelet-rich plasma: Review of five cases. *Open Veterinary Journal*, 10(2), 226–231. <https://doi.org/10.4314/ovj.v10i2.12>

Chen, Z., Lin, C. X., Song, B., Li, C. C., Qiu, J. X., Li, S. X., Lin, S. P., Luo, W. Q., Fu, Y., Fang, G. Bin, Wei-Ping, L., Saw, P. E., & Ding, Y. (2020). Spermidine activates RIP1 deubiquitination to inhibit TNF- α -induced NF- κ B/p65 signaling pathway in osteoarthritis. *Cell Death and Disease*, 11(7). <https://doi.org/10.1038/s41419-020-2710-y>

Chouhan, D. K., Dhillon, M. S., Patel, S., Bansal, T., Bhatia, A., & Kanwat, H. (2019). Multiple Platelet-Rich Plasma Injections Versus Single Platelet-Rich Plasma Injection in Early Osteoarthritis of the Knee: An Experimental Study in a Guinea Pig Model of Early Knee Osteoarthritis. *American Journal of Sports Medicine*, 47(10), 2300–2307. <https://doi.org/10.1177/0363546519856605>

Cooper, C., Chapurlat, R., Al-Daghri, N., Herrero-Beaumont, G., Bruyère, O., Rannou, F., Roth, R., Uebelhart, D., & Reginster, J. Y. (2019). Safety of Oral Non-Selective Non-Steroidal Anti-Inflammatory Drugs in Osteoarthritis: What Does the Literature Say? *Drugs and Aging*, 36(s1), 15–24. <https://doi.org/10.1007/s40266-019-00660-1>

Everts, P., Onishi, K., Jayaram, P., Lana, J. F., & Mautner, K. (2020). Platelet-rich plasma: New performance understandings and therapeutic considerations in 2020. *International Journal of Molecular Sciences*, 21(20), 1–36. <https://doi.org/10.3390/ijms21207794>

Fice, M. P., Miller, J. C., Christian, R., Hannon, C. P., Smyth, N., Murawski, C. D., Cole, B. J., & Kennedy, J. G. (2019). The Role of Platelet-Rich Plasma in Cartilage Pathology: An Updated Systematic Review of the Basic Science Evidence. *Arthroscopy - Journal of Arthroscopic and Related Surgery*, 35(3), 961-976.e3. <https://doi.org/10.1016/j.arthro.2018.10.125>

Garbin, L. C., & Olver, C. S. (2020). Platelet-Rich Products and Their Application to Osteoarthritis. *Journal of Equine Veterinary Science*, 86. <https://doi.org/10.1016/j.jevs.2019.102820>

Goldring, M. B., Dayer, J. M., & Goldring, S. R. (2016). Osteoarthritis and the

Immune System. *Osteoimmunology: Interactions of the Immune and Skeletal Systems: Second Edition*, 257–269. <https://doi.org/10.1016/B978-0-12-800571-2.00014-1>

Goyal, D. R. (2020). The Illustrative Book of Cartilage Repair. In *The Illustrative Book of Cartilage Repair*. <https://doi.org/10.1007/978-3-030-47154-5>

He, M., Guo, X., Li, T., Jiang, X., Chen, Y., Yuan, Y., Chen, B., Yang, G., Fan, Y., Liang, Z., Armstrong, D. G., & Deng, W. (2020). Comparison of Allogeneic Platelet-rich Plasma With Autologous Platelet-rich Plasma for the Treatment of Diabetic Lower Extremity Ulcers. *Cell Transplantation*, 29(1), 1–9. <https://doi.org/10.1177/0963689720931428>

Hsieh, Y. H., Chu, Y. C., Hsiao, J. T., Shu, Y. T., Hsieh, M. F., & Lee, H. M. (2023). Porcine Platelet Lysate Intra-articular Knee Joint Injections for the Treatment of Rabbit Cartilage Lesions and Osteoarthritis. *Journal of Medical and Biological Engineering*, 43(1), 102–111. <https://doi.org/10.1007/s40846-023-00776-1>

Jadah, N. A., & Shamkhi, I. A. (2021). A comparative study of low-level laser efficacy on autologous activity of PRP injected in knee arthritis, in vivo study. *Lasers in Medical Science*, 36(2), 357–363. <https://doi.org/10.1007/s10103-020-03039-6>

Jeong, J., Bae, K., Kim, S. G., Kwak, D., Moon, Y. J., Choi, C. H., Kim, Y. R., Na, C. S., & Kim, S. J. (2018). Anti-osteoarthritic effects of ChondroT in a rat model of collagenase-induced osteoarthritis. *BMC Complementary and Alternative Medicine*, 18(1), 1–10. <https://doi.org/10.1186/s12906-018-2149-1>

Ji, H., Li, J., Shao, J., He, D., Liu, Y., Fei, W., & Luo, E. (2017). Histopathologic comparison of condylar hyperplasia and condylar osteochondroma by using different staining methods. *Oral surgery, oral medicine, oral pathology and oral radiology*, 132(3), 320–329.

Kanwat, H., Mandeep Singh, D., Devendra Kumar, C., Alka, B., Biman, S., & Aman, H. (2019). The effect of intra-articular allogenic platelet rich plasma in Dunkin-Hartley guinea pig model of knee osteoarthritis. *Muscle Ligaments and Tendons Journal*, 07(03), 426. <https://doi.org/10.32098/mltj.03.2017.04>

Kavadar, G., Demircioglu, D. T., Celik, M. Y., & Emre, T. Y. (2015). Effectiveness of platelet-rich plasma in the treatment of moderate knee osteoarthritis: A randomized prospective study. *Journal of Physical Therapy Science*, 27(12), 3863–3867. <https://doi.org/10.1589/jpts.27.3863>

Liang, Y., Li, J., Wang, Y., He, J., Chen, L., Chu, J., & Wu, H. (2022). Platelet Rich Plasma in the Repair of Articular Cartilage Injury: A Narrative Review. *Cartilage*, 13(3). <https://doi.org/10.1177/19476035221118419>

Liao, Y., Ren, Y., Luo, X., Mirando, A. J., Long, J. T., Leinroth, A., Ji, R. R., &

- Hilton, M. J. (2022). Interleukin-6 signaling mediates cartilage degradation and pain in posttraumatic osteoarthritis in a sex-specific manner. *Science Signaling*, 15(744), 1–14. <https://doi.org/10.1126/scisignal.abn7082>
- Lippross, S., Moeller, B., Haas, H., Tohidnezhad, M., Steubesand, N., Wruck, C. J., Kurz, B., Seekamp, A., Pufe, T., & Varoga, D. (2011). Intraarticular injection of platelet-rich plasma reduces inflammation in a pig model of rheumatoid arthritis of the knee joint. *Arthritis and Rheumatism*, 63(11), 3344–3353. <https://doi.org/10.1002/art.30547>
- Liu, S., Deng, Z., Chen, K., Jian, S., Zhou, F., Yang, Y., Fu, Z., Xie, H., Xiong, J., & Zhu, W. (2022). Cartilage tissue engineering: From proinflammatory and anti-inflammatory cytokines to osteoarthritis treatments (Review). *Molecular Medicine Reports*, 25(3), 1–15. <https://doi.org/10.3892/MMR.2022.12615>
- Maria, C., Pacheco, R., Kerppers, I. I., Borges, R., Shiguemi, A., Salgado, I., Tyski, P. P., Miri, A. L., & Hosni, A. P. (2016). Use of Platelet-rich Plasma in an Experimental Rheumatoid Arthritis Model. *Imperial Journal of Interdisciplinary Research*, 12, 353–357.
- Mcdermott, E. J., Pezzanite, L., Goodrich, L., Santangelo, K., Chow, L., Dow, S., & Wheat, W. (2021). Role of innate immunity in initiation and progression of osteoarthritis, with emphasis on horses. *Animals*, 11(11), 1–14. <https://doi.org/10.3390/ani11113247>
- Meeson, R. L., Todhunter, R. J., Blunn, G., Nuki, G., & Pitsillides, A. A. (2019). Spontaneous dog osteoarthritis — a One Medicine vision. *Nature Reviews Rheumatology*, 15(5), 273–287. <https://doi.org/10.1038/s41584-019-0202-1>
- Mifune, Y., Matsumoto, T., Takayama, K., Ota, S., Li, H., Meszaros, L. B., Usas, A., Nagamune, K., Gharaibeh, B., Fu, F. H., & Huard, J. (2013). The effect of platelet-rich plasma on the regenerative therapy of muscle derived stem cells for articular cartilage repair. *Osteoarthritis and Cartilage*, 21(1), 175–185. <https://doi.org/10.1016/j.joca.2012.09.018>
- Ornetti, P., Nourissat, G., Berenbaum, F., Sellam, J., Richette, P., & Chevalier, X. (2016). Does platelet-rich plasma have a role in the treatment of osteoarthritis? *Joint Bone Spine*, 83(1), 31–36. <https://doi.org/10.1016/j.jbspin.2015.05.002>
- Pietrosimone, B., Nissman, D., Padua, D. A., Blackburn, J. T., Harkey, M. S., Creighton, R. A., Kamath, G. M., Healy, K., Schmitz, R., Driban, J. B., Marshall, S. W., Jordan, J. M., & Spang, J. T. (2018). Associations between cartilage proteoglycan density and patient outcomes 12 months following anterior cruciate ligament reconstruction. *Knee*, 25(1), 118–129. <https://doi.org/10.1016/j.knee.2017.10.005>
- Pritzker, K. P. H., Gay, S., Jimenez, S. A., Ostergaard, K., Pelletier, J. P., Revell, K., Salter, D., & van den Berg, W. B. (2006). Osteoarthritis cartilage histopathology: Grading and staging. *Osteoarthritis and Cartilage*, 14(1), 13–29. <https://doi.org/10.1016/j.joca.2005.07.014>

- Pye, C., Bruniges, N., Peffers, M., & Comerford, E. (2022). Advances in the pharmaceutical treatment options for canine osteoarthritis. *Journal of Small Animal Practice*, 63(10), 721–738. <https://doi.org/10.1111/jsap.13495>
- Santos, R. G., Santos, G. S., Alkass, N., Chiesa, T. L., Azzini, G. O., da Fonseca, L. F., dos Santos, A. F., Rodrigues, B. L., Mosaner, T., & Lana, J. F. (2021). The regenerative mechanisms of platelet-rich plasma: A review. *Cytokine*, 144(November 2020). <https://doi.org/10.1016/j.cyto.2021.155560>
- Savio, A., Machado Diaz, A. C. ecili., Chico Capote, A., Miranda Navarro, J., Rodríguez Alvarez, Y., Bringas Pérez, R., Estévez del Toro, M., & Guillen Nieto, G. E. (2015). Differential expression of pro-inflammatory cytokines IL-15 α , IL-15, IL-6 and TNF α in synovial fluid from rheumatoid arthritis patients. *BMC musculoskeletal disorders*, 16, 51. <https://doi.org/10.1186/s12891-015-0516-3>
- Stannus, O., Jones, G., Cicuttini, F., Parameswaran, V., Quinn, S., Burgess, J., & Ding, C. (2010). Circulating levels of IL-6 and TNF- α are associated with knee radiographic osteoarthritis and knee cartilage loss in older adults. *Osteoarthritis and Cartilage*, 18(11), 1441–1447. <https://doi.org/10.1016/j.joca.2010.08.016>
- Su, C. H., Lin, C. Y., Tsai, C. H., Lee, H. P., Lo, L. C., Huang, W. C., Wu, Y. C., Hsieh, C. L., & Tang, C. H. (2021). Betulin suppresses TNF- α and IL-1 β production in osteoarthritis synovial fibroblasts by inhibiting the MEK/ERK/NF- κ B pathway. *Journal of Functional Foods*, 86, 104729. <https://doi.org/10.1016/j.jff.2021.104729>
- Takahashi, I., Matsuzaki, T., Kuroki, H., & Hosono, M. (2018). Induction of osteoarthritis by injecting monosodium iodoacetate into the patellofemoral joint of an experimental rat model. *PLoS ONE*, 13(4), 1–15. <https://doi.org/10.1371/journal.pone.0196625>
- Takahashi, I., Matsuzaki, T., Kuroki, H., & Hosono, M. (2019). Joint unloading inhibits articular cartilage degeneration in knee joints of a monosodium iodoacetate-induced rat model of osteoarthritis. *Osteoarthritis and Cartilage*, 27(7), 1084–1093. <https://doi.org/10.1016/j.joca.2019.03.001>
- Udo, M., Muneta, T., Tsuji, K., Ozeki, N., Nakagawa, Y., Ohara, T., Saito, R., Yanagisawa, K., Koga, H., & Sekiya, I. (2016). Monoiodoacetic acid induces arthritis and synovitis in rats in a dose- and time-dependent manner: Proposed model-specific scoring systems. *Osteoarthritis and Cartilage*, 24(7), 1284–1291. <https://doi.org/10.1016/j.joca.2016.02.005>
- Valente, S. J. (2019). The pharmacology of pain associated with the monoiodoacetate model of osteoarthritis. *Frontiers in Pharmacology*, 10(September), 1–8. <https://doi.org/10.3389/fphar.2019.00974>
- Wang, L., Zhao, L., Shen, L., Fang, Q., Yang, Z., Wang, R., Wu, Q., & Xie, Y. (2022). Comparison of the effects of autologous and allogeneic purified

platelet-rich plasma on cartilage damage in a rabbit model of knee osteoarthritis. *Frontiers in Surgery*, 9(July). <https://doi.org/10.3389/fsurg.2022.911468>

Wiegertjes, R., Van De Loo, F. A. J., & Blaney Davidson, E. N. (2020). A roadmap to target interleukin-6 in osteoarthritis. *Rheumatology (United Kingdom)*, 59(10), 2681–2694. <https://doi.org/10.1093/rheumatology/keaa248>

Wu, P.-J., Masouleh, M. I., Dini, D., Paterson, C., Török, P., Overby, D. R., & Kabakova, I. V. (2019). Detection of proteoglycan loss from articular cartilage using Brillouin microscopy, with applications to osteoarthritis. *Biomedical Optics Express*, 10(5), 2457. <https://doi.org/10.1364/boe.10.002457>

Xue, T., Ning, K., Yang, B., Dou, X., Liu, S., Wang, D., & Xu, H. (2023). Effects of Immobilization and Swimming on the Progression of Osteoarthritis in Mice. *International Journal of Molecular Sciences*, 24(1). <https://doi.org/10.3390/ijms24010535>

Yoh, S., Kawai, Y., Hagiwara, S., Orita, S., Nakamura, J., Miyamoto, S., Suzuki, T., Akazawa, T., Shiko, Y., Kawasaki, Y., & Ohtori, S. (2022). Intra-articular injection of monoiodoacetate induces diverse hip osteoarthritis in rats, depending on its dose. *BMC Musculoskeletal Disorders*, 23(1), 1–10. <https://doi.org/10.1186/s12891-022-05454-y>

Yu, F. Y., Xie, C. Q., Jiang, C. L., Sun, J. T., & Huang, X. W. (2018). TNF- α increases inflammatory factor expression in synovial fibroblasts through the toll-like receptor-3-mediated ERK/AKT signaling pathway in a mouse model of rheumatoid arthritis. *Molecular Medicine Reports*, 17(6), 8475–8483. <https://doi.org/10.3892/mmr.2018.8897>