

DAFTAR PUSTAKA

- Afifi, S. (2015). Solid Dispersion Approach Improving Dissolution Rate of Stiripentol: a Novel Antiepileptic Drug. *Iranian journal of pharmaceutical research : IJPR*, *14*(4), 1001–1014.
- Ajay, S., Harita, D., Tarique, M., & Amin, P. (2012). Solubility and dissolution rate enhancement of curcumin using kollidon VA64 by solid dispersion technique. *Int J Pharm Tech Res*, *4*, 1055–1064.
- Akram, A., Irfan, M., Abualsunun, W. A., Bukhary, D. M., & Alissa, M. (2022). How to Improve Solubility and Dissolution of Irbesartan by Fabricating Ternary Solid Dispersions: Optimization and In-Vitro Characterization. *Pharmaceutics*, *14*(11), 2264. <https://doi.org/10.3390/pharmaceutics14112264>.
- Aldawsari, M. F., Anwer, Md. K., Ahmed, M. M., Fatima, F., Soliman, G. A., Bhatia, S., Zafar, A., & Aboudzadeh, M. A. (2021). Enhanced Dissolution of Sildenafil Citrate Using Solid Dispersion with Hydrophilic Polymers: Physicochemical Characterization and In Vivo Sexual Behavior Studies in Male Rats. *Polymers*, *13*(20), 3512. <https://doi.org/10.3390/polym13203512>.
- AOAC. (2019). Appendix F: Guidelines for Standard Method Performance Requirements. Dalam *AOAC Official Methods of Analysis* (hlm. 1–18). AOAC International.
- BASF. (2000). *Kollidon VA 64*.
- Biswal, S., Sahoo, J., Murthy, P. N., Giradkar, R. P., & Avari, J. G. (2008). Enhancement of Dissolution Rate of Gliclazide Using Solid Dispersions with Polyethylene Glycol 6000. *AAPS PharmSciTech*, *9*(2), 563–570. <https://doi.org/10.1208/s12249-008-9079-z>.
- Black, H. R., Bailey, J., Zappe, D., & Samuel, R. (2009). Valsartan. *Drugs*, *69*(17), 2393–2414. <https://doi.org/10.2165/11319460-000000000-00000>.
- Borawake, P. D., Arumugam, K., & Shinde, J. V. (2021). Formulation Of Solid Dispersions for Enhancement of Solubility and Dissolution Rate of

- Simvastatin. *International Journal of Pharmacy and Pharmaceutical Sciences*, 94–100. <https://doi.org/10.22159/ijpps.2021v13i7.41205>.
- Budiman, A., Lailasari, E., Nurani, N. V., Yunita, E. N., Anastasya, G., Aulia, R. N., Lestari, I. N., Subra, L., & Aulifa, D. L. (2023). Ternary Solid Dispersions: A Review of the Preparation, Characterization, Mechanism of Drug Release, and Physical Stability. *Pharmaceutics*, 15(8), 2116. <https://doi.org/10.3390/pharmaceutics15082116>.
- Chan, S.-Y., Chung, Y.-Y., Cheah, X.-Z., Tan, E. Y.-L., & Quah, J. (2015). The characterization and dissolution performances of spray dried solid dispersion of ketoprofen in hydrophilic carriers. *Asian Journal of Pharmaceutical Sciences*, 10(5), 372–385. <https://doi.org/10.1016/j.ajps.2015.04.003>.
- Chicade, A., Saputri, R., Aryzki, S., & Anggoro, Y. M. (2023). Analisis Bioekivalen Obat secara In Vitro (Uji Disolusi) terhadap Obat Vitamin C, Merek Dagang A dan Merek Dagang B. *Prosiding Penelitian dan Pengabdian Karya Cendekia*, 2023, 29–34. <https://wpcpublisher.com/jurnal/index.php/prosidingkaryacendekia/article/view/213>.
- Clas, S.-D., Dalton, C. R., & Hancock, B. C. (1999). Differential scanning calorimetry: applications in drug development. *Elsevier*, 2(8), 311–320.
- Depkes RI. (2020). *Farmakope Indonesia* (VI). Kementerian Kesehatan Republik Indonesia.
- DrugBank. (2023). *Valsartan*. DrugBank.
- Durdađi, S., Al-Jalawee, A. H. H., Yalçin, P., Bozkurt, A. S., & Salcan, S. (2023). Morphological Characterization and Phase Determination of Kidney Stones Using X-Ray Diffractometer and Scanning Electron Microscopy. *Chinese Journal of Physics*, 83, 379–388. <https://doi.org/10.1016/j.cjph.2022.08.025>.
- Favaro, L., Balcão, V., Rocha, L., Silva, E., Oliveira Jr., J., Vila, M., & Tubino, M. (2018). Physicochemical Characterization of a Crude Anthocyanin Extract from the Fruits of Jussara (*Euterpe edulis* Martius): Potential for

- Food and Pharmaceutical Applications. *Journal of the Brazilian Chemical Society*. <https://doi.org/10.21577/0103-5053.20180082>.
- Fouad, S. A., Malaak, F. A., El-Nabarawi, M. A., Abu Zeid, K., & Ghoneim, A. M. (2021). Preparation of solid dispersion systems for enhanced dissolution of poorly water soluble diacerein: In-vitro evaluation, optimization and physiologically based pharmacokinetic modeling. *PLOS ONE*, *16*(1), e0245482. <https://doi.org/10.1371/journal.pone.0245482>
- Fudholi, A. (2013). *Disolusi dan Pelepasan in Vitro*. Pustaka Pelajar.
- Gill, P., Moghadam, T. T., & Ranjbar, B. (2010). Differential scanning calorimetry techniques: applications in biology and nanoscience. *Journal of biomolecular techniques : JBT*, *21*(4), 167–193.
- Goldstein, J. I., Newbury, D. E., Echlin, P., Joy, D. C., Lyman, C. E., Lifshin, E., Sawyer, L., & Michael, J. R. (2003). *Scanning Electron Microscopy and X-Ray Microanalysis*. Kluwer Academic.
- Gupta, D. K., Negi, R., Kala, S., Juyal, D., & Geeta, R. (2014). A Review On Solid Dispersion: A Modern Formulation Approach In Drug Delivery System. *Journal of Applied Pharmaceutical Research*, *2*(4), 27–32.
- Harmita. (2006). *Buku Ajar Analisis Fisikokimia*. Universitas Indonesia.
- Helsinta, N., Halim, A., Octavia, M. D., & Rivai, H. (2021). Review: Solid Dispersion of Fenofibrate Using Poly Ethylene Glycol 6000. *International Journal of Pharmaceutical Sciences and Medicine (IJPSM)*, *6*(6), 42–51.
- Hill, R. D., & Vaidya, P. N. (2023). *Angiotensin II Receptor Blockers (ARB)*. <https://www.ncbi.nlm.nih.gov/books/NBK537027/>.
- Islam, S. A., Paul, P. K., Shahrir, M., Dewan, I., & Dey, L. R. (2012). Comparative In Vitro Dissolution Study of Spironolactone From Binary and Tertiary Solid Dispersion: Model Dependant and Independent Approaches. *Journal of Drug Delivery and Therapeutics*, *2*(4). <https://doi.org/10.22270/jddt.v2i4.217>.
- Issa, N. (2011). *Towards More Efficient Screening of Pharmaceutical*

Cocrystals. University College London.

- Iyer, R., Petrovska Jovanovska, V., Berginc, K., Jaklič, M., Fabiani, F., Harlacher, C., Huzjak, T., & Sanchez-Felix, M. V. (2021). Amorphous Solid Dispersions (ASDs): The Influence of Material Properties, Manufacturing Processes and Analytical Technologies in Drug Product Development. *Pharmaceutics*, 13(10), 1682. <https://doi.org/10.3390/pharmaceutics13101682>.
- Jani, B. R., & Shah, K. V. (2014). Development and Validation of Analytical Method for Simultaneous Estimation of Valsartan and Pioglitazone Hydrochloride by Simultaneous Equation Method. *International Journal for Pharmaceutical Research Scholars (IJPRS)*, 3(3), 186–196.
- Kartalina, E., & Wibowo, D. N. (2021). Peningkatan Disolusi Celecoxib Melalui Pembentukan Dispersi Padat dengan HPMC-PEG 6000. *Jurnal Ilmu Farmasi dan Farmasi Klinik (JIFFK)*, 18(2), 64–70.
- Kemkes. (2023). *Hipertensi Disebut sebagai Silent Killer, Menkes Budi Imbau Rutin Cek Tekanan Darah*. <https://www.kemkes.go.id/article/view/23060700002/hipertensi-disebut-sebagai-silent-killer-menkes-budi-imbau-rutin-cek-tekanan-darah.html>.
- Kibbe, A. H. (2000). *Handbook of Pharmaceutical Excipients* (3 ed.). Publishing by American Association.
- Krishna, R., & Yu, L. (2008). *Biopharmaceutics applications in drug development*. Springer Science & Business Media.
- Malkawi, R., Malkawi, W. I., Al-Mahmoud, Y., & Tawalbeh, J. (2022). Current Trends on Solid Dispersions: Past, Present, and Future. *Advances in Pharmacological and Pharmaceutical Sciences*, 2022, 1–17. <https://doi.org/10.1155/2022/5916013>.
- Merck. (2022). *Lembaran Data Keselamatan PEG 6000*.
- Mirankó, M., Trif, L., Tóth, J., & Feczko, T. (2021). Nanostructured micronized solid dispersion of crystalline-amorphous metronidazole embedded in amorphous polymer matrix prepared by nano spray drying.

Advanced Powder Technology, 32(7), 2621–2633.
<https://doi.org/10.1016/j.apr.2021.05.037>.

Mohammed, A., & Abdullah, A. (2018). Scanning Electron Microscopy (SEM): A Review. *Proceedings of International Conference on Hydraulics and Pneumatics - HERVEX*, 77–85.

Muqtader Ahmed, M., Fatima, F., Abul Kalam, M., Alshamsan, A., Soliman, G. A., Shaikh, A. A., Alshahrani, S. M., Aldawsari, M. F., Bhatia, S., & Khalid Anwer, Md. (2020). Development of spray-dried amorphous solid dispersions of tadalafil using glycyrrhizin for enhanced dissolution and aphrodisiac activity in male rats. *Saudi Pharmaceutical Journal*, 28(12), 1817–1826. <https://doi.org/10.1016/j.jsps.2020.11.007>.

NCBI. (2023). *PubChem Compound Summary*. National Center for Biotechnology Information.

Purohit, H. S., Zhang, G. G. Z., & Gao, Y. (2023). Detecting Crystallinity in Amorphous Solid Dispersions Using Dissolution Testing: Considerations on Properties of Drug Substance, Drug Product, and Selection of Dissolution Media. *Journal of Pharmaceutical Sciences*, 112(1), 290–303. <https://doi.org/10.1016/j.xphs.2022.10.020>.

Rahayu, R. S. (2022). *Pengaruh Surfaktan Tween 80 Dan Natrium Lauril Sulfat Terhadap Uji Laju Disolusi Tablet Loperamid*. Universitas Al-Ghifari.

Raja, rajeswari K., Abbulu, K., & Sudhakar, M. (2011). Development, characterization and solubility study of solid dispersion of Valsartan. *Journal of Chemical and Pharmaceutical Research*, 3(1), 180–187.

Saydam, M., & Takka, S. (2007). Bioavailability file: Valsartan. *Fabad Journal of Pharmaceutical Sciences*, 32, 185–196.

Seftian, M. (2022). *Pengembangan dan Karakterisasi Dispersi Padat Valsartan dengan PVP-VA Ko-polimer dan Poloxamer 407 sebagai Pembawa*. Universitas Gadjah Mada.

Strojewski, D., & Krupa, A. (2022). Kollidon® VA 64 and Soluplus® as modern polymeric carriers for amorphous solid dispersions. *Polymers in*

- Medicine*, 52(1), 19–29. <https://doi.org/10.17219/pim/150267>.
- Sutoro, M., Wardhana, Y. W., & Panatarani, C. (2023). Peningkatan Disolusi dan Stabilitas Efavirenz Menggunakan Beberapa Metode Dispersi Padat. *Majalah Farmasetika*, 8(5), 402. <https://doi.org/10.24198/mfarmasetika.v8i5.40510>.
- Syukri, Y., Rizayulianty, D., & Darty, Y. (2004). Karakterisasi dan studi disolusi dispersi padat furosemida menggunakan polietilen glikol (PEG), talk dan PEG–talk sebagai pembawa dispersi. *Majalah Farmasi Indonesia*, 15(1), 37–43.
- Szafraniec-Szczęsny, J., Antosik-Rogóż, A., Kurek, M., Gawlak, K., Górska, A., Peralta, S., Knapik-Kowalczyk, J., Kramarczyk, D., Paluch, M., & Jachowicz, R. (2021). How Does the Addition of Kollidon®VA64 Inhibit the Recrystallization and Improve Ezetimibe Dissolution from Amorphous Solid Dispersions? *Pharmaceutics*, 13(2), 147. <https://doi.org/10.3390/pharmaceutics13020147>.
- Vojinović, T., Medarević, D., Vranić, E., Potpara, Z., Krstić, M., Djuriš, J., & Ibrić, S. (2018). Development of ternary solid dispersions with hydrophilic polymer and surface adsorbent for improving dissolution rate of carbamazepine. *Saudi Pharmaceutical Journal*, 26(5), 725–732. <https://doi.org/10.1016/j.jsps.2018.02.017>.
- Wang, X., Zhang, L., Ma, D., Tang, X., Zhang, Y., Yin, T., Gou, J., Wang, Y., & He, H. (2020). Characterizing and Exploring the Differences in Dissolution and Stability Between Crystalline Solid Dispersion and Amorphous Solid Dispersion. *AAPS PharmSciTech*, 21(7), 262. <https://doi.org/10.1208/s12249-020-01802-0>.
- WHO. (2019). *Hypertension*. <https://www.who.int/news-room/factsheets/detail/hypertension>.
- WHO. (2021). *Guideline for The Pharmacological Treatment of Hypertension in Adults*.
- Widiyastuti, S., & Pratiwi, R. (2019). Review Artikel : Peningkatan Kelarutan Berbagai Zat Aktif dengan Kollidon Va64. *Farmaka*, 17(2), 275–286.

- Xu, W.-J., Xie, H.-J., Cao, Q.-R., Shi, L.-L., Cao, Y., Zhu, X.-Y., & Cui, J.-H. (2016). Enhanced dissolution and oral bioavailability of valsartan solid dispersions prepared by a freeze-drying technique using hydrophilic polymers. *Drug Delivery*, 23(1), 41–48. <https://doi.org/10.3109/10717544.2014.903012>.
- Yeo, S., An, J., Park, C., Kim, D., & Lee, J. (2020). Design and Characterization of Phosphatidylcholine-Based Solid Dispersions of Aprepitant for Enhanced Solubility and Dissolution. *Pharmaceutics*, 12(5), 407. <https://doi.org/10.3390/pharmaceutics12050407>.
- Yoshida, A., Kaburagi, Y., & Hishiyama, Y. (2016). Scanning Electron Microscopy. Dalam *Materials Science and Engineering of Carbon* (hlm. 71–93). Elsevier. <https://doi.org/10.1016/B978-0-12-805256-3.00005-2>.