



## DAFTAR PUSTAKA

- Allakhverdiev, S.I. *et al.* (2016) ‘Chlorophylls d and f and their role in primary photosynthetic processes of cyanobacteria’, *Biochemistry (Moscow)*, 81(3), pp. 201–212. Available at: <https://doi.org/10.1134/S0006297916030020>.
- Ambati, R.R. *et al.* (2019) ‘Industrial potential of carotenoid pigments from microalgae: Current trends and future prospects’, *Critical Reviews in Food Science and Nutrition*, 59(12), pp. 1880–1902. Available at: <https://doi.org/10.1080/10408398.2018.1432561>.
- Anand, V. *et al.* (2019) ‘Salinity driven stress to enhance lipid production in *Scenedesmus vacuolatus*: A biodiesel trigger?’, *Biomass and Bioenergy*, 127(June), p. 105252. Available at: <https://doi.org/10.1016/j.biombioe.2019.05.021>.
- Azizullah, A., Richter, P. and Häder, D.P. (2014) ‘Photosynthesis and photosynthetic pigments in the flagellate *Euglena gracilis* - As sensitive endpoints for toxicity evaluation of liquid detergents’, *Journal of Photochemistry and Photobiology B: Biology*, 133, pp. 18–26. Available at: <https://doi.org/10.1016/j.jphotobiol.2014.02.011>.
- Azmi, A.S. *et al.* (2018) ‘*Chlorella vulgaris* logistic growth kinetics model in high concentrations of aqueous ammonia’, *IIUM Engineering Journal*, 19(2), pp. 1–9. Available at: <https://doi.org/10.31436/iiumej.v19i2.893>.
- Barja, M.V. *et al.* (2021) ‘Several geranylgeranyl diphosphate synthase isoforms supply metabolic substrates for carotenoid biosynthesis in tomato’, *New Phytologist*, 231(1), pp. 255–272. Available at: <https://doi.org/10.1111/nph.17283>.
- Bäumer, D., Preisfeld, A. and Ruppel, H.G. (2001) ‘ISOLATION AND CHARACTERIZATION OF PARAMYLON SYNTHASE FROM The aim of this study was to isolate and characterize the paramylon synthesizing enzyme from *Euglena gracilis* Klebs . A method for enzyme solubilization with high synthase activity using the zwit’, *University of Bielefeld, Department of Biology, Section of Plant Morphology*, 46, pp.



38–46.

- Begum, H. *et al.* (2016) ‘Availability and Utilization of Pigments from Microalgae’, *Critical Reviews in Food Science and Nutrition*, 56(13), pp. 2209–2222. Available at: <https://doi.org/10.1080/10408398.2013.764841>.
- Botelho, J. *et al.* (2023) ‘Role of microalgae in circular bioeconomy : from waste treatment to biofuel production’, *Clean Technologies and Environmental Policy*, 25(2), pp. 427–437. Available at: <https://doi.org/10.1007/s10098-021-02149-1>.
- Brown, J.S. and French, C.S. (1961) ‘The Long Wave Length Forms of Chlorophyll a’, *Biophysical Journal*, 1(7), pp. 539–550. Available at: [https://doi.org/10.1016/S0006-3495\(61\)86907-5](https://doi.org/10.1016/S0006-3495(61)86907-5).
- Campo, A. Del, Rodri, H. and Vargas, M.A. (2000) ‘Carotenoid content of chlorophycean microalgae : factors determining lutein accumulation in *Muriellopsis* sp . ( Chlorophyta )’, 76, pp. 51–59.
- Di Caprio, F. (2020) ‘Methods to quantify biological contaminants in microalgae cultures’, *Algal Research*, 49(March), p. 101943. Available at: <https://doi.org/10.1016/j.algal.2020.101943>.
- Chao, L.G.D., Shi, M. and Lin, J.G.H. (2008) ‘Overexpression of the trehalose-6-phosphate phosphatase gene OsTPP1 confers stress tolerance in rice and results in the activation of stress responsive genes’, pp. 191–201. Available at: <https://doi.org/10.1007/s00425-008-0729-x>.
- Chen, C. *et al.* (2013) ‘Microalgae-based carbohydrates for biofuel production’, *Biochemical Engineering Journal*, 78, pp. 1–10. Available at: <https://doi.org/10.1016/j.bej.2013.03.006>.
- Colmenero-Flores, J.M. *et al.* (2019) ‘Chloride as a beneficial macronutrient in higher plants: New roles and regulation’, *International Journal of Molecular Sciences*, 20(19), pp. 1–32. Available at: <https://doi.org/10.3390/ijms20194686>.
- Costa, J.A.V.; Lucas, B.F.; Alvarenga, A.G.P.; Moreira, J.B.; de Morais, M.. (2021) ‘Microalgae Polysaccharides : An Overview of Production , Characterization , and Potential Applications’, *Polysaccharides*, 2021(2), pp. 759–772.



- Decamp, A. *et al.* (2023) ‘Effects of the salinity on the biosynthesis of the polysaccharides of the marine microalgae *Porphyridium cruentum*’, 71(April). Available at: <https://doi.org/10.1016/j.algal.2023.103089>.
- Duan, X. *et al.* (2012) ‘Salt-induced osmotic stress for lipid overproduction in batch culture of *Chlorella vulgaris*’, pp. 7072–7078.
- Dubois, M. *et al.* (1956) ‘Colorimetric Method for Determination of Sugars and Related Substances’, *Analytical Chemistry*, 28(3), pp. 350–356. Available at: <https://doi.org/10.1021/ac60111a017>.
- Edmondson, S. and Gilbert, M. (2017) ‘The Chemical Nature of Plastics Polymerization’, pp. 19–37. Available at: <https://doi.org/10.1016/B978-0-323-35824-8.00002-5>.
- Eonseon, J. *et al.* (2003) ‘Xanthophylls in Microalgae : From Biosynthesis to Biotechnological Mass Production and Application’, 13, pp. 165–174.
- Eugenia, M. *et al.* (2020) ‘Sucrose-to-ethanol microalgae-based platform using seawater’, *Algal Research*, 45(November 2019), p. 101733. Available at: <https://doi.org/10.1016/j.algal.2019.101733>.
- Feng, W. *et al.* (2023) ‘Genome-wide identification of the geranylgeranyl pyrophosphate synthase (GGPS) gene family involved in chlorophyll synthesis in cotton’, *BMC Genomics*, 24(1), pp. 1–17. Available at: <https://doi.org/10.1186/s12864-023-09249-w>.
- Filomena, M. *et al.* (2013) ‘Bioactivity and Applications of Sulphated Polysaccharides from Marine Microalgae’, pp. 233–252. Available at: <https://doi.org/10.3390/md11010233>.
- Gálová, E. *et al.* (2008) ‘A short overview of chlorophyll biosynthesis in algae A short overview of chlorophyll biosynthesis in algae \*’, (November 2015). Available at: <https://doi.org/10.2478/s11756-008-0147-3>.
- Garcia, J.L., de Vicente, M. and Galan, B. (2017) ‘Microalgae , old sustainable food and fashion nutraceuticals’, 2783. Available at: <https://doi.org/10.1111/1751-7915.12800>.
- Gissibl, A. *et al.* (2019) ‘Bioproducts From *Euglena gracilis* : Synthesis and Applications’, 7(May), pp. 1–16. Available at: <https://doi.org/10.3389/fbioe.2019.00108>.



- González-Moreno, S. *et al.* (1997) ‘Multiple effects of salinity on photosynthesis of the protist Euglena gracilis’, *Physiologia Plantarum*, 101(4), pp. 777–786. Available at: <https://doi.org/10.1034/j.1399-3054.1997.1010414.x>.
- Gorain, P.C., Bagchi, S.K. and Mallick, N. (2013) ‘Effects of calcium, magnesium and sodium chloride in enhancing lipid accumulation in two green microalgae’, *Environmental Technology (United Kingdom)*, 34(13–14), pp. 1887–1894. Available at: <https://doi.org/10.1080/09593330.2013.812668>.
- Gouda, M. *et al.* (2022) ‘Microalgae Bioactive Carbohydrates as a Novel Sustainable and Eco-Friendly Source of Prebiotics : Emerging Health Functionality and Recent Technologies for Extraction and Detection’, 9(March), pp. 1–20. Available at: <https://doi.org/10.3389/fnut.2022.806692>.
- Guedes, A.C., Amaro, H.M. and Malcata, F.X. (2011) ‘Microalgae as Sources of Carotenoids’, pp. 625–644. Available at: <https://doi.org/10.3390/md9040625>.
- Hagemann, M. (2010) ‘Molecular biology of cyanobacterial salt acclimation’. Available at: <https://doi.org/10.1111/j.1574-6976.2010.00234.x>.
- Hermawan, J. *et al.* (2018) ‘Increasing β-carotene content of phytoplankton Dunaliella salina using different salinity media Increasing β -carotene content of phytoplankton Dunaliella salina using different salinity media’, pp. 1–6.
- Holzmann, D., Bethmann, S. and Jahns, P. (2022) ‘Zeaxanthin Epoxidase Activity Is Downregulated by Hydrogen Peroxide’, *Plant and Cell Physiology*, 63(8), pp. 1091–1100. Available at: <https://doi.org/10.1093/pcp/pcac081>.
- Hsu, C.-Y. *et al.* (2013) ‘The Antioxidant and Free Radical Scavenging Activities of Chlorophylls and Pheophytins’, *Food and Nutrition Sciences*, 04(08), pp. 1–8. Available at: <https://doi.org/10.4236/fns.2013.48a001>.
- Inwongwan, S. *et al.* (2019) ‘Euglena Central Metabolic Pathways and Their Subcellular Locations’, *Metabolites*, 115(9), pp. 1–24.
- Ishika, T. *et al.* (2017) ‘Halo-adapted microalgae for fucoxanthin production: Effect of incremental increase in salinity’, *Algal Research*, 28(September), pp.



- 66–73. Available at: <https://doi.org/10.1016/j.algal.2017.10.002>.
- Ishikawa, C. *et al.* (2016) ‘Peridinin, a carotenoid, inhibits proliferation and survival of HTLV-1-infected T-cell lines’, *International Journal of Oncology*, 49(4), pp. 1713–1721. Available at: <https://doi.org/10.3892/ijo.2016.3648>.
- Ismail, I., Hwang, Y. and Joo, S. (2020) ‘Meat analog as future food : a review’, 62(2), pp. 111–120.
- Ji, H. *et al.* (2013) ‘The salt overly sensitive (SOS) pathway: Established and emerging roles’, *Molecular Plant*, 6(2), pp. 275–286. Available at: <https://doi.org/10.1093/mp/sst017>.
- Jiang, M. *et al.* (2022) ‘Natural 5-Aminolevulinic Acid : Sources , Biosynthesis , Detection and Applications’, 10(February), pp. 1–17. Available at: <https://doi.org/10.3389/fbioe.2022.841443>.
- Kang, C. *et al.* (2018) ‘A lycopene β-cyclase gene, IbLCYB2, enhances carotenoid contents and abiotic stress tolerance in transgenic sweetpotato’, *Plant Science*, 272(May), pp. 243–254. Available at: <https://doi.org/10.1016/j.plantsci.2018.05.005>.
- Kang, Z. *et al.* (2012) ‘Recent advances in microbial production of δ - aminolevulinic acid and vitamin B 12’, *Biotechnology Advances*, 30(6), pp. 1533–1542. Available at: <https://doi.org/10.1016/j.biotechadv.2012.04.003>.
- Kanna, S.D. *et al.* (2021) ‘Salt Stress Induces Paramylon Accumulation and Fine-Tuning of the Macro-Organization of Thylakoid Membranes in Euglena gracilis Cells’, *Frontiers in Plant Science*, 12(November), pp. 1–15. Available at: <https://doi.org/10.3389/fpls.2021.725699>.
- Khatiwada, B., Sunna, A. and Nevalainen, H. (2020) ‘Molecular tools and applications of Euglena gracilis : From biorefineries to bioremediation’, (March). Available at: <https://doi.org/10.1002/bit.27516>.
- Kim, J.I., Linton, E.W. and Shin, W. (2016) ‘Morphological and genetic diversity of euglena deses group (Euglenophyceae) with emphasis on cryptic species’, *Algae*, 31(3), pp. 219–230. Available at: <https://doi.org/10.4490/algae.2016.31.9.9>.



- Kings, A.J. *et al.* (2017) ‘Growth studies on microalgae *Euglena sanguinea* in various natural eco-friendly composite media to optimize the lipid productivity’, *Bioresource Technology* [Preprint]. Available at: <https://doi.org/10.1016/j.biortech.2017.06.136>.
- Kovalevskaya, R.Z., Zhukava, H.A. and Adamovich, B. V. (2020) ‘Modification of the Method of Spectrophotometric Determination of Chlorophyll A in the Suspended Matter of Water Bodies’, *Journal of Applied Spectroscopy*, 87(1), pp. 72–78. Available at: <https://doi.org/10.1007/s10812-020-00965-9>.
- Koyande, A.K. *et al.* (2019) ‘Microalgae: A potential alternative to health supplementation for humans’, *Food Science and Human Wellness*, 8(1), pp. 16–24. Available at: <https://doi.org/10.1016/j.fshw.2019.03.001>.
- Kusmayadi, A. *et al.* (2021) ‘Chemosphere Microalgae as sustainable food and feed sources for animals and humans e Biotechnological and environmental aspects’, *Chemosphere*, 271, p. 129800. Available at: <https://doi.org/10.1016/j.chemosphere.2021.129800>.
- Lemoine, Y. and Schoefs, B. (2010) ‘Secondary ketocarotenoid astaxanthin biosynthesis in algae : a multifunctional response to stress’, pp. 155–177. Available at: <https://doi.org/10.1007/s11120-010-9583-3>.
- Lucakova, S., Branyikova, I. and Hayes, M. (2022) ‘Microalgal Proteins and Bioactives for Food , Feed , and Other Applications’.
- Marechal, L.R. and Goldemberg, S.H. (1963) ‘LAMINARIBIOSE PHOSPHORYLASE FROM EUGLENA GRACILIS’, *BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS*, 13(2), pp. 2–5.
- Morais, M.G. De *et al.* (2015) ‘Biologically Active Metabolites Synthesized by Microalgae’, *Hindawi Publishing Corporation*, 2015, pp. 1–15. Available at: <https://doi.org/10.1155/2015/835761>.
- Moreira, J.B. *et al.* (2022) ‘Microalgae Polysaccharides : An Alternative Source for Food Production and Sustainable Agriculture’, pp. 441–457.
- Panawala, L. (2017) ‘Main Difference – Chlorophyll A vs Chlorophyll B’, *Pedia*, (April), pp. 1–9. Available at: <http://pediaa.com/difference-between-chlorophyll-a-and-b/>.



- Pérez-gálvez, A., Viera, I. and Roca, M. (2020) ‘Carotenoids and chlorophylls as antioxidants’, *Antioxidants*, 9(6), pp. 1–39. Available at: <https://doi.org/10.3390/antiox9060505>.
- Porchia, A.C., Fiol, D.F. and Salerno, G.L. (1999) ‘Differential synthesis of sucrose and trehalose in Euglena gracilis cells during growth and salt stress’, *Plant Science*, 149, pp. 43–49.
- Price, K. and Farag, I.H. (2013) ‘Resources Conservation in Microalgae Biodiesel Production’, *International Journal of Engineering and Technical Research*, 1(8), pp. 2321–0869. Available at: <https://www.researchgate.net/publication/259868136>.
- Qiu, N.W. et al. (2019) ‘Advances in the members and biosynthesis of chlorophyll family’, *Photosynthetica*, 57(4), pp. 974–984. Available at: <https://doi.org/10.32615/ps.2019.116>.
- Qiu, Y. et al. (2022) ‘The Detrimental Effect of High Salinity on the Growth and Microcystins Contamination of *Microcystis aeruginosa*’, *Water (Switzerland)*, 14(18). Available at: <https://doi.org/10.3390/w14182871>.
- Rai, M.P., Gautam, T. and Sharma, N. (2015) ‘Effect of salinity, pH, light intensity on growth and lipid production of microalgae for bioenergy application’, *OnLine Journal of Biological Sciences*, 15(4), pp. 260–267. Available at: <https://doi.org/10.3844/ojbsci.2015.260.267>.
- Rasool, S., Mir, B.A. and Rehman, M.U. (2019) ‘Abiotic Stress and Plant Senescence’, pp. 15–27. Available at: <https://doi.org/10.1016/B978-0-12-813187-9.00002-0>.
- Rezayian, M., Niknam, V. and Ebrahimzadeh, H. (2019) ‘Oxidative damage and antioxidative system in algae’, *Toxicology Reports*, 6(September 2018), pp. 1309–1313. Available at: <https://doi.org/10.1016/j.toxrep.2019.10.001>.
- Rich, V.I. and Maier, R.M. (2015) *Aquatic Environments, Environmental Biology*. Elsevier Inc. Available at: <https://doi.org/10.1016/B978-0-12-394626-3.00006-5>.
- Rinawati, M., Sari, L.A. and Pursetyo, K.T. (2020) ‘Chlorophyll and carotenoids analysis spectrophotometer using method on microalgae’, *IOP Conference*



Series: *Earth and Environmental Science*, 441(1). Available at:  
<https://doi.org/10.1088/1755-1315/441/1/012056>.

Rissler, H.M. et al. (2002) ‘Chlorophyll Biosynthesis . Expression of a Second Chl I Gene of Magnesium Chelatase in Arabidopsis Supports Only Limited Chlorophyll Synthesis 1’, (March). Available at: <https://doi.org/10.1104/pp.010625>.

Ruangsomboon, S., Ganmanee, M. and Choochote, S. (2013) ‘Effects of different nitrogen, phosphorus, and iron concentrations and salinity on lipid production in newly isolated strain of the tropical green microalga, *Scenedesmus dimorphus KMITL*’, *Journal of Applied Phycology*, 25(3), pp. 867–874. Available at: <https://doi.org/10.1007/s10811-012-9956-4>.

Ruenwai, R. et al. (2011) ‘Heterologous production of polyunsaturated fatty acids in *Saccharomyces cerevisiae* causes a global transcriptional response resulting in reduced proteasomal activity and increased oxidative stress’, pp. 343–356. Available at: <https://doi.org/10.1002/biot.201000316>.

Sabovljević, A., Sabovljević, M. and Vukojević, V. (2010) ‘Effects of different cytokinins on chlorophyll retention in the moss *Bryum argenteum* (Bryaceae)’, *Periodicum Biologorum*, 112(3), pp. 301–305.

Saccon, F. et al. (2020) ‘The robustness of the terminal emitter site in major LHCII complexes controls xanthophyll function during photoprotection’, *Photochemical and Photobiological Sciences*, 19(10), pp. 1308–1318. Available at: <https://doi.org/10.1039/d0pp00174k>.

Salerno, G.L. et al. (2004) ‘Fructose-containing oligosaccharides : novel compatible solutes in *Anabaena* cells exposed to salt stress’, 167, pp. 1003–1008. Available at: <https://doi.org/10.1016/j.plantsci.2004.05.029>.

Sanchez, J.F. et al. (2008) ‘Influence of culture conditions on the productivity and lutein content of the new strain *Scenedesmus almeriensis*’, 43, pp. 398–405. Available at: <https://doi.org/10.1016/j.jprocbio.2008.01.004>.

Sathasivam, R. et al. (2019) ‘Saudi Journal of Biological Sciences Microalgae metabolites : A rich source for food and medicine’, *Saudi Journal of Biological Sciences*, 26(4), pp. 709–722. Available at: <https://doi.org/10.1016/j.sjbs.2017.11.003>.



- Schwartzbach, S.D. and Editors, S.S. (2017) *Advances in Experimental Medicine and Biology* 979 *Euglena: Biochemistry, Cell and Molecular Biology*. Available at: <https://link.springer.com/content/pdf/10.1007%2F978-3-319-54910-1.pdf>.
- Shi, T. et al. (2020) ‘Stresses as First-Line Tools for Enhancing Lipid and Carotenoid Production in Microalgae’, *Frontiers in Bioengineering and Biotechnology*, 8(July), pp. 1–9. Available at: <https://doi.org/10.3389/fbioe.2020.00610>.
- Sirohiwal, A. et al. (2020) ‘Accurate Computation of the Absorption Spectrum of Chlorophyll a with Pair Natural Orbital Coupled Cluster Methods’, *Journal of Physical Chemistry B*, 124(40), pp. 8761–8771. Available at: <https://doi.org/10.1021/acs.jpcb.0c05761>.
- Solymosi, K. and Mysliwa-Kurdziel, B. (2014) ‘Send Orders for Reprints to reprints@benthamscience.ae Chlorophylls and Their Derivatives Used in Food Industry and Medicine’, *Journal Name, Year*, 1.
- Spolaore, P. et al. (2006) ‘Commercial applications of microalgae’, *Journal of Bioscience and Bioengineering*, 101(2), pp. 87–96. Available at: <https://doi.org/10.1263/jbb.101.87>.
- Sukhikh, S. et al. (2022) ‘Identification of Metabolites with Antibacterial Activities by Analyzing the FTIR Spectra of Microalgae’, pp. 1–18.
- Taïbi, K. et al. (2016) ‘Effect of salt stress on growth, chlorophyll content, lipid peroxidation and antioxidant defence systems in Phaseolus vulgaris L.’, *South African Journal of Botany*, 105, pp. 306–312. Available at: <https://doi.org/10.1016/j.sajb.2016.03.011>.
- Takeda, T. et al. (2015) ‘Phytochemistry Identification and enzymatic characterization of an endo-1 , 3- b -glucanase from *Euglena gracilis*’, *Phytochemistry*, 116, pp. 21–27. Available at: <https://doi.org/10.1016/j.phytochem.2015.05.010>.
- Takenaka, S. et al. (1997) ‘Accumulation of Trehalose as a Compatible Solute under Osmotic Stress in *Euglena gracilis Z*’, *Society of Protozoologist*, 44(6), pp. 609–613.
- Taylor, P. et al. (2013) ‘Critical Reviews in Food Science and Nutrition Availability



- and Utilization of Pigments from Microalgae', (February 2015), pp. 37–41. Available at: <https://doi.org/10.1080/10408398.2013.764841>.
- Thrane, J.E. *et al.* (2015) 'Spectrophotometric analysis of pigments: A critical assessment of a high-throughput method for analysis of algal pigment mixtures by spectral deconvolution', *PLoS ONE*, 10(9). Available at: <https://doi.org/10.1371/journal.pone.0137645>.
- Venckus, P., Cicchi, B. and Chini Zittelli, G. (2021) 'Effects of medium salinity on growth and biochemical composition of the green microalga *Tetraselmis suecica*', *Journal of Applied Phycology*, 33(6), pp. 3555–3563. Available at: <https://doi.org/10.1007/s10811-021-02560-7>.
- Vieira, B.B. *et al.* (2021) 'Optimized extraction of neutral carbohydrates, crude lipids and photosynthetic pigments from the wet biomass of the microalga *Scenedesmus obliquus BR003*', *Separation and Purification Technology*, 269(March), pp. 1–10. Available at: <https://doi.org/10.1016/j.seppur.2021.118711>.
- Volk, R.-B. (2008) 'A newly developed assay for the quantitative determination of antimicrobial ( anticyanobacterial ) activity of both hydrophilic and lipophilic test compounds without any restriction', *Microbiological Research*, 163, pp. 161–167. Available at: <https://doi.org/10.1016/j.micres.2006.03.015>.
- Wang, Y. *et al.* (2018) 'Euglena gracilis growth and cell composition under different temperature, light and trophic conditions', *PLoS ONE*, 13(4), pp. 1–17. Available at: <https://doi.org/10.1371/journal.pone.0195329>.
- Wang, Y., Tibbetts, S.M. and McGinn, P.J. (2021) 'Microalgae as Sources of High-Quality Protein for Human Food and Protein Supplements', 2019, pp. 1–18.
- Wiencke, C. and Lauchli, A. (1981) 'Inorganic Ions and Floridoside as Osmotic Solutes in *Porphyra umbilicalis*', pp. 247–258. Available at: [https://doi.org/10.1016/S0044-328X\(81\)80157-2](https://doi.org/10.1016/S0044-328X(81)80157-2).
- Wolken, J.J., Mellon, A.D. and Greenblatt, C.L. (1955) 'Environmental Factors Affecting Growth and Chlorophyll Synthesis in Euglena.'"  
I. Physical and Chemical. 11. The Effectiveness of the Spectrum for Chlorophyll



Synthesis', *J. Protozool*, 96(2), pp. 89–96.

Xia, H. *et al.* (2022) 'Characterization and functional validation of  $\beta$ -carotene hydroxylase AcBCH genes in *Actinidia chinensis*', *Horticulture Research*, 9(February). Available at: <https://doi.org/10.1093/hr/uhac063>.

Yao, R. *et al.* (2022) 'Carotenoids Biosynthesis , Accumulation , and Applications of a'.

Yin, Y. *et al.* (2021) 'Astaxanthin Provides Antioxidant Protection in LPS-Induced Dendritic Cells for Inflammatory Control', pp. 1–14.

Zhou, X. *et al.* (2022) 'Phytoene Synthase: The Key Rate-Limiting Enzyme of Carotenoid Biosynthesis in Plants', *Frontiers in Plant Science*, 13(April), pp. 1–9. Available at: <https://doi.org/10.3389/fpls.2022.884720>.

Zhu, J.K. (2000) 'Genetic analysis of plant salt tolerance using arabidopsis', *Plant Physiology*, 124(3), pp. 941–948. Available at: <https://doi.org/10.1104/pp.124.3.941>.

Zhu, Z., Jiang, J. and Fa, Y. (2020) 'Overcoming the Biological Contamination in Microalgae and Cyanobacteria Mass Cultivations for Photosynthetic Biofuel Production', *Molecules*, 25(22). Available at: <https://doi.org/10.3390/MOLECULES25225220>.