

DAFTAR PUSTAKA

- Aber, J., Marzolff, I., Ries, J., and Aber, S., 2019, *Small-Format Aerial Photography and UAS Imagery: Principles, Techniques and Geoscience Applications*: Cambridge, Elsevier.
- Acharya, T.D., and Yang, I., 2015, Exploring Landsat 8: *International Journal of IT, Engineering and Applied Sciences Research (IJIEASR)*, v. 4, p. 4–10.
- Anda, M., Ritung, S., Suryani, E., Sukarman, Hikmat, M., Yatno, E., Mulyani, A., Subandiono, R.E., Suratman, and Husnain, 2021, Revisiting Tropical Peatlands in Indonesia: Semi-detailed Mapping, Extent and Depth Distribution Assessment: *Geoderma*, v. 402, p. 115235, doi:10.1016/j.geoderma.2021.115235.
- Andrejko, M.J., Fiene, F., and Cohen, A.D., 1983, *Testing of Peats and Organic Soils: ASTM Spec Tech Pub*, v. 850, p. 5–20.
- Anggara, F., Muchitawati, G.S., Moore, Tim.A., and Septantia, A., 2021, Spatial Variability in Macro- and Microtextures of A Tropical Intermontane Peatland: Preliminary Investigation into The Kutai Lake Peat System, East Kalimantan, Indonesia: *Indonesian Journal on Geoscience*, v. 8, doi:10.17014/ijog.8.2.275-296.
- Arifin, S., Carolita, I., and Kartika, T., 2019, Aplikasi Model Geobiofisik NDVI untuk Identifikasi Hutan pada Data Satelit Lapan-A3: *Jurnal Penginderaan Jauh dan Pengolahan Data Citra Digital*, v. 16.
- ASTM, 2002, *Standard Practice for Ultimate Analysis of Coal and Coke (ASTM D 3176 - 89)*: Pennsylvania, ASTM International.
- ASTM, 2015, *Standard Test Methods for Bulk and Dry Density of Peat and Peat Products (ASTM D4531 - 15)*: Pennsylvania, ASTM International.
- ASTM, 2020, *Standard Test Methods for Determining the Water (Moisture) Content, Ash Content, and Organic Material of Peat and Other Organic Soils (ASTM D 2974 - 00)*: Pennsylvania, ASTM International.
- BIG, 2018, DEMNAS:, <https://tanahair.indonesia.go.id/demnas/#/> (accessed June 2023).
- Brahmantyo, B., and Bandono, 2006, Klasifikasi Bentuk Muka Bumi (Landform) untuk Pemetaan Geomorfologi pada Skala 1:25000 dan Aplikasinya untuk Penataan Ruang: *Jurnal Geoaplika*, v. 1, p. 71–78.
- BRG, 2019, *Rencana Tindakan Tahunan Provinsi Kalimantan Barat 2019.*
- BRGM, 2023, Peta | PRIMS. Badan Restorasi Gambut dan Rehabilitasi Mangrove: Pranata Informasi Restorasi Gambut & Rehabilitasi Mangrove, <https://prims.brg.go.id/peta> (accessed March 2023).

- Casagrande, D.J., Siefert, K., Berschinski, C., and Sutton, N., 1977, Sulfur in Peat-Forming Systems of the Okefenokee Swamp and Florida Everglades: Origins of Sulfur in Coal: *Geochimica et Cosmochimica Acta*, v. 41, p. 161–167, doi:10.1016/0016-7037(77)90196-X.
- Cressie, N.A.C., 1993, *Statistics for Spatial Data*: New York, John Wiley & Sons.
- Dai, S. et al., 2020, Recognition of Peat Depositional Environments in Coal: A Review: *International Journal of Coal Geology*, v. 219, p. 103383, doi:10.1016/j.coal.2019.103383.
- Danny, M.N.A.A., 2024, *Studi Variabilitas Spasial Gambut Pesisir di Daerah KHG Sungai Kapuas-Sungai Mandor, Pontianak Utara, Pontianak, Kalimantan Barat [Skripsi]*: Universitas Gadjah Mada.
- Dommain, R., Couwenberg, J., and Joosten, H., 2011, Development and Carbon Sequestration of Tropical Peat Domes in South-East Asia: Links to Post-Glacial Sea-level Changes and Holocene Climate Variability: *Quaternary Science Reviews*, v. 30, p. 999–1010, doi:10.1016/j.quascirev.2011.01.018.
- EarthObservatory, 2014, Why is that Forest Red and That Cloud Blue?, <https://earthobservatory.nasa.gov/features/FalseColor/page6.php> (accessed March 2023).
- ESDM, 2017, Geodatabase: Landsystem - Indonesia, <https://imcarto.webflow.io/gdb> (accessed March 2024).
- ESRI, 2013, Band Combinations for Landsat 8:, <https://www.esri.com/arcgis-blog/products/product/imagery/band-combinations-for-landsat-8/> (accessed March 2023).
- ESRI, 2023, Comparing Interpolation Methods:, <https://pro.arcgis.com/en/pro-app/latest/tool-reference/spatial-analyst/comparing-interpolation-methods.htm> (accessed June 2023).
- Esri, 2023, World Imagery:
- Esterle, J.S., and Ferm, J.C., 1994, Spatial Variability in Modern Tropical Peat Deposits from Sarawak, Malaysia and Sumatra, Indonesia: Analogues for Coal: *International Journal of Coal Geology*, v. 26, p. 1–41, doi:10.1016/0166-5162(94)90030-2.
- Farnham, R.S., and Finney, H.R., 1965, Classification and Properties of Organic Soils: *Advanced in Agronomy*, p. 115–162, doi:10.1016/S0065-2113(08)60413-7.
- Flores-de-Santiago, F., Valderrama-Landeros, L., Rodríguez-Sobreyra, R., and Flores-Verdugo, F., 2020, Assessing the Effect of Flight Altitude and Overlap on Orthoimage Generation for UAV Estimates of Coastal Wetlands: *Journal of Coastal Conservation*, v. 24, p. 35, doi:10.1007/s11852-020-00753-9.

- Gore, A.J.P., 1983, Mires: Swamp, Bog, Fen and Moor: Ecosystem of the World, v. 4A, p. 1–34.
- Gupta, R.P., 2018, Remote Sensing Geology: Berlin, Heidelberg, Springer Berlin Heidelberg, doi:10.1007/978-3-662-55876-8.
- Ikechukwu, M.N., Ebinne, E., Idorenyin, U., and Raphael, N.I., 2017, Accuracy Assessment and Comparative Analysis of IDW, Spline and Kriging in Spatial Interpolation of Landform (Topography): An Experimental Study: Journal of Geographic Information System, v. 09, p. 354–371, doi:10.4236/jgis.2017.93022.
- IPCC, 2007, The Physical Science Basis: Contribution of Working Group I to the Fourth Assessment Report for Intergovernmental Panel on Climate Change.:
- Jaenicke, J., Rieley, J.O., Mott, C., Kimman, P., and Siegert, F., 2008, Determination of the Amount of Carbon Stored in Indonesian Peatlands: Geoderma, v. 147, p. 151–158, doi:10.1016/j.geoderma.2008.08.008.
- Keaney, A., McKinley, J., Graham, C., Robinson, M., and Ruffell, A., 2013, Spatial Statistics to Estimate Peat Thickness Using Airborne Radiometric Data: Spatial Statistics, v. 5, p. 3–24.
- KLHK, 2017, Geodatabase: Landuse - Indonesia, <https://imcarto.webflow.io/gdb> (accessed March 2024).
- KLHK, 2015, Peta Kesatuan Hidrologis Gambut Region Kalimantan.:
- Kuniyasu, M., and Tetsuya, S., 2002, Environments and People of Sumatran Peat Swamp Forests I: Distribution and Typology of Vegetation: Southeast Asian Studies, v. 40.
- Liu, J.G., and Mason, P.J., 2009, Essential Image Processing and GIS for Remote Sensing: West Sussex, Wiley Blackwell.
- McCabe, P.J., 1984, Depositional Environments of Coal and Coal-Bearing Strata, *in* Sedimentology of Coal and Coal-Bearing Sequences, Oxford, UK, Blackwell Publishing Ltd., v. 7, p. 11–42, doi:10.1002/9781444303797.ch2.
- Moore, T.A., and Shearer, J.C., 2003, Peat/Coal Type and Depositional Environment—Are They Related? International Journal of Coal Geology, v. 56, p. 233–252, doi:10.1016/S0166-5162(03)00114-9.
- Munsell Color, 1975, Munsell Soil Color Charts: Baltimore, Macbeth Division, Kollmorgen Corporation.
- NASA, 2021, Landsat 9 Fact Sheets: Washington D.C., National Aeronautics and Space Administration (NASA).
- Nusantara, R.W., Warganda, Manurung, R., and Hazriani, R., 2019, The Determination of Peatland Critical Criteria and Classifications: A Case Study of Peatland in Pontianak City, West Kalimantan Province: IOP Conference

Series: Earth and Environmental Science, v. 256, p. 012018,
doi:10.1088/1755-1315/256/1/012018.

Oon, A., Mohd Shafri, H.Z., Lechner, A.M., and Azhar, B., 2019, Discriminating Between Large-scale Oil Palm Plantations and Smallholdings on Tropical Peatlands Using Vegetation Indices and Supervised Classification of LANDSAT-8: International Journal of Remote Sensing, v. 40, p. 7312–7328, doi:10.1080/01431161.2019.1579944.

Osaki, M., Hirose, K., Segah, H., and Helmy, F., 2016a, Tropical Peat and Peatland Definition in Indonesia, *in* Tropical Peatland Ecosystems, Tokyo, Springer Japan, p. 137–147, doi:10.1007/978-4-431-55681-7_9.

Osaki, M., Nursyamsi, D., Noor, M., Wahyunto, and Segah, H., 2016b, Peatland in Indonesia, *in* Tropical Peatland Ecosystems, Tokyo, Springer Japan, p. 49–58, doi:10.1007/978-4-431-55681-7_3.

Paavilainen, E., and Paivanen, J., 1995, Peatland Forestry: Ecology and Principles : New York, Springer-Verlag Berlin Heidelberg, v. 111.

Page, S.E., Rieley, J.O., and Bank, C.J., 2011, Global and Regional Importance of the Tropical Peatland Carbon Pool: Global Change Biology, v. 17, p. 798–818, doi:10.1111/j.1365-2486.2010.02279.x.

Page, S.E., Rieley, J.O., and Wüst, R., 2006, Chapter 7 Lowland Tropical Peatlands of Southeast Asia: Developments in Earth Surface Processes, v. 9, p. 145–172, doi:10.1016/S0928-2025(06)09007-9.

Page, S.E., Wüst, R.A.J., Weiss, D., Rieley, J.O., Shotyk, W., and Limin, S.H., 2004, A Record of Late Pleistocene and Holocene Carbon Accumulation and Climate Change from an Equatorial Peat Bog (Kalimantan, Indonesia): Implications for Past, Present and Future Carbon Dynamics: Journal of Quaternary Science, v. 19, p. 625–635, doi:10.1002/jqs.884.

PemprovKalbar, 2019, Pemprov Kalbar | Page - Geografis:, <https://kalbarprov.go.id/page/geografis> (accessed March 2023).

Pitkanen, A., Turunen, J., and Simola, H., 2011a, Comparison of Different Types of Peat Corers in Volumetric Sampling: Suoseura - Finnish Peatland Society, v. 62, p. 51–57.

Pitkanen, A., Turunen, J., and Simola, H., 2011b, Comparison of Different Types of Peat Corers in Volumetric Sampling: Suoseura - Finnish Peatland Society, v. 62, p. 51–57.

PIX4D, 2021, Getting Started - PIX4Dcapture:, <https://support.pix4d.com/hc/en-us/articles/202557269-Getting-Started-PIX4Dcapture> (accessed June 2023).

Rieley, J., and Page, S., 2016, Tropical Peatland of the World, *in* Osaki, M. and Tsuji, N. eds., Tropical Peatland Ecosystems, Tokyo, Springer Japan, p. 3–32, doi:10.1007/978-4-431-55681-7_1.

- Rieley, J., Wust, R., Jauhiainen, J., Page, S., Wosten, H., Hooijer, A., Siegert, F., Limin, S., Vasander, H., and Stahlhut, M., 2008, Tropical Peatlands: Carbon Stores, Carbon Gas Emissions and Contribution to Climate Change Processes: Peatlands and Climate Change, p. 148–181.
- Ritung, S., Wahyunto, and Nugroho, K., 2012, Karakteristik dan Sebaran Lahan Gambut di Sumatera, Kalimantan dan Papua: Pengelolaan Lahan Gambut Berkelanjutan,.
- Rydin, H., and Jeglum, J.K., 2013, The Biology of Peatlands: Oxford, Oxford University Press, doi:10.1093/acprof:osobl/9780199602995.001.0001.
- Sanyoto, P., and Pieters, P.E., 1993, Peta Geologi Lembar Pontianak/Nangataman, Kalimantan. Skala 1:250.000: Bandung, Pusat Penelitian dan Pengembangan Geologi.
- Shimada, S., Takahashi, H., and Osaki, M., 2016, Carbon Stock Estimate, *in* Tropical Peatland Ecosystems, Tokyo, Springer Japan, p. 353–365, doi:10.1007/978-4-431-55681-7_23.
- Soetoto, 2015, Penginderaan Jauh untuk Geologi: Yogyakarta, Penerbit Ombak.
- Stach, E., Mackowsky, M., Teichmuller, M., Taylor, G., Chandra, D., and Teichmuller, R., 1982, Coal Petrology: Stuttgart, Gebruder Borntraeger Berlin.
- Subagjo, H., and Adhi, A., 1998, Peluang dan Kendala Penggunaan Lahan Rawa untuk Pengembangan Pertanian di Indonesia. Kasus Sumatera Selatan dan Kalimantan Tengah, *in* Prosiding Pertemuan Pembahasan dan Komunikasi Hasil Penelitian Tanah dan Agroklimat, Bogor, Pusat Penelitian Tanah dan Agroklimat, p. 13–50.
- Suwarna, N., and Langford, R.P., 1993, Peta Geologi Lembar Singkawang, Kalimantan. Skala 1:250.000: Bandung, Pusat Penelitian dan Pengembangan Geologi.
- Suyono, 2013, Stratigraphy and Tectonics of the East Ketungau Basin, West Kalimantan during Palaeogene: Indonesian Journal on Geoscience, v. 8, p. 205–214.
- Tan, Q., and Xu, X., 2014, Comparative Analysis of Spatial Interpolation Methods: an Experimental Study: Sensors & Transducers, v. 165, p. 155–163.
- Tata, M., and Pradjadinata, 2013, Regenerasi Alami Hutan Rawa Gambut Terbakar dan Lahan Gambut Terbakar di Tumbang Nusa, Kalimantan Tengah, dan Implikasinya terhadap Konservasi: Jurnal Penelitian Hutan dan Konservasi Alam, v. 10.
- USGS, 2022a, EarthExplorer:, <https://earthexplorer.usgs.gov/> (accessed September 2022).

- USGS, 2022b, EarthExplorer., <https://earthexplorer.usgs.gov/> (accessed September 2022).
- USGS, 2013a, Landsat 8 | U.S. Geological Survey., <https://www.usgs.gov/landsat-missions/landsat-8> (accessed March 2023).
- USGS, 2019, Landsat 8 (L8) Data Users Handbook: Version 5.0: South Dakota, Department of the Interior United States Geological Survey.
- USGS, 2022c, Landsat 9 (L9) Data Users Handbook: Version 1.0: South Dakota, Department of the Interior United States Geological Survey.
- USGS, 2013b, What are the band designations for the Landsat satellites? | U.S. Geological Survey., <https://www.usgs.gov/faqs/what-are-band-designations-landsat-satellites> (accessed March 2023).
- Wahyunto, W., and Heryanto, B., 2006, Pendugaan Produktivitas Tanaman Padi Sawah Melalui Analisis Citra Satelit: Informatika Pertanian, v. 15, p. 853–869.
- Wahyunto, Ritung, S., Suparto, and Subagjo, 2005, Sebaran Gambut dan Kandungan Karbon di Sumatera dan Kalimantan: Bogor, Wetlands International - Indonesia Programme.
- Warren, M., Hergoualc’h, K., Kauffman, J.B., Murdiyarso, D., and Kolka, R., 2017, An Appraisal of Indonesia’s Immense Peat Carbon Stock Using National Peatland Maps: Uncertainties and Potential Losses from Conversion: Carbon Balance and Management, v. 12, p. 12, doi:10.1186/s13021-017-0080-2.
- Wust, R.A.J., Bustin, R.M., and Lavkulich, L.M., 2003, New Classification System for Tropical Organic-rich Deposits Based on Studies of the Tasek Bera Basin, Malaysia: Catena, p. 133–163.
- Yepez, S., Laraque, A., Martinez, J.-M., De Sa, J., Carrera, J.M., Castellanos, B., Gallay, M., and Lopez, J.L., 2018, Retrieval of Suspended Sediment Concentrations Using Landsat-8 OLI Satellite Images in the Orinoco River (Venezuela): Comptes Rendus Geoscience, v. 350, p. 20–30, doi:10.1016/j.crte.2017.08.004.
- Zaitunah, A., Samsuri, Ahmad, A.G., and Safitri, R.A., 2018, Normalized Difference Vegetation Index (NDVI) Analysis for Land Cover Types Using Landsat 8 OLI in Besitang Watershed, Indonesia: IOP Conference Series: Earth and Environmental Science, v. 126, p. 012112, doi:10.1088/1755-1315/126/1/012112.