

DAFTAR PUSTAKA

- ABclonal Technology, n.d. Human IL-31 ELISA Kit.
- Adorini, L., & Penna, G., 2009. Dendritic cell tolerogenicity: a key mechanism in immunomodulation by vitamin D receptor agonists. *Hum. Immunol.* 70: 345–352. doi:10.1016/j.humimm.2009.01.016
- Akdis, M., Aab, A., Altunbulakli, C., Azkur, K., Costa, R.A., Cramer, R., et al., 2016. Interleukins (from IL-1 to IL-38), interferons, transforming growth factor β , and TNF- α : Receptors, functions, and roles in diseases. *J. Allergy Clin. Immunol.* 138: 984–1010. doi:10.1016/j.jaci.2016.06.033
- Aramwit, P., Keongamaroon, O., Siritientong, T., Bang, N., & Supasyndh, O., 2012. Sericin cream reduces pruritus in hemodialysis patients: A randomized, double-blind, placebo-controlled experimental study. *BMC Nephrol.* 13: 1–11. doi:10.1186/1471-2369-13-119
- Aresi, G., Rayner, H.C., Hassan, L., Burton, J.O., Mitra, S., Sanders, C., et al., 2019. Reasons for underreporting of uremic pruritus in people with chronic kidney disease: A qualitative study. *J. Pain Symptom Manage.* 58: 578-586.e2. doi:10.1016/j.jpainsymman.2019.06.010
- Azimi, E., Lerner, E.A., & Elmariah, S.B., 2015. Dermatological manifestations of kidney disease. *Dermatological Manifestations Kidney Dis.* 81–89. doi:10.1007/978-1-4939-2395-3
- Aziz, I.S., McMahon, A.M., Friedman, D., Rabinovich-Nikitin, I., Kirshenbaum, L.A., & Martino, T.A., 2021. Circadian influence on inflammatory response during cardiovascular disease. *Curr. Opin. Pharmacol.* 57: 60–70. doi:10.1016/j.coph.2020.11.007
- Bargman, J.M., & Skorecki, K.L., 2018. Chronic kidney disease, in: Jameson, J., Fauci, A.S., Kasper, D.L., Hauser, S.L., Longo, D.L., & Loscalzo, J. (Eds.), *Harrison's Principles of Internal Medicine*. McGraw Hill Education, New York, pp. 2111–2121.
- Biggar, P.H., Liangos, O., Fey, H., Brandenburg, V.M., & Ketteler, M., 2011. Vitamin D, chronic kidney disease and survival: A pluripotent hormone or just

another bone drug? *Pediatr. Nephrol.* 26: 7–18. doi:10.1007/s00467-010-1526-x

Bikle, D.D., 2011. Vitamin D metabolism and function in the skin. *Mol. Cell. Endocrinol.* 347: 80–89. doi:10.1016/j.mce.2011.05.017

Boaz, M., Shtendik, L., Oron, M., Portugal-Cohen, M., Kohen, R., Biro, A., et al., 2009. A randomized controlled clinical trial comparing the efficacy of dead sea mineral-enriched body lotion versus two types of placebo in the treatment of cutaneous dryness, itching, peeling and tightness in hemodialysis patients (EDIT). *Nephron - Clin. Pract.* 113. doi:10.1159/000232598

Browner, W.S., Newman, T.B., & Hulley, S.B., 2007. Estimating sample size and power: Applications and examples, in: Hulley, S.B., Cummings, S.R., Browner, W.S., Grady, D.G., & Newman, T.B. (Eds.), *Designing Clinical Research*. Lippincott Williams & Wilkins, Philadelphia, pp. 65–94.

Bubshait, D.A., Al-Dakheel, D.A., & Alanii, F.M., 2018. Topical vitamin D3: A randomized controlled trial (RCT). *Clin. Nutr. ESPEN* 27: 16–19. doi:10.1016/j.clnesp.2018.05.009

Byrne, A.J., 2010. Bioengineering and subjective approaches to the clinical evaluation of dry skin. *Int. J. Cosmet. Sci.* 32: 410–421. doi:10.1111/j.1468-2494.2010.00584.x

CALBIOTECH, 2016. 25 (OH) Vitamin D ELISA.

Centers for Disease Control and Prevention (CDC), 2017. VDSCP: Reference method laboratory [WWW Document]. URL https://www.cdc.gov/labstandards/vdscp_laboratory.html (accessed 4.25.21).

Cevikbas, F., Wang, X., Akiyama, T., Kempkes, C., Savinko, T., Antal, A., et al., 2014. A sensory neuron-expressed IL-31 receptor mediates T helper cell-dependent itch: Involvement of TRPV1 and TRPA1. *J. Allergy Clin. Immunol.* 133: 448–460.e7. doi:10.1016/j.jaci.2013.10.048

Cheon, B.R., Shin, J.E., Kim, Y.J., Shim, J.W., Kim, D.S., Jung, H.L., et al., 2015. Relationship between serum 25-hydroxyvitamin D and interleukin-31 levels, and the severity of atopic dermatitis in children. *Korean J. Pediatr.* 58: 96–101. doi:10.3345/kjp.2015.58.3.96

- Chorażyczewska, W., Reich, A., & Szepletowski, J.C., 2016. Lipid content and barrier function analysis in uraemic pruritus. *Acta Derm. Venereol.* 96: 402–403. doi:10.2340/00015555-2266
- Chuquilin, M., Alghalith, Y., & Fernandez, K.H., 2016. Neurocutaneous disease: Cutaneous neuroanatomy and mechanisms of itch and pain. *J. Am. Acad. Dermatol.* 74: 197–212. doi:10.1016/j.jaad.2015.04.060
- Combs, S.A., Teixeira, J.P., & Germain, M.J., 2015. Pruritus in kidney disease. *Semin. Nephrol.* 35: 383–391. doi:10.1016/j.semnephrol.2015.06.009
- Cornelissen, C., Brans, R., Czaja, K., Skazik, C., Marquardt, Y., Zwadlo-Klarwasser, G., et al., 2011. Ultraviolet B radiation and reactive oxygen species modulate interleukin-31 expression in T lymphocytes, monocytes and dendritic cells. *Br. J. Dermatol.* 165: 966–975. doi:10.1111/j.1365-2133.2011.10487.x
- Cornelissen, C., Lüscher-Firzlaff, J., Baron, J.M., & Lüscher, B., 2012. Signaling by IL-31 and functional consequences. *Eur. J. Cell Biol.* 91: 552–566. doi:10.1016/j.ejcb.2011.07.006
- Courage + Khazaka, 2003. Information and operating instructions for the Multi Probe Adapter (MPA) and its probes.
- Cowan, A., Kehner, G.B., & Inan, S., 2015. Targeting itch with ligands selective for κ opioid receptors. *Handb. Exp. Pharmacol.* 226: 291–314. doi:10.1007/978-3-662-44605-8_16
- Czarnecka-Operacz, M., Polańska, A., Klimañska, M., Teresiak-Mikołajczak, E., Molińska-Glura, M., Adamski, Z., et al., 2015. Itching sensation in psoriatic patients and its relation to body mass index and IL-17 and IL-31 concentrations. *Postep. Dermatologii i Alergol.* 32: 426–430. doi:10.5114/pdia.2015.56097
- Dillon, S.R., Sprecher, C., Hammond, A., Bilsborough, J., Rosenfeld-Franklin, M., Presnell, S.R., et al., 2004. Interleukin 31, a cytokine produced by activated T cells, induces dermatitis in mice. *Nat. Immunol.* 5: 752–760. doi:10.1038/ni1084
- Diveu, C., Lak-Hal, A.H.L., Froger, J., Ravon, E., Grimaud, L., Barbier, F., et al.,

2004. Predominant expression of the long isoform of GP130-like (GPL) receptor is required for interleukin-31 signaling. *Eur. Cytokine Netw.* 15: 291–302.
- Dobre, M.A., Meyer, T.W., & Hostetter, T.H., 2015. The uremic syndrome. *Chronic Ren. Dis.* 83–91. doi:10.1016/B978-0-12-411602-3.00008-1
- Draelos, Z.D., 2018. The science behind skin care: Moisturizers. *J. Cosmet. Dermatol.* 17: 138–144. doi:10.1111/jocd.12490
- Draelos, Z.D., 2010. Active agents in common skin care products. *Plast. Reconstr. Surg.* 125: 719–724. doi:10.1097/PRS.0b013e3181c83192
- Drechsler, C., Pilz, S., Obermayer-Pietsch, B., Verduijn, M., Tomaschitz, A., Krane, V., et al., 2010. Vitamin D deficiency is associated with sudden cardiac death, combined cardiovascular events, and mortality in haemodialysis patients. *Eur. Heart J.* 31: 2253–2261. doi:10.1093/eurheartj/ehq246
- Duque, M.I., Yosipovitch, G., Fleischer, A.B., Willard, J., & Freedman, B.I., 2005. Lack of efficacy of tacrolimus ointment 0.1% for treatment of hemodialysis-related pruritus: A randomized, double-blind, vehicle-controlled study. *J. Am. Acad. Dermatol.* 52: 519–521. doi:10.1016/j.jaad.2004.08.050
- Elias, P.M., 2016. Physiologic lipids for barrier repair, in: Draelos, Z.D., Dover, J.S., & Alam, M. (Eds.), *Cosmeceuticals*. Elsevier Inc., pp. 49–54. doi:10.1016/B978-0-323-29869-8.00007-3
- Elias, P.M., & Sugarman, J., 2018. Does moisturizing the skin equate with barrier repair therapy? *Ann. Allergy, Asthma Immunol.* 121: 653-656.e2. doi:10.1016/j.anai.2018.07.008
- Elmariah, S.B., & Lerner, E.A., 2011. Topical therapies for pruritus. *Semin. Cutan. Med. Surg.* 30: 118–126. doi:10.1016/j.sder.2011.04.008
- Fallahzadeh, M.K., Roozbeh, J., Geramizadeh, B., & Namazi, M.R., 2011. Interleukin-2 serum levels are elevated in patients with uremic pruritus: A novel finding with practical implications. *Nephrol. Dial. Transplant.* 26: 3338–3344. doi:10.1093/ndt/gfr053
- Feily, A., Dormanesh, B., Ghorbani, A.R., Moosavi, Z., Kouchak, M., Cheraghian, B., et al., 2012. Efficacy of topical cromolyn sodium 4% on pruritus in uremic

- nephrogenic patients: A randomized double-blind study in 60 patients. *Int. J. Clin. Pharmacol. Ther.* 50: 510–513. doi:10.5414/CP201629
- Fishbane, S., Mathur, V., Germain, M.J., Shirazian, S., Bhaduri, S., Munera, C., et al., 2020. Randomized controlled trial of difelikefalin for chronic pruritus in hemodialysis patients. *Kidney Int. Reports* 5: 600–610. doi:10.1016/j.ekir.2020.01.006
- Fox, M., Helfrich, Y., & Kang, S., 2018. Other topical medications, in: Bologna, J.L., Schaffer, J.V., & Cerroni, L. (Eds.), *Dermatology*. Elsevier Ltd, China, pp. 2153–2164. doi:10.1016/B978-0-7020-6275-9.00129-X
- Furue, M., Ebata, T., Ikoma, A., Takeuchi, S., Kataoka, Y., Takamori, K., et al., 2013. Verbalizing extremes of the visual analogue scale for pruritus: A consensus statement. *Acta Derm. Venereol.* 93: 214–215. doi:10.2340/00015555-1446
- Germain, M.J., 2017. Uremic pruritus: An itch with ominous consequences. *Am. J. Nephrol.* 46: 448–449. doi:10.1159/000484572
- Glossmann, H.H., 2010. Origin of 7-dehydrocholesterol (Provitamin D) in the skin. *J. Invest. Dermatol.* 130: 2139–2141. doi:10.1038/jid.2010.118
- Gobo-Oliveira, M., Pigari, V.G., Ogata, M.S.P., Miot, H.A., Ponce, D., & Abbade, L.P.F., 2017. Factors associated with uremic pruritus. *Int. Arch. Med.* 10: 1–8. doi:10.3823/2448
- González, E.A., Sachdeva, A., Oliver, D.A., & Martin, K.J., 2004. Vitamin D insufficiency and deficiency in chronic kidney disease: A single center observational study. *Am. J. Nephrol.* 24: 503–510. doi:10.1159/000081023
- Greenfield, N.P., & Maibach, H.I., 2013. Evidence for moisturizer efficacy [WWW Document]. URL <https://www.cosmeticsandtoiletries.com/formulating/function/moisturizer/M%0Aoisturizers-Evidence-for-Efficacy-184298941.html> (accessed 8.8.21).
- Grove, G.L., Damia, J., & Houser, T., 2016. 3 - Evaluating Cosmeceutical Efficacy, Third Edit. ed, *Cosmeceuticals*. Elsevier Inc. doi:10.1016/B978-0-323-29869-8.00003-6
- Gunal, A.I., Ozalp, G., Yoldas, T.K., Gunal, S.Y., Kirciman, E., & Celiker, H.,

2004. Gabapentin therapy for pruritus in haemodialysis patients: A randomized, placebo-controlled, double-blind trial. *Nephrol. Dial. Transplant.* 19: 3137–3139. doi:10.1093/ndt/gfh496
- Gupta, S.K., 2011. Intention-to-treat concept: A review. *Perspect. Clin. Res.* 2: 109. doi:10.4103/2229-3485.83221
- Haggag, M., Kora, M., Safan, M., Yasien, H., & Yousef, A., 2020. Study of serum level of interleukin-31 in patients with uremic pruritus. *Menoufia Med. J.* 33: 257. doi:10.4103/mmj.mmj_186_18
- Hays, R., Amin, N., Lepage, A., & Carter, W., 1997. Kidney Disease Quality of Life Short Form (KDQOL-SF), Version 1.2. *A Man. Use Scoring (French Quest. Fr.* 68.
- Holick, M.F., Binkley, N.C., Bischoff-Ferrari, H.A., Gordon, C.M., Hanley, D.A., Heaney, R.P., et al., 2011. Evaluation, treatment, and prevention of vitamin D deficiency: An endocrine society clinical practice guideline. *J. Clin. Endocrinol. Metab.* 96: 1911–1930. doi:10.1210/jc.2011-0385
- Hu, T., Wang, B., Liao, X., & Wang, S., 2019. Clinical features and risk factors of pruritus in patients with chronic renal failure. *Exp. Ther. Med.* 18: 964–971. doi:10.3892/etm.2019.7588
- Hu, X., Sang, Y., Yang, M., Chen, X., & Tang, W., 2018. Prevalence of chronic kidney disease-associated pruritus among adult dialysis patients A meta-analysis of cross-sectional studies. *Med. (United States)* 97: 1–7. doi:10.1097/MD.00000000000010633
- Imani, N.J., Saeedi, M., Hajheydari, Z., Ebrahimzadeh, M.A., & Morteza-Semnani, K., 2017. Effect of Sambucus ebulus topical preparation on uremic pruritus. *Pharmaceutical Biomed. Res.* 3: 26–32.
- Johansson, O., Hilliges, M., & Ståhle-Bäckdahl, M., 1989. Intraepidermal neuron-specific enolase (NSE)-immunoreactive nerve fibres: Evidence for sprouting in uremic patients on maintenance hemodialysis. *Neurosci. Lett.* 99: 281–286. doi:10.1016/0304-3940(89)90460-6
- Jung, K.E., Woo, Y.R., Lee, J.S., Shin, J.H., Jeong, J.U., Koo, D.W., et al., 2015. Effect of topical Vitamin D on chronic kidney disease-associated pruritus: An

open-label pilot study. *J. Dermatol.* 42: 800–803. doi:10.1111/1346-8138.12895

Kalkwarf, H.J., Denburg, M.R., Strife, C.F., Zemel, B.S., Foerster, D.L., Wetzsteon, R.J., et al., 2012. Vitamin D deficiency is common in children and adolescents with chronic kidney disease. *Kidney Int.* 81: 690–697. doi:10.1038/ki.2011.431

Kaur, G., Singh, J., & Kumar, J., 2019. Vitamin D and cardiovascular disease in chronic kidney disease. *Pediatr. Nephrol.* 2509–2522. doi:10.1007/978-3-319-32507-1_21

KDIGO, 2013a. KDIGO 2012 Clinical practice guideline for the evaluation and management of chronic kidney disease: Definition, and classification of CKD. *Kidney Int. Suppl.* 3: 19–62.

KDIGO, 2013b. KDIGO 2012 Clinical practice guideline for the evaluation and management of chronic kidney disease: Referral to specialists and models of care. *Kidney Int. Suppl.* 3: 112–119.

Khorsand, A., Salari, R., Noras, M.R., Saki, A., Jamali, J., Sharifipour, F., et al., 2019. The effect of massage and topical violet oil on the severity of pruritus and dry skin in hemodialysis patients: A randomized controlled trial. *Complement. Ther. Med.* 45: 248–253. doi:10.1016/j.ctim.2019.06.015

Kimata, N., Fuller, D.S., Saito, A., Akizawa, T., Fukuhara, S., Pisoni, R.L., et al., 2014. Pruritus in hemodialysis patients: Results from the Japanese Dialysis Outcomes and Practice Patterns Study (JDOPPS). *Hemodial. Int.* 18: 657–667. doi:10.1111/hdi.12158

Kimmel, M., Alscher, D.M., Dunst, R., Braun, N., Machleidt, C., Kiefer, T., et al., 2006. The role of micro-inflammation in the pathogenesis of uraemic pruritus in haemodialysis patients. *Nephrol. Dial. Transplant.* 21: 749–755. doi:10.1093/ndt/gfi204

Ko, M.J., Peng, Y. Sen, Chen, H.Y., Hsu, S.P., Pai, M.F., Yang, J.Y., et al., 2014. Interleukin-31 is associated with uremic pruritus in patients receiving hemodialysis. *J. Am. Acad. Dermatol.* 71: 1151–1159.e1. doi:10.1016/j.jaad.2014.08.004

- Kotanko, P., Kuhlmann, M.K., Chan, C., & Levin, N.W., 2019. Hemodialysis: Principles and Techniques, in: Feehally, J., Floege, J., Tonelli, M., & Johnson, R.J. (Eds.), *Comprehensive Clinical Nephrology*. Elsevier Inc., pp. 1073-1081.e1. doi:10.1016/B978-0-323-47909-7.00093-7
- Krismi, A., Danarti, R., Setiabudi, I.I.D.P.P., & Wirohadidjojo, Y.W., 2023. Chronic kidney disease-associated pruritus in patients undergoing hemodialysis: Xerosis and topical therapy. *Hemodial. Int.* 27: 91–104. doi:10.1111/hdi.13071
- Kubo, A., & Amagai, M., 2019. Skin barrier, in: Kang, S., Amagai, M., Bruckner, A.L., Enk, A.H., Margolis, D.J., & McMichael, A.J. (Eds.), *Fitzpatrick's Dermatology*. McGraw Hill Education, New York, pp. 207–231.
- Kuhlmann, M.K., Kotanko, P., & Levin, N.W., 2019. Hemodialysis: Dialysis prescription and adequacy, in: Feehally, J., Floege, J., Tonelli, M., & Johnson, R.J. (Eds.), *Comprehensive Clinical Nephrology*. Elsevier Inc., pp. 1082–1089. doi:10.1016/B978-0-323-47909-7.00094-9
- Kumagai, H., Ebata, T., Takamori, K., Muramatsu, T., Nakamoto, H., & Suzuki, H., 2010. Effect of a novel kappa-receptor agonist, nalfurafine hydrochloride, on severe itch in 337 haemodialysis patients: A Phase III, randomized, double-blind, placebo-controlled study. *Nephrol. Dial. Transplant.* 25: 1251–1257. doi:10.1093/ndt/gfp588
- Lange, M., Gleń, J., Zabłotna, M., Nedoszytko, B., Sokołowska-Wojdyło, M., Rębała, K., et al., 2017. Interleukin-31 polymorphisms and serum IL-31 level in patients with mastocytosis: Correlation with clinical presentation and pruritus. *Acta Derm. Venereol.* 97: 47–53. doi:10.2340/00015555-2474
- Lee, I.A., & Maibach, H.I., 2006. Pharmionics in dermatology: A review of topical medication adherence. *Am. J. Clin. Dermatol.* 7: 231–236. doi:10.2165/00128071-200607040-00004
- Lehmann, B., Genehr, T., Knuschke, P., Pietzsch, J., & Meurer, M., 2001. UVB-induced conversion of 7-dehydrocholesterol to 1 α ,25-dihydroxyvitamin D3 in an in vitro human skin equivalent model. *J. Invest. Dermatol.* 117: 1179–1185. doi:10.1046/j.0022-202x.2001.01538.x

- Lehmann, B., & Meurer, M., 2010. Vitamin D metabolism. *Dermatol. Ther.* 23: 2–12. doi:10.1111/j.1529-8019.2009.01286.x
- Lehmann, B., Sauter, W., Knuschke, P., Dreßler, S., & Meurer, M., 2003. Demonstration of UVB-induced synthesis of 1 α ,25-dihydroxyvitamin D3 (calcitriol) in human skin by microdialysis. *Arch. Dermatol. Res.* 295: 24–28. doi:10.1007/s00403-003-0387-6
- Lin, T.C., Lai, Y.H., Guo, S.E., Liu, C.F., Tsai, J.C., Guo, H.R., et al., 2011. Baby oil therapy for uremic pruritus in haemodialysis patients. *J. Clin. Nurs.* 21: 139–148. doi:10.1111/j.1365-2702.2011.03906.x
- Liu, K.D., & Chertow, G.M., 2018. Dialysis in the treatment of renal failure, in: Jameson, J., Fauci, A.S., Kasper, D.L., Hauser, S.L., Longo, D.L., & Loscalzo, J. (Eds.), *Harrison's Principles of Internal Medicine*. McGraw Hill Education, New York, pp. 2121–2125.
- Lodén, M., 2012. Effect of moisturizers on epidermal barrier function. *Clin. Dermatol.* 30: 286–296. doi:10.1016/j.clindermatol.2011.08.015
- Lodén, M., 2003. Role of topical emollients and moisturizers in the treatment of dry skin barrier disorders. *Am. J. Clin. Dermatol.* 4: 771–788. doi:10.2165/00128071-200304110-00005
- Lopes, G.B., Nogueira, F.C.P., De Souza, M.R., Penalva, M.A., De Amorim, J.L., Pisoni, R.L., et al., 2012. Assessment of the psychological burden associated with pruritus in hemodialysis patients using the Kidney Disease Quality of Life Short Form. *Qual. Life Res.* 21: 603–612. doi:10.1007/s11136-011-9964-x
- Lugon, J.R., 2005. Uremic pruritus: A review. *Hemodial. Int.* 9: 180–188. doi:10.1111/j.1492-7535.2005.01130.x
- Malek, M., Gleń, J., Rębała, K., Kowalczyk, A., Sobjanek, M., Nowicki, R., et al., 2015. IL-31 does not correlate to pruritus related to early stage cutaneous T-cell lymphomas but is involved in pathogenesis of the disease. *Acta Derm. Venereol.* 95: 283–288. doi:10.2340/00015555-1958
- Malekmakan, L., Malekmakan, A., Sayadi, M., Pakfetrat, M., Sepaskhah, M., & Roozbeh, J., 2015. Association of high-sensitive C-reactive protein and dialysis adequacy with uremic pruritus. *Saudi J. Kidney Dis. Transpl.* 26: 890–

895. doi:10.4103/1319-2442.164565

- Mao-Qiang, M., Brown, B.E., Wu-Pong, S., Feingold, K.R., & Elias, P.M., 1995. Exogenous nonphysiologic vs physiologic lipids: Divergent mechanisms for correction of permeability barrier dysfunction. *Arch. Dermatol.* 131: 809–816. doi:10.1001/archderm.1995.01690190063012
- Mao-Qiang, M., Feingold, K.R., Thornfeldt, C.R., & Elias, P.M., 1996. Optimization of physiological lipid mixtures for barrier repair. *J. Invest. Dermatol.* 106: 1096–1101. doi:10.1111/1523-1747.ep12340135
- Marks, J.G., & Miller, J.J., 2019. Structure and function of the skin, in: Lookingbill and Marks' Principles of Dermatology. Elsevier Inc., pp. 2–10.
- Martin, C.E., Clotet-Freixas, S., Farragher, J.F., & Hundemer, G.L., 2020. Have we just scratched the surface? A narrative review of uremic pruritus in 2020. *Can. J. Kidney Heal. Dis.* 7: 1–14. doi:10.1177/2054358120954024
- Mathur, V.S., Kumar, J., Crawford, P.W., Hait, H., & Sciascia, T., 2017. A multicenter, randomized, double-blind, placebo-controlled trial of nalbuphine ER tablets for uremic pruritus. *Am. J. Nephrol.* 46: 450–458. doi:10.1159/000484573
- Mathur, V.S., Lindberg, J., Germain, M., Block, G., Tumlin, J., Smith, M., et al., 2010. A longitudinal study of uremic pruritus in hemodialysis patients. *Clin. J. Am. Soc. Nephrol.* 5: 1410–1419. doi:10.2215/CJN.00100110
- McCullough, P.J., Lehrer, D.S., & Amend, J., 2019. Daily oral dosing of vitamin D3 using 5000 TO 50,000 international units a day in long-term hospitalized patients: Insights from a seven year experience. *J. Steroid Biochem. Mol. Biol.* 189: 228–239. doi:10.1016/j.jsbmb.2018.12.010
- Mettang, T., & Kremer, A.E., 2015. Uremic pruritus. *Kidney Int.* 87: 685–691. doi:10.1038/ki.2013.454
- Misra, M., 2005. The basics of hemodialysis equipment. *Hemodial. Int.* 9: 30–36. doi:10.1111/j.1492-7535.2005.01115.x
- Mittal, S., Sandhu, H., & Singh, B., 2018. Study of Vitamin D levels in patients with Chronic Kidney Disease. *Bangladesh J. Med. Sci.* 17: 652–660.
- Momose, A., Kudo, S., Sato, M., Saito, H., Nagai, K., Katabira, Y., et al., 2004.

Calcium ions are abnormally distributed in the skin of haemodialysis patients with uraemic pruritus. *Nephrol. Dial. Transplant.* 19: 2061–2066. doi:10.1093/ndt/gfh287

Moniaga, C.S., Tominaga, M., & Takamori, K., 2020. Mechanisms and management of itch in dry skin. *Acta Derm. Venereol.* 100: 10–21. doi:10.2340/00015555-3344

Morton, C.A., Lafferty, M., Hau, C., Henderson, I., Jones, M., & Lowe, J.G., 1996. Pruritus and skin hydration during dialysis. *Nephrol. Dial. Transplant.* 11: 2031–2036. doi:10.1093/oxfordjournals.ndt.a027092

Nakamura, M., Uemura, K., Nemoto, O., & Miyachi, Y., 2006. Evaluation of an optimal method for topical application of moisturizer. *Ski. Res.* 5: 311–6.

Nakhaee, S., Nasiri, A., Waghei, Y., & Morshedi, J., 2015. Comparison of Avena sativa, vinegar, and hydroxyzine for uremic pruritus of hemodialysis patients A crossover randomized clinical trial. *Iran. J. Kidney Dis.* 9: 316–322.

Nattkemper, L.A., Martinez-Escala, M.E., Gelman, A.B., Singer, E.M., Rook, A.H., Guitart, J., et al., 2016. Cutaneous T-cell lymphoma and pruritus: The expression of IL-31 and its receptors in the skin. *Acta Derm. Venereol.* 96: 894–898. doi:10.2340/00015555-2417

Neis, M.M., Peters, B., Dreuw, A., Wenzel, J., Bieber, T., Mauch, C., et al., 2006. Enhanced expression levels of IL-31 correlate with IL-4 and IL-13 in atopic and allergic contact dermatitis. *J. Allergy Clin. Immunol.* 118: 930–937. doi:10.1016/j.jaci.2006.07.015

Nolan, K., & Marmur, E., 2012. Moisturizers: Reality and the skin benefits. *Dermatol. Ther.* 25: 229–233. doi:10.1111/j.1529-8019.2012.01504.x

Oda, Y., Uchida, Y., Moradian, S., Crumrine, D., Elias, P.M., & Bikle, D.D., 2009. Vitamin D receptor and coactivators SRC2 and 3 regulate epidermis-specific sphingolipid production and permeability barrier formation. *J. Invest. Dermatol.* 129: 1367–1378. doi:10.1038/jid.2008.380

Oweis, A.O., AL-Qarqaz, F., Bodoor, K., Heis, L., Alfaqih, M.A., Almomani, R., et al., 2021. Elevated interleukin 31 serum levels in hemodialysis patients are associated with uremic pruritus. *Cytokine* 138: 155369.

doi:10.1016/j.cyto.2020.155369

Ozen, N., Cinar, F.I., Askin, D., & Mut, D., 2018. Uremic pruritus and associated factors in hemodialysis patients: A multi-center study. *Kidney Res. Clin. Pract.*

37: 138–147. doi:10.23876/j.krcp.2018.37.2.138

Patel, T.S., Freedman, B.I., & Yosipovitch, G., 2007. An update on pruritus associated with CKD. *Am. J. Kidney Dis.* 50: 11–20.

doi:10.1053/j.ajkd.2007.03.010

Perhimpunan Dokter Spesialis Kulit dan Kelamin Indonesia (PERDOSKI), 2020.

Pengaruh sinar ultra violet terhadap kesehatan. Kajian terhadap berjemur (sun exposures).

Perhimpunan Nefrologi Indonesia (PERNEFRI), 2003. Konsensus dialisis. Jakarta.

Phan, N.Q., Blome, C., Fritz, F., Gerss, J., Reich, A., Ebata, T., et al., 2012.

Assessment of pruritus intensity: Prospective study on validity and reliability of the visual analogue scale, numerical rating scale and verbal rating scale in

471 patients with chronic pruritus. *Acta Derm. Venereol.* 92: 502–507.

doi:10.2340/00015555-1246

Pillai, S., Mahajan, M., & Carlomusto, M., 1999. Ceramide potentiates, but sphingomyelin inhibits, vitamin D-induced keratinocyte differentiation:

Comparison between keratinocytes and HL-60 cells. *Arch. Dermatol. Res.*

291: 284–289. doi:10.1007/s004030050409

Pisoni, R.L., Wikström, B., Elder, S.J., Akizawa, T., Asano, Y., Keen, M.L., et al.,

2006. Pruritus in haemodialysis patients: International results from the

Dialysis Outcomes and Practice Patterns Study (DOPPS). *Nephrol. Dial.*

Transplant. 21: 3495–3505. doi:10.1093/ndt/gfl461

Pons-Guiraud, A., 2007. Dry skin in dermatology: A complex physiopathology. *J.*

Eur. Acad. Dermatology Venereol. 21: 1–4. doi:10.1111/j.1468-

3083.2007.02379.x

Product safety data sheet DFA Dermavita DHC, 2021.

Rayner, H.C., Larkina, M., Wang, M., Graham-Brown, M., van der Veer, S.N.,

Eceder, T., et al., 2017. International comparisons of prevalence, awareness,

and treatment of pruritus in people on hemodialysis. *Clin. J. Am. Soc. Nephrol.*

12: 2000–2007. doi:10.2215/CJN.03280317

- Reich, A., Heisig, M., Phan, N.Q., Taneda, K., Takamori, K., Takeuchi, S., et al., 2012. Visual analogue scale: Evaluation of the instrument for the assessment of pruritus. *Acta Derm. Venereol.* 92: 497–501. doi:10.2340/00015555-1265
- Rezayi, M., Ghayour-Mobarhan, M., Tavakoly Sany, S.B., Fani, M., Avan, A., Pashar, Z., et al., 2018. A comparison of analytical methods for measuring concentrations of 25-hydroxy vitamin D in biological samples. *Anal. Methods* 10: 5599–5612. doi:10.1039/c8ay02146e
- Rogiers, V., 2001. EEMCO guidance for the assessment of transepidermal water loss in cosmetic sciences. *Skin Pharmacol. Appl. Skin Physiol.* 14: 117–128. doi:10.1159/000056341
- Rosso, J.Q. Del, 2016. Moisturizer and barrier repair formulations, in: Draelos, Z.D., Dover, J.S., & Alam, M. (Eds.), *Cosmeceuticals*. Elsevier Inc., pp. 81–89. doi:10.1016/B978-0-323-29869-8.00011-5
- Runger, T.M., 2019. Cutaneous Photobiology, in: Kang, S., Amagai, M., Bruckner, A.L., Enk, A.H., Margolis, D.J., McMichael, A.J., et al. (Eds.), *Fitzpatrick's Dermatology*. McGraw-Hill Education, pp. 265–288.
- Saleem, M.D., Maibach, H.I., & Feldman, S.R., 2019. Principles of topical therapy, in: Kang, S., Amagai, M., Bruckner, A.L., Enk, A.H., Margolis, D.J., & McMichael, A.J. (Eds.), *Fitzpatrick's Dermatology*. McGraw Hill Education, New York, pp. 3364–3381.
- Saxena, A.K., Division, N., & Hospital, K.F., 2005. Letter to the Editor ““ Uremic pruritus ””: A misnomer 416–417.
- Schmitt, T., & Neubert, R.H.H., 2018. State of the art in Stratum Corneum research: The biophysical properties of ceramides. *Chem. Phys. Lipids* 216: 91–103. doi:10.1016/j.chemphyslip.2018.09.017
- Schober, P., & Schwarte, L.A., 2018. Correlation coefficients: Appropriate use and interpretation. *Anesth. Analg.* 126: 1763–1768. doi:10.1213/ANE.0000000000002864
- Segar, B.S., & Budiyo, A., 2018. Korelasi perubahan kadar interleukin-31 serum dengan intensitas pruritus sebelum dan sesudah fototerapi pada pasien pruritus

terkait gagal ginjal terminal yang menjalani hemodialisis rutin. Universitas Gadjah Mada.

- Serup, J., 1995. EEMCO guidance for the assessment of dry skin (xerosis) and ichthyosis: clinical scoring systems. *Ski. Res. Technol.* 1: 109–114. doi:10.1111/j.1600-0846.1995.tb00029.x
- Setiati, S., Oemardi, M., Sutrisna, B., & Supartondo, 2007. The role of ultraviolet-B from sun exposure on vitamin D3 and parathyroid hormone level in elderly women in Indonesia. *Asian J. Gerontol. Geriatr.* 2: 126–32.
- Siemens, W., Xander, C., Meerpohl, J., Buroh, S., Antes, G., Schwarzer, G., et al., 2016. Pharmacological interventions for pruritus in adult palliative care patients. *Cochrane database Syst. Rev.* doi:10.1002/14651858.CD008320.pub4
- Simonsen, E., Komenda, P., Lerner, B., Askin, N., Bohm, C., Shaw, J., et al., 2017. Treatment of uremic pruritus: A systematic review. *Am. J. Kidney Dis.* 70: 638–655. doi:10.1053/j.ajkd.2017.05.018
- Sinawang, G.W., Faizah, R., Alfaqih, M.R., & Hermanto, A., 2019. Efficacy of Topical Applications on Reducing Uremic Pruritus: A Systematic Review. *J. Ners* 14: 252–5. doi:10.20473/jn.v14i3(si).17125
- Solak, B., Acikgoz, S.B., Sipahi, S., & Erdem, T., 2016. Epidemiology and determinants of pruritus in pre-dialysis chronic kidney disease patients. *Int. Urol. Nephrol.* 48: 585–591.
- Sonkoly, E., Muller, A., Lauerma, A.I., Pivarsci, A., Soto, H., Kemeny, L., et al., 2006. IL-31: A new link between T cells and pruritus in atopic skin inflammation. *J. Allergy Clin. Immunol.* 117: 411–417. doi:10.1016/j.jaci.2005.10.033
- Ständer, S., Weisshaar, E., Mettang, T., Szepietowski, J.C., Carstens, E., Ikoma, A., et al., 2007. Clinical classification of itch: A position paper of the international forum for the study of itch. *Acta Derm. Venereol.* 87: 291–294. doi:10.2340/00015555-0305
- Storan, E.R., O’Gorman, S.M., McDonald, I.D., & Steinhoff, M., 2015. Role of cytokines and chemokines in itch. *Handb. Exp. Pharmacol.* 226: 163–176.

doi:10.1007/978-3-662-44605-8_9

- Stott, B., Lavender, P., Lehmann, S., Pennino, D., Durham, S., & Schmidt-Weber, C.B., 2013. Human IL-31 is induced by IL-4 and promotes TH2-driven inflammation. *J. Allergy Clin. Immunol.* 132: 446-454.e5. doi:10.1016/j.jaci.2013.03.050
- Sukul, N., Karaboyas, A., Csomor, P.A., Schaufler, T., Wen, W., Menzaghi, F., et al., 2020. Self-reported pruritus and clinical, dialysis-related, and patient-reported outcomes in hemodialysis patients. *Kidney Med.* 3: 42–53. doi:10.1016/j.xkme.2020.08.011
- Swarna, S.S., Aziz, K., Zubair, T., Qadir, N., & Khan, M., 2019. Pruritus Associated With Chronic Kidney Disease: A Comprehensive Literature Review. *Cureus* 11. doi:10.7759/cureus.5256
- Szepietowski, J.C., Reich, A., & Schwartz, R.A., 2004. Uraemic xerosis. *Nephrol. Dial. Transplant.* 19: 2709–2712. doi:10.1093/ndt/gfh480
- Teng, M., Wolf, M., Lowrie, E., Ofsthun, N., Lazarus, J.M., & Thadhani, R., 2003. Survival of Patients Undergoing Hemodialysis with Paricalcitol or Calcitriol Therapy. *N. Engl. J. Med.* 349: 446–456. doi:10.1056/nejmoa022536
- Uchida, Y., & Park, K., 2021. Ceramides in Skin Health and Disease: An Update. *Am. J. Clin. Dermatol.* 22: 853–866. doi:10.1007/s40257-021-00619-2
- Umar, M., Sastry, K.S., Al Ali, F., Al-Khulaifi, M., Wang, E., & Chouchane, A.I., 2018. Vitamin D and the Pathophysiology of Inflammatory Skin Diseases. *Skin Pharmacol. Physiol.* 31: 74–86. doi:10.1159/000485132
- Valencia, C.A.R., & Arango, V.A., 2016. Vitamin D (25(OH)D) in patients with chronic kidney disease stages 2-5. *Colomb. Med.* 47: 160–167.
- Vanholder, R., De Smet, R., Glorieux, G., Argilés, A., Baurmeister, U., Brunet, P., et al., 2003. Review on uremic toxins: Classification, concentration, and interindividual variability. *Kidney Int.* 63: 1934–1943. doi:10.1046/j.1523-1755.2003.00924.x
- Vanholder, R., Fouque, D., Glorieux, G., Heine, G.H., Kanbay, M., Mallamaci, F., et al., 2016. Clinical management of the uraemic syndrome in chronic kidney disease. *Lancet Diabetes Endocrinol.* 4: 360–373. doi:10.1016/S2213-

8587(16)00033-4

- Verduzco, H.A., & Shirazian, S., 2020. CKD-associated Pruritus: New insights into diagnosis, pathogenesis, and management. *Kidney Int. Reports* 5: 1387–1402. doi:10.1016/j.ekir.2020.04.027
- Verstuyf, A., Carmeliet, G., Bouillon, R., & Mathieu, C., 2010. Vitamin D: A pleiotropic hormone. *Kidney Int.* 78: 140–145. doi:10.1038/ki.2010.17
- Weiss, M., Mettang, T., Tschulena, U., Passlick-Deetjen, J., & Weisshaar, E., 2015. Prevalence of chronic itch and associated factors in haemodialysis patients: A representative cross-sectional study. *Acta Derm. Venereol.* 95: 816–821. doi:10.2340/00015555-2087
- Weisshaar, E., Szepietowski, J.C., Dalgard, F., Garcovich, S., Gieler, U., Gimenez-arnau, A., et al., 2019. European S2k guideline on chronic pruritus 99: 469–506. doi:10.2340/00015555-3164
- Weisshaar, E., Weiss, M., Passlick-Deetjen, J., Tschulena, U., Maleki, K., & Mettang, T., 2015. Laboratory and dialysis characteristics in hemodialysis patients suffering from chronic itch - Results from a representative cross-sectional study. *BMC Nephrol.* 16: 1–8. doi:10.1186/s12882-015-0177-3
- Welz-Kubiak, K., Kobuszevska, A., & Reich, A., 2015. IL-31 is overexpressed in lichen planus but its level does not correlate with pruritus severity. *J. Immunol. Res.* 2015. doi:10.1155/2015/854747
- WHO, 2002. Global Solar UV Index A Practical Guide. *World Heal. Organ.* 18.
- Wolf, M., Shah, A., Gutierrez, O., Ankers, E., Monroy, M., Tamez, H., et al., 2007. Vitamin D levels and early mortality among incident hemodialysis patients. *Kidney Int.* 72: 1004–1013. doi:10.1038/sj.ki.5002451
- Xander, C., Meerpohl, J.J., Galandi, D., Buroh, S., Schwarzer, G., Antes, G., et al., 2013. Pharmacological interventions for pruritus in adult palliative care patients. *Cochrane Database Syst. Rev.* 2013. doi:10.1002/14651858.CD008320.pub3
- Yahya, Y., Roiana, N., Andarina, R., & Saleh, I., 2018. Efficacy of 20 % urea cream in uremic pruritus with uremic xerosis in chronic renal failure patients undergoing hemodialysis. *Period Dermatol Venereol* 30: 1–9.

- Yavuz, D., Yavuz, R., Demirağ, M.D., Karagöz Özen, D.S., & Ramazanoğlu, Z.B., 2020. 25-hydroxy vitamin D level is associated with sleep disturbances in patients with chronic kidney disease on hemodialysis: A cross-sectional study. *Turkish J. Med. Sci.* 50: 298–303. doi:10.3906/sag-1908-87
- Yoshida, Y., Hirama, A., Hashimoto, K., Sato, T., Yokota, N., Saeki, H., et al., 2021. Efficacy of a moisturizer for pruritus accompanied by xerosis in patients undergoing dialysis: A multicenter, open-label, randomized verification study. *J. Dermatol.* 00: 1–9. doi:10.1111/1346-8138.15950
- Yosipovitch, G., Duque, M.I., Patel, T.S., Ishiuj, Y., Guzman-Sanchez, D.A., Dawn, A.G., et al., 2007. Skin barrier structure and function and their relationship to pruritus in end-stage renal disease. *Nephrol. Dial. Transplant.* 22: 3268–3272. doi:10.1093/ndt/gfm375
- Yosipovitch, G., Misery, L., Proksch, E., Metz, M., Ständer, S., & Schmelz, M., 2019. Skin barrier damage and itch: Review of mechanisms, topical management and future directions. *Acta Derm. Venereol.* 99: 1201–1209. doi:10.2340/00015555-3296
- Yosipovitch, G., Rosen, J.D., & Hashimoto, T., 2018. Itch: From mechanism to (novel) therapeutic approaches. *J. Allergy Clin. Immunol.* 142: 1375–1390. doi:10.1016/j.jaci.2018.09.005
- Young, T.A., Patel, T.S., Camacho, F., Clark, A., Freedman, B.I., Kaur, M., et al., 2009. A pramoxine-based anti-itch lotion is more effective than a control lotion for the treatment of uremic pruritus in adult hemodialysis patients. *J. Dermatolog. Treat.* 20: 76–81. doi:10.1080/09546630802441218
- Zakrzewska-Pniewska, B., & Jędras, M., 2001. Is pruritus in chronic uremic patients related to peripheral somatic and autonomic neuropathy? *Neurophysiol. Clin. Neurophysiol.* 31: 181–193. doi:10.1016/s0987-7053(01)00257-x
- Zucker, I., Yosipovitch, G., David, M., Gafter, U., & Boner, G., 2003. Prevalence and characterization of uremic pruritus in patients undergoing hemodialysis: Uremic pruritus is still a major problem for patients with end-stage renal disease. *J. Am. Acad. Dermatol.* 49: 842–846. doi:10.1016/S0190-

