



DAFTAR PUSTAKA

- [1] International Federation of Robotics, “The Impact of Robots on Productivity, Employment and Jobs,” *Positioning paper by the International Federation of Robotics*, no. April, pp. 1–14, 2017. [Online]. Available: https://ifr.org/img/office/IFR_The_Impact_of_Robots_on_Employment.pdf
- [2] J. A. Smith and M. K. Johnson, “Exploring the Impact of Robotics on Industrial Automation and Society,” pp. 15–17, 2014.
- [3] I. I. Hamarash, “Robotic Systems , Ch . I . Robotics : Introduction Robotic Systems , Chapter I Robotic Systems Robotics ; an Introduction Prof . Dr . Ibrahim Hamarash Salahaddin University-Erbil,” no. January, 2022.
- [4] M. Albonico, M. Đorđević, E. Hamer, and I. Malavolta, “Software engineering research on the Robot Operating System: A systematic mapping study,” *Journal of Systems and Software*, vol. 197, 2023.
- [5] S. Macenski, T. Moore, D. V. Lu, A. Merzlyakov, and M. Ferguson, “From the desks of ROS maintainers: A survey of modern capable mobile robotics algorithms in the robot operating system 2,” *Robotics and Autonomous Systems*, vol. 168, 2023.
- [6] T. Tsubouchi, “Introduction to simultaneous localization and mapping,” *Journal of Robotics and Mechatronics*, vol. 31, no. 3, pp. 367–374, 2019.
- [7] Z. An, L. Hao, Y. Liu, and L. Dai, “Development of mobile robot SLAM based on ROS,” *International Journal of Mechanical Engineering and Robotics Research*, vol. 5, no. 1, pp. 47–51, 2016.
- [8] R. Giubilato, S. Chiodini, M. Pertile, and S. Debei, “An evaluation of ROS-compatible stereo visual SLAM methods on a nVidia Jetson TX2,” *Measurement: Journal of the International Measurement Confederation*, vol. 140, pp. 161–170, 2019.
- [9] J. Zhang, L. Yuan, T. Ran, S. Peng, Q. Tao, W. Xiao, and J. Cui, “A dynamic detection and data association method based on probabilistic models for visual SLAM,” *Displays*, vol. 82, no. November 2023, p. 102663, 2024.
- [10] A. Ligocki and A. Jelínek, “Fusing the RGBD SLAM with Wheel Odometry,” *IFAC-PapersOnLine*, vol. 52, no. 27, pp. 7–12, 2019.



- [11] P. Kim, J. Chen, and Y. K. Cho, “SLAM-driven robotic mapping and registration of 3D point clouds,” *Automation in Construction*, vol. 89, no. May 2017, pp. 38–48, 2018.
- [12] F. Pan, J. Liu, Y. Cen, Y. Chen, R. Cai, Z. Zhao, W. Liao, and J. Wang, “Accuracy of RGB-D camera-based and stereophotogrammetric facial scanners: a comparative study,” *Journal of dentistry*, vol. 127, no. September, p. 104302, 2022. [Online]. Available: <https://doi.org/10.1016/j.jdent.2022.104302>
- [13] M. Nahangi, T. Czerniawski, C. T. Haas, and S. Walbridge, “Pipe radius estimation using Kinect range cameras,” *Automation in Construction*, vol. 99, no. March 2017, pp. 197–205, 2019. [Online]. Available: <https://doi.org/10.1016/j.autcon.2018.12.015>
- [14] A. Rahman, S. R. Mehedy, and R. M. Rahman, “Kinect 3D Reconstruction Fusion Mapping with C Algorithm by RGB-D Sensor,” *1st International Conference on Advances in Science, Engineering and Robotics Technology 2019, ICASERT 2019*, vol. 2019, no. Icasert, pp. 1–6, 2019.
- [15] P. R. Kapula, B. V. Reddy, B. Sushannth, B. S. Srikanth, A. Deekonda, and C. Jyothsna, “Creating Models for 3D printing Using Kinect based Scanners,” *7th International Conference on Communication and Electronics Systems, ICICES 2022 - Proceedings*, no. Icces, pp. 261–265, 2022.
- [16] L. Li, L. Schulze, and K. Kalavadia, “Promising SLAM Methods for Automated Guided Vehicles and Autonomous Mobile Robots,” *Procedia Computer Science*, vol. 232, pp. 2867–2874, 2024.
- [17] I. El Bouazzaoui, S. Rodriguez, B. Vincke, and A. El Ouardi, “Indoor visual SLAM dataset with various acquisition modalities,” *Data in Brief*, vol. 39, p. 107496, 2021. [Online]. Available: <https://doi.org/10.1016/j.dib.2021.107496>
- [18] C. Kerl, J. Stuckler, and D. Cremers, “Dense continuous-time tracking and mapping with rolling shutter RGB-D cameras,” *Proceedings of the IEEE International Conference on Computer Vision*, vol. 2015 International Conference on Computer Vision, ICCV 2015, pp. 2264–2272, 2015.
- [19] M. S. Alam Khan, D. Hussain, S. Khan, F. U. Rehman, A. Bin Aqeel, and U. S. Khan, “Implementation of SLAM by using a Mobile Agribot in a Simulated Indoor Environment in Gazebo,” *2021 International Conference on Robotics and Automation in Industry, ICRAI 2021*, no. October, 2021.



- [20] A. Kumar, K. U. Singh, P. Dadheech, A. Sharma, A. I. Alutaibi, A. Abugabah, and A. M. Alawajy, “Enhanced Route navigation control system for turtlebot using human-assisted mobility and 3-D SLAM optimization,” *Heliyon*, vol. 10, no. 5, 2024.
- [21] H. Anas and W. H. Ong, “An implementation of ROS Autonomous Navigation on Parallax Eddie platform,” 2021. [Online]. Available: <http://arxiv.org/abs/2108.12571>
- [22] L. Yan, X. Hu, L. Zhao, Y. Chen, P. Wei, and H. Xie, “DGS-SLAM: A Fast and Robust RGBD SLAM in Dynamic Environments Combined by Geometric and Semantic Information,” *Remote Sensing*, vol. 14, no. 3, 2022.
- [23] G. Brahmanage and H. Leung, “Building 2D maps with integrated 3D and visual information using kinect sensor,” *Proceedings - 2019 IEEE International Conference on Industrial Cyber Physical Systems, ICPS 2019*, pp. 218–223, 2019.
- [24] M. He, C. Zhu, Q. Huang, B. Ren, and J. Liu, “A review of monocular visual odometry,” *Visual Computer*, vol. 36, no. 5, pp. 1053–1065, 2020. [Online]. Available: <https://doi.org/10.1007/s00371-019-01714-6>
- [25] D. Nister, O. Naroditsky, and J. Bergen, “Visual odometry,” in *Proceedings of the 2004 IEEE Computer Society Conference on Computer Vision and Pattern Recognition, 2004. CVPR 2004.*, vol. 1, 2004, pp. I–I.
- [26] M. O. Aqel, M. H. Marhaban, M. I. Saripan, and N. B. Ismail, “Review of visual odometry: types, approaches, challenges, and applications,” *SpringerPlus*, vol. 5, no. 1, 2016.
- [27] K. Yousif, A. Bab-Hadiashar, and R. Hoseinnezhad, “An Overview to Visual Odometry and Visual SLAM: Applications to Mobile Robotics,” *Intelligent Industrial Systems*, vol. 1, no. 4, pp. 289–311, 2015.
- [28] M. N. Favorskaya, “Deep Learning for Visual SLAM: The State-of-the-Art and Future Trends,” *Electronics (Switzerland)*, vol. 12, no. 9, 2023.
- [29] T. Taketomi, H. Uchiyama, and S. Ikeda, “Visual SLAM algorithms: A survey from 2010 to 2016,” *IPSJ Transactions on Computer Vision and Applications*, vol. 9, 2017.



- [30] A. Macario Barros, M. Michel, Y. Moline, G. Corre, and F. Carrel, “A Comprehensive Survey of Visual SLAM Algorithms,” *Robotics*, vol. 11, no. 1, 2022.
- [31] R. Lin, Y. Wang, and S. Yang, “RGBD SLAM for Indoor Environment,” pp. 161–175.
- [32] M. Cashmore, M. Fox, D. Long, D. Magazzeni, B. Ridder, A. Carrera, N. Palomeras, N. Hurtós, and M. Carreras, “Rosplan: Planning in the robot operating system,” *Proceedings International Conference on Automated Planning and Scheduling, ICAPS*, vol. 2015-January, pp. 333–341, 2015.
- [33] H. Yoshida, H. Fujimoto, D. Kawano, Y. Goto, M. Tsuchimoto, and K. Sato, “Range extension autonomous driving for electric vehicles based on optimal velocity trajectory and driving braking force distribution considering road gradient information,” *IECON 2015 - 41st Annual Conference of the IEEE Industrial Electronics Society*, no. Figure 1, pp. 4754–4759, 2015.
- [34] P. Estefo, J. Simmonds, R. Robbes, and J. Fabry, “The Robot Operating System: Package reuse and community dynamics,” *Journal of Systems and Software*, vol. 151, pp. 226–242, 2019. [Online]. Available: <https://doi.org/10.1016/j.jss.2019.02.024>
- [35] S. Chitta, E. Marder-Eppstein, W. Meeussen, V. Pradeep, A. Rodríguez Tsouroukdissian, J. Bohren, D. Coleman, B. Magyar, G. Raiola, M. Lüdtke, and E. Fernández Perdomo, “ros_control: A generic and simple control framework for ros,” *The Journal of Open Source Software*, 2017. [Online]. Available: <http://www.theoj.org/joss-papers/joss.00456/10.21105.joss.00456.pdf>
- [36] M. M. Basheer and A. Varol, “An Overview of Robot Operating System Forensics,” *1st International Informatics and Software Engineering Conference: Innovative Technologies for Digital Transformation, IISEC 2019 - Proceedings*, no. December, 2019.
- [37] J. Collins, S. Chand, A. Vanderkop, and D. Howard, “A review of physics simulators for robotic applications,” *IEEE Access*, vol. 9, no. i, pp. 51 416–51 431, 2021.
- [38] B. Ikeda and D. Szafir, “Advancing the Design of Visual Debugging Tools for Roboticists,” *ACM/IEEE International Conference on Human-Robot Interaction*, vol. 2022-March, no. March, pp. 195–204, 2022.



- [39] I. M. Murwantara, B. Hardjono, H. Tjahyadi, and A. S. Putra, “A Consolidation of SLAM and Signal Reference Point for Autonomous Robot Navigation,” *HONET 2020 - IEEE 17th International Conference on Smart Communities: Improving Quality of Life using ICT, IoT and AI*, pp. 108–112, 2020.
- [40] T. Zhang, P. Wang, F. Zha, W. Guo, and M. Li, “RGBD Navigation: A 2D navigation framework for visual SLAM with pose compensation,” *Proceedings of the 2023 IEEE International Conference on Real-Time Computing and Robotics, RCAR 2023*, pp. 644–649, 2023.
- [41] L. Yan, L. Qi, K. Feiran, C. Guang, and C. Xinbo, “A study of improved global path planning algorithm for parking robot based on ROS,” *2020 4th CAA International Conference on Vehicular Control and Intelligence, CVCI 2020*, no. Cvci, pp. 607–612, 2020.
- [42] M. Kobayashi and N. Motoi, “Path Planning Method Considering Blind Spots Based on ROS Navigation Stack and Dynamic Window Approach for Wheeled Mobile Robot,” *2022 International Power Electronics Conference, IPEC-Himeji 2022-ECCE Asia*, pp. 274–279, 2022.
- [43] Z. Liu, “Implementation of SLAM and path planning for mobile robots under ROS framework,” *2021 IEEE 6th International Conference on Intelligent Computing and Signal Processing, ICSP 2021*, no. Icsp, pp. 1096–1100, 2021.
- [44] S. N. Kane, A. Mishra, and A. K. Dutta, “Preface: International Conference on Recent Trends in Physics (ICRTP 2016),” *Journal of Physics: Conference Series*, vol. 755, no. 1, 2016.
- [45] F. Fahmizal, A. Priyatmoko, E. Apriaskar, and A. Mayub, “Heading Control on Differential Drive Wheeled Mobile Robot with Odometry for Tracking Problem,” *2019 International Conference on Advanced Mechatronics, Intelligent Manufacture and Industrial Automation, ICAMIMIA 2019 - Proceeding*, pp. 47–52, 2019.
- [46] R. A. Newcombe, S. Izadi, O. Hilliges, D. Molyneaux, D. Kim, A. J. Davison, P. Kohi, J. Shotton, S. Hodges, and A. Fitzgibbon, “Kinectfusion: Real-time dense surface mapping and tracking,” in *2011 10th IEEE International Symposium on Mixed and Augmented Reality*, 2011, pp. 127–136.
- [47] K. Khoshelham and S. O. Elberink, “Accuracy and resolution of kinect depth data for indoor mapping applications,” *Sensors*, vol. 12, no. 2, pp. 1437–1454, 2012.



UNIVERSITAS
GADJAH MADA

Red Green Blue Depth (RGBD) Simultaneous Localization and Mapping (SLAM) menggunakan kamera Kinect untuk pemetaan

PRIYOGA MUHAMMAD RAFIEF, Dr. Fahmizal, S.T., M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>