UNIVERSITAS
GADJAH MADA
Efek Kastrasi Terhadap Rasio Protein-Kreatinin Urin pada Kucing Domestik (Felis catus)
ALISSA PUTRI ARSANTI, Prof. Dr. drh. Irkham Widiyono
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Akers, R. M. dan Denbow, D. M., 2013. *Anatomy and Physiology of Domestic Animals*. 2nd ed. USA: Wiley Blackwell.

Ardiansyah. 2016. Kucing Domestik Naik Kasta. *Cats dan Dogs.* Juli 2016: 10.

Armstrong, W. J., 1998. *Air Kehidupan*. Jakarta: Gramedia Pustaka Umum.

Aryanti, F. dan Romadhiyanti, F., 2021. Penyembuhan Luka Pasca Kastrasi pada Kucing Jantan dengan Menggunakan Sediaan Propolis Cair. *Jurnal AgroSainTa,* 1(5), pp. 1-8.

Atkinson, T., 2018. *Practical Feline Behaviour : Understanding Cat Behaviour and Improving Welfare.* Oxfordshire: CABI.

Aziz, I., 2023. *Ensiklopedia Hewan Vivipar.* Jakarta: Pustaka Referensi.

Bartges, J. dan Polzin, D. J., 2011. *Nephrology and Urology of Small Animals.* UK: Wiley Blackwell.

Baxmann, A. C. *et al*., 2008. Influence of Muscle Mass and Physical Activity on Serum and Urinary Creatinine and Serum Cystatin C. *Clinical Journal American Society of Nephrology,* Volume 3, pp. 348 - 354.

Bertieri, M. B., Lapointe, C., Conversy, B. dan Gara-Boivin, C., 2015. Effect of castration on the urinary protein-to-creatinine ratio of male dogs. *AJVR,* 76(12).

Budiman, J. Y., Muninggar, J., dan Sutresno, A., 2020. Investigasi Difusi pada Sistem Urinari untuk Gangguan Fungsi Ginjal Model Empat Kompartemen menggunakan Metode Monte Carlo. *Jurnal Fisika dan Aplikasinya,* 16(1), pp. 24-28.

Cazeaux, R. L. B., 2021. *Behavioural Disorders in Dogs and Cats.* Madrid: Grupo Asis.

Colville, T. dan Bassert, J. M., 2002. *Clinical Anatomy and Physiology for Veterinary Technicians.* USA: MOSBY.

Cottam, Y. H., Caley, P., Wamberg, S., dan Hendriks, W. H., 2002. Feline Reference Values for Urine Composition. *The Journal of Nutrition,* 132(6), pp. 1754S-1756S.

Creedon, J. M. B. dan Davis, H., 2012. *Advanced Monitoring and Procedures for Small Animal Emergency and Critical Care.* Iowa: Wiley Blackwell.

UNIVERSITAS
GADJAH MADA
Efek Kastrasi Terhadap Rasio Protein-Kreatinin Urin pada Kucing Domestik (Felis catus)
ALISSA PUTRI ARSANTI, Prof. Dr. drh. Irkham Widiyono
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Darawiroj, D. dan Choisunirachon, N., 2019. Morphological assessment of cat kidneys using computed tomography. *Anatomia, Histologia, Embryologia,* 48(4), pp. 358-365.

Deguchi, E., 1997. Relation between Daily Urinary Creatinine and Body Weight in Castrated Male Landrace Pigs. *Journal of Veterinary Medicine and Science,* 59(6), pp. 477-478.

Effendi, C. dan Setiawati, W., 2017. *Solusi Permasalahan Kucing.* Jakarta: Penebar Swadaya.

Fidalgo, M. A., Leal, R. O., dan Duarte-Correia, J. H., 2022. Urinary Protein/Creatinine Ratio in Feline Medicine: Reasons to Perform It and Its Role in Clinical Practice-A Retrospective Study. *Animals,* 12(1575).

Fossum, T. W., 2019. *Small Animal Surgery,.* 5th ed. Philadelphia: Elsevier.

Gafter, U., Ben-Bassat, M., dan Levi, J., 1990. Castration inhibits glomerular hypertrophy and proteinuria in uninephrectomized male rats. *European Journal of Clinical Investigation,* Volume 20, pp. 360-365.

Handajani, F., 2021. *Metode Pemilihan dan Pembuatan Hewan Model Beberapa Penyakit pada Penelitian Eksperimental.* Sidoarjo: Zifatama Jawara.

Harley, L. dan Langston, C., 2012. Review Article : Proteinuria in dogs and cats. *Can Vet J,* Volume 53, pp. 631-638.

Harris, A. N., Lee, H.W., Verlander, J. W., dan Weiner, I. D., 2020. Testosterone modulates renal ammonia metabolism. *AJP Renal Physiology,* 318(4), pp. F922-F935.

Hendriks, W. H., Rutherfurd-Markwick, Weidgraaf, K., Ugarte, C., dan Q. R. Rogers., 2007. Testosterone increases urinary free felinine, N-acetylfelinine and methylbutanolglutathione excretion in cats (Felis catus). *Journal of Animal Physiology and Animal Nutrition,* 92(2008), pp. 53-62.

Hendriks, W. H., Tarttelin, M. F., dan Moughan, P. J., 1995. Twenty-Four Hour Feline Excretion Patterns In Entire And Castrated Cats. *Physiology dan Behavior,* 58(3).

Howe, L. M., 2015. Current Perspectives On The Optimal Age To Spay/Castrate Dogs And Cats. *Veterinary Medicine : Research and Reports,* 6(19), pp. 171-180.

Hubrecht, R. C. dan Kirkwood, J., 2010. *The UFAW Handbook on the Care and Management of Laboratory and Other Research Animal.* 8th ed. UK: Wiley-Blackwell.

UNIVERSITAS
GADJAH MADA
Efek Kastrasi Terhadap Rasio Protein-Kreatinin Urin pada Kucing Domestik (Felis catus)
ALISSA PUTRI ARSANTI, Prof. Dr. drh. Irkham Widiyono
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Jepson, R. E. *et al.*, 2010. Measurement of urinary cauxin in geriatric cats with variable plasma creatinine concentrations and proteinuria and evaluation of urine cauxin-to-creatinine concentration ratio as a predictor of developing azotemia. *AJVR,* 71(8).

Klein, B. G., 2013. *Cunningham's Textbook of Veterinary Physiology.* 5th ed. Missouri: Elsevier.

Kneller, S. K. dan Muhlbauer, M. C., 2013. *Radiography of the Dog and Cat: Guide to Making and Interpreting Radiographs.* New York: John Wiley dan Sons.

Konig, H. E. dan Liebich, H.G., 2020. *Veterinary Anatomy of Domestic Animals.* 7th ed. Stuttgart: Thieme.

Martin, L. J., Siliart, B., Dumon, H. J., dan Nguyen, P., 2006. Spontaneous hormonal variations in male cats following gonadectomy. *Journal of Feline Medicine and Surgery,* Volume 8, pp. 309-314.

Mirmohammadi, A. A. R. P., 2019. Measuring Kidney To Abdominal Aorta Ratio Using Ultrasonography To Determine Kidney Size In Healthy Domestic Shorthair Cats. *International Transaction Journal of Engineering, Management, dan Applied Sciences dan Technologies,* 10(8), pp. 1053-1060.

Miyazaki, M. *et al.*, 2011. Screening for proteinuria in cats using a conventional dipstick test after removal of cauxin from urine with a Lens culinaris agglutinin lectin tip. *The Veterinary Journal,* Volume 189, pp. 312-317.

Miyazaki, M., Tetsuro, Y., Hideharu, T., dan Akemi, S., 2008. The Biological Function of Cauxin, a Major Urinary Protein of the Domestic Cat (Felis catus). In: J. L. Hurst, ed. *Chemical Signals in Vertebrates.* New York: Springer, pp. 51-60.

Miyazaki, M. *et al.*, 2006. Species, sex, and age-dependent urinary excretion of cauxin, a mammalian carboxylesterase. *Comparative Biochemistry and Physiology,* Volume 145, pp. 270-277.

Newman, D. J., Pugia, M. J., Lott, J. A., Wallace, J. F., dan Hiar, A. M., 2000. Urinary protein and albumin excretion corrected by creatinine and specific gravity. *Clinica Chimica Acta,* Volume 294, pp. 139-155.

Nickel, R., August, A., Eugen, S., dan Wolfgang, O. S., 1979. *Urogenital System dalam The Viscera of the Domestic Mammals.* New York: Springer.

Prober, L. G., Johnson, C. A., Olivier, N. B., dan Thomas, J. S., 2010. Effect of semen in urine specimens on urine protein concentration determined by means of dipstick analysis. *AJVR,* 71(3), pp. 288-292.

UNIVERSITAS
GADJAH MADA
Efek Kastrasi Terhadap Rasio Protein-Kreatinin Urin pada Kucing Domestik (Felis catus)
ALISSA PUTRI ARSANTI, Prof. Dr. drh. Irkham Widiyono
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Putri, D. M. A., Inayati, N., Kristinawati, E., Fihiruddin, dan Agrijanti., 2023. Overview of Pathological Color Urine Examination Result The Dip Cark Method. *Journal of Indonesias Laboratory Technology of Student (JILTS),* 2(31), pp. 70-75.

Ramdhany, D. N., Kustiyo, A., Handharyani, E., dan Buono, A., 2009. Diagnosis Gangguan Sistem Urinari pada Anjing dan Kucing Menggunakan VFI 5. *Jurnal Ilmu Komputer dan Informasi,* Volume 2, pp. 87-94.

Reichler, I. M., 2009. Gonadectomy in Cats and Dogs: A Review of Risks and Benefits. *Reproduction in Domestic Animals,* 44(2), pp. 29-35.

Rizzi, T. E., Valenciano, A., Bowles, M., Cowell, R., Tyler, R., dan DeNicola, D. B. 2017. *Atlas of canine and feline urinalysis.* 1st ed. New Jersey: John Wiley dan Sons.

Sakemi, T. dan Baba, N., 1993. Castration Attenuates Proteinuria and Glomerular Injury in Hyperlipidémie M ale Imai Rats. *Nephron,* Volume 64, pp. 429-435.

Salsabila, R. A. I. 2023. Efek Kastrasi terhadap *Glomerulus Filtration Rate* (GFR), Ukuran Ginjal, dan Karakteristik Urin. Tesis. Program Studi Sain Veteriner. Fakultas Kedokteran Hewan, Universitas Gadjah Mada, Yogyakarta.

Schmeltzer, L. E. dan Norsworthy, G. D., 2012. *Nursing the Feline Patient.* Sussex: Wiley-Blackwell.

Shiroma, J. T., Gabriel, J. K., Carter, R. L., Cruggs, S. L., and Stubbs, P.W., 1999. Effect Of Reproductive Status On Feline Renal Size. *Veterinary Radiology dan Ultrasound,* 40(3), pp. 242 - 245.

Singh, B., 2018. *Dyce, Sack and Wensing's Textbook of Veterinary Anatomy.* 5th ed. Missouri: Elsevier

Suwed, M. A. dan Napitupulu, R. M., 2011. *Panduan Lengkap Kucing.* Jakarta: Penebar Swadaya.

Tear, M., 2012. *Small Animal Surgical Nursing, Skills and Concepts.* 2nd ed. Missouri: Elsevier.

Untari, S., Susanti, N. M. M., Kodiyah, N., dan Himawati, L., 2023. *Buku Ajar Anatomi dan Fisiologi.* Pekalongan: Penerbit NEM.

Xue, W., Hsu, T. H., Wang, H. C., Chen, K. S., and Lee, W. M., 2017. Different Levels of Urinary Cortisol and Creatinine Presented at Different Time Points between Intact Male Dogs and Sterilized Dogs. *Pakistan Veterinary Journal,* 37(3), pp. 350-354.

UNIVERSITAS
GADJAH MADA
Efek Kastrasi Terhadap Rasio Protein-Kreatinin Urin pada Kucing Domestik (Felis catus)
ALISSA PUTRI ARSANTI, Prof. Dr. drh. Irkham Widiyono
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang, C. Y. *et al.,* 2015. Diagnostic Accuracy of Urine Protein/ Creatinine Ratio Is Influenced by Urine Concentration. *PLoS ONE,* 10(9), pp. 1-13.

Yuliarti, N., 2010. *Hidup Sehat Bersama Kucing Kesayangan.* Jakarta: Gramedia Pustaka Utama.

Yusril, Syarif, S., dan Bintang, 2022. Perbandingan Sedimen Urin Masyarakat Pesisir di Kelurahan Nambo dan Kessilampe. *Jurnal MediLab Mandala Waluya,* 6(1), pp. 69-79.