

DAFTAR PUSTAKA

- Afrianto, W.F., Tamnge, F. & Hasanah, L.N. 2020. Review: A Relation between ethnobotany and bioprospecting of edible flower butterfly pea (*Clitoria ternatea*) in Indonesia. *Asian Journal of Ethnobiology*, 3(2): 51-61.
- Akar, Z., Küçük, M. & Doğan, H. 2017. A new colorimetric DPPH scavenging activity method with no need for a spectrophotometer applied on synthetic and natural antioxidants and medicinal herbs. *Journal of enzyme inhibition and medicinal chemistry*, 32(1): 640-647.
- Akar, Z., Orhan, E. & Durmuş, S. 2021. Effects of cold and hot infusions on antioxidant activities of rosehip tea bag. *Turkish Journal of Agriculture - Food Science and Technology*, 9(8): 1455-1459.
- Al-Asmari, A.K. *et al.* (2014) A review of hepatoprotective plants used in Saudi traditional medicine. *Evidence-Based Complementary and Alternative Medicine*, 1-22.
- Amalia, L., Endro, O.P., Rizal, D. & Damanik, M.R.M. 2012. Referensi dan frekuensi konsumsi makanan jajanan pada anak sekolah dasar di Kecamatan Cijeruk, Kabupaten Bogor. *J. Gizi dan Pangan*, 7(2): 119–126.
- Ambari, Y., Fitri, S. & Nurrosyidah, I.H. 2021. Uji aktivitas antioksidan masker gel peel-off ekstrak etanol kelopak bunga rosela (*Hibiscus sabdariffa* L.) dengan metode DPPH (1,1- Diphenyl-2-picrylhydrazyl). *Jurnal Farmasi Indonesia*, 18(1): 56-58.
- Amorati, R. & Valgimigli, L. 2018. Methods to measure the antioxidant activity of phytochemicals and plant extracts. *J. Agric. Food Chem*, 66: 3324–3329.
- Andesa, S.K., Supriatno & Hafnati. 2020. Kandungan senyawa metabolit sekunder pada teh herbal kombinasi telang (*Clitoria ternatea* L.) dan kemangi (*Ocimum sanctum* L.). *Jurnal Biologi Edukasi*, 12(2): 105-112.
- Andriani, D. & Murtisiwi, L. 2020. Uji aktivitas antioksidan ekstrak etanol 70% bunga telang (*Clitoria ternatea* L.) dari Daerah Sleman dengan metode DPPH. *Pharmakon: Jurnal Farmasi Indonesia*, 17(1): 70-76.
- Badarinath A.V., Rao M.K., Chetty C.M.S., Ramkanth S., Rajan T.V.S. Gnanaprakash K. 2010. A review on in-vitro antioxidant methods: comparisons, correlations, and considerations. *International Journal of PharmTech Research*, 2(2): 1276-1285.
- Brown, P.D., Tokuhisa, J.G., Reichelt, M. & Gershenzon, J. 2003. Variation of glucosinolate accumulation among different organs and developmental stages of *Arabidopsis thaliana*. *Phytochemistry*, 62: 471–481.
- Budiasih, K.S. 2017. Kajian potensi farmakologis bunga telang (*Clitoria ternatea*). *Prosiding Seminar Nasional Kimia UNY*, 21(4): 183–188.

- Cahyaningsih, E., Yuda, P.E.S.K. & Santoso, P. 2019. Skrining fitokimia dan uji aktivitas antioksidan ekstrak etanol bunga telang (*Clitoria ternatea* L.) dengan metode spektrofotometri Uv-Vis. *Jurnal Ilmiah Medicamento*, 5(1): 51-57.
- Chairunnisa, S., Wartini, N.M. & Suhendra, L. 2019. Pengaruh suhu dan waktu maserasi terhadap karakteristik ekstrak daun bidara (*Ziziphus mauritiana* L.) sebagai sumber saponin. *Jurnal Rekayasa dan Manajemen Agroindustri*, 7(4): 552- 553.
- Charissa, M., Djajadisastra, J. & Elya, B. 2016. Uji aktivitas antioksidan dan penghambatan tirosinase serta uji manfaat gel ekstrak kulit batang taya (*Nauclea subdita*) terhadap kulit. *Jurnal Kefarmasian Indonesia*, 6(2): 98-107.
- Dwimayasanti, R. 2018. Rumput laut: antioksidan alami penangkal radikal bebas. *Oseana*, 43(2): 13-23.
- Fidrianny, I., Darmawati, A. & Sukrasno. 2014. Antioxidant capacities from different polarities extracts of Cucurbitaceae leaves using FRAP, DPPH assays and correlation with phenolic, flavonoid, carotenoid content. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6: 858-862.
- Gardjito, M. & Rahadian, D. 2016. *Teh: Sejarah dan Tradisi Minum Teh, Cara Benar Menyeduh dan Menikmati Teh, Khasiat Teh*. Yogyakarta: PT Kanisius.
- Haerani, A., Chaerunisa, A.Y. & Subarans, A. 2018. Artikel tinjauan: antioksidan untuk kulit. *Farmaka*, 16(2): 135-151.
- Halliwell, B. 2006. Reactive species and antioxidants. Redox biology is a fundamental theme of aerobic life. *Plant Physiology*, 141: 312–322.
- Handayani, V., Ahmad, A.R. & Sudir, M. 2014. Uji aktivitas antioksidan ekstrak metanol bunga dan daun patikala (*Etlingera elatior* (Jack) R.M.Sm) menggunakan metode DPPH. *Pharm Sci Res*, 1(2): 86-93.
- Handayani, T.H., Budiman, M.A., Amalia, R.L.R., Pribadi, A., Elfirta, R.R. & Ferdian, P.R. 2022. Aktivitas antioksidan, total fenolik, dan total flavonoid madu *Apis mellifera* dari hutan akasia (*Accacia crassicarpa*) Riau, Indonesia dengan beberapa perlakuan pengeringan. *Jurnal Biologi Indonesia*, 18(2): 231-243.
- Hasnaeni, Wisdawati & Usman, S. 2019. Pengaruh metode ekstraksi terhadap rendemen dan kadar fenolik ekstrak tanaman kayu beta-beta (*Lunasia amara* Blanco). *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)*, 5(2): 175–182.

- Hayati, E.K., Ningsih, R. & Latifah, L. 2015. Antioxidant activity of flavonoid from Rhizome *Kaemferia galanga* L. Extract. *ALCHEMY: Journal of Chemistry*, 4(2): 127-137.
- Hidayati, N., Aina, Q. & Arlingga, M.P. 2021. Pengaruh penambahan ekstrak bunga telang (*Clitoria ternatea* L.) terhadap sifat organoleptik dan kandungan antosianin ice cream. *Jurnal Info Kesehatan*, 11(1): 444-452.
- Ibroham, M.H., Jamilatun, S. & Kumalasari, I.D. 2022. A Review: Potensi tumbuhan-tumbuhan di Indonesia sebagai antioksidan alami. *Seminar Nasional Penelitian LPPM UMJ*, 28: 1-13.
- ITIS. 2023. *Integrated Taxonomic Information System - Report: Clitoria ternatea* L. Retrieved March 27, 2023, from ITIS - Report: *Clitoria ternatea*.
- Jafaar, N.F., Ramli, M.E. & Salleh, R.M. 2020. Optimum extraction condition of *Clitorea ternatea* flower on antioxidant activities, total phenolic, total flavonoid, and total anthocyanin contents. *Tropical Life Sciences Research*, 31(2): 1-17.
- Jannah, S. Kurniawan, D.R. & Mulyani, E. 2022. Uji aktivitas antioksidan variasi perlakuan bunga telang (*Clitoria ternatea* L.) dengan metode DPPH. *Jurnal Ilmiah Pharmacy*, 9(1): 154-162.
- Jeong, S.M., Kim, S.Y., Kim, D.R., Jo, S.C., Nam, K.C., Ahn, D.U. & Lee, S.C. 2004. Effect of heat treatment on the antioxidant activity of extracts from citrus peels. *J-Agric. Food Chem*, 52: 3389-3393.
- Jeyaraj, E.J., Lim, Y.Y. & Choo, W.S. 2021. Effect of organic solvents and water extraction on the phytochemical profile and antioxidant activity of *Clitoria ternatea* flowers. *ACS Food Science & Technology*, 1(9): 1567-1577.
- Karray-Bouraoui, N., Ksouri, R., Falleh, H., Rabhi, M., Jaleel, C.A., Grignon, C. & Lachaal, M. 2010. Effects of environment and developmental stage on phenolic content and antioxidant activities of *Mentha pulegium* L. *J. Food Biochem*, 34: 79-89.
- Kedare, S.B. & Singh, R.P. 2011. Genesis and development of DPPH method of antioxidant assay. *Journal of food science and technology*, 48(4): 412- 424.
- Kurniawati, D. & Nastiti, K. 2020. Potentials of betel leaf infusion (*Piper betle* L), lime peel extract (*Citrus aurantifolia*) and bundung extract (*Actinoscirpus grossus*) as Candidiasis Therapy. *Berkala Kedokteran*, 16(2): 95-104.
- Lachman, J., Orsa'k, M., Pivec, V., Dudjak, J. & Krym, O. 2003. Polyphenol content in green, black and oolong tea (*Camellia sinensis*/L./Kuntze) infusions in different times of tea maceration. *Scientia Agriculturae Bohemica*, 34(1): 22-28.
- Lakshan, S.A.T., Jayanath, N.Y., Abeysekera, W.P.K.M. & Abeysekera, W.K.S.M. 2019. A commercial potential blue pea (*Clitoria ternatea* L.)

- flower extract incorporated beverage having functional properties. *Evidence-Based Complementary and Alternative Medicine*, 2019: 1-13.
- Lijon, M.B., Meghla, N.S., Jahedi, E., Rahman, M.A. & Hossain, I. 2017. Phytochemistry and pharmacological activities of *Clitoria ternatea*. *International Journal of Natural and Social Sciences*, 4(1): 1-10.
- Lin, S.-D., Liu, E.-H. & Mau, J.-L. 2008. Effect of different brewing methods on antioxidant properties of steaming green tea. *LWT – Food Science and Technology*, 41(9): 1616–1623.
- Lu, X., Li, N., Qiao, X., Qiu, Z. & Liu, P. 2017. Composition analysis and antioxidant properties of black garlic extract. *Journal of Food and Drug Analysis*, 25(2): 340-349.
- Maneesai, P., Iampanichakul, M., Chaihongsa, N., Poasakate, A., Potue, P., Rattanakanokchai, S., et al. 2021. Butterfly pea flower (*Clitoria ternatea* linn.) extract ameliorates cardiovascular dysfunction and oxidative stress in nitric oxide-deficient hypertensive rats. *Antioxidants*, 10(523): 1-16.
- Manjula, P. et al. 2013. Phytochemical analysis of *Clitoria ternatea* Linn, A valuable medicinal plant. *The Journal of Indian Botanical Society*, 92(3&4): 173-178.
- Marpaung, A.M. 2020. Tinjauan manfaat bunga telang (*Clitoria ternatea* L.) bagi kesehatan manusia. *Journal of Functional Food and Nutraceutical*, 1(2): 47-69.
- Molyneux, P. 2004. The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin Journal Science Technology*, 26(2): 211-219.
- Momuat, L., Fatimah, F., Wehaantouw, F. & Mamondo, O. 2010. Efek pemanasan terhadap total antioksidan dari beberapa jenis sayuran tinutuan. *Chem. Prog.*, 3(2): 85-90.
- Monica, A., Madrau, Piscopo, A., Sanguetti, A.M., Caro, A.D., Poina, M., Romeo, F.V. & Piga, A. 2009. Effect of drying temperature on polyphenolic content and antioxidant activity of Apricots. *Europe Food Reseach Technology*, 228: 441–448.
- Mukherjee, P.K., Kumar, V., Kumar, N.S. & Heinrich, M. 2008. The Ayurvedic medicine *Clitoria ternatea* – From traditional use to scientific assessment. *J. of Ethnopharmacology*, 120(3): 291-301.
- Noviana, D., Handharyani, E., Purwantiningsih, Wresdiyati, T., Wientarsih, I. & Agungpriyono. 2018. *Strategi Pengembangan teknologi Diagnostik Penyakit dan Penanganan Kesehatan Hewan dalam Rangka mendukung Kesejahteraan Manusia*. Bogor: PT Penerbit IPB Press.

- Oguis, G.K., Gilding, E.K., Jackson, M.A. & Craik, D.J. 2019. *Butterfly Pea (Clitoria ternatea)*, a cyclotide-bearing plant with applications in agriculture and medicine. *Frontiers in Plant Science*, 10: 1-23.
- Parnovsky, S. 2022. *About the Biggest, the Smallest, and Everything Else: Travelling Through the Universe with a Physicist Guide*. Singapore: World Scientific Publishing.
- Pham, T.N. et al. 2019. Effect of various factors on extraction efficiency of total anthocyanins from butterfly pea (*Clitoria ternatea* L. Flowers) in Southern Vietnam. *IOP Conference Series: Materials Science and Engineering*, 544(1): 1-5.
- Poswal, F.S., Russell, G., Mackonochie, M., MacLennan, E., Adukwu, E.C. & Rolfe, V. 2019. Herbal teas and their health benefits: A scoping review. *Plant Foods for Human Nutrition*, 74: 266- 276.
- Poth, A.G. et al. 2011 Discovery of cyclotides in the Fabaceae plant family provides new insights into the cyclization, evolution, and distribution of circular proteins. *ACS Chemical Biology*, 6(4): 345-355.
- Prado, A.S.L., Shen, Y., Ardoin, R., Osorio, L.F., Cardona, J., Xu, Z. & Prinyawiwatkul, Q. 2018. Effects of different solvents on total phenolic and total anthocyanin contents of *Clitoria ternatea* L. petal and their anti-cholesterol oxidation capabilities. *International Journal of Food Science and Technology*, 1: 1-8.
- Putri, D. D. & Ulfin, I. 2015. Pengaruh suhu dan waktu ekstraksi terhadap kadar kafein dalam teh hitam. *Jurnal Sains dan Seni ITS*, 4(2): 105-108.
- Rahmayani, U., Pringgenies, D. & Djunaedi, A. (2013) Uji aktivitas antioksidan ekstrak kasar keong bakau (*Telescopium telescopium*) dengan pelarut yang berbeda terhadap metode DPPH (Diphenyl Picril Hidrazil). *Journal of Marine Research*, 2(4): 36-45.
- Rani, V. & Yadav, U.C.S. 2018. *Functional Food and Human Health*. Springer Nature Singapore Pte Ltd, Singapore.
- Sadeer, B.N., Montesano, D., Albrizio, S., Zengin, G. & Mahomoodally, M. F. 2020. The versatility of antioxidant assays in food science and safety-chemistry, applications, strengths, and limitations. *Antioxidants*, 9(8): 7-9.
- Samaniego-Sánchez, C., Inurreta-Salinas, Y., Quesada-Granados, J.J., Blanca-Herrera, R., Villalón-Mir, M., López-García de la Serrana, H. & López Martínez, M.C. 2011. The influence of domestic culinary processes on the trolox equivalent antioxidant capacity of green tea infusions. *Journal of Food Composition and Analysis*, 24(1): 79-86.
- Schieber, M. & Chandel, N.S. 2014. ROS function in redox signaling and oxidative stress. *Current Biology*, 24: 453–462.

- Sejati, N.I.P. & Mulyono, R.A. 2022. Karakteristik bolu kukus dengan penambahan ekstrak dan kelopak bunga telang. *Jurnal Akademika Baiturrahim Jambi (JABJ)*, 11(2): 175-184.
- Sholekah, F.F. 2017. Perbedaan ketinggian tempat terhadap kandungan flavonoid dan beta karoten buah karika (*Carica pubescens*) Daerah Dieng Wonosobo. *Prosiding, Seminar Nasional Pendidikan Biologi dan Biologi*, 2: 75-82.
- Silawarti, P.A.K. & Adhyaksa, I.N.M.P. 2023. Potensi aktivitas dari ekstrak bunga telang (*Clitoria ternatea* L.) sebagai antioksidan alami dalam bentuk sediaan tablet *effervescent*. *Workshop dan Seminar Nasional Farmasi*, 2: 196-208.
- Sumarlin, L.O. et al. 2023. Aktivitas penangkapan radikal DPPH (1,1-Diphenyl-2-picrylhydrazyl) ekstrak madu sebelum dan sesudah pemanasan. *Jurnal Riset Sains dan Teknologi*, 7(2): 191-199.
- Sumartini, Ikrawan, Y. & Muntaha, F.M. 2020. Analisis bunga telang (*Clitoria ternatea*) dengan variasi pH metode liquid chromatograph-tandem mass spectrometry (LC-MS/MS). *Pasundan Food Technology Journal*, 7(2): 70-77.
- Sun, Y., Rukeya, J., Tao, W., Sun, P. & Ye, X. 2017. Bioactive compounds and antioxidant activity of wolfberry infusion. *Scientific Reports*, 7(40605): 1-8.
- Supomo, Hayatus, S.S.F., Syamsul, E.S., Kintoko, S.F., Witasari, H.A. & Noorcahyati. 2021. *Khasiat Tumbuhan Akar Kuning Berbasis Bukti*. Makassar: Nas Media Pustaka.
- Syamsul, E.S., Anugerah, O. & Supriningrum, R. 2020. Penetapan rendemen ekstrak daun jambu mawar (*Syzygium jambos* L. Alston) berdasarkan variasi konsentrasi etanol dengan metode maserasi. *Jurnal Riset Kefarmasian Indonesia*, 2(3):147-157.
- Wardaningrum, R.Y., Susilo, J. & Dyahariesti. 2019. *Perbandingan Aktivitas Antioksidan Ekstrak Etanol Terpurifikasi Ubi Jalar Ungu (*Ipomoea batatas* L.) dengan Vitamin E*. Program Studi Farmasi, Fakultas Ilmu Kesehatan. Ungaran: Universitas Ngudi Waluyo.
- Widyastuti, N. 2010. *Pengukuran aktivitas antioksidan dengan metode CUPRAC, DPPH, dan FRAP serta korelasinya dengan fenol dan flavonoid pada enam tanaman*. Institut Pertanian Bogor, Bogor.
- Xu, G.H., Chen, J.C., Liu, D.H., Zhang, Y.H., Jiang, P. & Ye, X.Q. 2008. Minerals, phenolic compounds, and antioxidant capacity of citrus peel extract by hot water. *J Food Sci*, 73(1): 11-18.

- Yang, D.-J., Hwang, L.S. & Lin, J.-T. 2007. Effects of different steeping methods and storage on caffeine, catechins and gallic acid in bag tea infusions. *Journal of Chromatography A*, 1156(1/2): 312–320.
- Yuann, J.M.P., Wu, J.Y., Chang, H.H. & Liang, J.Y. 2015. Effects of temperature and water steeping duration on antioxidant activity and caffeine content of tea. *MC Trans. Biotechnol*, 7: 22–32.
- Yumni, G.G., Sumantri, S., Nuraini, I. & Nafis, I.J. 2022. Profil antioksidan dan kadar flavonoid total fraksi air dan etil asetat ekstrak etanol bunga telang (*Clitoria ternatea* L.). *Jurnal Ilmiah Cendekia Eksakta*, 7(1): 12-17.
- Zamzani, I. & Triadisti, N. 2021. Limpasu Pericarpium: an alternative source of antioxidant from Borneo with sequential maceration method. *Jurnal Profesi Medika: Jurnal Kedokteran Dan Kesehatan*, 15(1): 60-68.
- Zhou, C., Sun, C., Chen, K. & Li, X. 2011. Flavonoids, phenolics, and antioxidant capacity in the flower of *Eriobotrya japonica* Lindl. *Int. J. Mol. Sci.*, 12: 2935-2945.