

DAFTAR PUSTAKA

- Abdallah, H.M., Mohamed, G.A. and Ibrahim, S.R. (2022) 'Lansium domesticum—a fruit with multi-benefits: Traditional uses, phytochemicals, nutritional value, and bioactivities', *Nutrients*, 14(7), p. 1531. doi:10.3390/nu14071531.
- Abdin, S.M., Tolba, M.F., Zaher, D.M. and Omar, H.A., (2021) 'Nuclear factor- κ B signaling inhibitors revert multidrug-resistance in breast cancer cells', *Chemico-Biological Interactions*, 340, p.109450.
- Adinew, G.M., Messeha, S., Taka, E., Ahmed, S.A. and Soliman, K.F., (2023) 'The role of apoptotic genes and protein-protein interactions in triple-negative breast cancer', *Cancer Genomics & Proteomics*, 20(3), pp.247-272.
- Agatonovic-Kustrin, S. *et al.* (2019) 'High-performance thin-layer chromatography hyphenated with microchemical and biochemical derivatizations in bioactivity profiling of marine species', *Marine Drugs*, 17(3), p. 148. doi:10.3390/md17030148.
- Aliyah, A.N., Lintang Sari, G., Maran, G.G., Hermawan, A. and Meiyanto, E., (2022) 'Cinnamon oil as a co-chemotherapy agent through inhibition of cell migration and MMP-9 expression on 4T1 cells', *Journal of Complementary and Integrative Medicine*, 19(4), pp.921-928.
- Almansour, N.M. (2022) 'Triple-negative breast cancer: A brief review about epidemiology, risk factors, signaling pathways, treatment and role of Artificial Intelligence', *Frontiers in Molecular Biosciences*, 9. doi:10.3389/fmolb.2022.836417.
- Amalina, N.D., Salsabila, I.A., Zulfin, U.M., Jenie, R.I. and Meiyanto, E., (2023) 'In vitro synergistic effect of hesperidin and doxorubicin downregulates epithelial-mesenchymal transition in highly metastatic breast cancer cells', *Journal of the Egyptian National Cancer Institute*, 35(1), p.6.
- Arellano-Rodríguez, N.C., Alvarez-Quezada, O.A., Benavides, P.Z., Vargas-Alanís, G., Franco-Molina, M., Zamora-Ávila, D., Arellano-Rodríguez, M., Saavedra-Alonso, S., Izaguirre-Álvarez, J.M. and Rodríguez-Padilla, C., (2022) 'Curcumin sensitizes 4T1 murine breast cancer cells to cisplatin through PAR4 secretion', *in vivo*, 36(6), pp.2767-2773.
- Bernardi, P., Gerle, C., Halestrap, A.P., Jonas, E.A., Karch, J., Mnatsakanyan, N., Pavlov, E., Sheu, S.S. and Soukas, A.A., (2023) 'Identity, structure, and function of the mitochondrial permeability transition pore: controversies, consensus, recent advances, and future directions', *Cell Death & Differentiation*, 30(8), pp.1869-1885.
- Beusterien, K. *et al.* (2012) 'Patient preferences for chemotherapies used in breast cancer', *International Journal of Women's Health*, p. 279. doi:10.2147/ijwh.s31331.
- Bishayee, A., Ahmed, S., Brankov, N. and Perloff, M., (2011) 'Triterpenoids as potential agents for the chemoprevention and therapy of breast cancer', *Frontiers in bioscience: a journal and virtual library*, 16, p.980.

- Cox, J. and Weinman, S., (2016) 'Mechanisms of doxorubicin resistance in hepatocellular carcinoma', *Hepatic oncology*, 3(1), pp.57-59.
- Demirel, P. et al. (2020). 'Effects of leptin on the viability of MCF-7 and T47D cells at different glucose concentrations', *Journal of experimental and clinical medicine*, 37(4), pp.119-125.
- Devanaboyina, M., Kaur, J., Whiteley, E., Lin, L., Einloth, K., Morand, S., Stanbery, L., Hamouda, D. and Nemunaitis, J., (2022) 'NF- κ B signaling in tumor pathways focusing on breast and ovarian cancer', *Oncology reviews*, 16, p.10568.
- Dewi, C. et al. (2022) 'Signaling pathways and natural compounds in triple-negative breast cancer cell line', *Molecules*, 27(12), p. 3661. doi:10.3390/molecules27123661.
- Fadhilah, K., Wahyuono, S. and Astuti, P. (2021) 'A bioactive compound isolated from Duku (*lansium domesticum* corr) fruit peels exhibits cytotoxicity against T47D cell line', *F1000Research*, 9, p. 3. doi:10.12688/f1000research.21072.2.
- Franken, N.A., Rodermond, H.M., Stap, J., Haveman, J. and Van Bree, C. (2006) 'Clonogenic assay of cells in vitro', *Nature protocols*, 1(5), pp.2315-2319.
- Gamble, C., McIntosh, K., Scott, R., Ho, K.H., Plevin, R. and Paul, A., (2012) 'Inhibitory kappa B Kinases as targets for pharmacological regulation', *British journal of pharmacology*, 165(4), pp.802-819.
- Haagensen, E.J. et al. (2012) 'The synergistic interaction of MEK and PI3K inhibitors is modulated by mtor inhibition', *British Journal of Cancer*, 106(8), pp. 1386–1394. doi:10.1038/bjc.2012.70.
- Haryanti, S. et al. (2022) 'The cytotoxic and anti-migratory properties of *Caesalpinia Sappan* and *ficus septica*, in combination with doxorubicin on 4t1 TNBC cells with nephroprotective potential', *Asian Pacific Journal of Cancer Prevention*, 23(2), pp. 743–752. doi:10.31557/apjcp.2022.23.2.743.
- Huang, J., Zhao, M., Li, X., Ma, L., Zhang, J., Shi, J., Li, B., Fan, W. and Zhou, Y., (2015) 'The cytotoxic effect of the benzene metabolite hydroquinone is mediated by the modulation of MDR1 expression via the NF- κ B signaling pathway', *Cellular Physiology and Biochemistry*, 37(2), pp.592-602.
- Inic, Z., Zegarac, M., Inic, M., Markovic, I., Kozomara, Z., Djuriscic, I., Inic, I., Pupic, G. and Jancic, S., (2014) 'Difference between luminal A and luminal B subtypes according to Ki-67, tumor size, and progesterone receptor negativity providing prognostic information', *Clinical Medicine Insights: Oncology*, 8, pp.CMO-S18006.
- Ji, J., Zhang, Z., He, X., Pan, G., Li, G., Lv, J., Xu, Y., Xie, M., Feng, J., Wang, W. and Liu, B., (2023) 'A novel ribociclib derivative WXJ-103 exerts anti-breast cancer effect through CDK4/6', *Anti-Cancer Drugs*.
- Johnson-Arbor, K. and Dubey, R. (2023) '*Doxorubicin*, *StatPearls [Internet]*'. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK459232/> (Accessed: 29 April 2024).

- Karthika, C., Sureshkumar, R., Zehravi, M., Akter, R., Ali, F., Ramproshad, S., Mondal, B., Tagde, P., Ahmed, Z., Khan, F.S. and Rahman, M.H., (2022) 'Multidrug resistance of cancer cells and the vital role of P-glycoprotein', *Life*, 12(6), p.897.
- Kitsios, K., Sharifi, S. and Mahmoudi, M., (2023) 'Nanomedicine technologies for diagnosis and treatment of breast cancer', *ACS Pharmacology & Translational Science*, 6(5), pp.671-682.
- Kumar, S., Jyotirmayee, K. and Sarangi, M., (2013) 'Thin layer chromatography: a tool of biotechnology for isolation of bioactive compounds from medicinal plants', *International Journal of Pharmaceutical Sciences Review and Research*, 18(1), pp.126-132.
- Labibah, Q., Tun, K.N.W., Aminah, N.S., Kristanti, A.N., Ramadhan, R., Takaya, Y., Abdullah, C.A.C. and Masarudin, M.J., (2021) 'Cytotoxic constituent in the fruit peel of *Lansium domesticum*', *Rasayan Journal of Chemistry*, 14(2), pp.1336-1340.
- Li, W., Zhou, J. and Xu, Y. (2015) 'Study of the in vitro cytotoxicity testing of medical devices', *Biomedical Reports*, 3(5), pp. 617–620. doi:10.3892/br.2015.481.
- Majtnerová, P. and Roušar, T. (2018) 'An overview of apoptosis assays detecting DNA fragmentation', *Molecular Biology Reports*, 45(5), pp. 1469–1478. doi:10.1007/s11033-018-4258-9.
- Manjunath, M. and Choudhary, B. (2021) 'Triple-negative breast cancer: A run-through of features, classification and current therapies (review)', *Oncology Letters*, 22(1). doi:10.3892/ol.2021.12773.
- Mayanti, T. *et al.* (2023) 'New triterpenoids from *Lansium Domesticum* Corr. CV Kokossan and their cytotoxic activity', *Molecules*, 28(5), p. 2144. doi:10.3390/molecules28052144.
- Meiyanto, E., Hermawan, A. and Anindyajati, A. (2012) 'Natural products for cancer-targeted therapy: Citrus flavonoids as potent chemopreventive agents', *Asian Pacific Journal of Cancer Prevention*, 13(2), pp. 427–436. doi:10.7314/apjcp.2012.13.2.427.
- Mollah, F. and Varamini, P. (2021) 'Overcoming therapy resistance and relapse in TNBC: Emerging technologies to target breast cancer-associated fibroblasts', *Biomedicines*, 9(12), p. 1921. doi:10.3390/biomedicines9121921.
- Mohammed, S., *et al.* (2021) 'Sublethal doxorubicin promotes migration and invasion of breast cancer cells: role of Src Family non-receptor tyrosine kinases', *Breast Cancer Research*, 23(1), p.76.
- Muslim, A. *et al.* (2022) 'Diseases severity, genetic variation, and pathogenicity of Ceratocystis wilt on *lansium domesticum* in South Sumatra, Indonesia', *The Plant Pathology Journal*, 38(2), pp. 131–145. doi:10.5423/ppj.oa.12.2021.0182.
- Muthusamy, G., Gunaseelan, S. and Prasad, N.R., (2019) 'Ferulic acid reverses P-glycoprotein-mediated multidrug resistance via inhibition of PI3K/Akt/NF- κ B signaling pathway', *The Journal of nutritional biochemistry*, 63, pp.62-71.

- Nicoletto, R.E. and Ofner III, C.M., (2022) 'Cytotoxic mechanisms of doxorubicin at clinically relevant concentrations in breast cancer cells', *Cancer Chemotherapy and Pharmacology*, 89(3), pp.285-311.
- Nishizawa, M., Nishide, H., Kosela, S. and Hayashi, Y., (1983) 'Structure of lansiosides: biologically active new triterpene glycosides from *Lansium domesticum*', *The Journal of Organic Chemistry*, 48(24), pp.4462-4466.
- Omar, S., (2001) '*Phytochemical discovery of antifeedant, antimicrobial and antimalarial principles*', University of Ottawa (Canada).
- Park, M.H. and Hong, J.T., (2016) 'Roles of NF- κ B in cancer and inflammatory diseases and their therapeutic approaches', *Cells*, 5(2), p.15.
- Potipiranun, T., Worawalai, W. and Phuwapraisirisan, P., (2018) 'Lamesticum G, a new α -glucosidase inhibitor from the fruit peels of *Lansium parasiticum*', *Natural product research*, 32(16), pp.1881-1886.
- Ragasa, C.Y., Labrador, P. and Rideout, J.A., (2006) 'Antimicrobial terpenoids from *Lansium domesticum*', *Philippine Agricultural Scientist*, 89(1), p.101.
- Russo, J. and Russo, I.H., (2012) '*Role of the transcriptome in breast cancer prevention*', Springer Science & Business Media.
- Saewan, N., Sutherland, J.D. and Chantrapromma, K., (2006) 'Antimalarial tetranortriterpenoids from the seeds of *Lansium domesticum* Corr', *Phytochemistry*, 67(20), pp.2288-2293.
- Salsabila, I.A., Nugraheni, N., Ahlina, F.N., Haryanti, S. and Meiyanto, E., (2021) 'Synergistic cotreatment potential of soursop (*Annona muricata* L.) leaves extract with Doxorubicin on 4T1 cells with antisenesence and anti-reactive-oxygen-species properties', *Iranian Journal of Pharmaceutical Research: IJPR*, 20(2), p.57.
- Susidarti, R.A., Meiyanto, E., Ikawati, M. and Sida, N.A., (2021) 'Chemical Constituents of Indonesian *Micromelum minutum* Leaves and Their Cytotoxicity Against MCF-7 and 4T1 Breast Cancer Cells', *Journal of Mathematical & Fundamental Sciences*, 53(1).
- Tafrihani, A.S., Hasanah, N.U., Salsabila, D.U., Wardani, R.K., Zulfin, U.M., Meiyanto, E. and Jenie, R.I., (2023) 'Cardamom essential oil extract suppress the progression of triple-negative breast cancer 4T1 cell line', *The Indonesian Biomedical Journal*, 15(2), pp.150-6.
- Tchakarska, G. and Sola, B., (2020) 'The double dealing of cyclin D1', *Cell cycle*, 19(2), pp.163-178.
- Thorn, C.F., Oshiro, C., Marsh, S., Hernandez-Boussard, T., McLeod, H., Klein, T.E. and Altman, R.B., (2011) 'Doxorubicin pathways: pharmacodynamics and adverse effects', *Pharmacogenetics and genomics*, 21(7), pp.440-446.
- Trimble, E.L., Ungerleider, R.S., Abrams, J.A., Kaplan, R.S., Feigal, E.G., Smith, M.A., Carter, C.L. and Friedman, M.A., (1993) 'Neoadjuvant therapy in cancer treatment', *Cancer*, 72(S11), pp.3515-3524.
- Wells, B.G. et al. (2015) '*Pharmacotherapy handbook*', New York: McGraw-Hill.

- Won, K. and Spruck, C. (2020) 'Triple-negative breast cancer therapy: Current and future perspectives (review)', *International Journal of Oncology*, 57(6), pp. 1245–1261. doi:10.3892/ijo.2020.5135.
- Xia, Y., Shen, S. and Verma, I.M., (2014) 'NF- κ B, an active player in human cancers', *Cancer immunology research*, 2(9), pp.823-830.
- Yadav, V.R., Prasad, S., Sung, B., Kannappan, R. and Aggarwal, B.B., (2010) 'Targeting inflammatory pathways by triterpenoids for prevention and treatment of cancer', *Toxins*, 2(10), pp.2428-2466.
- Yang, F., Teves, S.S., Kemp, C.J. and Henikoff, S., (2014) 'Doxorubicin, DNA torsion, and chromatin dynamics', *Biochimica et Biophysica Acta (BBA)-Reviews on Cancer*, 1845(1), pp.84-89.
- Yin, W., Xiang, D., Wang, T., Zhang, Y., Pham, C.V., Zhou, S., Jiang, G., Hou, Y., Zhu, Y., Han, Y. and Qiao, L., (2021) 'The inhibition of ABCB1/MDR1 or ABCG2/BCRP enables doxorubicin to eliminate liver cancer stem cells' *Scientific Reports*, 11(1), p.10791.
- Yu, D. and Hung, M.C. eds., (2009) '*Breast cancer chemosensitivity* (Vol. 608)', Springer Science & Business Media.
- Zhang, D.X., Ma, D.Y., Yao, Z.Q., Fu, C.Y., Shi, Y.X. and Wang, Q.L., (2016) 'ERK1/2/p53 and NF- κ B dependent-PUMA activation involves in doxorubicin-induced cardiomyocyte apoptosis', *European Review for Medical & Pharmacological Sciences*, 20(11).
- Zhao, N.A., Woodle, M.C. and Mixson, A.J., (2018) 'Advances in delivery systems for doxorubicin', *Journal of nanomedicine & nanotechnology*, 9(5).
- Zulfikar *et al.* (2020) '3-hydroxy-8,14-secogammacera-7,14-dien-21-one: A new ONOCERANOID triterpenes from *Lansium Domesticum* Corr. CV kokossan', *Molbank*, 2020(4). doi:10.3390/m1157.