



## DAFTAR PUSTAKA

- Abdul, A.B., S.I. Abdelwahab, J.B. Jalinas, A.S. Alzhubairi, and M.M.E. Taha. (2009). Combination of zerumbone and cisplatin to treat cervical intraepithelial neoplasia in female BALB/c mice. *International Journal of Gynecological Cancer*, 19(6): 1004-1010.
- Alhassan, A. M., and Ahmed, Q. D. (2016). *Averrhoa bilimbi* Linn.: A review of its ethnomedicinal uses, phytochemistry, and pharmacology. *Journal of Pharmacy and Bioallied Sciences*, 8(4): 265-271.
- Anggraeni, A. (2016). Sterilization Techniques and Growth Regulator Hormone to Germination of Kenikir Seed (*Cosmos caudatus*). *Biology Journal*. 5(5): 1-9.
- Aryani, N. A. M., Wardani, G., & Prayitno, A. (2018). Anti-inflammatory and antioxidant activity of *Averrhoa dolicocarpa* bark extract. *Journal of Applied Pharmaceutical Science*, 8(3): 88-92.
- Boo, S. H., and Kim, Y. K. (2020). The emerging role of RNA modifications in the regulation of mRNA stability. *Experimental & Molecular Medicine*, 52:400-408.
- Britto, J. D., Kamsinah, and Prayoga, L. (2021). Penambahan IAA dan BAP terhadap pertumbuhan kalus eksplan daun anggrek *Coelogyne pandurata* Lindl. *BioEksakta: Jurnal Ilmiah Biologi Unsoed*, 3(2): 112-120.
- Ben Salha, G., Abderrabba, M. and Labidi, J. (2021). A status review of terpenes and their separation methods. *Reviews in Chemical Engineering*, 37(3): 433- 447. <https://doi.org/10.1515/revce-2018-0066>.
- Bergman, M. E., Davis, B., and Phillips, A. (2019). Medically useful plant terpenoids: biosynthesis, occurrence, and mechanism of action. *Molecules*, 24(21): 1-23.
- CCRC. (2009). Prosedur Tetap Uji Sitotoksik Metode MTT. Yogyakarta: Fakultas Farmasi, UGM
- Chandana, B.C., Nagaveni, H.C.K., Heena, M.S., Kolakar, S.S., & Lakshmana, D. (2018). Role of Plant Tissue Culture in Micropropagation, Secondary Metabolite Production and Conservation of Some Endangered Medicinal Crops. *J Pharmacogn Phytochem*, SP3: 244-251.
- Damayanti, F., Inggit P.J., Rizmoon N.Z., and Siti S. (2020). Nutritional contents and the utilization of Indonesian native starfruits: *Averrhoa dolicocarpa* and A.

leucopetala. *Biodiversitas*, 21(4): 1303-1309.

- Dertyasasa, E.D., & Tunjung, W.A.S. 2017. Volatile organic compounds of kaffir lime (*Citrus hystrix* DC.) leaves fractions and their potency as traditional medicine. *Biosciences Biotechnology Research Asia*, 14(4): 1235-1250.
- Elzaawely, A. A., Xuan, T. D., Tawata, S., & Khanh, T. D. (2006). Phenolic compounds in leaves and fruits of Vietnamese Belimbing (*Averrhoa carambola* L.). *Agricultural Sciences in China*, 5(8): 599-602.
- Faningrum, D. R. (2022). *Uji Aktivitas Antioksidan Ekstrak Rimpang Lempuyang Gajah (Zingiber zerumbet Rhizoma) Menggunakan Metode Dpph (1,1-Diphenyl-2-Picrylhydrazyl)*. Universitas dr. Soebandi. pp. 3-4.
- Fauzy, E., Mansyur. and Husni, A. (2016). Pengaruh penggunaan media Murashige dan Skoog (MS) dan vitamin terhadap tekstur warna dan berat kalus rumput gajah (*Pennisetum purpureum*) Cv. Hawah Pasca Radiasi Sinar Gamma pada Dosis LD50. *Jurnal Peternakan*, 1(1): 1-22.
- Fitrianingsih, S.P., F. Lestari & S. Aminah. (2014). Uji efek antioksidan ekstrak etanol kulit buah salak (*Salacca zalacca* (Gaertner) Voss) dengan metode peredaman dpph. *Prosiding Seminar Nasional Penelitian dan PKM Sains, Teknologi dan Kesehatan*. Bandung. pp. 49-54.
- Fauziyyah, D., Hardiyanti, T. & Kamsinah, K. 2012. Upaya memacu pembentukan kalus eksplan embrio kedelai (*Glycine max* (L.) Merril) dengan pemberian kombinasi 2.4-D dan sukrosa secara kultur in vitro. *Jurnal Pembangunan Pedesaan*, 12(1), pp. 30-37
- Gersberg, A., Konka, K. H. & Kowalczyk, T. (2015). *In vitro* regeneration of eight cultivars of *Brassica oleracea* var. capitata. *Journal Cell Dev Biol Plant*, 51: 80-87.
- Handayani, V., Ahmad, A. R. & Sudir, M. (2014). Uji aktivitas antioksidan ekstrak metanol bunga dan daun patikala (*Eplingera elatior* (Jack) R.M.Sm) menggunakan metode dpph. *Pharm Sci Res*, 1(2): 87-95.
- Herbert, R.B. (1995). *Biosynthesis of Secondary Metabolites*, 2nd edition, Chapman and Hall, New York.
- Huang, G. C., Chien, T. Y., Chen, L. G. & Wang, C. C. (2005). Antitumor effect of zerumbone from *Zingiber zerumbet* in P-388D cells in vitro and in vivo.

*Journal of Planta Med*, 71(1): 219-224.

Hajslova, J., and T. Cajka. 2007. *Gas Chromatography-Mass Spectrometry (GCMS)*.

Food Toxicants Analysis. Elsevier.

Ikeuchi, M., Sugimoto, K. & Iwae, A. 2013. Plant callus: mechanism of induction and repression. *The Plant Cell*, 25(1): 3159-3173.

Islam, S., Alam, M. B., Ahmed, A., Lee, S. & Lee, S. H. (2020). Identification of secondary metabolites in *Averrhoa carambola* L. bark by high-resolution mass spectrometry and evaluation for  $\alpha$ -glucosidase, tyrosinase, elastase, and antioxidant potential book. *Journal Food Chemistry*, 332: 1-9.

Jeffe, D. B., Perez, M., Cole, E. F., Liu, Y. & Schootmaan, M. (2016). The effects of surgery type and chemotherapy on early-stage breast cancer patients' quality of life over 2-year follow-up. *Journal Ann Surg Oncol*, 23(3): 735-743.

Junairiah, Zuraidassanaaz, N. I., Manuhara, Y. S. W., Ni'matuzahroh, & Sulistyorini, L. 2020. Biomass and terpenoids profile of callus extract of *Piper betle* L. var. Nigra with abiotic elicitor cobalt (II) chloride. *Moroccan Journal of Chemistry*, 8(1): 88-98.

Khan, A.M.S. dan I. Ahmad. (2019). *Herbal Medicine: New Look to Phytomedicine*. Academic Press. pp. 3–13.

Kopustinskiene, D. M., Jakstas, V., Savickas, A. & Bernatoniene, J. (2020). Flavonoids as anticancer agents. *Nutrients*, 12(2): 457.

Lee, C.C & Houghton, P. (2005). Cytotoxicity of plants from Malaysia and Thailand used traditionally to treat cancer. *J Ethnopharmacol*, 100: 237-243

Lim, T.K. 2011. *Averrhoa dolichocarpa*. *Edible Medicinal and Non-Medicinal Plant*, 1: 465-467.

Li, C., Zha, W., Li, W., Wang, J., and You, A. (2023). Advances in the biosynthesis of terpenoids and their ecological functions in plant resistance. *International Journal of Molecular Sciences*, 24(11561): 1-16.

Luan, F., Peng, L., Lei, Z., Jia, X., Zou, J., Yang, Y., He, X., and Zeng, N. (2021). Traditional uses, phytochemical constituents and pharmacological properties of *Averrhoa carambola* L.: a review. *Frontiers in Pharmacology*, 12: 1-27.

- Mahmud N.M.Q P. (2019). Kajian genetik belimbing (*Averrhoa leucopetala*) berdasarkan profil random amplified polymorphic DNA (RAPD). *Journal UIN Alauddin*, 5(1): 28-29.
- Mithofer, A., and Boland, W. (2012). Plant defense against herbivores: chemical aspects. *The Annual Review of Plant Biology*, 63(1): 431-450.
- Macià & A. Panosa. (2019). In vitro cell migration, invasion, and adhesion assays: from cell imaging to data analysis. *Front Cell Dev Biol*, 7(107): 1-16.
- Minz, A., Sinha, A. K., Kumar, R., Kumar, B., Deep, K. P., and Kumar, S. B. 2018. A Review on importance of cobalt in crop growth and production. *International Journal of Current Microbiology and Applied Sciences*, 7: 2978-2984.
- Nair, M. S., Soren, K., Singh, V. & Boro, B. (2016). Anticancer activity of fruit and leaf extracts of *Averrhoa bilimbi* on mcf-7 human breast cancer cell lines: a preliminary study. *Journal Austin Publishing*, 4(2): 1-5.
- Pijuan, J., C. Barceló, D. F. Moreno, O. Maiques, P. Sisó, R. M. Martí, A. Macià & A. Panosa. (2019). In vitro cell migration, invasion, and adhesion assays: from cell imaging to data analysis. *Front Cell Dev Biol*, 7(107): 1-16.
- Purnamaningsih, R. and Ashrina, M. (2011). Pengaruh BAP dan NAA terhadap induksi kalus dan kandungan artemisinin dari *Artemisia annua* L. *Berita Biologi*, 10(4): 481– 489.
- Purwaningrum, Y. 2013. Kultur kalus sebagai penghasil metabolit sekunder berupa pigmen. *Agriland*, 2(2): 118-127.
- Prashariska, K. & Solichatun, A. P. (2021). Pengaruh indole-3-acetic acid (IAA) dan benzyl amino purine (BAP) terhadap induksi dan deteksi alkaloid kalus kamilen (*Matricaria chamomilla* L.). *Jurnal Inovasi Pertanian*, 23(2): 104-115.
- Pasillas, G. D. D., Mustafa, N. R., and Verpoorte, R. (2014). Jasmonic acid effect on the fatty acid and terpenoid indole alkaloid accumulation in cell suspension cultures of *Catharanthus roseus*. *Molecules*, 29(11): 10243-10260
- Rugayah, Sunarti S. (2008). Two new wild species of *Averrhoa* (Oxalidaceae) from Indonesia. *Reinwardtia*, 12(4): 325-331.



Rugayah, R., Sunarti, S., dan Djarwaningsih, T. (2009). Keanekaragaman tumbuhan dan potensinya di Cagar Alam Tangale, Gorontalo. *J. Tek. Ling* 10(2): 173-181.

Rasud, Y., & Bustaman, B. (2020). In vitro callus induction from Clove (*Syzygium aromaticum* L.) leaves on medium containing various auxin concentrations. *Jurnal Ilmu Pertanian Indonesia*, 25(1): 67-72. <https://doi.org/10.18343/jipi.25.1.67>.

Ruan, J., Zhou, Y., Zhou, M., Yan, J., Khurshid, M., Weng, W., Cheng, J., and Zhang, K. (2019). Jasmonic acid signaling pathway in plants. *International Journal of Molecular Sciences*, 20(2479): 1-15.

Saleh, M.S.M., M.J. Siddiqui, S.Z.M. Soad, S. Murugesu, A. Khatib & M.M. Rahman. (2018). Antioxidant and  $\alpha$ -glucosidase inhibitory activities and gas chromatography-mass spectrometry profile of salak (*Salacca zalacca*) fruit peel extracts. *Pharmacognosy Research*, 10(4): 385–390.

Setyawaty, R., R. Aptuning & Dewanto. (2020). Preliminary studies on the content of phytochemical compounds on skin of salak fruit (*Salacca zalacca*). *Pharmaceutical Journal of Indonesia*, 6(1): 1-6.

Sirait, P. S., Setyaningsih, I. & Tarman, K. (2019). Aktivitas antikanker ekstrak Spirulina yang dikultur pada media walne dan media organik. *JPHPI*, 22(1): 50-60.

Silva, K. B., Pinheiro, C. T. S., Soares, C. R. M., Souza, M. A., Matos Rocha, T. J., Fonseca, S. A., Pavao, J. M. S. J., Costa, J. G., Pires, L. L. S. & Santos, A. F. (2020). Phytochemical characterization, antioxidant potential and antimicrobial activity of *Averrhoa carambola* L. (Oxalidaceae) against multiresistant pathogens. *Brazilian Journal of Biology*, 81(3): 509-515.

Setiaji, A. (2020). Effect of different strength of medium on germination and seedling growth of tomato and sucrose effect on biomass of tomato callus. *Jurnal Biota*, 6(1): 12-18. <https://doi.org/10.19109/Biota.v6i1.4184>

Sukamto, L. A. 1998. Regenerasi tanaman belimbing melalui kultur akar secara *in vitro*. *Berita Biologi*, 4(2): 66-71.

Tjahjani, S., Nugrahaeni, N., & Lestari, P. (2014). Total flavonoid content and alkaloid profile of *Averrhoa bilimbi* L. and *Averrhoa dolichocarpa* C.Y. Wu.

*International Journal of Pharmacy and Pharmaceutical Sciences*, 6(3): 106-109.

Tunjung, W. A. S., Cinatl, J., Michaelis, M., & Smales, C. M. (2015). Anti-Cancer Effect of Kaffir Lime (*Citrus Hystrix DC*) Leaf Extract in Cervical Cancer and Neuroblastoma Cell Lines. *Procedia Chemistry*, 14: 465–468.  
<https://doi.org/10.1016/j.proche.2015.03.062>.

Trigiano, RN & Gray, DJ 2016, *Plant Tissue Culture Development and Biotechnology*. CRC Press: Boca Raton.

Wahyuni, E. T., Yuliani, S., & Mahdi, C. (2015). Antibacterial activity of *Averrhoa dolichocarpa* leaves extract against pathogenic bacteria. *Indonesian Journal of Biotechnology*, 20(1): 29-36.

Xing, S., Pan, Q., Tian, Y., Wang, Q., Liu, P., Zhao, J., Wang, G., Sun, X. & Tang, K. (2011). Effect of plant growth regulator combinations on the biosynthesis of terpenoid indole alkaloids in *Catharanthus roseus*. *Journal of Medicinal Plants Research*, 5(9): 1692-1700.

Yan SW, Ramasamy R, Alitheen NBM, Rahmat A. (2013). A comparative assessment of nutritional composition, total phenolic, total flavonoid, antioxidant capacity, and antioxidant vitamins of two types of Malaysian underutilized fruits (*Averrhoa bilimbi* And *Averrhoa carambola*). *IntlJ Food Prop*, 16: 1231-1244.

Zarad, M. M., Toaima, N. M., Refaey, K. A., Atta, R. F., & Elateeq, A. A. 2021. Copper sulfate and cobalt chloride effect on total phenolics accumulation and antioxidant activity of *Artemisia annua* L. callus cultures. *Al-Azhar Journal of Agricultural Research*, 46(2): 26-40.