

DAFTAR PUSTAKA

- Alebiosu, K.M., Adetoye, A. and Ayeni, F.A., (2017). Antimicrobial activities of lactic acid bacteria against *Pseudomonas aeruginosa*, *Providencia vermicola*, *Alcaligenes faecalis* and methicillin resistant *S. aureus*. *West African Journal of Pharmacy*, 28(2), pp.132-142.
- Andorrà, I., Berradre, M., Mas, A., Esteve-Zarzoso, B. and Guillamón, J.M., (2012). Effect of mixed culture fermentations on yeast populations and aroma profile. *Lwt*, 49(1), pp.8-13.
- Arora, K., Ameer, H., Polo, A., Di Cagno, R., Rizzello, C. G., & Gobbetti, M. (2021). Thirty years of knowledge on sourdough fermentation: A systematic review. *Trends in Food Science & Technology*, 108, 71-83.
- Banasiewicz, T., Domagalska, D., Borycka-Kiciak, K. and Rydzewska, G., (2020). Determination of butyric acid dosage based on clinical and experimental studies—a literature review. *Gastroenterology Review/Przegląd Gastroenterologiczny*, 15(2), pp.119-125.
- Barros, L., Baptista, P., Correia, D.M., Casal, S., Oliveira, B., Ferreira, I.C. (2007). Fatty acid and sugar compositions and nutritional value of five wild edible mushrooms from Northeast Portugal. *Food Chemistry*, 1(105): 140-5.
- Bernas, E., and Jaworska, G. (2012). Effect of preservation method on amino acid content in selected species of edible mushroom. *LWT e Food Science and Technology*, 48, 242-247.
- Bligh, E.G. and Dyer, W.J., (1959). A rapid method of total lipid extraction and purification. *Canadian journal of biochemistry and physiology*, 37(8), pp.911-917.
- Bóbics, R., Krüzselyi, D. and Vetter, J., (2016). Nitrate content in a collection of higher mushrooms. *Journal of the Science of Food and Agriculture*, 96(2), pp.430-436.
- Carta, S., Correddu, F., Battaccone, G., Pulina, G. and Nudda, A., (2022). Comparison of milk odd-and branched-chain fatty acids among human, dairy species and artificial substitutes. *Foods*, 11(24), p.4118.
- Caplice, E., and Fitzgerald, GF. (1999). Food fermentations: role of microorganisms in food production and preservation. *International journal of food microbiology*, 15;50(1-2):131-49.
- Chauhan, G., Prasad, S., Rathore, H. and Sharma, S., (2017). Nutritional profiling and value addition of products from *Hypsizygus tessulatus*. *Food Biology*, 6, pp. 1-6.
- Chen, J., Chen, X. and Ho, C.L., (2021). Recent development of probiotic *Bifidobacteria* for treating human diseases. *Frontiers in Bioengineering and Biotechnology*, 9, p.1371.
- Cooper, G., (2018). *Food microbiology*. Library press. New York.
- Dalby, P.A., Ward, J.M. and Hailes, H.C., (2012). 7.17 C–X Bond Formation: C–C Bond Formation using TDP-Dependent Enzymes. *Comprehensive Chirality*, 7 : 372-389.
- Ding, Z., Johanningsmeier, S. D., Price, R., Reynolds, R., Truong, V. D., Payton, S. C., & Breidt, F. (2018). Evaluation of nitrate and nitrite contents in pickled fruit and vegetable products. *Food Control*, 90, 304-311.

- Dong, W., Zeng, Y., Cui, Y., Chen, P., Cai, K., Guo, T., Tan, G., Peng, N., Liang, Y. and Zhao, S., (2022). RETRACTED: Unraveling the composition and succession of microbial community and its relationship to flavor substances during Xin-flavor baijiu brewing.
- El-Ramady, H., Abdalla, N., Badgar, K., Liana, X., Toros, G., HaJdu, P., Eid, Y., and Prokisch, J. (2022). Edible mushroom for sustainable and healthy human food nutritional dan medical attributes. *Sustainability*, 14(4941): 1-30.
- Floch, M.H., Ringel, Y. and Walker, W.A. (2016). The microbiota in gastrointestinal pathophysiology: implications for human health, prebiotics, probiotics, and dysbiosis. *Academic Press*.pp.125
- Fushinobu, S. (2010). Unique sugar metabolic pathways of bifidobacteria. *Bioscience, biotechnology, and biochemistry*, 74(12), 2374-2384.
- Guan, Q., Xiong, T., and Xie, M. (2021). Influence of probiotic fermented fruit and vegetables on human health and the related industrial development trend. *Engineering*, 1;7(2):212-8.
- Guo, P., Zhang, K., Ma, X. and He, P., (2020). Clostridium species as probiotics: potentials and challenges. *Journal of animal science and biotechnology*, 11, pp.1-10.
- Jablonska-Rys, E., Slawinska, A., Skrzypczak, K., and Goral, K., (2022). Dynamics of change in pH and the content of free sugar, organic acid, and LAB in Button Mushroom during controlled Lactic Fermentation. *Foods*, 11(11): 1-16.
- Jaworska, G., Bernaś, E. and Mickowska, B., (2011). Effect of production process on the amino acid content of frozen and canned *Pleurotus ostreatus* mushrooms. *Food chemistry*, 125(3), pp.936-943.
- Karlina, A.C., Supriatna, A.M. and Amalia, V., (2022), March. Analisis kadar nitrit (NO₂-N) pada sampel air permukaan dan air tanah di Wilayah Kabupaten Cilacap menggunakan metode spektrofotometer UV-Vis. In Gunung Djati Conference Series (Vol. 7, pp. 1-7).
- Kikukawa, H., Nagao, T., Ota, M., Takashima, S., Kitaguchi, K., Yanase, E., Maeda, S. and Hara, K.Y., (2023), Production of a selective antibacterial fatty acid against *Staphylococcus aureus* by *Bifidobacterium* strains. *Microbiome Research Reports*, 2(1).
- Lambert, R.J. and Bidlas, E., (2007). A study of the Gamma hypothesis: predictive modelling of the growth and inhibition of *Enterobacter sakazakii*. *International journal of food microbiology*, 115(2), pp.204-213.
- Laxminarayan, R., Duse, A., Wattal, C., Zaidi, A. K., Wertheim, H. F., Sumpradit, N., ... & Cars, O. (2013). Antibiotic resistance—the need for global solutions. *The Lancet infectious diseases*, 13(12), 1057-1098.
- Li, P., Jiang, H., Xiong, J., Fu, M., Huang, X., Huang, B., & Gu, Q. (2022). Foodborne Pathogens of Enterobacteriaceae, Their Detection and Control. IntechOpen. doi: 10.5772/intechopen.102086
- Liu, Y., Xie, Xiao-xiao., Ibrahim, S. A., Khaskheli, S. G., Yang, H., Wang, Yen-feng., Huang, W., (2016). Characteristic of *Lactobacillus pentosus* as a starter culture for the fermentation of edible oyster mushrooms (*Pleurotus* spp.). *LWT- Food Science and Technology*, 68: 21-26.

- Maicas, S. (2020). The role of yeasts in fermentation processes. *Microorganisms*, 8(8), 1142.
- Moens, F., Weckx, S., & De Vuyst, L. (2016). Bifidobacterial inulin-type fructan degradation capacity determines cross-feeding interactions between bifidobacteria and *Faecalibacterium prausnitzii*. *International journal of food microbiology*, 231, 76–85.
- Mori K, Kobayash, C., Tomita, T., Inatomi, S., and Ikeda, M., (2008). Antiatherosclerotic effect of the edible mushrooms *Pleurotus eryngii* (Eringi), *Grifola frondosa* (Maitake), and *Hypsizygus marmoreus* (Bunashimeji) in apolipoprotein E-deficient mice. *Nutrition Research*, 28:335-42.
- Noever, D., Bouman, J., Gramberg, L. and Lavos, G., (1988). Compilation of mass spectra of volatile compounds in food: TNO Institute CIVO-Food Analysis, vol 1: 18. *Zeist, The Netherlands*.
- Omodara, T.R., Awoyinka, O.A., Oladele, F.C., Aina, O.O. and Olaiya, M.E., (2018). Profile of turbidity and glucose formation from underutilised wild, edible bean during in-vitro gastro intestinal digestion and fermentation. *Advances in Microbiology*, 8(12), pp.994-1004.
- Panagou, E.Z., and Katsaboxakis, C.Z., (2006). Effect of different brining treatments on the fermentation of cv. Conservolea green olives processed by the Spanish-method. *Food microbiology*, 1;23(2):199-204.
- Pitt, J. I., & Hocking, A. D. (2009). Fungi and food spoilage (Vol. 519, p. 388). New York: Springer.
- Rivière, A., Selak, M., Lantin, D., Leroy, F. and De Vuyst, L., (2016). Bifidobacteria and butyrate-producing colon bacteria: importance and strategies for their stimulation in the human gut. *Frontiers in microbiology*, 7, p.979.
- Shah, P., (2007). Functional cultures and health benefits. *International Dairy Journal*, 17: 1262–1277.
- Sharah, N. and Karnila, R., (2015). Pembuatan kurva pertumbuhan bakteri asam laktat yang di isolasi dari ikan Peda Kembang. *Rastrelliger sp.*) *JOM*, pp.1-8.
- Shen, Q., Zeng, X., Kong, L., Sun, X., Shi, J., Wu, Z., ... & Pan, D. (2023). Research progress of nitrite metabolism in fermented meat products. *Foods*, 12(7), 1485.
- Shimamura, S., Abe, F., Ishibashi, N., Miyakawa, H., Yaeshima, T., Araya, T. and Tomita, M., (1992). Relationship between oxygen sensitivity and oxygen metabolism of *Bifidobacterium* species. *Journal of Dairy Science*, 75(12), pp.3296-3306.
- Stamets, P., (2011). *Growing gourmet and medicinal mushrooms*. Ten speed press.
- Scardovi, V. (1984). *Genus Bifidobacterium, Bergey's Manual of Systematic Bacteriology*, Vol. 1. Williams & Wilkins, Baltimore, MD.
- Sun, Z., Cong, Y., Li, T., Meng, X. and Zhang, F., (2022). Enhancement of nutritional, sensory and storage stability by lactic fermentation of *Auricularia auricula*. *Journal of the Science of Food and Agriculture*, 102(12), pp.5172-5180.

- Tissier, H. (1900). *Recherchers sur la flora intestinale normale et pathologique du nourisson*. University of Paris, Paris, France.
- Turroni, F., Milani, C., Duranti, S., Mancabelli, L., Mangifesta, M., Viappiani, A., Lugli, G.A., Ferrario, C., Gioiosa, L., Ferrarini, A. and Li, J., (2016). Deciphering bifidobacterial-mediated metabolic interactions and their impact on gut microbiota by a multi-omics approach. *The ISME journal*, 10(7), pp.1656-1668.
- Underwood, M.A., German, J.B., Lebrilla, C.B. and Mills, D.A., (2015). *Bifidobacterium longum* subspecies infantis: champion colonizer of the infant gut. *Pediatric research*, 77(1), pp.229-235.
- Ventura, M., C. Canchaya, A. Tauch, G. Chandra, G.F. Fitzgerald, K.F. Chater and D. van Sinderen. (2007). Genomics of Actinobacteria: Tracing the evolutionary history of an ancient phylum. *Microbiology and Molecular Biology Reviews*. 71: 495–548.
- Yan, P.M., Xue, W.T., Tan, S.S., Zhang, H. and Chang, X.H., (2008). Effect of inoculating lactic acid bacteria starter cultures on the nitrite concentration of fermenting Chinese paocai. *Food control*, 19(1), pp.50-55.
- Zaunmüller, T., Eichert, M., Richter, H. and Unden, G., (2006). Variations in the energy metabolism of biotechnologically relevant heterofermentative lactic acid bacteria during growth on sugars and organic acids. *Applied microbiology and biotechnology*, 72, pp.421-429.
- Zhang, K., Zhang, T.T., Guo, R.R., Ye, Q., Zhao, H.L. and Huang, X.H., (2023). The regulation of key flavor of traditional fermented food by microbial metabolism: A review. *Food Chemistry: X*, p.100871.
- Zheng, H.G., Chen, J.C. and Ahmad, I., (2017). Preservation of King Oyster Mushroom by the use of different fermentation processes. *Journal of Food Processing and Preservation*, 42(1), p.e13396.