

DAFTAR PUSTAKA

- [1] N. Fonna, *Pengembangan Revolusi Industri 4.0 dalam Berbagai Bidang*. GUEPEDIA, 2019.
- [2] L. J. Kumar, P. M. Pandey, and D. I. Wimpenny, Eds., *3D Printing and Additive Manufacturing Technologies*. Singapore: Springer, 2019. doi: 10.1007/978-981-13-0305-0.
- [3] A. Dey, I. N. Roan Eagle, and N. Yodo, “A Review on Filament Materials for Fused Filament Fabrication,” *J. Manuf. Mater. Process.*, vol. 5, no. 3, Art. no. 3, Sep. 2021, doi: 10.3390/jmmp5030069.
- [4] R. B. Kristiawan, F. Imaduddin, D. Ariawan, Ubaidillah, and Z. Arifin, “A review on the fused deposition modeling (FDM) 3D printing: Filament processing, materials, and printing parameters,” *Open Eng.*, vol. 11, no. 1, pp. 639–649, Jan. 2021, doi: 10.1515/eng-2021-0063.
- [5] M. Taufik, G. S. Lubis, and M. Ivanto, “Rancang Bangun Mesin Pultrusion Pembuat Filamen 3D Printing Berbasis Limbah Plastik Botol PET,” *JTRAIN J. Teknol. Rekayasa Tek. Mesin*, vol. 4, no. 1, pp. 01–08, Dec. 2022.
- [6] I. Tylman and K. Dzierżek, “Filament for a 3D Printer from Pet Bottles- Simple Machine,” *Int. J. Mech. Eng. Robot. Res.*, pp. 1386–1392, 2020, doi: 10.18178/ijmerr.9.10.1386-1392.
- [7] M. L. Sonjaya, M. Mutmainnah, and M. F. Hidayat, “Construction of Plastic Waste Extruding Machine to Produce Filaments of 3D Printing Machine,” *Int. J. Mech.*, vol. 16, pp. 82–90, Jul. 2022, doi: 10.46300/9104.2022.16.10.
- [8] Prof. V. D. Dhopte, G. S. Parate, M. P. Narkhede, and A. Bhongade, “Design and Fabrication of PET Filament Making Machine,” *Int. J. Res. Appl. Sci. Eng. Technol.*, vol. 10, no. 4, pp. 1529–1531, Apr. 2022, doi: 10.22214/ijraset.2022.41568.
- [9] E. De Avila, J. Eo, J. Kim, and N. P. Kim, “Heat Treatment Effect on Mechanical Properties of 3D Printed Polymers,” *MATEC Web Conf.*, vol. 264, p. 02001, 2019, doi: 10.1051/mateconf/201926402001.
- [10] N. Vidakis, M. Petousis, E. Velidakis, M. Liebscher, V. Mechtcherine, and L. Tzounis, “On the Strain Rate Sensitivity of Fused Filament Fabrication (FFF) Processed PLA, ABS, PETG, PA6, and PP Thermoplastic Polymers,” *Polymers*, vol. 12, no. 12, p. 2924, Dec. 2020, doi: 10.3390/polym12122924.
- [11] A. K. Singh, B. Saltonstall, B. Patil, N. Hoffmann, M. Doddamani, and N. Gupta, “Additive Manufacturing of Syntactic Foams: Part 2: Specimen Printing and Mechanical Property Characterization,” *JOM*, vol. 70, no. 3, pp. 310–314, Mar. 2018, doi: 10.1007/s11837-017-2731-x.
- [12] PT PLN, “Listrik untuk Kehidupan yang Lebih Baik,” PT PLN (Persero). Accessed: May 17, 2024. [Online]. Available: <https://web.pln.co.id/pelanggan/tarif-tenaga-listrik>
- [13] P. Putranto, “Prinsip 3R: Solusi Efektif untuk Mengelola Sampah Rumah Tangga,” *Innov. J. Soc. Sci. Res.*, vol. 3, no. 5, Art. no. 5, Nov. 2023, doi: 10.31004/innovative.v3i5.5882.
- [14] S. Kumar, R. Sooraj, and M. V. V. Kumar, “Design And Fabrication Of Extrusion Machine For Recycling Plastics,” *IOP Conf. Ser. Mater. Sci. Eng.*,



- vol. 1065, no. 1, p. 012014, Feb. 2021, doi: 10.1088/1757-899X/1065/1/012014.
- [15] K. Minchenkov, A. Vedernikov, A. Safonov, and I. Akhatov, "Thermoplastic Pultrusion: A Review," *Polymers*, vol. 13, no. 2, p. 180, Jan. 2021, doi: 10.3390/polym13020180.
- [16] R. de C. Costa Dias, *Pultrusion of thermoset based profiles-state of the art regarding materials, process set-ups, process modeling, and process simulation*. 2020.
- [17] ZwickRoell Pte Ltd. Indonesia, "Pengujian Material," Pengujian Material. Accessed: May 18, 2024. [Online]. Available: <https://www.zwickroell.com/id/industri/pengujian-material/>
- [18] S. Advani and K.-T. Hsiao, *Manufacturing techniques for polymer matrix composites (PMCs)*. Woodhead Publishing, 2012. doi: 10.1533/9780857096258.1.1.
- [19] A. Vedernikov, F. Tucci, A. Safonov, P. Carlone, S. Gusev, and I. Akhatov, "Investigation on the Shape Distortions of Pultruded Profiles at Different Pulling Speed," *Procedia Manuf.*, vol. 47, pp. 1–5, Jan. 2020, doi: 10.1016/j.promfg.2020.04.107.
- [20] H. John, "Power Supplies | Electronics Club," Electronics Club. Accessed: May 18, 2024. [Online]. Available: <https://electronicsclub.info/powersupplies.htm>
- [21] P. S. Heljo, M. Li, K. E. Lilja, H. S. Majumdar, and D. Lupo, "Printed Half-Wave and Full-Wave Rectifier Circuits Based on Organic Diodes," *IEEE Trans. Electron Devices*, vol. 60, no. 2, pp. 870–874, Feb. 2013, doi: 10.1109/TED.2012.2233741.
- [22] A. S. Morris and R. Langari, *Measurement and Instrumentation: Theory and Application*. Academic Press, 2011.
- [23] S. F. Barrett, *Arduino Microcontroller Processing for Everyone! Third Edition*. Springer Nature, 2022.
- [24] V. D. Yurkevich, Ed., *Advances in PID Control*. InTech, 2011. doi: 10.5772/770.
- [25] M. Scarpino, *Motors for Makers: A Guide to Steppers, Servos, and Other Electrical Machines*. Que Publishing, 2015.
- [26] V. Gurevich, *Electric Relays: Principles and Applications*. Boca Raton: CRC Press, 2018. doi: 10.1201/9781315221168.
- [27] L. De Vos, B. Van De Voorde, L. Van Daele, P. Dubruel, and S. Van Vlierberghe, "Poly(alkylene terephthalate)s: From current developments in synthetic strategies towards applications," *Eur. Polym. J.*, vol. 161, p. 110840, Dec. 2021, doi: 10.1016/j.eurpolymj.2021.110840.
- [28] B. Evans, *Practical 3D printers*. in Technology in action. [Berkeley, CA]: New York: Apress ; Distributed to the book trade world wide by Springer Science+Business Media, 2012.
- [29] Y. P. Shaik, J. Schuster, and A. Shaik, "A Scientific Review on Various Pellet Extruders Used in 3D Printing FDM Processes," *OALib*, vol. 08, no. 08, pp. 1–19, 2021, doi: 10.4236/oalib.1107698.



- [30] A. Goyanes, A. B. M. Buanz, A. W. Basit, and S. Gaisford, “Fused-filament 3D printing (3DP) for fabrication of tablets,” *Int. J. Pharm.*, vol. 476, no. 1–2, pp. 88–92, Dec. 2014, doi: 10.1016/j.ijpharm.2014.09.044.
- [31] M. Spoerk, J. Gonzalez-Gutierrez, J. Sapkota, S. Schuschnigg, and C. Holzer, “Effect of the printing bed temperature on the adhesion of parts produced by fused filament fabrication,” *Plast. Rubber Compos.*, vol. 47, no. 1, pp. 17–24, Jan. 2018, doi: 10.1080/14658011.2017.1399531.
- [32] N. Volpato, J. Aguiomar Foggiatto, and D. Coradini Schwarz, “The influence of support base on FDM accuracy in Z,” *Rapid Prototyp. J.*, vol. 20, no. 3, pp. 182–191, Jan. 2014, doi: 10.1108/RPJ-12-2012-0116.
- [33] H. Miyajima, N. Momenzadeh, and L. Yang, “Effect of printing speed on quality of printed parts in Binder Jetting Process,” *Addit. Manuf.*, vol. 20, pp. 1–10, Mar. 2018, doi: 10.1016/j.addma.2017.12.008.
- [34] “ASTM D638 - Standard Test Method for Tensile Properties of Plastics.” Accessed: May 18, 2024. [Online]. Available: <https://www.ssi.shimadzu.com/industries/automotive-materials-testing/plastics-polymers-rubber/astm-d638/index.html>
- [35] G. Saritha, T. Iswarya, D. Keerthana, and A. T. Dhaniyath Baig, “Micro universal testing machine system for material property measurement,” *Mater. Today Proc.*, p. S2214785323022307, Apr. 2023, doi: 10.1016/j.matpr.2023.04.329.
- [36] A. Sola *et al.*, “Open challenges in tensile testing of additively manufactured polymers: A literature survey and a case study in fused filament fabrication,” *Polym. Test.*, vol. 117, p. 107859, Jan. 2023, doi: 10.1016/j.polymertesting.2022.107859.
- [37] G. Oyéniran ADEOTI, F. Fan, M. A. Huihuan, and S. Shen, “Investigation of aluminium bolted joint (HBJ) system behavior,” *Thin-Walled Struct.*, vol. 144, p. 106100, Nov. 2019, doi: 10.1016/j.tws.2019.03.059.
- [38] R. E. Thomas, A. J. Rosa, and G. J. Toussaint, *The Analysis and Design of Linear Circuits*. John Wiley & Sons, 2016.

