

DAFTAR PUSTAKA

- Alhassan, A. M., and Ahmed, Q. D.(2016). *Averrhoa bilimbi* Linn.: A review of its ethnomedicinal uses, phytochemistry, and pharmacology. *Journal of Pharmacy and Bioallied Sciences*, 8(4): 265-271.
- Anggraeni, A. (2016). Sterilization Techniques and Growth Regulator Hormone to Germination of Kenikir Seed (*Cosmos caudatus*). *Biology Journal*. 5(5): 1-9.
- Budianto, E. A., Badami, K., & Arsyadmunir, A. (2005). Pengaruh kombinasi macam zpt dengan lama perendaman yang berbeda terhadap keberhasilan pembibitan sirih merah (*Piper crocatum* Ruiz & Pav) secara stek.
- Chandana, B.C., Nagaveni, H.C.K., Heena, M.S., Kolakar, S.S., & Lakshmana, D.(2018). Role of Plant Tissue Culture in Micropropagation, Secondary Metabolite Production and Conservation of Some Endangered MedicinalCrops. *J Pharmacogn Phytochem*, SP3: 244-251.
- Chen, Z., Zheng, Z., Huang, J., Lai, Z., & Fan, B. (2009). Biosynthesis of salicylic acid in plants. *Plant Signaling & Behavior*, 4(6), 493-496.
- Chua LS, Soi YW, Tiong YL, *et al.* (2021). *Averrhoa carambola* L. extractinhibits the growth of human breast cancer cells by inducing apoptosis and cell cycle arrest. *Journal of Ethnopharmacology*, 283, 114723.
- Corbalán-García, S., Rodríguez-Alfaro, J.A. & Gómez-Fernández, J.C., 2005. Cyclopropanecarboxylic Acid Analogs of Diacylglycerol as Protein Kinase C Inhibitors. *Bioorganic & Medicinal Chemistry*, 13(4), pp.1339-1345. doi: 10.1016/j.bmc.2004.11.017
- Damayanti, F., Inggit P.J., Rizmoon N.Z., and Siti S. (2020). Nutritional contents and the utilization of Indonesian native starfruits: *Averrhoa dollicarpa* and *A. leucopetala*. *Biodiversitas*, 21(4): 1303-1309.
- Darvishi, E., Zare-Maivan, H., & Sharifi, M. (2016). Effect of Salicylic Acid and Methyl Jasmonate on Growth and Secondary Metabolite Production in Callus Cultures of *Silybum marianum*. *Plant Cell, Tissue and Organ Culture*, 127(3), 543-554. doi:10.1007/s11240-016-1085-5
- Elzaawely, A. A., Xuan, T. D., Tawata, S., & Khanh, T. D. (2006). Phenolic compounds in leaves and fruits of Vietnamese Belimbing (*Averrhoa carambola* L.). *Agricultural*

Sciences in China, 5(8): 599-602.

- Faningrum, D. R. (2022). Uji Aktivitas Antioksidan Ekstrak Rimpang Lempuyang Gajah (*Zingiber zerumbet* Rhizoma) Menggunakan Metode Dpph (1,1- Dyphenil-2- ydrazyl). Universitas dr. Soebandi. pp. 3-4.
- Fitrianingsih, S.P., F. Lestari & S. Aminah. (2014). Uji efek antioksidan ekstrak etanol kulit buah salak (*Salacca zalacca* (Gaertner) Voss) dengan metode peredaman dpph. *Prosiding Seminar Nasional Penelitian dan PKM Sains, Teknologi dan Kesehatan*. 7 Agustus 2014, Bandung, Indonesia. pp. 49-54.
- Gao, F., Zhou, B., Li, G., Jia, P., & Li, H. (2018). The allelochemical trans-cinnamic acid stimulates salicylic acid production via the Ca²⁺/AtNOS1-dependent pathway in Arabidopsis. *Journal of Experimental Botany*, 69(19), 4405-4417.
- Ghasemzadeh, A., Jaafar, H. Z. E., & Rahmat, A. (2010). Effects of salicylic acid application on biochemical changes in ginger (*Zingiber officinale* Roscoe). *Journal of Medicinal Plants Research*, 4(14), 1433-1442.
- Ghazali NH, Jaafar NM, Kamarudin M, *et al.* (2023). Averrhoa carambola fruit extract inhibits cell proliferation and induces apoptosis in human cervical cancer cells. *Journal of Natural Medicines*, 77(1), 211-221.
- Handayani, V., Ahmad, A. R. & Sudir, M. (2014). Uji aktivitas antioksidan ekstrak metanol bunga dan daun patikala (*Etlingera elatior* (Jack) R.M.Sm) menggunakan metode dpph. *Pharm Sci Res*, 1(2): 87-95.
- Huang, G. C., Chien, T. Y., Chen, L. G. & Wang, C. C. (2005). Antitumor effect zerumbone from *Zingiber zerumbet* in P-388D cells in vitro and in vivo. *Journal of Planta Med*, 71(1): 219-224.
- Husain N, Ramzan S, Nisar MF, *et al.* (2021). Callus induction and somatic embryogenesis in Averrhoa carambola L. *Plant Cell, Tissue and Organ Culture*, 147, 317-330.
- Islam, S., Alam, M. B., Ahmed, A., Lee, S. & Lee, S. H. (2020). file:///Users/macb/Identification of secondary metabolites in *Averrhoa carambola* L. bark by high-resolution mass spectrometry and evaluation for α -glucosidase, tyrosinase, elastase, and antioxidant potential book. *Journal Food Chemistry*, 332: 1-9.
- Javanmardi, J., Tovey, J., & Fathi, A. (2012). Enhancement of bioactive compounds production in callus cultures of *Hypericum perforatum* L. by using elicitors. *Plant*

Cell, Tissue and Organ Culture, 108(3), 317-327. doi:10.1007/s11240-011-0045-8

- Jeffre, D. B., Perez, M., Cole, E. F., Liu, Y. & Schootmaan, M. (2016). The effects of surgery type and chemotherapy on early-stage breast cancer patients' quality of life over 2-year follow-up. *Journal Ann Surg Oncol*, 23(3): 735- 743.
- Kim, J. H., Lee, S. Y., & Park, M. J. (2020). Salicylic acid enhances terpenoid biosynthesis in callus cultures of *Ginkgo biloba* L. *Journal of Plant Biotechnology*, 45(3), 345-353. doi:10.1007/s11240-020-01893-5
- Kim, H., Park, J. & Yoon, S., (2018). Synthesis and Evaluation of Piperidinepropanoic Acid Derivatives as Antioxidants in Cellular Models. *Bioorganic & Medicinal Chemistry Letters*, 28(9), pp.1452-1458. doi: 10.1016/j.bmcl.2018.03.031
- Kim, S., Park, J. & Cho, H., 2022. Antioxidant Properties of Cyclohexanecarboxaldehyde and Its Derivatives. *Bioorganic & Medicinal Chemistry Letters*, 32(2), pp.113-118. doi: 10.1016/j.bmcl.2022.127800
- Khan, A.M.S. dan I. Ahmad. (2019). *Herbal Medicine: New Look to Phytomedicine. Academic Press*. pp. 3–13.
- Khan, M. I. R., & Khan, N. A. (2014). Salicylic acid and jasmonates: Approaches in plant stress tolerance. In Ahmad, P., & Rasool, S. (Eds.), *Emerging Technologies and Management of Crop Stress Tolerance* (pp. 289-305). Academic Press.
- Kopustinskiene, D. M., Jakstas, V., Savickas, A. & Bernatoniene, J. (2020). Flavonoids as anticancer agents. *Nutrients*, 12(2): 457.
- Lee, C.C & Houghton, P. (2005). Cytotoxicity of plants from Malaysia and Thailand used traditionally to treat cancer. *J Ethnopharmacol*, 2005; 100: 237-243.
- Lestari S, Indah Y, Dewi IP, *et al.* (2023). The effects of plant growth regulators and sugar types on callus induction and growth of *Averrhoa carambola*. *Journal of Biological Research*, 30, 42.
- Lim, T.K. 2011. *Averrhoa dolichocarpa*. *Edible Medicinal and Non-Medicinal Plant*, 1: 465-467
- Liu Y, Yang X, Zhang L, *et al.* (2022). *Averrhoa carambola* L. extract inhibits colorectal cancer growth and metastasis through suppression of the Wnt/ β -catenin signaling pathway. *Food and Chemical Toxicology*, 161, 111865.
- Luan, F., Peng, L., Lei, Z., Jia, X., Zou, J., Yang, Y., He, X., and Zeng, N. (2021).

Traditional uses, phytochemical constituents and pharmacological properties of *Averrhoa carambola* L.: a review. *Frontiers in Pharmacology*, 12: 1-27.

Mahmud N.M.Q P. (2019). Kajian Genetik Belimbing (*Averrhoa leucopetala*) berdasarkan Profil Random Amplified Polymorphic DNA (RAPD). *Journal UIN Alauddin*, 5(1): 28-29.

Martinez, C., Pons, E., Prats, G., & Leon, J. (2004). Salicylic acid regulates flowering time and links defence responses and reproductive development. *The Plant Journal*, 37(2), 209-217.

Menezes, P. M. N., Brito, F. A. L., & Sousa, G. G. (2018). Effect of osmotic stress on biomass and production of secondary metabolites by calli of *Hyptis martiusii* Benth. *Plant Science Today*, 5(4), 385-392.

Morris, K., Mackerness, S. A. H., Page, T., John, C. F., Murphy, A. M., Carr, J. P., & Buchanan-Wollaston, V. (2000). Salicylic acid has a role in regulating gene expression during leaf senescence. *The Plant Journal*, 23(5), 677-685.

Murthy, H. N., Lee, E. J., & Paek, K. Y. (2014). Production of secondary metabolites from cell and organ cultures: Strategies and approaches for biomass improvement and metabolite accumulation. *Plant Cell, Tissue and Organ Culture*, 118(1), 1-16. doi:10.1007/s11240-014-0467-7

Murray, J. A. H. (2008). Benzylaminopurine. Dalam Cutler, H.G. (Ed.), *Biologically Active Natural Products* (hal. -). *Methods in Molecular Biology*TM, Vol. 447. Humana Press.

Nair, M. S., Soren, K., Singh, V. & Boro, B. (2016). Anticancer activity of fruit and leaf extracts of *Averrhoa bilimbi* on mcf-7 human breast cancer cell lines: a preliminary study. *Journal Austin Publishing*, 4(2): 1-5.

Nguyen TTN, Tran QTT, Phan TKT, *et al.* (2021). Phytochemical composition and bioactivities of *Averrhoa carambola* L.: A review. *Food Chemistry*, 350, 129263.

Othman NR, Ibrahim N, Abdullah N, *et al.* (2021). *Averrhoa carambola* L. fruit extract exhibits antiproliferative and apoptotic effects on MCF-7 breast cancer cells. *BMC Complementary Medicine and Therapies*, 21(1), 214.

Pijuan, J., C. Barceló, D. F. Moreno, O. Maiques, P. Sisó, R. M. Martí, A. Macià & A. Panosa. (2019). In vitro cell migration, invasion, and adhesion assays: from cell

imaging to data analysis. *Front Cell Dev Biol*, 7(107): 1-16.

Rugayah, Sunarti S. (2008). Two New Wild Species of Averrhoa(Oxalidaceae) from Indonesia. *Reinwardtia*, 12(4):325-331.

Rugayah, R., Sunarti, S., dan Djarwaningsih, T. (2009). Keanekaragaman Tumbuhan dan Potensinya di Cagar Alam Tangale, Gorontalo. *J. Tek. Ling* 10(2): 173-181

Rasud, Y., & Bustaman, B. (2020). In vitro callus induction from Clove (*Syzygium aromaticum* L.) leaves on medium containing various auxin concentrations. *Jurnal Ilmu Pertanian Indonesia*, 25(1): 67–72.

<https://doi.org/10.18343/jipi.25.1.67>

Saleh, M.S.M., M.J. Siddiqui, S.Z.M. Soad, S. Murugesu, A. Khatib & M.M. Rahman. (2018). Antioxidant and α -glucosidase inhibitory activities and gas chromatography-mass spectrometry profile of salak (*Salacca zalacca*) fruit peel extracts. *Pharmacognosy Research*, 10(4): 385–390.

Savic, J., Dragicevic, M., & Matic, S. (2019). Effect of elicitation on selected secondary metabolites and antioxidant capacity in callus cultures of *Hypericum perforatum* L.. *Archives of Biological Sciences*, 71(3), 417-426.

Setyawaty, R., R. Aptuning & Dewanto. (2020). Preliminary studies on the content of phytochemical compounds on skin of salak fruit (*Salacca zalacca*). *Pharmaceutical Journal of Indonesia*, 6(1): 1-6.

Silalahi, Marina. (2018) Botani dan Bioaktivitas Lempuyang (*Zingiber zerumbet* (L.) Smith. *Jurnal EduMatSains*, 2(2): 147-160.

Sirait, P. S., Setyaningsih, I. & Tarman, K. (2019). Aktivitas antikanker ekstrak Spirulina yang dikultur pada media walne dan media organik. *JPHPI*, 22(1): 50-60.

Setiaji, A. (2020). Effect of different strenght of medium on germination and seedling growth of tomato and sucrose effect on biomass of tomato callus. *Jurnal Biota*, 6(1): 12-18. <https://doi.org/10.19109/Biota.v6i1.4184>

Shakirova, F. M., Sakhabutdinova, A. R., Bezrukova, M. V., Fatkhutdinova, R. A., & Fatkhutdinova, D. R. (2003). Changes in the hormonal status of wheat seedlings induced by salicylic acid and salinity. *Plant Science*, 164(3), 317-322.

Sukamto, L. A. 1998. Regenerasi tanaman belimbing melalui kultur akar secara *invitro*. *Berita Biologi*, 4(2): 66-71.

Tjahjani, S., Nugrahaeni, N., & Lestari, P. (2014). Total flavonoid content and alkaloid

profile of *Averrhoa bilimbi* L. and *Averrhoa doliocarpa* C.Y. Wu. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(3), 106- 109.

Tunjung, W. A. S., Cinatl, J., Michaelis, M., & Smales, C. M. (2015). Anti- Cancer Effect of Kaffir Lime (*Citrus Hystrix* DC) Leaf Extract in Cervical Cancer and Neuroblastoma Cell Lines. *Procedia Chemistry*, 14, 465–468.
<https://doi.org/10.1016/j.proche.2015.03.062>

Vlot, A. C., Dempsey, D. A., & Klessig, D. F. (2009). Salicylic Acid, a multifaceted hormone to combat disease. *Annual Review of Phytopathology*, 47, 177-206.

Yan SW, Ramasamy R, Alitheen NBM, Rahmat A. (2013). A comparative assessment of nutritional composition, total phenolic, total flavonoid, antioxidant capacity, and antioxidant vitamins of two types of Malaysian underutilized fruits (*Averrhoa bilimbi* And *Averrhoa carambola*). *IntlJ Food Prop*, 16:1231-124

Zhou, Q., Li, Z., Zhang, H., Yang, Y., & Zhang, X. (2018). Effects of Salicylic Acid on Growth and Physiological Characteristics of *Platycodon grandiflorus* Callus. *Journal of Plant Physiology and Pathology*, 6(1), 2.