

DAFTAR PUSTAKA

- Aditia, R. P., Desniar dan Trilaksani W. 2018. Aktivitas antioksidan dan antibakteri hidrolisat protein hasil fermentasi ikan cakalang. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(1): 1- 10.
- Afifah, N. 2015. Penggunaan oven dalam pengeringan hidrolisat protein ikan: Studi kasus di masyarakat dan umkm kecil. *Jurnal Teknologi Pangan*, 12(2): 45-52.
- Agustin, V., A. Husni, & M.M.P. Putra. 2021. Antioxidant activity of protein hydrolysate from snakehead fish (*Channa striata*) viscera obtained by enzymatic process. *IOP Conf. Series: Earth and Environmental Science* 919 (2021) : 1-7.
- Agustin, Venny. 2022. Aktivitas Antioksidan Hidrolisat Protein dari Hasil Samping Ikan Gabus (*Channa striata*) yang Diproses Secara Enzimatis (Doctoral dissertation, Universitas Gadjah Mada).
- Ahmad, M. G., Setyaningsih, I., & Trilaksani, W. 2019) formulasi dan bioaktivitas suplemen tablet berbasis spirulina dan hidrolisat kolagen kulit ikan nila. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(3): 453-463.
- Ahmad, M. G., Setyaningsih, I., & Trilaksani, W. 2019. Formulasi dan bioaktivitas suplemen tablet berbasis spirulina dan hidrolisat kolagen kulit ikan nila (*Oreochromis niloticus*). *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(3): 453-463.
- Ahmad, N., & Benjakul, S. 2020. Effects of extraction methods on lipid characteristics of protein hydrolysate from fish. *Journal of Food Science and Technology*, 57(3): 1043-1050.
- Alahmad, K., Xia, W., Jiang, Q., & Xu, Y. 2022. Effect of the degree of hydrolysis on nutritional, functional, and morphological characteristics of protein hydrolysate produced from bighead carp (*Hypophthalmichthys nobilis*) using ficin enzyme. *Foods*, 11(9): 1320.
- Ambigaipalan, P., & Shahidi, F. 2017. Antioxidant potential of protein hydrolysates from shrimp shell processing discards. *Food Production, Processing and Nutrition*.
- Ambigaipalan, P., Al-Khalifa, A. S., & Shahidi, F. 2015. Antioxidant and angiotensin i converting enzyme (ACE) inhibitory activities of date seed protein hydrolysates prepared using alcalase, flavourzyme and thermolysin. *Journal of Functional Foods*, 18: 1125-1137.

- Amri, E dan F Mamboya. 2012. Papain, a plant enzyme of biological importance: A review. *American Journal of Biochemistry and Biotechnology*. 8(2):99–104.
- Annisa, S., Darmanto, Y. S., & Amalia, U. 2017. Pengaruh perbedaan spesies ikan terhadap hidrolisat protein ikan dengan penambahan enzim papain. *Saintek Perikanan*, 13(1): 24-30.
- AOAC. 1995. *Official methods of analysis* (16th ed.). Washington, DC, USA; Association of Official Analytical Chemists.
- AOAC. 2005. *Official methods of analysis*, 16th edition. Washington DC: Association of Official Analytical Chemists Inc.
- Aritonang, S. P. 2018. Analisis kandungan antioksidan dan mineral kalsium (Ca), kalium (K), dan besi (Fe) dari ekstrak buah jambu air (*Syzygium Samarangense*) varietas madu deli hijau (MDH). *Majalah Ilmiah METHODDA*, 8(1): 62-68.
- Ariyanti. 2022. Uji Aktivitas Antioksidan Hidrolisat Protein Ikan Tongkol (*Lisong Auxis Rochei*) Hasil Hidrolisis Enzim Bromelin (Doctoral dissertation, Universitas Sumatera Utara).
- Astiana, I., Suwandi, R., Suryani, A. A., & Hidayat, T. 2015. Pengaruh penggorengan belut sawah (*Monopterus albus*) terhadap komposisi asam amino, asam lemak, kolesterol dan mineral. *Depik*, 4(1): 49 - 57.
- Azis R, Akolo I.R. 2019. Karakteristik mutu kadar air, kadar abu, dan organoleptik pada penyedap rasa instan. *Journal of Agritech Science*, (2): 60-77.
- Baehaki, A., Lestari, S. D., & Romadhoni, A. R. 2015. Protein hydrolysis from catfish prepared by papain enzyme and antioxidant activity of hydrolyzate. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 18(3): 230-239
- Benjakul, S., & Morrissey, M. T. 1997. Protein hydrolysates from Pacific whiting solid wastes. *Journal of Agricultural and Food Chemistry*, 45(9): 3423-3430.
- Benjakul, S., Yarnpakdee, S., Senphan, T., Halldorsdottir, S. M., & Kristinsson, H. G. 2014. Fish protein hydrolysates: production, bioactivities, and applications. *Antioxidants and functional components in aquatic foods*, 237-281.
- Benzie, I.F.F. & Strain, J.J. 1996. The ferric reducing ability of plasma (FRAP) as a measure of antioxidant power the FRAP assay. *Analytical Biochemistry*, 239, 70- 76

- Boligon AA, Machado MM, Athayde ML. 2014. Technical evaluation of antioxidant activity. *Med chem.* 4(7): 517-522.
- Bougatef, A., Hajji, M., Balti, R., Lassoued, I., Triki-Ellouz, Y., & Nasri, M. 2009. Antioxidant and free radical-scavenging activities of smooth hound (*Mustelus mustelus*) muscle protein hydrolysates obtained by gastrointestinal proteases. *Food*
- Chalamaiah, M., Dinesh Kumar, B., Hemalatha, R., & Jyothirmayi, T. 2012. Fish protein hydrolysates: Proximate composition, amino acid composition, antioxidant activities, and applications: A review. *Food Chemistry*, 135(4): 3020-3038.
- Chen, H. M., Muramoto, K., & Yamauchi, F. 1996. Antioxidative properties of histidine-containing peptides designed from peptide fragments found in the digests of a soybean protein. *Journal of Agricultural and Food Chemistry*, 44(9): 2619-2623
- Cheng, H., He, Y., & Zhou, R. 2021. Swamp eel (*Monopterus albus*). *Trends in Genetics*, 37(12): 1137-1138.
- Coelho, M. S., de Araujo Aquino, S., Latorres, J. M., & de las Mercedes Salas-Mellado, M. 2019. In vitro and in vivo antioxidant capacity of chia protein hydrolysates and peptides. *Food hydrocolloids*, 91: 19-25.
- Darmajana, A. D. 2007. Pengaruh Konsentrasi Natrium Bisulfit Terhadap Mutu Tepung Inti Buah Nenas. *Seminar Nasional Teknik Kimia*, Yogyakarta.
- Darmawan, D., Attahmid, N. U., & Reta, R. 2021. Modifikasi Chao Belut Sawah (*Monopterus albus*) sebagai Pangan Fungsional. *Lutjanus*, 26(1): 38-44.
- deMan, J. M. 1999. *Principles of Foods Chemistry*. America: America Society Prefenteral and Nutritions.
- Dewi, W. K., Harun, N., & Zalfiatri, Y. 2017. Pemanfaatan daun katuk (*Sauropus adrogynus*) dalam pembuatan teh herbal dengan variasi suhu pengeringan. *Jom Faperta*, 4(2).
- Dong, Y., Yan, W., & Zhang, Y. Q. 2022. Effects of spray drying and freeze drying on physicochemical properties, antioxidant and ACE inhibitory activities of bighead carp (*Aristichthys nobilis*) skin hydrolysates. *Foods*, 11(14): 2083.
- Elavarasan, K., & Shamasundar, B. A. 2015. Effect of oven drying and freeze drying on the antioxidant and functional properties of protein hydrolysates derived from fresh waterfish (*Cirrhinus mrigala*) using papain enzyme. *Journal of food science and technology*, 53: 1303-1311

- Elavarasan, K., & Shamasundar, B. A. 2016. Influence of different drying methods on the quality of fish protein hydrolysates. *Food Chemistry*, 200, 215-221.
- Elavarasan, K., Naveen Kumar, V., & Shamasundar, B. A. 2013. Antioxidant and Functional Properties of Fish Protein Hydrolysates from Fresh Water Carp (*Catla catla*) as Influenced by the Nature of Enzyme. *Journal of Food Processing and Preservation*, 38(3): 1207–1214.
- El-Sayed, M. M., et al. 2014. Potential applications of fish protein hydrolysates. *Journal of Functional Foods*, 8: 424-432.
- FAO. 2011. Safety Evaluation of Certain Food Additives and Contaminants. WHO Food Additives Series: 64.
- FAO. 2019. Protein Quality Evaluation: Report of the Joint FAO/WHO Expert Consultation. FAO Food and Nutrition Paper.
- Farida, D.N., Rahayu, W.P., & Apriyadi, M.S. 2013. Modifikasi pati garut (*Marantha arundinacea*) dengan perlakuan hidrolisis asam dan siklus pemanasanpendinginan untuk menghasilkan pati resisten tipe 3. *Jurnal Teknologi Industri Pertanian*, 23(1): 61–69.
- Friedman, M. 1996. Food browning and its prevention: An overview. *Journal of Agricultural and Food Chemistry*, 44(3): 631-653.
- Ghaly, A. E., Ramakrishnan, V. V., Brooks, M. S., Budge, S. M., & Dave, D. 2013. Fish processing wastes as a potential source of proteins, amino acids and oils: A critical review. *Journal of Microbial & Biochemical Technology*, 5(4): 107-129.
- Gibala, M. J., et al. 2013. Protein ingestion before and/or after exercise improves muscle protein synthesis and enhances recovery. *Journal of Nutrition*, 143(5): 588-594.
- Giménez, B., Alemán, A., Montero, P., & Gómez-Guillén, M. C. 2009. Antioxidant and functional properties of gelatin hydrolysates obtained from skin of sole and squid. *Food Chemistry*, 114(3): 976-983.
- Girgih, A. T., He, R., Hasan, F. M., Udenigwe, C. C., Gill, T. A., & Aluko, R. E. 2015. Evaluation of the in vitro antioxidant properties of a cod (*Gadus morhua*) protein hydrolysate and peptide fractions. *Food chemistry*, 173: 652-659.
- Gómez, L. J., Gómez, N. A., Zapata, J. E., López-García, G., Cilla, A., & Alegría, A. 2019. In-vitro antioxidant capacity and cytoprotective/cytotoxic effects upon Caco-2 cells of red tilapia (*Oreochromis spp.*) viscera hydrolysates. *Food Research International*, 120: 52-61.

- Gómez-Guillén, M. C., Giménez, B., López-Caballero, M. E., & Montero, M. P. 2011. Functional and bioactive properties of collagen and gelatin from alternative sources: A review. *Food Hydrocolloids*, 25(8) 1813-1827.
- Gulcin, İ. 2020. Antioxidants and antioxidant methods: An updated overview. *Archives of Toxicology*, 94(3): 651-715
- Hafifani, Witya, Indun D. Puspita, & M.M. Prima Putra. 2021. The effect of hydrolysis duration on the antibacterial activity of swamp eel head protein hydrolysate produced by papain against histamine-producing bacteria. *E3S Web of Conferences* 322(04005) : 1-8.
- Hafifani, Witya. 2021. Pengaruh Lama Hidrolisis Menggunakan Papain terhadap Aktivitas Antibakteri Hidrolisat Protein Kepala Belut pada Bakteri Pembentuk Histamin (Skripsi, Universitas Gadjah Mada).
- Halim, N. R. A., Yusof, H. M., & Sarbon, N. M. 2016. Functional and bioactive properties of fish protein hydrolysates and peptides: A comprehensive review. *Trends in Food Science & Technology*, 51: 24-33.
- Hassan, H. F., et al. 2020. Drying kinetics and quality characteristics of seafood protein hydrolysate.
- He, S., Franco, C., & Zhang, W. 2013. Functions, applications and production of protein hydrolysates from fish processing by-products (FPB). *Food Research International*, 50(1), 289-297.
- He, S., Franco, C., & Zhang, W. 2013. Functions, applications and production of protein hydrolysates from fish processing co-products (FPCP). *Food Research International*, 50(1): 289-297.
- Hidayah, N., Poernomo, A., Rohadatul'aisy, N. I., & Sugiyono, S. 2023. Mutu dan umur simpan cookies yang difortifikasi dengan hidrolisat protein ikan. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 18(1): 75-86.
- Hidayati, A., & Santoso, J. 2019. Aktivitas antioksidan hidrolisat protein miofibril belut (*Synbranchus bengalensis*) yang dihidrolisis dengan enzim papain. *Jurnal Teknologi Industri Pertanian*, 29(3): 247-259.
- Himaya SW, Ryu B, Ngo DH, Kim SK. 2012. Peptide isolated from Japanese flounder skin gelatin protects against cellular oxidative damage. *J. Agric. Food Chem.* 60: 9112–9119.
- Himaya SW, Ryu B, Ngo DH, Kim SK. 2012. Peptide isolated from Japanese flounder skin gelatin protects against cellular oxidative damage. *J. Agric. Food Chem.* 60: 9112–9119

- Hoyle, N. T., & J. H. Merritt. 1994. Quality of fish protein hydrolysates from herring (*Clupea harengus*). *Journal of food Science*. 59(1): 76-79.
- Huang, Y., et al. 2015. Effect of enzymatic hydrolysis on the functional properties of protein hydrolysates from defatted yellowfin tuna (*Thunnus albacares*) head. *Food Science and Human Wellness*, 4(1): 34-38.
- Husna, A., Khathir, R., & Siregar, K. 2017. Karakteristik pengeringan bawang putih (*Allium sativum L*) menggunakan pengering oven. *Jurnal Ilmiah Mahasiswa Pertanian*, 2(1): 338-347.
- International Quality Ingredients. 2005. Product Specification: Fish Protein Hydrolysate.
- Ito, M., K. Yamaoka, H. Masuda, H. Kawahata, L. Gupta. 2009. Thermal stability of amino acid in biogenic sediments and aqueous solutions at seafloor hydrothermal temperatures. *Geochemical Journal*, 43:331- 341
- Jacobs, M. B., & Krause, A. J. 2016. *The Science of Baking*. Food Science and Technology Series, Elsevier.
- Jacoeb, A. M., Suptijah, P., & Kamila, R. 2013. Kandungan asam lemak, kolesterol, dan deskripsi jaringan daging belut segar dan rebus. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 17(2): 134-143.
- Je, J. Y., & Kim, S. K. 2006. Antioxidant activity of protein hydrolysates from Alaska Pollack (*Theragra chalcogramma*) roe and surimi byproducts. *Food Research International*, 39(7): 837-844.
- Je, J. Y., Park, P. J., Kwon, J. Y., & Kim, S. K. 2005. A novel angiotensin I converting enzyme inhibitory peptide from Alaska Pollack (*Theragra chalcogramma*) frame protein hydrolysate. *Journal of Agricultural and Food Chemistry*, 53(3): 1200-1205.
- Je, J. Y., Qian, Z. J., Byun, H. G., & Kim, S. K. 2007. Purification and characterization of an antioxidant peptide obtained from tuna backbone protein by enzymatic hydrolysis. *Process Biochemistry*, 42(5): 840-846.
- Joshi, A. P. K., Rupasinghe, H. P. V., & Khanizadeh, S. 2011. Impact of drying processes on bioactive phenolics, vitamin C and antioxidant capacity of red-fleshed apple slices. *Journal of Food Processing and Preservation*, 35(4): 453-457.
- Karama c, M., Amarowicz, R., & Kostyra, H. 2016. Proteolytic enzymes and their application in protein hydrolysis. *Polish Journal of Food and Nutrition Sciences*, 6(3): 215-222.

- Karama , M., Amarowicz, R., & Weidner, S. 2016. Phenolic compounds from evening primrose (*Oenothera paradoxa*) seeds, defatted seeds and seed cakes. *Food Chemistry*, 203: 125-131.
- Karama , M., Kosi ska-Cagnazzo, A., & Kulczyk, A. 2016. Use of different proteases to obtain flaxseed protein hydrolysates with antioxidant activity. *International Journal of Molecular Sciences*, 17(7): 1027.
- Ketnawa, S., Benjakul, S., Mart nez-Alvarez, O., & Rawdkuen, S. 2017. Fish skin gelatin hydrolysates produced by visceral peptidase and bovine trypsin: Bioactivity and stability. *Food chemistry*, 215: 383-390.
- Kim, S. K., & Mendis, E. 2006. Bioactive compounds from marine processing byproducts – A review. *Food Research International*, 39(4):383-393.
- Kim, S. K., & Wijesekara, I. 2010. Development and biological activities of marine-derived bioactive peptides: A review. *Journal of Functional Foods*, 2(1): 1-9.
- Kitts, D. D., & Weiler, K. 2003. Bioactive proteins and peptides from food sources. Applications of bioprocesses used in isolation and recovery. *Current Pharmaceutical Design*, 9(16): 1309-1323.
- Klompong, V., Benjakul, S., Kantachote, D., & Shahidi, F. 2008. Antioxidative activity and functional properties of protein hydrolysate of yellow stripe trevally (*Selaroides leptolepis*) as influenced by the degree of hydrolysis and enzyme type. *Food Chemistry*, 102(4): 1317-1327.
- Kraut, J. 1977. Serine proteases: structure and mechanism of catalysis. *Annual Review of Biochemistry*, 46(1): 331-358.
- Kristinsson, H. G., & Rasco, B. A. 2000. Fish protein hydrolysates: Production, biochemical, and functional properties. *Critical Reviews in Food Science and Nutrition*, 40(1): 43-81.
- Kurniawati, D., Supartono, W., & Suyantohadi, A. 2015. Identifikasi Faktor Pengembangan UMKM (Studi Kasus Pusat Kuliner Belut Godean Sleman Yogyakarta). *The Synergy of Agricultural Technology, Needs and Environmental Sustainability*, 14.
- Kusnandar, F., Hermanto, M. B., & Rantam, F. A. 2018. Effect of temperature on water content and protein content of catfish (*Clarias gariepinus*) hydrolysate. *IOP Conference Series: Earth and Environmental Science*, 119(1): 012010.
- Kusumaningtyas, E., Widiastuti, R., Kusumaningrum, H. D., & Suhartono, M. T. 2015. Aktivitas antibakteri dan antioksidan hidrolisat hasil hidrolisis protein susu kambing dengan ekstrak kasar bromelin. *Jurnal Teknologi dan Industri Pangan*, 26(2): 179-188.

- Leni, G., Soetemans, L., Caligiani, A., Sforza, S., & Bastiaens, L. 2020. Degree of hydrolysis affects the techno-functional properties of lesser mealworm protein hydrolysates. *Foods*. 9(4): 381.
- Li, Z., & Zhang, Y. (2013). Effects of drying methods on the functional properties of protein hydrolysates from hairtail surimi processing by-products. *Journal of Aquatic Food Product Technology*, 22(4): 364-377.
- Liceaga-Gesualdo, A. M., & Li-Chan, E. C. 1999. Functional properties of fish protein hydrolysate from Herring (*Clupea harengus*). *Journal of Food Science*, 64(6): 1000-1004.
- Lisianti, D., Saragih, B., & Rachmawati, M. 2023. Pengaruh suhu pengeringan terhadap rendemen, karakteristik organoleptik dan fisik-kimia tepung jagaq (*Setaria italica* L.). *Journal of Tropical AgriFood*, 4(2): 115-121.
- Liu, et al. 2020. Drying Technologies in Food Processing. *Applied Sciences*, 13(19): 10597.
- Liu, Y., Liu, C., Guo, Q., & Ren, N. 2020. The inefficiency and high energy consumption of freeze-drying for food processing. *Food Engineering Reviews*, 12(1): 52-63.
- Lotito, S.B., Frei, B. 2004. Relevance of apple polyphenols as antioxidants in human plasma: contrasting in vitro and in vivo effects. *Free Radical Biology and Medicine*, 36(2): 201-211.
- Lv, W., Yuan, Q., Huang, W., Sun, X., Lv, W., & Zhou, W. 2022. Asian swamp eel *Monopterus albus* population structure and genetic diversity in China. *Frontiers in Genetics*, 13: 898958.
- Mahler, H. C., & Friess, W. 2007. Protein stability: A formulation challenge. *Nature Reviews Drug Discovery*, 6(1): 17-26.
- Maillard, L. C. 1912. Action of amino acids on sugars. Formation of melanoidins in a methodical way. *Comptes Rendus*, 154: 66-68.
- Mamboya, E. A. F., & Amri, E. 2012. Papain, a plant enzyme of biological importance: A review. *Am. J. Biochem. Biotechnol*, 8(2): 99-104.
- Martunis, M. 2012. Pengaruh suhu dan lama pengeringan terhadap kuantitas dan kualitas pati kentang varietas granola. *Jurnal Teknologi dan Industri Pertanian Indonesia*, 4(3).
- Masters, K. (1991). *Spray Drying Handbook*. 5th ed. John Wiley & Sons, Inc.

- Mendis, E., Rajapakse, N., & Kim, S. K. 2005. Antioxidant properties of a radical-scavenging peptide purified from enzymatically prepared fish skin gelatin hydrolysate. *Journal of Agricultural and Food Chemistry*, 53(3): 581-587.
- Menko Maritim dan Investasi RI. 2020. Keputusan Menteri Koordinator Bidang Kemaritiman Dan Investasi RI Nomor 169/2020 tentang Rencana Strategis Deputi Bidang Koordinasi Kedaulatan Maritim Dan Energi Tahun 2020 - 2024.
- Miller HE, F Rigelhof, L Marquart, A Prakash, M Kanter. 2000. Antioxidant content of whole grain breakfast cereals, fruits and vegetables. *Journal of The American College of Nutrition*. 19(3): 312S-319S.
- Molyneux, P. 2004. The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin Journal of Science and Technology*, 26(2): 211-219.
- Momo, F. 2008. Impact of material size and moisture content on drying processes. *International Journal of Food Science and Technology*, 43(8): 1450-1455..
- Mora, L., et al. 2018. Bioactive peptides from meat muscle and by-products: generation, functionality and application as functional ingredients. *Meat Science*, 142: 27-42.
- Mukodiningsih, S., Sulistiyanto, B., & Yunianto, V. D. 2003. Kajian pengaruh suhu pengeringan terhadap kadar protein, protein, kalsium dan fosfor tepung silas ikan. *Jurnal Litbang Provinsi Jawa Tengah*, 1(2): 148-151.
- Nalinanon, S., Benjakul, S., Kishimura, H., & Shahidi, F. 2011. Functionalities and antioxidant properties of protein hydrolysates from the muscle of ornate threadfin bream treated with pepsin from skipjack tuna. *Food Chemistry*, 124(4): 1354–1362.
- Nandiyanto, A.B.D., dan Okuyawa, K.B. 2011. Progress in developing spray-drying methods for the production of controlled morphology particles: From the nanometer to submicrometer size ranges. *Advanced Powder Technology*, 1-19.
- Nguyen, H. T., Bao, H. N. D., Dang, H. T. T., Tómasson, T., Arason, S., & Gudjónsdóttir, M. 2022. Protein characteristics and bioactivity of fish protein hydrolysates from tra catfish (*Pangasius hypophthalmus*) side stream isolates. *Foods*, 11(24): 4102.
- Nicoli, M.C., Anese, M., Parpinel, M. 1999. Influence of processing on the antioxidant properties of fruit and vegetables. *Trends in Food Science & Technology*, 10(3): 94-100.

- Noman, A., Y. Xu, W.Q. AL-Bukhaiti, S.M. Abed, A.H. Ali, A.H. Ramadhan, dan W. Xia. 2018. Influence of enzymatic hydrolysis conditions on the degree of hydrolysis and functional properties of protein hydrolysate obtained from chinese sturgeon (*Acipenser sinensis*) by using papain enzyme. *Process Biochemistry*. 67: 19–28.
- Norra, I., Aminah, A., Suri, R., & Zaidi, J. A. 2017. Effect of drying temperature on the content of fucoxanthin, phenolic and antioxidant activity of Malaysian brown seaweed, *Sargassum* sp.
- Nur, M., & Sunarharum, W. B. 2019. Kimia pangan. Universitas Brawijaya Press.
- Nurhayati, T., Nurjanah, dan C. H. Sanapi. 2013. Karakterisasi hidrolisat protein ikan lele dumbo (*Clarias gariepinus*). *Jurnal Pengolahan Hasil Perikanan*. 16(3):207- 214.
- Nurhayati, T., Salamah, E., & Hidayat, T. 2007. Karakteristik hidrolisat protein ikan selar (*Caranx leptolepis*) yang diproses secara enzimatis. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 10(1): 23-34
- Nurilmala M, Hizbullah HH, Karnia E, Kusumaningtyas E, Ochiai Y. 2020. Characterization and antioxidant activity of collagen, gelatin, and the derived peptides from yellowfin tuna (*Thunnus albacares*) skin. *Marine Drugs*. 18 (2): 98.
- Nurjanah, N., Nurhayati, T., Latifah, A., & Hidayat, T. 2021. Aktivitas antioksidan dan komponen bioaktif hidrolisat protein jeroan ikan kakap putih (*Lates calcalifer*). *Warta Industri Hasil Pertanian*, 38(1): 70-78.
- Ovissipour, M., Abedian Kenari, A., Motamedzadegan, A., & Nazari, R. M. 2012. Optimization of enzymatic hydrolysis of visceral waste proteins of yellowfin tuna (*Thunnus albacares*). *Food and Bioprocess Technology*, 5: 696-705.
- Ovissipour, M., Abedian, A., Motamedzadegan, A., Rasco, B., Safari, R., & Shahiri, H. 2009. The effect of enzymatic hydrolysis time and temperature on the properties of protein hydrolysates from Persian sturgeon (*Acipenser persicus*) viscera. *Food Chemistry*, 115(1): 238-242.
- Palupi S, Hamidah S, Yuriani. 2014. Upaya peningkatan pendapatan kelompok usaha belut melalui variasi hasil olahan dan kemasan di Godean. *Inotek*. 18(1): 109-119.
- Pokora, M., Eckert, E., Zambrowicz, A., Bobak, Ł., & Szoltysik, M. 2015. Antioxidant and anti-inflammatory peptides obtained from egg white proteins. *Food Chemistry*, 168: 643-649.

- Poojary, M. M., Orlie, V., Passamonti, P., & Olsen, K. 2017. Phenolic acids of marine macroalgae: Antioxidant, antimicrobial and synergistic potential in food preservation. *Critical Reviews in Food Science and Nutrition*, 57(15): 2876-2894.
- Prasetyo, D. Y. B., Setyastuti, A. I., Kresnasari, D., & AGS, D. A. 2021. Karakteristik fungsional hidrolisa protein ikan dari kerangka ikan nila (*Oreochromis niloticus*) (Linnaeus, 1758). *Acta Aquatica: Aquatic Sciences Journal*, 8(3): 181-186.
- Prastyo, D. T., & Trilaksani, W. 2020. Aktivitas antioksidan hidrolisat kolagen kulit ikan nila (*Oreochromis niloticus*). *Jurnal Pengolahan Hasil Perikanan Indonesia*, 23(3): 423-433
- Pratiwi, E., Putri, A. S., & Gunantar, D. A. 2020. Pengaruh suhu pengeringan pada pembuatan kelapa parut kering (*Desiccated Coconut*) terhadap sifat kimia dan organoleptik. *Jurnal Teknologi Pangan dan Hasil Pertanian*, 15(2): 10-14.
- Priatni, S., Harimadi, K. E. Z. I. A., Buana, E. F. E. N. D. I., Kosasih, W., & Rohmatussolihat, R. 2020. Production and characterization of spray-dried swamp eel (*Monopterus albus*) protein hydrolysate prepared by papain. *Sains Malaysiana*, 49(3): 545-552.
- Purwanto, M., Yulianti, E. S., Nurfauzi, I. N., & Winarni, W. 2019. Karakteristik dan aktivitas antioksidan sabun padat dengan penambahan ekstrak kulit buah naga (*Hylocereus polyrhizus*). *Indonesian Chemistry and Application Journal*, 3(1): 14-23.
- Putalan, R., Nurhayati, T., Chasanah, E. 2020. Fraksinasi peptida dari hidrolisat protein ikan selar (*Selaroides leptolepis*). *Jurnal Pengolahan Hasil Perikanan Indonesia*. 23(3): 434-440.
- Putranto, H. F., Asikin, A. N., & Kusumaningrum, I. 2015. Karakterisasi tepung tulang ikan belida (*Chitala* sp.) sebagai sumber kalsium dengan metode hidrolisis protein. *Ziraa'ah Majalah Ilmiah Pertanian*, 41(1): 11-20.
- Putri, Y. I., Anwar, S., Afifah, D. N., Chasanah, E., Fawzya, Y. N., & Martosuyono, P. 2020. Optimasi formula mp-asi bubuk sumber protein dengan substitusi hidrolisat protein ikan dan tepung kacang hijau menggunakan response surface methodology.
- Qin, S., Zhang, W., Zhang, J., & Liu, Y. 2011. Antioxidant activities of eel protein hydrolysates prepared with different proteases from the viscera of Japanese eel. *Journal of Food Science and Technology*, 48(6): 781-786.

- Raghavan, S., Joshi, M., & Hultin, H. O. 2008. Reduction of lipid oxidation in fish muscle by antioxidant mobilization. *Journal of Agricultural and Food Chemistry*, 56(17): 8302-8308.
- Rahmawan, A. 2011. Prinsip pengeringan oven dan aplikasinya pada pengeringan bahan pangan. *Jurnal Teknologi Pertanian*.
- Rahmawan, H. 2011. Principles of oven drying for food processing. *Journal of Food Processing Technology*, 2(3): 210-217.
- Ranathunga, S., Rajapakse, N., & Kim, S. K. 2006. Purification and characterization of antioxidative peptide derived from muscle of conger eel (*Conger myriaster*). *European Food Research and Technology*, 222(3-4): 310-315.
- Retnoningtyas, E. S., Ayucitra, A., Naga, W. S., & Adiguna, B. 2010. Koagulasi protein dari ekstrak biji kecipir dengan metode pemanasan. *Widya Teknik: Media Pengembangan Ilmu Pengetahuan dan Teknologi*, 9(1):1-11.
- Riansyah, A., Supriadi, A., & Nopianti, R. 2013. Pengaruh perbedaan suhu dan waktu pengeringan terhadap karakteristik ikan asin sepat siam (*Trichogaster pectoralis*) dengan menggunakan oven. *Jurnal Fishtech*, 2(1), 53-68.
- Rizal, S. 2013. Pengaruh Suhu Pengeringan dan Konsentrasi Natrium Metabisulfit Terhadap Sifat Fisik-Kimia Tepung Biji Nangka. Skripsi Fakultas Teknologi Pertanian Universitas Brawijaya. Malang.
- Rodríguez-Díaz, J. C., Tonon, R. V., & Hubinger, M. D. 2014 Spray drying of blue shark skin protein hydrolysate: Physical, morphological, and antioxidant properties. *Drying Technology*, 32(16): 1986-1996.
- Rogers, H. J., Perkins, H. R., & Wardlaw, A. C. 1985. *Microbial Cell Walls and Membranes*. Springer US.
- Rogers, J. C., & Ryan, C. A. 1985. Protease inhibitors in plant leaves: Their isolation, purification, and characterization. *Methods in Enzymology*, 113: 254-270.
- Roy, R. 2009. *Budi Daya dan Bisnis Belut Sawah*. Jakarta: PT Agromedia Pustaka.
- Saidi, S., et al. 2013. The use of protein hydrolysates from fish by-products for food applications: A review. *Food Chemistry*, 140(2): 659-666.
- Saiga, A., Tanabe, S., & Nishimura, T. 2003. Antioxidant activity of peptides obtained from porcine myofibrillar proteins by protease treatment. *Journal of Agricultural and Food Chemistry*, 51(12): 3661-3667.

- Salamah, E., Nurhayati, T., & Widadi, I. R. 2012. Pembuatan dan karakterisasi hidrolisat protein dari ikan lele dumbo (*Clarias gariepinus*) menggunakan enzim papain. Jurnal Pengolahan Hasil Perikanan Indonesia, 15(1):9-16.
- Samaranayaka, A.G.P., dan Li-Chen, E.C.Y. 2011. Food-derived peptidic antioxidants: A review of their production, assessment and potential applications. Journal of Functional Foods, 3(4): 229-254.
- Samosir, P. E., Tafzi, F., & Indriyani, I. 2019. Pengaruh metode pengeringan daun pedada (*Sonneratia caseolaris*) untuk membuat minuman fungsional sebagai sumber antioksidan. In Seminar Nasional Pembangunan Pertanian Berkelanjutan Berbasis Sumber Daya Lokal (pp. 318-342)..
- Sanapi, M. 2013. Influence of inlet and outlet temperatures on the spray drying of protein hydrolysates. Journal of Food Process Engineering, 36(3): 330-337.
- Sarmadi, B. H., & Ismail, A. 2010. Antioxidative peptides from food proteins: A review. Peptides, 31(10): 1949-1956.
- Setyawan, I., & Widowati, I. 2023. Analisis efisiensi pemasaran kripik belut pada UMKM citra rasa di desa margoluwih kapanewon seyegan kabupaten sleman. Agrisociabus, 2(2), 45-49.
- Shahidi, F., & Ambigaipalan, P. 2015. Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects—A review. Journal of Functional Foods, 18: 820-897.
- Shahidi, F., & Han, X. Q. 1993. Production and characteristics of protein hydrolysates from capelin (*Mallotus villosus*). Food Chemistry, 48(1): 41-48.
- Shaviklo, A. R. 2015. Development of fish protein powder as an ingredient for food applications: a review. Journal of food science and technology, 52(2): 648-661.
- Sierra-Lopera, F., López-Perea, L., Bernal-Castro, C., & Sánchez-Rodríguez, K. 2021. Optimisation of enzymatic hydrolysis of red tilapia scales with alcalase and flavourzyme. Food Science and Technology International, 27(5): 440-451.
- Sierra-Lopera, L. M., & Zapata-Montoya, J. E. 2021. Optimization of enzymatic hydrolysis of red tilapia scales (*Oreochromis* sp.) to obtain bioactive peptides. Biotechnology Reports, 30: e00611.
- Simatupang, P. 2022. Pengaruh Ph Berbeda Terhadap Hidrolisat Protein Belut (*Monopterus Albus*) Menggunakan Enzim Papain.

- Simpson, B. K., & Haard, N. F. 1984. The use of proteolytic enzymes to extract carotenoproteins from shrimp waste. *Journal of Food Biochemistry*, 8(2): 115-130..
- Sitompul, S. 2004. Analisis asam amino tepung ikan dan bungkil kedelai. *Buletin Teknik Pertanian*, 9(1):33-37.
- Souissi, N., Bougatef, A., Triki-Ellouz, Y., & Nasri, M. 2007. Biochemical and functional properties of sardinella (*Sardinella aurita*) by-product hydrolysates. *Food Technology and Biotechnology* 45(2): 187.
- Standar Nasional Indonesia, 1992, Cara Analisis Makanan dan Minuman SNI 01-2891-1992, Dewan Standar Nasional, Jakarta.
- Sukkhown, P., Jangchud, K., dan Lorjaroenphon, Y. 2018. Flavored-functional protein hydrolysates from enzymatic hydrolysis of dried squid by-products: Effect of dryingmethod. *Food Hydrocolloids*, 76: 103-112.
- Supriyadi, A., Suharyanto, & Widjanarko, S. B. 2020. The Effect of Temperature on the Characteristics of Tilapia (*Oreochromis niloticus*) Hydrolysate Protein. *IOP Conference Series: Earth and Environmental Science*, 489(1): 012002.
- Suryani, Y., Yuliati, Y., & Farida, Y. 2008. Kandungan Vitamin A dan Protein Bakso Belut di Daerah Istimewa Yogyakarta. *Jurnal Kedokteran YARSI*, 16(3), 180-185.
- Susanty, A., Kusumaningrum, I. 2021. Pengaruh Waktu Hidrolisis terhadap Karakteristik Hidrolisat Protein Ikan Toman (*Channa micropeltes*) Asal DAS Kalimantan Timur. *Indonesian Journal of Industrial Research*: 463-475.
- Susatyo, P., Setyaningrum, N., Winarni, E. T., & Chasanah, T. 2018. Reproduction Characteristics of Rice Field Eel (*Monopterus albus Zuiew*) on Several Functionally Changed Lands in Banyumas Regency. *Journal of Tropical Life Science*, 8(2):177 - 186.
- Syafii, Firdaus. 2022. Kimia Pangan. Modul Kimia Pangan Komponen Makro Jurusan Gizi Poltekkes Kemenkes Mamuju.
- Tang, X., & Jiang, J. 2011. Characterization of edible hydroxyl propyl methyl cellulose film incorporated with antimicrobial peptides. *Journal of Agricultural and Food Chemistry*, 59(8): 1944-1951.
- Taniyo, W., Salimi, Y. K., & Iyabu, H. 2021. Karakteristik dan aktivitas antioksidan hidrolisat protein ikan nike (*Awaous melanocephalus*). *Dalton: Jurnal Pendidikan Kimia dan Ilmu Kimia*, 4(2): 52-63.

- Thiansilakul Y, Benjakul S, Richards MP. 2011. Effect of myoglobin from Eastern little tuna muscle on lipid oxidation of washed Asian seabass mince at different pH conditions. *J Food Sci.* 76(2): 242-249.
- Tjiptomo, A, T. 2023. Pengaruh Lama Hidrolisis Menggunakan Papain terhadap AKtivitas Antioksidan Hidrolisat Protein Jeroan Belut (*Monopterus albus*) (Doctoral dissertation, Universitas Gadjah Mada).
- Trajkovska, B., Tomovska, J., & Pavlova, V. 2016.. Influence of drying temperature on the water content and textural properties of dried apple slices. *Journal of Food Processing and Preservation*, 40(6): 1394-1402.
- Udenigwe, C. C., & Aluko, R. E. 2011. Chemometric analysis of the amino acid requirements of antioxidant food protein hydrolysates. *International journal of molecular sciences*, 12(5): 3148-3161.
- Utami, R., Yuniarti, S., & Mahardika, P. 2018. Pengaruh suhu terhadap aktivitas enzim dan struktur protein. *Jurnal Biologi*, 17(4): 99-108.
- Valko M, Leibfritz D, Moncol J, Cronin MTD, Mazur M, Telser J. 2007. Free radical and antioxidant in normal physiological function and human disease. *The International Journal of Biochemistry & Cell Biology*. 39(1): 44-84.
- Vázquez, J. A., Rodríguez-Amado, I., Sotelo, C. G., Sanz, N., Pérez-Martín, R. I., & Valcárcel, J. 2020. Production, characterization, and bioactivity of fish protein hydrolysates from aquaculture turbot (*Scophthalmus maximus*) wastes. *Biomolecules*, 10(2): 310.
- Wijaya, H., Sutrisno, A., & Nuraeni, L. 2017. Peptida bioaktif dalam hidrolisat protein. *Jurnal Ilmu Gizi*, 8(1): 27-35.
- Wijayanti I, Romadhon, dan Rianingsih L. 2015. Pengaruh konsentrasi enzim papain terhadap kadar proksimat dan nilai rendemen hidrolisat protein ikan bandeng (*Chanos chanos Forks*). *PENA Akuatika Volume 12 (1)*: 13-23
- Wijayanti, I., Romadhon dan Laras R. 2016. Karakteristik hidrolisat protein ikan bandeng (*Chanos chanos Forsk*) dengan konsentrasi enzim bromelin yang berbeda. *Indonesian Journal Fisheries Science and Technology*. 11(2): 129-133.
- Wisnumurti, & Tjiptomo, A. 2023. Optimasi proses hidrolisis enzimatik pada jeroan belut untuk produksi hidrolisat protein. *Journal of Aquatic Food Product Technology*, 32(1), 45-53.
- Wisnumurti, W. 2023. Pengaruh Konsentrasi Enzim Papain terhadap Aktivitas Antioksidan Hidrolisat Protein Jeroan Belut Sawah (Skripsi, Universitas Gadjah Mada).

- Wu CH, Chen HM, & Sdan hiau CY. 2003. Free amino acids and peptides as related to antioxidant properties in protein hydrolysates of mackerel (*Scomber austriaticus*). Food Res Intl. 36: 949-957.
- Yani, E., & Fajrin, S. 2013. Karakteristik pengeringan biji kopi berdasarkan variasi kecepatan aliran udara pada solar dryer. Teknika, 20(1).
- Yanti, F., Dharmayanti, N., & Suryanti, S. 2022. Aktivitas antioksidan kolagen dari kulit ikan patin (*Pangasius* sp.) dengan enzim bromelin kasar kulit nanas (*Ananas comosus* L.). Jurnal Pengolahan Hasil Perikanan Indonesia, 25(1): 88-96.
- Yarnpakdee, S., Benjakul, S., Kristinsson, H. G., & Kishimura, H. 2014. Antioxidant and sensory properties of protein hydrolysate derived from Nile tilapia (*Oreochromis niloticus*) by one- and two-step hydrolysis. Journal of Food Science and Technology.
- Yarnpakdee, S., Benjakul, S., Kristinsson, H.G., Bakken, H.E. 2021. "Protein hydrolysates from farmed giant catfish (*Pangasianodon gigas*) muscle: Effects of hydrolysis conditions and antioxidative activity." Journal of Food Science and Technology, 58: 1931–1942.
- Yuanita, L. 2008s. Penentuan kadar STPP food grade untuk meningkatkan masa simpan ikan nila tilapia (*Oreochromis niloticus* L.). Berkala Penelitian Hayati, 13(2): 179-186.
- Yuliani, et al. 2007. Pengaruh suhu pengeringan terhadap struktur mikro dan kandungan bahan aktif. Agritech, 27(2): 89-94.
- Yuliani, S., Pratama, A., & Fatimah, D. 2007. Effect of drying temperature on the microstructure and active components of dried products. Journal of Food Science and Technology, 44(5): 513-519.