



DAFTAR PUSTAKA

- Abdullah, N. & S. M. M. Kamal. 2014. Characterization of fish protein hydrolysate from tilapia (*Oreochromis niloticus*) by-product. Agriculture and Agricultural Science Procedia. 2: 312-319.
- Abraha, B., A. Mahmud, M. Samuel, W. Yhdego, S. Kibrom, & W. Habtom. 2017. Production of fish protein hydrolysate from silver catfish (*Arius thalassinus*). MOJ Food Processing & Technology. 5(4): 328-335.
- Adawayah, R. 2014. Pengolahan dan Pengawetan Ikan. Sinar. Jakarta.
- Aditia, R. P., D. Desniar, & W. Trilaksani. 2017. Aktivitas antioksidan dan antibakteri hidrolisat protein hasil fermentasi telur ikan cakalang. Jurnal Pengolahan Hasil Perikanan Indonesia. 21(1): 1-12.
- Adler-Nissen, J. 1986. Enzymic Hydrolysis of Food Protein. Elsevier Applied Science. UK.
- Agustin, V., M. M. P. Putra, & A. Husni. 2023. Impact of enzymatic hydrolysis on antioxidant activity of snakehead fish (*Channa striata*) head protein hydrolysate. Jurnal Ilmiah Perikanan dan Kelautan. 15(1).
- Agustina, A., R. Karnila, & M. Ilza. 2018. Pengaruh konsentrasi enzim papain berbeda terhadap kandungan asam amino total hidrolisat protein belut (*Monopterus albus*). Universitas Riau Journal. 1(1): 1-10.
- Ahmed, N., J. Singh, H. Chauhan, P. G. A. Anjum, & H. Kour. 2013. Different drying methods: their applications and recent advances. International Journal of Food Nutrition and Safety. 4(1) : 34-42.
- Aisha, D. 2023. Perawatan dan perbaikan mesin oven pada umkm bolu di desa waluya. Abdima Jurnal Pengabdian Mahasiswa. 2(2): 7293-7297.
- Aisyah, S. & A. Pamungkas. 2019. Pemanfaatan limbah hasil perikanan sebagai produk bernilai tambah bagi masyarakat di kecamatan belinyu, kabupaten bangka. Prosiding Seminar Hukum dan Publikasi Nasional (Serumpun). 1(1): 234-239.
- Al-Hmoud, H. A., N. E. Ibrahim, dan E. I. ElHallous. 2014. Surfactants solubility, concentration and the other formulations effects on the drug release rate from a controlled-release matrix. African Journal of Pharmacy and Pharmacology. 8(13): 364–371.
- Alinejad, M., A. Motamedzadegan, M. Rezaei, & J. M. Regenstein. 2017. The impact of drying method on the functional and antioxidant properties of whitecheek shark (*Carcharhinus dussumieri*) protein hydrolysates. Journal of Food Processing and Preservation. 41(1): 1-11.
- Al-Umam, R. 2023. Pengaruh Konsentrasi Papain pada Pembuatan Hidrolisat Protein Insang dan Arborescent Lele terhadap Aktivitas Antibakterinya pada Bakteri Pembentuk Histamin. Universitas Gadjah Mada. Skripsi.
- Amarowicz, R., M. Naczk, & F. Shahidi. 2000. Antioxidant activity of crude tannins of canola and rapeseed hulls. Journal of the American Oil Chemists' Society. 77(9): 957-961.
- Andayani R, Maimunah, dan Y. Lisawati. 2008. Penentuan aktivitas antioksidan, kadar fenolat total dan likopen pada buah tomat (*Solanum lycopersicum L*). Jurnal Sains dan Teknologi Farm. 13(1): 177-1410.
- Annisa, S., Y. S. Darmanto, & U. Amalia. 2017. Pengaruh perbedaan spesies ikan terhadap hidrolisat protein ikan dengan penambahan enzim papain. Saintek Perikanan: Indonesian Journal of Fisheries Science and Technology. 13(1): 24-30.



- [AOAC] Association of Official Agricultural Chemists. 1995. Official Methods of Analysis of the Association of Official of Analytical Chemist. AOAC, Inc. Washington D. C.
- [AOAC] Association of Official Analytical Chemyst. 2005. Official Method of Analysis of The Association of Official Analytical of Chemist. AOAC, Inc. USA.
- Apak, R., S. Gorinstein, V. Böhm, K. Schaich, M. Özyürek, & K. Güçlü. 2013. Methods of measurement and evaluation of natural antioxidant capacity/activity (IUPAC technical report). Pure and Applied Chemistry. 85(5): 957–998.
- Arab, R., S. Casal, T. Pinho, R. Cruz, M. L. Freidja, J. M. Lorenzo, C. Hano, K. Madani, & L. Boulekache-Makhlof. 2022. Effects of seed roasting temperature on sesame oil fatty acid composition, lignan, sterol and tocopherol contents, oxidative stability and antioxidant potential for food applications. Molecules. 27(14): 1-15.
- Ariska, S. B. & D. Utomo. 2020. Kualitas minuman serbuk instan sereh (*Cymbopogon citratus*) dengan metode foam mat drying. Teknologi Pangan: Media Informasi dan Komunikasi Ilmiah Teknologi Pertanian. 11(1): 42-51.
- Ariyani, F., M. Saleh, T. Tazwir, & N. Hak. 2017. Optimasi proses produksi Hidrolisat Protein Ikan (HPI) dari mujair (*Oreochromis Mossambicus*). Jurnal Penelitian Perikanan Indonesia. 9(5): 11-21.
- Arslan, D. & M. M. Özcan. 2010. Dehydration of red bell-pepper (*Capsicum annuum* l.): change in drying behavior, colour, and antioxidant content. Food Bioprod. Process. 89: 504-513.
- Arslan, D. & M. M. Özcan. 2010. Study the effect of sun, oven and microwave drying on quality of onion slices. LWT-Food Science and Technology. 43(7): 1121-1127.
- Asare, S. N., F. G. I. Ijong, F. J. Rieuwpassa, & N. P. Setiawati. 2018. Penambahan hidrolisat protein ikan lemuru (*Sardinella lemuru*) pada pembuatan biskuit. Jurnal Ilmiah Tindalung. 4(1): 10-18.
- Asiah, N., R. Sembodo, & A. Prasetyaningum. 2012. Aplikasi metode foam-mat drying pada proses pengeringan spirulina. Jurnal Teknologi Kimia dan Industri. 1(1): 461-467.
- Asriani, A., J. Santoso, & S. Listyarin. 2018. Nilai gizi konsentrat protein ikan lele dumbo (*Clarias gariepenus*) ukuran jumbo. Jurnal Kelautan dan Perikanan Terapan (JKPT). 1(2): 77-86.
- Astuti, S. M. 2007. Teknik mempertahankan mutu lobak (*Raphanus sativus*) dengan menggunakan alat pengering vakum. Buletin Teknik Pertanian. 12(1)
- Athallah, N. H. 2023. Pengaruh Konsentrasi Enzim Papain terhadap Aktivitas Antioksidan Hidrolisat Protein Insang dan Arborescent Lele. Universitas Gadjah Mada. Skripsi.
- Awika, J. M., L. W. Rooney, X. Wu, R. L. Prior, & L. Cisneros-Zevallos. 2003. Screening methods to measure antioxidant activity of sorghum (*Sorghum bicolor*) and sorghum products. Journal of Agricultural and Food Chemistry. 51: 6657–6662.
- Ayucitra, A., N. Indraswati, G. Francisco, & A. Yudha. 2013. Potensi senyawa fenolik bahan alam sebagai antioksidan alami minyak goreng nabati. Widya Teknik. 10(1): 1-10.
- Baehaki, A., R. Nopianti, & S. Anggraeni. 2015. Antioxidant activity of skin and bone collagen hydrolyzed from striped catfish (*Pangasius pangasius*) with papain enzyme. Journal Chem. Pharm. 7(11): 131-135.



- Bappeda DIY. 2024. Tingkat Konsumsi Ikan. https://bappeda.jogjaprov.go.id/dataku/data_dasar/index/558-tingkat-konsumsi-ikan?id_skpd=76#8. (Diakses pada 12 Juni 2024 pukul 11.17 WIB).
- Batista, I., C. Ramos, J. Coutinho, N. M. Bandarra, & M. L. Nunes. 2010. Characterization of protein hydrolysates and lipids obtained from black scabbardfish (*Aphanopus carbo*) by-products and antioxidative activity of the hydrolysates produced. Process Biochemistry. 45: 18– 24.
- Belleville-Nabet, F. 1996. Zat Gizi Antioksidan Penangkal Senyawa Radikal Pangan dalam Sistem Biologis. Prosiding Senyawa Radikal dan Sistem Pangan: Reaksi Biomolekuler, Dampak Terhadap Kesehatan dan Penangkal, Bogor: CFNSIPB.
- Bernadeta, P. Ardiningsih, & I. H. Silalahi. 2012. Penentuan kondisi optimum hidrolisat protein dari limbah ikan ekor kuning (*Caesio cuning*) berdasarkan karakteristik organoleptik. Jurnal Kimia Khatulistiwa. 1(1):26-30.
- Bhaskar N. & N. S. Mahendrakar N. 2008. Protein hydrolysate from visceral waste protein of catla (*Catla catla*): optimization of hydrolysis condition for a commercial neutral protease. Journal Bioresource Technology. 99: 4105-4111.
- Bikila, A. M., Y. Tola, T. B. Esho, & S. F. Forsido. 2020. Effect of predrying treatment and drying temperature on proximate composition, mineral contents, and thermophysical properties of anchote (*Coccinia abyssinica* (Lam.) Cogn.) Flour. Food Science & Nutrition. 8(10): 5532-5544.
- Blois, M. S. 1958. Antioxidant determinations by the use of a stable free radical. Nature. 181: 1.199-1.200.
- Borawska, J., M. Darewicz, M. Pliszka, & G. E. Vigarud. 2016. Antioxidant properties of salmon (*Salmo salar* L.) Protein fraction hydrolysates revealed following their ex vivo digestion and in vitro hydrolysis. Journal Science Food Agric. 96: 2764– 2772.
- Bradford, M. M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. Anal Biochem. 72: 284-254.
- [BSN] Badan Standardisasi Nasional. 1992. SNI 01-2891-1992 : Cara Uji Makanan dan Minuman. BSN. Jakarta.
- Chalamaiyah, M., B. D. Kumar, R. Hemalatha, & T. Jyothirmayi. 2012. Fish protein hydrolysates: proximate composition, amino acid composition, antioxidant activities and applications: a review. Food Chem. 135: 3020–3038.
- Chan, J. C., P. C. K. Cheung, & P. O. Ang. 1997. Comparative studies on the effect of three drying method on nutritional composition of seaweed *Sargassum hemiphyllum* (Turn). Journal of Agriculture and Food Chemistry. 45: 3056–3059.
- Charoenphun, N., C. Benjamas, S. Nualpun, & Y. Wirote. 2013. Calcium-binding peptides derived from tilapia (*Oreochromis niloticus*) protein hydrolysate. European Food Research and Technology. 236(1): 57-63.
- Chen, C., Y. J. Chi, & W. Xu. 2012. Comparisons on the functional properties and antioxidant activity of spray-dried and freeze-dried egg white protein hydrolysate. Food and Bioprocess Technology. 5: 2342-2352.
- Choirunisa, R. F. 2014. Pengaruh perendaman natrium bisulfit (NaHSO₃) dan suhu pengeringan terhadap kualitas pati umbi ganyong (*Canna edulis* Ker). Jurnal Bioproses Komoditas Tropis. 2(2): 116-122.



- Ciptawati, E., I. B. Rachman, H. O. Rusdi, & M. Alvionita. 2021. Analisis perbandingan proses pengolahan ikan lele terhadap kadar nutrisinya. Indonesian Journal of Chemical Analysis. 4(1): 40-46.
- Damodaran, S. 1996. Amino Acids, Peptides, and Protein. Food Chemistry (Edisi Ke-3). Marcel Dekker. Inc, New York.
- Damrongsakkul, S., K. Ratanathammapan, K. Komolpis, & W. Tanthapanichakoon, 2008. Enzymatic hydrolysis of rawhide using papain and neutrase. Journal ind eng chem. 14 (2): 202–206.
- Daulay, n. U., k. Khadir, & i. Iqbal. 2019. Studi pengeringan hasil pertanian umbi-umbian menggunakan pompa kalor 1 pk. Abstrak dan Jurnal Teknik Mesin. 14(2).
- Dayakar, B., K. M. Xavier, S. Ngasotter, P. Layana, A. K. Balange, B. Priyadarshini, & B. B. Nayak. 2022. Characterization of spray-dried carotenoprotein powder from pacific white shrimp (*Litopenaeus vannamei*) shells and head waste extracted using papain: antioxidant, spectroscopic, and microstructural properties. LWT. 159: 113-188.
- de Castro, R. J. S., M. P. Bagagli, & H. H. Sato. 2015. Improving the functional properties of milk proteins: focus on the specificities of proteolytic enzymes. Science Direct. 1: 64–69.
- de Paris, L. D., J. C. A. Haab, C. Sary, D. M. Bernardi, W. R. Boscolo, & A. Signor. 2016. Production and spray drying of protein hydrolyzate obtained from tilapia processing by-products. Acta Scientiarum. Technology. 38(1): 89-97.
- Dekkers, E., S. Raghavan, H. G. Kristinsson, & M. R. Marshall. 2011. Oxidative stability of mahi mahi red muscle dipped in tilapia protein hydrolysates. Food Chemistry. 124(2). 640-645.
- Dewatisari, W. F., L. Rumiyanti, & I. Rakhmawati. 2018. Rendemen dan skrining fitokimia pada ekstrak daun *Sansevieria* sp. Jurnal Penelitian Pertanian Terapan. 17(3): 197-202.
- Dewita, D., S. Syahrul, S. W. Sidauruk, & T. Hidayat. 2021. Innovation technology on catfish fillet by-product as raw materials for food industry. IOP Conference Series: Earth and Environmental Science. 934(1): 1-5.
- Ding, J., Z. X. Huang, M. Z. Yang, Y. C. Huang, S. L. Ma, & Y. Fang. 2023. Review and prospect of maillard reaction products from food-derived protein hydrolysates/peptides and saccharides in food application and research. Food Science. 44(1): 305-318.
- Dong, Y., W. Yan, & Y.-Q. Zhang. 2022. Effects of spray drying and freeze drying on physicochemical properties, antioxidant and ace inhibitory activities of bighead carp (*Aristichthys nobilis*) skin hydrolysates. 11(14): 1-13.
- Dumay, J., C. Donnay-Moreno, G. Barnathan, P. Jaouen, & Berge. 2006. Improvement of lipid and phospholipid recoveries from sardine (*Sardina pilchardus*) viscera using industrial protease. Process Biochemistry. 41: 2323-2332.
- Edahwati, L. & S. Sutiyono. 2021. Pemanfaatan limbah tulang dan duri ikan lele menjadi camilan bergizi stik tulang duri lele. Abdimesin. 1(2): 8-12.
- Ediriweera, T. K., A. L. Y. H. Aruppala, & E. D. N. S. Abeyrathne. 2019. Analysis of bioactive properties of fish protein hydrolysates from *Scomber japonicus* fin wastes. Journal of Technology and Value Addition. 1(1): 31-45.
- Elavarasan, K. & B. A. Shamasundar. 2016. Effect of oven drying and freeze drying on the antioxidant and functional properties of protein hydrolysates derived From



- freshwater fish (*Cirrhinus mrigala*) using papain enzyme. Journal Of Food Science and Technology. 53: 1.303-1.311.
- Elavarasan, K., B. A. Shamasundar, F. Badii, & N. Howell. 2001. Angiotensin i-converting enzyme (ACE) inhibitory activity and structural properties of oven- and freeze-dried protein hydrolysate from fresh water fish (*Cirrhinus mrigala*). Food Chemistry. 206: 210–216.
- Elfiana, E., U. Usman, M. Sami, R. Ridwan, S. K. Intan, C. A. Rahmawati, & P. Pardi. 2021. Diseminasi Oven Drying Vacuum (ODV) untuk pengeringan rempah bandrek siap saji di desa kumbang kecamatan syamtalira aron kabupaten aceh utara. Prosiding Seminar Nasional Politeknik Negeri Lhokseumawe. 5(1): 147-154.
- Endang, D. A. 2023. Perawatan dan perbaikan mesin oven pada umkm bolu di desa waluya. Abdima Jurnal Pengabdian Mahasiswa. 2(2):7293-7297.
- Escudero, E., L. Mora, P. D. Fraser, M. C. Aristoy, K. Arihara, & F. Toldrá. 2010. Effect of degree of hydrolysis of whey proteins on their antioxidant activity. Journal of Food Biochemistry. 34(4): 587-602.
- Esfandi, R., M. E. Walters, & A. Tsopmo. 2019. Antioxidant properties and potential mechanisms of hydrolyzed proteins and peptides from cereals. Heliyon. 5(4).
- Estellita, D. D. & U. Andriani. 2014. Perbedaan kualitas ikan lele dumbo dengan ikan lele lokal dalam pembuatan abon ikan. Jurnal Pengabdian Kepada Masyarakat. 20 (78): 33-39.
- Evania, M. K., V. K. Ananingsih, & B. Soedarini. 2024. Kajian pustaka optimasi kondisi proses berbagai metode pengeringan pada rimpang (jahe, kunyit, dan temulawak). Innovative: Journal Of Social Science Research. 4(1): 1362-1375.
- Fahmiati, S., E. Triwulandari, E. F. Umam, M. Ghazali, Y. Sampora, Y. A. Devi, & D. Sondari. 2019. Pembuatan kitosan termodifikasi melalui reaksi maillard. Indonesian Journal of Industrial Research. 41(2): 105-109.
- Farkye, N., K. Smith, F. T. Schonrock, & V. La-Grange, V. 2001. An overview of changes in the characteristics, functionality and nutritional value of skim milk powder (smp) during storage. Journal of Dairy Science.
- Fellows, P. 1992. Food Processing Technology Principles and Practice. Ellis Howord. New York.
- Fellows, P. J. 2022. Food Processing Technology: Principles And Practice. Woodhead Publishing. Cambridge.
- Fessenden, R. J. & J. S. Fessenden. 1986. Kimia Organik, Edisi-3 (A.H. Pudjatmaka). Erlangga. Jakarta.
- Fidianti, R. F. A., B. Hartoyo, & T. Widiyastuti. 2023. Konversi pakan dan income over feed cost ayam broiler pada penggunaan biopeptida ekstrak ceker ayam yang dihidrolisis dengan enzim papain. Prosiding Seminar Nasional Teknologi Agribisnis Peternakan (STAP). 10: 178-184.
- Fitriani, S. 2008. Pengaruh Suhu dan Lama Pengeringan terhadap Beberapa Mutu Manisan Belimbing Wuluh (*Averrhoa bellimbis* L.). Jurnal SAGU. 7(1): 32-37.
- Floegel, A., D. O. Kim, S. J. Chung, S. I. Koo, dan O. K. Chun. 2011. Comparison of ABTS/DPPH assays to measure antioxidant capacity in popular antioxidant-rich US foods. Journal of Food Composition and Analysis. 24(7): 1.043–1.048.
- Foh, M. B. K., M. T. Tamara, I. Amadou, B. M. Foh, & X. Wenshui. 2011. Chemical and physicochemical properties of tilapia (*Oreochromis niloticus*) fish protein



- hydrolysate and concentrate. International Journal Biological Chemistry. 10: 1-15.
- Gao, Q. H., C. S. Wu, J. G. Yu, M. Wang, Y. J. Ma, & C. L. Li. 2012. Textural characteristic, antioxidant activity, sugar, organic acid, and phenolic profiles of 10 promising jujube (*Ziziphus jujuba* mill.) Selections. Journal of Food Science. 77(11): 1218-1225.
- Gao, Q. H., C. S. Wu, M. Wang, B. N. Xu, & L. J. Du. 2012. Effect of drying of jujubes (*Ziziphus jujuba* Mill.) On the contents of sugars, organic acids, α-tocopherol, β-carotene, and phenolic compounds. Journal of Agricultural and Food Chemistry. 60(38): 9642-9648.
- Gao, R., Q. Yu, Y. Shen, Q. Chu, G. Chen, S. Fen, M. Yang, L. Yuan, D. J. McClements, & Q. Sun. 2021. Production, Bioactive Properties, and Potential Applications Of Fish Protein Hydrolysates: Developments and Challenges. Trends in Food Science & Technology. 110: 687-699.
- Gautam, S. S., S. K., V. Dash, A. K. Goyal, & G. Rath. 2010. Comparative study of extraction, purification and estimation of bromelain from stem and fruit of pineapple plant. Thai J. Pharm. Sci. 34(2): 67-76.
- Gomez, K. A. & A. A. Gomez. 1984. Statistical Procedures for Agricultural Research. John Wiley and Sons. Canada.
- González-Palma, I., H. B. Escalona-Buendía, E. Ponce-Alquicira, M. Téllez-Téllez, V. Gupta, G. Díaz-Godínez, & J. Soriano-Santos. 2016. Evaluation of the antioxidant activity of aqueous and methanol extracts of pleurotus ostreatus in different growth stages. Frontiers in Microbiology. 7: 2-9.
- Ha, N. C., D. M. Hien, N. T. Thuy, L. T. Nguyen, & L. Devkota. 2017. Enzymatic hydrolysis of catfish (*Pangasius hypophthalmus*) by-product: kinetic analysis of key process parameters and characteristics of the hydrolysates obtained. Journal of Aquatic Food Product Technology. 26(9): 1070-1082.
- Habibi, N. A., S. Fathia, & C. T. Utami. 2019. Perubahan karakteristik bahan pangan pada keripik buah dengan metode freeze drying. Jurnal Sains Terapan. 5(2): 67-76.
- Halim, N. R. A., H. M. Yusof, & N. M. Sarbon. 2016. Functional and bioactive properties of fish protein hydrolysates and peptides: a comprehensive review. Trends in Food Science & Technology. 51: 24-33.
- Halvorsen, B. L., K. Holte, M. C. Myhrstad, C. W. Mari, I. Barikmo, E. Hvattum, R. S. Fagertun, W. Anne-Brit, H. Karin, B. Halvard, A. L. Frost, M. Jan, R. Jr. J. David, & B. Rune. 2002. A systematic screening of total antioxidant in dietary plants. Journal of Nutrition. 132(3): 461-471.
- Handayani, D. I. W. & D. Kartikawati. 2015. Stik lele alternatif diversifikasi olahan lele (Clarias sp.) Tanpa limbah berkalsium tinggi. Serat Acitya. 4(1): 109.
- Handayani, D. I. W. 2015. Stik lele alternatif diversifikasi olahan lele (Clarias sp.) Tanpa limbah berkalsium tinggi. Serat Acitya – Jurnal Ilmiah UNTAG Semarang. 4(1): 109-117.
- Hanum, T. I. 2018. Formulasi dan uji aktivitas krim ekstrak beras merah (*Oryza nivara* L.) Sebagai antiaging. Talenta Conference Series: Tropical Medicine (TM). 1(1): 237-244.
- Harborne, J. B. 1993. Do natural plant phenols play a role in ecology?. International Symposium on Natural Phenols in Plant Resistance. 381: 36-45.
- Harborne, J. B. 1994. The Flavonoids Advances in Research Since 1986. Routledge. New York.



- Hartmann, R. & H. Meisel. 2007. Food-derived peptides with biological activity: from research to food applications. 18(2): 163–169.
- Hasnaliza, H., M. Y. Maskat, W. W. Aida, & S. Mamot. 2010. The effects of enzyme concentration temperature and incubation time on nitrogen content and degree of hydrolysis of protein precipitate from cockle (*Anadara granosa*) meat wash water. Journal Food Res. 17 (1): 147–152.
- He, Y., X. Li, & M. Zhang. 2018. Effect of enzymatic hydrolysis on the formation and structural changes of protein-polysaccharide complexes from soy protein isolate. Journal of Food Engineering. 236: 1-9.
- Hidayah, N., A. Poernomo, N. I. Rohadatul'aisy, & S. Sugiyono. 2023. Mutu dan umur simpan cookies yang difortifikasi dengan hidrolisat protein ikan. Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan. 18(1): 75-86.
- Hidayat, R., M. Maimun, & S. Sukarno. 2020. Analisis mutu pindang ikan tongkol (*euthynnus affinis*) dengan teknik pengolahan oven steam. Jurnal Fishtech. 9(1): 21-33.
- Himaya, S. W. A., D. H. Ngo, B. Ryu, & S. K. Kim. 2012. An active peptide purified from gastrointestinal enzyme hydrolysate of pacific cod skin gelatin attenuates Angiotensin-i Converting Enzyme (ACE) activity and cellular oxidative stress. Food chemistry. 132(4): 1.872-1.882.
- Hong, P. V. C., H. D. Tan, P. T. T. Thanh, M. H. Cang, D. L. Dong, & L. T. Thien. 2021. Spray drying conditions for protein hydrolysate of crocodile meat. Food Research. 5(1): 140 – 148
- Hoyle, N. T., & J. H. Merritt. 1994. Quality of fish protein hydrolysates from herring (*Clupea harengus*). Journal of Food Science. 59(1): 76-79.
- Huang, S. W., E. N. Frankel, & J. B. German. 1994. Antioxidant activity of a- and ctocopherols in bulk oils and in oil-in-water emulsions. Journal of Agricultural and Food Chemistry. 42: 2108–2114.
- Hudson, B. J. F. 1990. Food Antioxidants. Elsevier Science. London, New York.
- Huriawati, F., W. L. Yuhanna, & T. Mayasari. 2016. Pengaruh metode pengeringan terhadap kualitas serbuk seresah enhalus acoroides dari pantai tawang Pacitan. Bioeksperimen: Jurnal Penelitian Biologi. 2(1): 35-43.
- Husna, A., L. Handayani, & F. Syahputra. 2020. Pemanfaatan tulang ikan kambing-kambing (*Abalistes stellaris*) sebagai sumber kalsium pada produk tepung tulang ikan. Acta Aquatica: Aquatic Sciences Journal. 7(1): 13-20.
- Hwei-Ming, B., C. Villaume, & F. Giannangeli. 2001. Optimisation des qualites des proteines de soja. Sciences des Aliments. 21: 133–147
- Idowu, A. T., S. Benjakul, S. Sinthusamran, J. Pongsetkul, T. Sae-Leaw, & P. Sookchoo. 2019. Whole wheat cracker fortified with biocalcium and protein hydrolysate powders from salmon frame: characteristics and nutritional value. Food Qual Saf. 3(3): 191–199.
- Imansyah, F. & N. T. Mooniarsih. 2020. Pengolahan Limbah Ikan menjadi Produk Bernilai Ekonomis Tinggi dengan Sentuhan Teknologi Tepat Guna Mesin Pembuat Tepung Ikan. Jurnal Pengabdi. 3(1): 51-64.
- Imrawati, I., S. Mus, S. A. Gani, & K. I. Bubua. 2018. Antioxidant activity of *Muntingia calabura* L. Leaves ethyl acetate fraction. Journal of Pharmaceutical and Medicinal Sciences. 2(2): 59-62.



- Inggrid, H. M. & H. Santoso. 2014. Ekstraksi antioksidan dan senyawa aktif dari buah kiwi (*Actinidia deliciosa*). Lembaga Penelitian dan Pengabdian Kepada Masyarakat. 3(3): 10-4.
- Iqbal, M., C. Anam, & A. A. Ridwan. 2015. Optimasi rendemen dan kekuatan gel gelatin ekstrak tulang ikan lele dumbo (*Clarias gariepinus* sp). Jurnal Teknossains Pangan. 4(4).
- [IQI] International Quality Ingredients. 2005. Product Specification: Fish Protein Hydrolysate HP. <http://www.IQI.com>. (Diakses pada tanggal 22 Maret 2024).
- Jahan, S. N., A. R. Joadder, & S. Islam. 2019. Assessment of proximate composition of oven dried channa punctatus at three different temperatures. International Journal of Fisheries and Aquatic Studies. 7(5): 311-314.
- Je, J. Y., K. H. Lee, M. H. Lee, & C. B. Ahn. 2009. Antioxidant and antihypertensive protein hydrolysates produced from tuna liver by enzymatic hydrolysis. Food Res Int. 42: 1266–1272.
- Je, J. Y., P. J. Park, & S. K. Kim. 2005. Antioxidant activity of a peptide isolated from alaska pollack (*Theragra chalcogramma*) frame protein hydrolysate. Food Research International. 38(1): 45–50.
- Jonson, A. H. & M. S. Peterson. 1974. Hydrolysis, In Encyclopedia of Food Technology. The Avi Publishing Company. USA.
- Joshi, A. P. K., H. P. V. Rupasinghe, & S. Khanizadeh. 2011. Impact of drying processes on bioactive phenolics, vitamin c, and antioxidant capacity of red-fleshed apple slices. J. Food Process. 35(4): 453–457.
- Judy, A. & L. Elisabeth. 1914. Preserving Food: Drying Fruits and Vegetables. The University of Georgia Collage. USA.
- Jumardi, J. 2023. Hidrolisis Protein dari Daging Ikan Sidat (*Anguilla Marmorata*) secara Enzimatik Menggunakan Ekstrak Bromelin dari Buah Nanas dan Uji Aktivitas Antioksidan. Doctoral Dissertation. Universitas Hasanudin
- Jun, S. Y., P. J. Park, W. K. Jung, & S. K. Kim. 2004. Purification and characterization of an antioxidative peptide from enzymatic hydrolysate of yellowfin sole (*Limanda aspera*) frame protein. European Food Research and Technology. 219(1): 20–26.
- Karnila, R., D. Ilham, & S. W. Sidauruk. 2020. Utilization of papain enzymes in the production of protein hydrolysates of yellow pike conger (*Congresox talabon*). Aquaculture, Aquarium, Conservation & Legislation. 13(3): 1.285-1.291.
- Kim, M. R., J. W. Kim, J. B. Park, Y. K. Hong, & J. S. Choi. 2017. Anti-obesity effects of yellow catfish protein hydrolysate on mice fed a 45% kcal high-fat diet. International Journal of Molecular Medicine. 40(3): 784–800.
- [KKP] Kementerian Kelautan dan Perikanan. 2023. Data Angka Konsumsi Ikan (AKI). <https://statistik.kkp.go.id/home.php?m=aki&i=209#panel-footer>. (Diakses pada tanggal 29 Agustus 2023).
- [KKP] Kementerian Kelautan dan Perikanan. 2023. Data Volume Produksi Perikanan Budidaya Pembesaran per Komoditas Utama (ton). https://statistik.kkp.go.id/home.php?m=prod_ikan_prov&i=2#panel-footer-kpda. (Diakses pada tanggal 29 Agustus 2023).
- Klompong, V, S. Benjalul, D. Kantachote, K. D. Hayes, & F. Shahidi. 2008. Comparative study on antioxidative activity of yellow stripe trevally protein hydrolysate



produced from alcalase and flavourzyme. International Journal of Food Science & Technology. 43(6): 1019-1026

Kristinsson, H. G. & B. A. Rasco. 2000. Fish protein hydrolysates: production, biochemical, and functional properties. Critical Reviews in Food Science and Nutrition. 40(1): 43-81.

Kristinsson, H. G. & B. A. Rasco. 2000. Biochemical and functional properties of atlantic salmon (*Salmo salar*) muscle proteins hydrolyzed with various alkaline proteases. Journal of Agrifood Chemistry. 48: 657–666.

Kristinsson, H. G. 2007. Aquatic Food Protein Hydrolysates, In Maximizing The Value Of Marine By-products. Woodhead Publishing. Cambridge.

Kristinsson, H. G., A. E. Theodore, N. Demir, & B. Ingadottir. 2005. A comparative study between acid-and alkali-aided processing and surimi processing for the recovery of proteins from channel catfish muscle. Journal of Food Science. 70(4): 298-306.

Lagler, K. F., S. Punpoka, M. W. C., Weber, & L. F. de Beaufort. 1965. Index to the families and major groups in weber and de beaufort's "fishes of the indo-australian archipelago". Kasetsart University. (1-11) : 1911-1962

Laishram, M., A. S. Desai, D. I. Pathan, A. S. Pawase, & S. M. Wasave. 2023. Functional properties and proximate analysis of fish waste protein hydrolysate processed using enzymes. Current Research in Nutrition and Food Science Journal. 11(2): 641-654.

Lestari, Y. 2019. Perbandingan kerja alat pengeringan tipe spray dryer dan freeze dryer dalam proses pengeringan bahan berbentuk cair. Jurnal Ilmiah Kohesi. 3(3): 96-99.

Li, G. H., G. W. Le, H. Liu, & Y. H. Shi. 2005. Mung bean protein hydrolysates obtained with alkalase exhibit angiotensin converting enzyme inhibitory activity. Food Science and Technology International. 11(4): 281-287.

Liaudanskas, M., P. Viškelis, R. Raudonis, D. Kviklys, N. Uselis, & V. Janulis. 2014. Phenolic composition and antioxidant activity of malus domestica leaves. The Scientific World Journal. 1-10.

Lisa, M., M. Lutfi, & B. Susilo. 2015. Pengaruh suhu dan lama pengeringan terhadap mutu tepung jamur tiram putih (*Plaerotus ostreatus*). Jurnal Keteknikan Perntanian Tropis dan Biosiste. 3.

Lowe, G. 1970. The structure and mechanism of action of papain. Biological Sciences. 257(813): 237-248.

Luisi, G., A. Stefanucci, G. Zengin, M. P. Dimamito, & A. Mollica. 2018. Antioxidant and tyrosinase inhibitory in vitro activity of amino acids and small peptides: new hints for the multifaceted treatment of neurologic and metabolic dysfunctions. Antioxidant. 8(1): 7.

Luliana, S., N. U. Purwanti, & K. N. Manihuruk, 2016. Pengaruh cara pengeringan simplisia daun senggani (*Melastoma malabathricum* L.) Terhadap aktivitas antioksidan menggunakan metode DPPH (2, 2-difenil-1 pikrilhidrazil). Pharmaceutical Sciences and Research. 3(3): 2.

Luo H. Y., B. Wang, Z. R. Li , C. F. Chi, Q. H. Zhang, & G. Y. He. 2013. Preparation and evaluation of antioxidant peptide from papain hydrolysate of *Sphyrna lewini* muscle protein. Food Science Technology. 51: 281-288

Madhavi, D. L., S. S. Deshpande., & D. K. Salunkhe. 1995. Food Antioxidants Technological, Toxicological, and Health Perspectives. Marcel Dekker. New York.



- Mahyudin, K. 2013. Panduan Lengkap Agribisnis Lele. Niaga Swadaya. Yogyakarta.
- Malik, A., A. R. Ahmad, & A. Najib. 2017. Pengujian aktivitas antioksidan ekstrak terpurifikasi daun teh hijau dan jati belanda. Jurnal Fitofarmaka Indonesia. 4(2): 238–240.
- Mamboya, E. A. F. & E. Amri. 2012. Papain, a plant enzyme of biological importance: a review. J. Biochem. Biotechnol. 8(2): 99-104.
- Margaretta, S., Handayani, S. D., Indraswati, N., & Hindarso, H. 2013. Ekstraksi senyawa phenolic pandanus amaryllifolius roxb. Sebagai antioksidan alami. Widya Teknik. 10(1): 20-30.
- Martins, S. I. F. S., W. M. F. Jongen, & M. A. J. S. Van-Boekel. 2000. A review of maillard reaction in food and implications to kinetic modelling. Trends in Food Science & Technology. 11(9-10): 364-373.
- Martono, B., S. Falah, & E. Nurlaela. 2016. Aktivitas antioksidan teh varietas GMB 7 pada beberapa ketinggian tempat. Jurnal Tanaman Industri dan Penyegar. 3(1): 53–60.
- Maryam, S. 2015. Kadar antioksidan dan IC₅₀ tempe kacang merah (*Phaseolus vulgaris* L.) yang difermentasi dengan lama fermentasi berbeda. Prosiding Seminar Nasional MIPA. 5 : 347-352.
- Matemu, A., Nakamura, S., & Katayama, S. 2021. Health benefits of antioxidative peptides derived from legume proteins with a high amino acid score. Antioxidants. 10(2): 316.
- Mendis, E., N. Rajapakse, & S. K. Kim. 2005. Antioxidant properties of a radical scavenging peptide purified from enzymatically prepared fish skin gelatin hydrolysate. Journal of Agricultural and Food Chemistry. 53: 581–587.
- Mendis, E., N. Rajapakse, H. G. Byun, & S. K. Kim. 2005. Investigation of jumbo squid (*Dosidicus gigas*) skin gelatin peptides for their in vitro antioxidant effects. Life Sciences. 77(17): 2.166–2.178.
- Miksusanti, M. & E. Danelfita. 2012. Aktivitas antioksidan dan sifat kestabilan warna campuran ekstrak etil asetat kulit buah manggis (*Garcinia mangostana* L.) Dan kayu secang (*Caesalpinia sappanl*). Jurnal Penelitian Sains. 15(2).
- Molyneux, P. 2004. The use of stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. Journal of Science and Technology. 26(2): 211-219.
- Mora, L. & F. Toldrá. 2021. Stability of Bioactive Peptides During Processing. Food Chemistry, Function, and Analysis.
- Mulita, A. & D. Tanggasari. 2024. Variasi suhu pengeringan menggunakan oven terhadap mutu kerupuk rumput laut. Nutriology: Jurnal Pangan, Gizi, Kesehatan. 5(1): 18-25.
- Mutamimah, D., B. Ibrahim, W. Trilaksani. 2018. Antioxidant activity of protein hydrolysate produced from tuna eye (*Thunnus* sp.) By enzymatic hydrolysis. Jurnal Pengolahan Hasil Perikanan Indonesia. 21(3): 522-531.
- Muzaifa, M., N. Safriani, & F. Zakaria. 2012. Production of protein hydrolysates from fish by-product prepared by enzymatic hydrolysis. 5(1): 36-39.
- Nalinanon, S., S. Benjakul, H. Kishimura, & F. Shahidi. 2011. Functionalities and antioxidant properties of protein hydrolysates from the muscle of ornate threadfin bream treated with pepsin from skipjack tuna. Food Chem. 124: 1354–1362.



- Nam, P. V., N. Van Hoa, T. T. L. Anh, & T. S. Trung. 2019. towards zero-waste recovery of bioactive compounds from catfish (*Pangasius hypophthalmus*) by-products using an enzymatic method. *Waste and Biomass Valorization*. 11: 4195-4206.
- Nguyen, H. T., H. N. D. Bao, H. T. T. Dang, H. T. T., Tómasson, T., Arason, S., & Gudjónsdóttir, M. 2022. Protein characteristics and bioactivity of fish protein hydrolysates from tra catfish (*Pangasius hypophthalmus*) side stream isolates. *Foods*. 11(24): 1-19.
- Nie, R., Y. Liu, & Z. Liu. 2014. The calcium-binding activity of fish scale protein hydrolysates. *Journal of Agricultural Chemistry and Environmental*. 3(1B): 11-15.
- Noman, A., Q. Jiang, X. Yanshun, H. A. Abdelmoneim, Q. A. Wedad, M. A. Sherif, & X. Wenshui. 2019. Influence of degree of hydrolysis on chemical composition, functional properties, and antioxidant activities of chinese sturgeon (*Acipenser sinensis*) hydrolysates obtained by using alcalase 2.4L. *Journal of Aquatic Food Product Technology*. 28(6): 583-597.
- Noman, A., Y. Wang, C. Zhang, L. Yin, & S. M. Abed. 2022. Fractionation and purification of antioxidant peptides from chinese sturgeon (*Acipenser sinensis*) protein hydrolysates prepared using papain and alcalase 2.4 l. *Arabian Journal of Chemistry*. 15(12): 2-10.
- Noman, A., Y. Xu, W. Q. Al-Bukhaiti, S. M. Abed, A. H. Ali, A. H. Ramadhan, & W. Xia. 2018. Influence of enzymatic hydrolysis conditions on the degree of hydrolysis and functional properties of protein hydrolysate obtained from chinese sturgeon (*Acipenser sinensis*) by using papain enzyme. *Process Biochemistry*. 67 : 19-28.
- Norra, I., A. Aminah, R. Suri, & J. A. Zaidi. 2017. Effect of drying temperature on the content of fucoxanthin, phenolic and antioxidant activity of malaysian brown seaweed, *Sargassum* sp. *J. Trop Agri, and Science*. 45(1): 25-36.
- Novia, D., S. Amelia, & N. Z. Ayuza. 2011. Kajian suhu pengovenan terhadap kadar protein dan nilai organoleptik telur asin. *Jurnal Peternakan*. 8(2).
- Novitasari, R. T. M., A. D. Anggo, & T. W. Agustini. 2021. Pengaruh kombinasi bahan pengisi maltodekstrin dan karagenan terhadap karakteristik bubuk flavor lemi dari rajungan. *Jurnal Ilmu dan Teknologi Perikanan*. 3(1): 16-25.
- Nurfiani, E., Kadirman, & F. Ratnawati. 2018. Pengaruh suhu dan lama pengeringan terhadap sifat kimia dan organoleptik tepung umbi talas (*Colocasia esculenta*). *Jurnal Pendidikan Teknologi Pertanian*. 4(18): 95-105.
- Nurhayati, T, D. Aryanti, dan Nurjanah. 2009. Kajian awal potensi ekstrak spons sebagai antioksidan. *Jurnal Kelautan Nasional*. 2(2): 43-51.
- Nurhayati, T., E. Salamah, Cholifah, dan R. Nugraha. 2014. Optimasi proses pembuatan hidrolisat jeroan ikan kakap putih. *JPHPI*. 17(1): 42-52.
- Nurilmala, M., T. Nurhayati, & R. Roskananda. 2018. Limbah industri filet ikan patin untuk hidrolisat protein. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 21(2): 287-294.
- Nurjanah, T. Nurhayati, A. Latifah, & T. Hidayat. 2021. Aktivitas antioksidan dan komponen bioaktif hidrolisat protein jeroan ikan kakap putih (*Lates calcalifer*). *Warta IHP*. 38 (1): 70-78.
- Olabode, Z. A. I. N. A. B., C. T. Akanbi, B. Olunlade, & A. A. Adeola. 2015. Effects of drying temperature on the nutrients of moringa (*Moringa oleifera*) leaves and sensory attributes of dried leaves infusion. *Direct Research Journal of Agriculture and Food Science*. 3(5): 117-122.



- Orphanides, A., V. Goulas, & V. Gekas. 2013. Effect of drying method on the phenolic content and antioxidant capacity of spearmint. Czech Journal of Food Sciences. 31(5): 509-513.
- Ovissipour, M., A. A. Kenari, A. Motamedzadegan, & R. M. Nazari. 2012. Optimization of enzymatic hydrolysis of visceral waste proteins of yellowfin tuna. Food Bioprocess Technol. 5: 696–705.
- Pangestuti, E. K. & P. Darmawan. 2021. Analysis of ash contents in wheat flour by the gravimetric method: analisis kadar abu dalam tepung terigu dengan metode gravimetri. Jurnal Kimia dan Rekayasa. 2(1): 16-21.
- Park, P. J., W. K. Jung, K. S. Nam, F. Shahidi, & S. K. Kim. 2001. Purification and characterization of antioxidative peptides from protein hydrolysate of lechitin-free egg yolk. Journal of the American of Oil Chemists' Society. 78: 651-656.
- Pedersen. 1994. Removing Bitterness From Protein Hydrolysate. Food Industri X. Chicago: Institute of Food Technologists USA.
- Permatasari, R. & M. S. Annas. 2015. Distribusi temperatur pada microwave menggunakan metode cfd. Seminar Nasional Tahunan Teknik Mesin XIV. 1: 1–5.
- Peter, J. B. 2003. Properties of different fish processing by-products from pollock, COD and salmon. Journal of Food Processing Preservation. 27: 101-116.
- Pigot, G. M. & B. W. Tucker. 1990. Utility Fish Flesh Effectively While Maintaining Nutritional Qualities. Seafood Effects Of Technology On Nutrition. Marcel Decker. New York.
- Poedjiadi A. 2006. Dasar-dasar Biokimia. UI-Press. Jakarta.
- Pramono, P. K. P. 2022. Rasio Efisiensi Protein Ransum Broiler yang Disuplementasi Mannan Oligosakarida (MOS) Hasil Hidrolisis Bungkil Inti Sawit dengan Enzim Mannanase. Tesis. Universitas Jambi.
- Pramono, S. 2006. Penanganan pasca panen dan pengaruhnya terhadap efek terapi obat alami. Prosiding Seminar nasional Tumbuhan Obat Indonesia XXVIII. 1-6.
- Prasetyaningrum, A. 2010. Rancang bangun oven drying vacuum dan aplikasinya sebagai alat pengering pada suhu rendah. Jurnal Riptek. 4(1): 45-53.
- Prastari, C., S. Yasni, & M. Nurilmala. 2017. Karakteristik protein ikan gabus yang berpotensi sebagai antihiperglikemik. Jurnal Pengolahan Hasil Perikanan Indonesia. 20(2): 413-423.
- Pratita, A. T. K., N. R. Aisy, G. A. Wardani, & M. Fathurohman. 2022. Isolasi dan aktivitas antioksidan dengan menggunakan metode ABTS (2, 2 Azinobis (3-Ethylbenzotiazolin) 6 Sulfonat) senyawa superokksida dismutase pada mikroalga chlorrela vulgaris. Prosiding Seminar Nasional Diseminasi Hasil Penelitian Program Studi S1 Farmasi. 2(1).
- Prihatini, I. & R. K. Dewi. 2021. Kandungan enzim papain pada pepaya (*Carica papaya* L) terhadap metabolisme tubuh. Jurnal Tadris IPA Indonesia. 1(3): 449-458.
- Putalan, R., I. Munifah, T. Nurhayati, & E. Chasanah, 2018. Antioxidant and ACE inhibitor potential of stripe trevally fish (*Selaroides leptolepis*) hydrolysate. Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology. 13(1): 17-22.
- Rababah, T. M., M. Alhamad, M. Al-Mahasneh, K. Ereifej, J. Andrade, B. Altarifi, A. Almajwal, & W. Yang. 2015. Effects of drying process on total phenolics, antioxidant activity and flavonoid contents of common mediterranean herbs. International Journal of Agricultural and Biological Engineering. 8(2): 145-150.



- Rahman, S. A., A. M. Nassef, H. Rezk, M. E. H. Assad, & M. E. Hoque. 2021. Experimental investigations and modeling of vacuum oven process using Several semi-empirical models and a fuzzy model of cocoa beans. Heat and Mass Transfer. 57: 175-188.
- Ramadhia, M., S. Kumalaningsih, & I. Santoso. 2012. The making of aloe vera powder (*Aloe vera L.*) With foam-mat drying method. Jurnal Teknologi Pertanian. 13(2): 125-137.
- Ratri, P. R. & M. Jannah. 2023. Quality assessment of high calcium catfish (*Clarias sp.*) Bone flour made by boiling and drying methods. IOP Conference Series: Earth and Environmental Science. 1168(1): 1-5.
- Ratti C. & T. Kudra. 2006. Drying of foamed biological materials: opportunities nd challenges. Journal Drying Technology. 24(9): 1101–1108.
- Riansyah, A., A. Supriadi, & R. Nopianti. 2013. Pengaruh perbedaan suhu dan waktu pengeringan terhadap karakteristik ikan asin sepat siam (*Trichogaster pectoralis*) dengan menggunakan oven. Jurnal Fishtech. 2(1): 53-68.
- Rice-Evans, C. A., N. J. Miller, & G. Paganga. 1996. Structure-antioxidant activity relationships of flavonoids and phenolic acids. Free Radical Biology and Medicine. 20(7): 933-956.
- Rodríguez-Díaz, J. C., R. V. Tonon, & M. D. Hubinger. 2014. Spray drying of blue shark skin protein hydrolysate: physical, morphological, and antioxidant properties. Drying Technology. 32(16): 1986–1996.
- Roslan, A. S., A. Ismail, Y. Ando, & A. Azlan. 2020. Effect of drying methods and parameters on the antioxidant properties of tea (*Camellia sinensis*) leaves. Food Production, Processing and Nutrition. 2: 1-11.
- Rusli, N., M. S. Saehu, & F. Fatmawati. 2023. Aktivitas antioksidan fraksi etil asetat daun meistera chinensis dengan metode DPPH (1, 1-difenil-2-pikrilhidrazil). Jurnal Mandala Pharmacon Indonesia. 9(1): 43-48.
- Ryu, B., K. H. Shin, & S. K. Kim. 2021. Muscle protein hydrolysates and amino acid composition in fish. Marine Drugs. 19(7): 1-13.
- Sae-leaw, T., Y. C. O'Callaghan, S. Benjakul, & N. M. O'Brien. 2016. Antioxidant, immunomodulatory and antiproliferative effects of gelatin hydrolysates from seabass (*Lates calcarifer*) skins. International Journal of Food Science & Technology. 51(7): 1.545-1.551.
- Sakinah, F. 2017. Uji Aktivitas Antioksidan Kombinasi Ekstrak Rimpang Kunyit Putih (*Curcuma longa L.*) dan Rumput Bambu (*Lophatherum gracile B.*) Menggunakan Metode DPPH serta Identifikasi Golongan Senyawa Aktifnya. Fakultas Sains dan Teknologi. Universitas Islam Negeri Maulana Malik Ibrahim. Skripsi.
- Salamah, E., T. Nurhayati, & I. R. Widadi. 2012. Pembuatan dan karakterisasi hidrolisat protein dari ikan lele dumbo (*Clarias gariepinus*) menggunakan enzim papain. Jurnal Pengolahan Hasil Perikanan Indonesia. 15(1).
- Salmiyah, S. & A. Bahruddin. 2018. Fitokimia dan antioksidan pada buah tome-tome (*Flacourtie inermis*). Hospital Majapahit (Jurnal Ilmiah Kesehatan Politeknik Kesehatan Majapahit Mojokerto). 10(1): 1-62.
- Sandoval-Gallardo, J. M., I. Osuna-Ruiz, E. Martínez-Montaño, C. Hernández, M. A. Hurtado-Oliva, A. Valdez-Ortiz, & J. S. Ramírez-Pérez, J.S. 2020. Influence of enzymatic hydrolysis conditions on biochemical and antioxidant properties of pacific thread herring (*Ophistonema libertate*) hydrolysates. Journal of Food. 18(1): 392–400.



- Santika, J., M. Sukmiwati, & A. Diharmi. 2021. Komposisi Kimia Rumput Laut Hijau Segar (*Caulerpa lentillifera*). Fakultas Perikanan dan Kelautan. Universitas Riau Pekanbaru.
- Sarmadi, B. H. & A. Ismail. 2010. Antioxidative peptides from food proteins: a review. *Peptides*. 31(10): 1949–956.
- Sathivel, S., W. Prinyawiwatkul, J. M. King, C. C. Grimm, & S. Lloyd. 2003. Oil production from catfish viscera. *Journal of the American Oil Chemists' Society*. 80: 377-382.
- Sayuti, K. & R. Yenrina. 2015. Antioksidan Alami dan Sintetik. Andalas University Press. Padang.
- Senadheera, T. R., A. Hossain, D. Dave, & F. Shahidi, F. 2023. Antioxidant and ACE-inhibitory activity of protein hydrolysates produced from atlantic sea cucumber (*Cucumaria frondosa*). *Molecules*. 28(13): 1-15.
- Sepúlveda Rincón, C., P. Vazquez, P., & J. Z. Montoya. 2023. Effect of spray-drying conditions on the physical and antioxidant properties of a hydrolysate from red tilapia (*Oreochromis spp.*) Viscera. *Food Science and Technology*. 43: 1-8.
- Shahidi, F., M. Naczk, R. B. Pegg, & J. Synowiecki. 1991. Chemical composition and nutritional value of processing discards of COD. *Food Chem*. 42 : 145–151.
- Shahidi, F., X. Q. Han, & J. Synowiecki. 1995. Production and characteristics of protein hydrolysates from capelin (*Mallotus villosus*). *Food chemistry*. 53(3): 285-293.
- Shaviklo, G. R., G. Thorkelsson, K. Sveinsdottir, & F. Rafpour. 2011. Chemical properties and sensory quality of ice cream fortified with fish protein. *Journal Sci Food Agriculture*. 91(7):1199–1204.
- Sheriff, S. A., B. Sundaram, B. Ramamoorthy, & P. Ponnusamy. 2014. Synthesis and in vitro antioxidant functions of protein hydrolysate from backbones of *Rastrelliger kanagurta* by proteolytic enzymes. *Saudi Journal of Biological Sciences*. 21(1): 19-26.
- Sila, A. & A. Bougatef. 2016. Antioxidant peptides from marine by-products: isolation, identification and application in food systems. A review. *Journal of Functional Foods*. 21: 10-26.
- Silva, A. F., H. Abreu, A. M. Silva, & S. M. Cardoso. 2019. Effect of oven-drying on the recovery of valuable compounds from *Ulva rigida*, *Gracilaria* sp. and *Fucus vesiculosus*. *Marine Drugs*. 17(2): 1-17.
- Singh, A., R. Kumar, & S. N. Sabapathy. 2019. Stability of bioactive peptides during food processing and storage: a review. *Food Reviews International*. 35(4): 287-329.
- Sitompul, S. 2004. Analisis asam amino dalam tepung ikan dan bungkil kedelai. *Buletin Teknik Pertanian*. 9(1): 33-37.
- Strzelczak, A., J. Balejko, M. Szymczak, & A. Witczak. 2021. Effect of protein denaturation temperature on rheological properties of baltic herring (*Clupea harengus membras*) Muscle Tissue. *Foods*. 10(4): 1-11.
- Sukkhown, P., K. Jangchud, Y. Lorjaroenphon, & T. Pirak. 2018. Flavored-functional protein hydrolysates from enzymatic hydrolysis of dried squid by-products: effect of drying method. *Food Hydrocolloids*. 76: 103-112.
- Sukweenadhi, J., O. Yunita, F. Setiawan, Kartini, M. T. Siagian, A. P. Danduru, & C. Avanti. 2020. Antioxidant activity screening of seven indonesian herbal extract. *Biodiversitas*. 21(5): 2062–2067.
- Sulaiman, M. I. 2009. Trend Teknologi Mikrowave pada Industri Pertanian. *Jurnal Pangan*. 18(2): 96-101.



- Suliasih, N., I. S. Nurminabari, & G. R. B. Kusuma. 2018. Pengaruh formula dan perbandingan bumbu serbuk dengan santan serbuk terhadap karakteristik bumbu gulai serbuk dengan metode foam-mat drying. Pasundan Food Technology Journal (PFTJ). 4(3): 167-175.
- Sun, T., S. Rao, X. Zhou, & L. Li. 2022. Plant carotenoids: recent advances and future perspectives. Molecular Horticulture. 2(1): 3.
- Sundari, D., Almasyuri, & L. Astuti. 2015. Pengaruh proses pemasakan terhadap komposisi zat gizi bahan pangan sumber protein. Jurnal Litbang Kemkes. 25(4): 235-242.
- Sutriandi, A., I. T. Maulana, & E. R. Sadiyah. 2016. Pengaruh metode pengeringan terhadap mutu ekstrak biji kara benguk (*Mucuna pruriens* (L.) DC.) Yang dihasilkan. Prosiding Farmasi ISSN. 2(2): 710-716.
- Suyanto, N. S. R. 2004. Budidaya Ikan Lele (Edisi Revisi). Niaga Swadaya. Yogyakarta.
- Suzuki, T. 1981. Fish and Krill Protein Processing Technology, Applied. Science Publisher, Ltd. London.
- Syarif, S., R. Kosman, & N. Inayah. 2015. Uji aktivitas antioksidan terong belanda (*Solanum betaceum* Cav.) Dengan metode FRAP. As-Syifaa Jurnal Farmasi. 7(1): 26-33.
- Tan, Y. & Chang, S. K. 2018. Isolation and characterization of collagen extracted from channel catfish (*Ictalurus punctatus*) skin. Food Chemistry. 242: 147-155.
- Taniyo, W., Y. K. Salimi, & H. Iyabu, 2021. Karakteristik dan aktivitas antioksidan hidrolisat protein ikan nile (*Awaous melanocephalus*). Dalton: Jurnal Pendidikan Kimia dan Ilmu Kimia. 4(2).
- Taufiq, M. 2004. Pengaruh Temperatur Terhadap Laju Pengeringan Jagung Pada Pengeringan Konvensional dan Fluidized Bed. Skripsi. Fakultas Teknik. Universitas Sebelas Maret. Surakarta.
- Thaipong, K., U. Boonprakob, K. Crosby, L. Cisneros-Zevallos, & D. H. Byrne. 2006. Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts. Journal of Food Composition and Analysis. 19(6-7): 669-675.
- Theafelicia, Z. & S. N. Wulan. 2023. Perbandingan berbagai metode pengujian aktivitas antioksidan (DPPH, ABTS, dan FRAP) pada teh hitam (*Camellia sinensis*). Jurnal Teknologi Pertanian. 24(1): 35-44.
- Tkaczewska, J., J. Borawska-Dziadkiewicz, P. Kulawik, I. Duda, M. Morawska, & B. Mickowska, 2020. The effects of hydrolysis condition on the antioxidant activity of protein hydrolysate from cyprinus carpio skin gelatin. LWT. 117: 1-9.
- Tran, T. H., M. T. Nguyen, T. N. Cao, Q. Do, & M. T. Phan. 2023. Utilization of catfish fat by-products for the biological base oils synthesis. ARPN Journal of Engineering and Applied Sciences. 18(19): 2.157-2.164.
- Vieira, G. H. F., A. M. Martin, S. Saker-Sampaiao, S. Omar, & R. C. F. Goncalves. 1995. Studies on the enzymatic hydrolysis of brazilian lobster (*Panulirus* spp.) Processing wastes. Journal Food Sci. Agric. 69: 61–65.
- Vifta, R. L., N. Winarti, & S. Rahayu. 2020. Flavonoid total dan potensi antioksidan bunga telang (*Clitoria ternatea* L.) Sebagai tanaman fungsional kabupaten semarang. Media Informasi Penelitian Kabupaten Semarang. 2(1): 38-49.
- Vijaykrishnaraj, M., B. Roopa, P. Prabhakaran. 2016. Preparation of gluten free bread enriched with green mussel (*Perna canaliculus*) protein hydrolysates and



characterization of peptides responsible for mussel flavour. *Food Chem.* 211: 715–725.

Wang, H. L., X. H. Chen, J. Y. Li, & J. Wei. 2009. Effect of drying temperature on the hydrolysis and physicochemical properties of starches. *Jurnal*. 117:615-622.

Wang, J. S., M. M. Zhao, Q. Z. Zhao, Y. Bao, & Y. M. Jiang. 2007. Characterization of hydrolysates derived from enzymatic hydrolysis of wheat gluten. *Journal Food Science*. 72: 103-107.

Wangkheirkpam, M. R., S. S. Mahanand, R. K. Majumdar, S. Sharma, D. D. Hidangmayum, & S. Netam. 2019. Fish waste utilization with reference to fish protein hydrolysate- a review. *Fishery Technology*. 56(3): 169-178.

Whika, F. D., R. Leni, & R. Ismi. 2017. Rendemen dan skrining fitokimia pada ekstrak daun *Sansevieria* sp. *Jurnal Penelitian Pertanian Terapan*. 17(3): 197-202.

Widadi, I. R. 2011. Pembuatan dan Karakterisasi Hidrolisat Protein dari Ikan Lele Dumbo (*Clarias gariepinus*) Menggunakan Enzim Papain. Departemen Teknologi Hasil Perairan, Fakultas Perikanan dan Ilmu Kelautan. Institut Pertanian Bogor. Bogor. Skripsi.

Widhyastini, I. M. 2013. Pengaruh suhu pengeringan kulit bagian luar dan bagian dalam manggis (*Gracinia Mangostana*, L.) Terhadap kandungan proksimat, alkaloid dan flavonoid. *Jurnal Sains Natural*. 3(2): 193-200.

Wijayanti, A. T. 2009. Kajian penyaringan dan lama penyimpanan dalam pembuatan fish pepton dari ikan selar kuning (*Caranx leptolepis*). *Teknologi Hasil Perikanan*. Institut Pertanian Bogor. Bogor. Skripsi.

Wijayanti, I., R. Romadhon, & L. Rianingsih. 2015. Pengaruh konsentrasi enzim papain terhadap kadar proksimat dan nilai rendemen hidrolisat protein ikan bandeng (*Chanos chanos* Forsk). *Pena Akuatika: Jurnal Ilmiah Perikanan dan Kelautan*. 12(1): 13-23.

Wijayanti, I., R. Romadhon, & L. Rianingsih. 2016. Karakteristik hidrolisat protein ikan bandeng (*Chanos chanos* Forsk) dengan konsentrasi enzim bromelin yang berbeda. *SAINTEK PERIKANAN: Indonesian Journal of Fisheries Science and Technology*. 11(2): 129-133.

Winangsih, E. Prihastanti, & S. Parman. 2013. Pengaruh metode pengeringan terhadap kualitas simplisia lempuyang wangi (*Zingiber aromaticum* L.). *Jurnal Anatomi dan Fisiologi* 21(1): 19-25.

Winarno F. G. 2004. Pangan, Gizi, Teknologi dan Konsumen. PT Gramedia Pustaka Utama. Jakarta.

Winarno, F. G. 2007. Teknologi Pangan. MBRIO Biotekindo. Bogor.

Winarno, F. G., F. Srikandi, & D. Fardiaz. 1980. Pengantar Teknologi Pangan. Gramedia Pustaka Utama. Jakarta.

Winarsih, H. 2007. Antioksidan Alami dan Radikal Bebas. Kanisius. Yogyakarta.

Wisuthiphaet, N., S. Kongruang, & C. Chamcheun. 2015. Production of fish protein hydrolysates by acid and enzymatic hydrolysis. *J. Med. and Bioeng*. 4(6): 466-470.

Witono, Y., I. Taruna, W. S. Widrati, & A. Ratna. 2014. Enzymatic hydrolysis of the low economic value fishes using biduri's protease. *Jurnal Teknologi dan Industri Pangan*. 25(2): 140-140.

Witono, Y., M. Maryanto, I. Taruna, A. D. Masahid, & K. Cahyaningati. 2020. Aktivitas antioksidan hidrolisat protein ikan wader (*Rasbora jacobsoni*) dari hidrolisis oleh enzim calotropin dan papain. *Jurnal Agroteknologi*. 14(1): 44-57.



- Witono, Y., T. Iwan, S. W. Wiwik & R. Amelia. 2014. Pengaruh waktu hidrolisis terhadap karakteristik hidrolisat protein ikan toman (*Channa micropeltes*) asal das kalimantan timur. Jurnal Teknologi dan Industri Pangan. 25(2): 140-145.
- Wu, H., H. M. Chen, & C. Y. Shiao. 2003. Free amino acids and peptides as related to antioxidant properties in protein hydrolysates mackerel (*Scomber austriasicus*). Food Research. 36: 949-957
- Wu, S., X. Feng, X. Lan, Y. Xu, dan D. Liao. 2015. Purification and identification of Angiotensin-I Converting Enzyme (ACE) inhibitory peptide from lizard fish (*Saurida elongata*) hydrolysate. Journal of Functional Foods. 13: 295–299.
- Wu, X., B. Zhou, Y. Cheng, C. Zeng, C. Wang, & L. Feng. 2010. Comparison of gender differences in biochemical composition and nutritional value of various edible parts of the blue swimmer crab. Journal Food Composition and Analysis. 23: 154-159.
- Wuryanti. 2004. Isolasi dan penentuan aktivasi spesifik enzim bromelin dari buah nanas (*Ananas comosus* L.). Jurnal Kim. Sains & Apl . VII(3): 83-87
- Yamin, M., D. F. Ayu, & F. Hamzah. 2017. Lama Pengeringan Terhadap Aktivitas Antioksidan dan Mutu Teh Herbal Daun Ketepeng Cina (*Cassia alata* L.). Doctoral Dissertation. Riau University.
- Yang, J. I., J. Y. Tang, Y. S. Liu, H. R. Wang, S. Y. Lee, C. Y. Yen, & H. W. Chang. 2016. Roe protein hydrolysates of giant grouper (*Epinephelus lanceolatus*) inhibit cell proliferation of oral cancer cells involving apoptosis and oxidative stress. BioMed Research International. 2016: 1-12.
- Yang, P., H. Ke, P. Hong, S. Zeng, & W. Cao. 2011. Antioxidant activity of bigeye tuna (*Thunnus obesus*) head protein hydrolysate prepared with alcalase. International Journal of Food Science & Technology. 46(12): 2460-2466.
- Yarnpakdee, S., S. Benjakul, H. G. Kristinsson, & H. Kishimura, 2015. Antioxidant and sensory properties of protein hydrolysate derived from nile tilapia (*Oreochromis niloticus*) by One-And Two-Step Hydrolysis. Journal of Food Science and Technology. 52: 3336-3349.
- Yuslianti, E. R. 2018. Pengantar Radikal Bebas dan Antioksidan. Deepublish. Yogyakarta.
- Zaen, A. T. A. 2023. Pengaruh Lama Waktu Hidrolisis Menggunakan Papain terhadap Aktivitas Antioksidan Hidrolisat Protein Insang Lele (*Clarias* sp.). Universitas Gadjah Mada. Skripsi.
- Zambra, C., D. Hernández, H. Reyes, N. Riveros, & R. Lemus-Mondaca. 2021. Kageneckia oblonga leaves subjected to different drying methods: drying kinetics, energy consumption and interesting compounds. Frontiers in Sustainable Food Systems. 5: 1-11.
- Zarein, M., S. H. Samadi, & B. Ghobadian. 2015. Investigation of microwave dryer effect on energy efficiency during drying of apple slices. Journal Of The Saudi Society Of Agricultural Sciences. 14(1): 41-47.
- Zhang, D. L. & Y. Hamauzu. 2004. Phenolics, ascorbic acid, carotenoids and antioxidant activity of broccoli and their changes during conventional and microwave cooking. Food Chemistry. 88: 503–509.
- Zhang, L. L., B. Wang, L. H. Zhang, & M. Zeng. 2015. RSM as an approach to optimize ginger intermittent microwave drying process. Advanced Materials Research. 1095: 304–308.



UNIVERSITAS
GADJAH MADA

**Pengaruh Suhu Pengeringan Oven terhadap Aktivitas Antioksidan Hidrolisat Protein Insang Lele
(*Clarias sp.*) yang Dihidrolisis dengan Enzim Papain**

AULIA RACHMA SAHURA, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhong S, C. Ma, Y. C. Lin, & Y. Luo. 2011. Antioxidant properties of peptide fractions from silver carp (*Hypophthalmichthys molitrix*) processing by-product protein hydrolysates evaluated by electron spin resonance spectrometry. *Food Chem.* 126(4): 1636–1642.

Zou, T.-B., T.-P. He, H.-B. Li, H.-W. Tang, & E.-Q. Xia. 2016. The structure-activity relationship of the antioxidant peptides from natural proteins. *Molecules*. 21(1): 1-14.

Zulfikar. 2008. Kimia Kesehatan Jilid 3. Departemen Pendidikan Nasional. Jakarta.