

## DAFTAR PUSTAKA

- Abdullah, N. & S. M. M. Kamal. 2014. Characterization of fish protein hydrolysate from tilapia (*Oreochromis niloticus*) by-product. *Agriculture and Agricultural Science Procedia*. 2: 312-319.
- Abraha, B., A. Mahmud, M. Samuel, W. Yhdego, S. Kibrom, & W. Habtom. 2017. Production of fish protein hydrolysate from silver catfish (*Arius thalassinus*). *MOJ Food Processing & Technology*. 5(4): 328-335.
- Adawyah, R. 2014. *Pengolahan dan Pengawetan Ikan*. Sinar. Jakarta.
- Aditia, R. P., D. Desniar, & W. Trilaksani. 2017. Aktivitas antioksidan dan antibakteri hidrolisat protein hasil fermentasi telur ikan cakalang. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 21(1): 1-12.
- Adler-Nissen, J. 1986. *Enzymic Hydrolysis of Food Protein*. Elsevier Applied Science. UK.
- Agustin, V., M. M. P. Putra, & A. Husni. 2023. Impact of enzymatic hydrolysis on antioxidant activity of snakehead fish (*Channa striata*) head protein hydrolysate. *Jurnal Ilmiah Perikanan dan Kelautan*. 15(1).
- Agustina, A., R. Karnila, & M. Ilza. 2018. Pengaruh konsentrasi enzim papain berbeda terhadap kandungan asam amino total hidrolisat protein belut (*Monopterus albus*). *Universitas Riau Journal*. 1(1): 1-10.
- Ahmed, N., J. Singh, H. Chauhan, P. G. A. Anjum, & H. Kour. 2013. Different drying methods: their applications and recent advances. *International Journal of Food Nutrition and Safety*. 4(1) : 34-42.
- Aisha, D. 2023. Perawatan dan perbaikan mesin oven pada umkm bolu di desa waluya. *Abdima Jurnal Pengabdian Mahasiswa*. 2(2): 7293-7297.
- Aisyah, S. & A. Pamungkas. 2019. Pemanfaatan limbah hasil perikanan sebagai produk bernilai tambah bagi masyarakat di kecamatan belinyu, kabupaten bangka. *Prosiding Seminar Hukum dan Publikasi Nasional (Serumpun)*. 1(1): 234-239.
- Al-Hmoud, H. A., N. E. Ibrahim, dan E. I. ElHallous. 2014. Surfactants solubility, concentration and the other formulations effects on the drug release rate from a controlled-release matrix. *African Journal of Pharmacy and Pharmacology*. 8(13): 364-371.
- Alinejad, M., A. Motamedzadegan, M. Rezaei, & J. M. Regenstein. 2017. The impact of drying method on the functional and antioxidant properties of whitecheek shark (*Carcharhinus dussumieri*) protein hydrolysates. *Journal of Food Processing and Preservation*. 41(1): 1-11.
- Al-Umam, R. 2023. Pengaruh Konsentrasi Papain pada Pembuatan Hidrolisat Protein Insang dan Arborescent Lele terhadap Aktivitas Antibakterinya pada Bakteri Pembentuk Histamin. Universitas Gadjah Mada. Skripsi.
- Amarowicz, R., M. Naczek, & F. Shahidi. 2000. Antioxidant activity of crude tannins of canola and rapeseed hulls. *Journal of the American Oil Chemists' Society*. 77(9): 957-961.
- Andayani R, Maimunah, dan Y. Lisawati. 2008. Penentuan aktivitas antioksidan, kadar fenolat total dan likopen pada buah tomat (*Solanum lycopersicum* L). *Jurnal Sains dan Teknologi Farm*. 13(1): 177-1410.
- Annisa, S., Y. S. Darmanto, & U. Amalia. 2017. Pengaruh perbedaan spesies ikan terhadap hidrolisat protein ikan dengan penambahan enzim papain. *Saintek Perikanan: Indonesian Journal of Fisheries Science and Technology*. 13(1): 24-30.

- [AOAC] Association of Official Agricultural Chemists. 1995. Official Methods of Analysis of the Association of Official of Analytical Chemist. AOAC, Inc. Washington D. C.
- [AOAC] Association of Official Analytical Chemyst. 2005. Official Method of Analysis of The Association of Official Analytical of Chemist. AOAC, Inc. USA.
- Apak, R., S. Gorinstein, V. Böhm, K. Schaich, M. Özyürek, & K. Güçlü. 2013. Methods of measurement and evaluation of natural antioxidant capacity/activity (IUPAC technical report). *Pure and Applied Chemistry*. 85(5): 957–998.
- Arab, R., S. Casal, T. Pinho, R. Cruz, M. L. Freidja, J. M. Lorenzo, C. Hano, K. Madani, & L. Boulekbache-Makhlouf. 2022. Effects of seed roasting temperature on sesame oil fatty acid composition, lignan, sterol and tocopherol contents, oxidative stability and antioxidant potential for food applications. *Molecules*. 27(14): 1-15.
- Ariska, S. B. & D. Utomo. 2020. Kualitas minuman serbuk instan sereh (*Cymbopogon citratus*) dengan metode foam mat drying. *Teknologi Pangan: Media Informasi dan Komunikasi Ilmiah Teknologi Pertanian*. 11(1): 42-51.
- Ariyani, F., M. Saleh, T. Tazwir, & N. Hak. 2017. Optimasi proses produksi Hidrolisat Protein Ikan (HPI) dari mujair (*Oreochromis Mossambicus*). *Jurnal Penelitian Perikanan Indonesia*. 9(5): 11-21.
- Arslan, D. & M. M. Özcan. 2010. Dehydration of red bell-pepper (*Capsicum annuum* l.): change in drying behavior, colour, and antioxidant content. *Food Bioprod. Process*. 89: 504-513.
- Arslan, D. & M. M. Özcan. 2010. Study the effect of sun, oven and microwave drying on quality of onion slices. *LWT-Food Science and Technology*. 43(7): 1121-1127.
- Asare, S. N., F. G. I. Ijong, F. J. Rieuwpassa, & N. P. Setiawati. 2018. Penambahan hidrolisat protein ikan lemur (*Sardinella lemuru*) pada pembuatan biskuit. *Jurnal Ilmiah Tindalung*. 4(1): 10-18.
- Asiah, N., R. Sembodo, & A. Prasetyaningum. 2012. Aplikasi metode foam-mat drying pada proses pengeringan spirulina. *Jurnal Teknologi Kimia dan Industri*. 1(1): 461-467.
- Asriani, A., J. Santoso, & S. Listyarin. 2018. Nilai gizi konsentrat protein ikan lele dumbo (*Clarias gariepinus*) ukuran jumbo. *Jurnal Kelautan dan Perikanan Terapan (JKPT)*. 1(2): 77-86.
- Astuti, S. M. 2007. Teknik mempertahankan mutu lobak (*Raphanus sativus*) dengan menggunakan alat pengering vakum. *Buletin Teknik Pertanian*. 12(1)
- Athallah, N. H. 2023. Pengaruh Konsentrasi Enzim Papain terhadap Aktivitas Antioksidan Hidrolisat Protein Insang dan Arborescent Lele. Universitas Gadjah Mada. Skripsi.
- Awika, J. M., L. W. Rooney, X. Wu, R. L. Prior, & L. Cisneros-Zevallos. 2003. Screening methods to measure antioxidant activity of sorghum (*Sorghum bicolor*) and sorghum products. *Journal of Agricultural and Food Chemistry*. 51: 6657–6662.
- Ayucitra, A., N. Indraswati, G. Francisco, & A. Yudha. 2013. Potensi senyawa fenolik bahan alam sebagai antioksidan alami minyak goreng nabati. *Widya Teknik*. 10(1): 1-10.
- Baehaki, A., R. Nopianti, & S. Anggraeni. 2015. Antioxidant activity of skin and bone collagen hydrolyzed from striped catfish (*Pangasius pangasius*) with papain enzyme. *Journal Chem. Pharm*. 7(11): 131-135.

- Bappeda DIY. 2024. Tingkat Konsumsi Ikan. [https://bappeda.jogjaprov.go.id/dataku/data\\_dasar/index/558-tingkat-konsumsi-ikan?id\\_skpd=76#8](https://bappeda.jogjaprov.go.id/dataku/data_dasar/index/558-tingkat-konsumsi-ikan?id_skpd=76#8). (Diakses pada 12 Juni 2024 pukul 11.17 WIB).
- Batista, I., C. Ramos, J. Coutinho, N. M. Bandarra, & M. L. Nunes. 2010. Characterization of protein hydrolysates and lipids obtained from black scabbardfish (*Aphanopus carbo*) by-products and antioxidative activity of the hydrolysates produced. *Process Biochemistry*. 45: 18–24.
- Belleville-Nabet, F. 1996. Zat Gizi Antioksidan Penangkal Senyawa Radikal Pangan dalam Sistem Biologis. *Prosiding Senyawa Radikal dan Sistem Pangan: Reaksi Biomolekuler, Dampak Terhadap Kesehatan dan Penangkal*, Bogor: CFNSIPB.
- Bernadeta, P. Ardiningsih, & I. H. Silalahi. 2012. Penentuan kondisi optimum hidrolisat protein dari limbah ikan ekor kuning (*Caesio cuning*) berdasarkan karakteristik organoleptik. *Jurnal Kimia Khatulistiwa*. 1(1):26-30.
- Bhaskar N. & N. S. Mahendrakar N. 2008. Protein hydrolysate from visceral waste protein of catla (*Catla catla*): optimization of hydrolysis condition for a commercial neutral protease. *Journal Bioresource Technology*. 99: 4105-4111.
- Bikila, A. M., Y. Tola, T. B. Esho, & S. F. Forsido. 2020. Effect of predrying treatment and drying temperature on proximate composition, mineral contents, and thermophysical properties of anchote (*Coccinia abyssinica* (Lam.) Cogn.) Flour. *Food Science & Nutrition*. 8(10): 5532-5544.
- Blois, M. S. 1958. Antioxidant determinations by the use of a stable free radical. *Nature*. 181: 1.199-1.200.
- Borawska, J., M. Darewicz, M. Pliszka, & G. E. Vegarud. 2016. Antioxidant properties of salmon (*Salmo salar* L.) Protein fraction hydrolysates revealed following their ex vivo digestion and in vitro hydrolysis. *Journal Science Food Agric*. 96: 2764–2772.
- Bradford, M. M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem*. 72: 284-254.
- [BSN] Badan Standardisasi Nasional. 1992. SNI 01-2891-1992 : Cara Uji Makanan dan Minuman. BSN. Jakarta.
- Chalamaiah, M., B. D. Kumar, R. Hemalatha, & T. Jyothirmayi. 2012. Fish protein hydrolysates: proximate composition, amino acid composition, antioxidant activities and applications: a review. *Food Chem*. 135: 3020–3038.
- Chan, J. C., P. C. K. Cheung, & P. O. Ang. 1997. Comparative studies on the effect of three drying method on nutritional composition of seaweed *Sargassum hemiphyllum* (Turn). *Journal of Agriculture and Food Chemistry*. 45: 3056–3059.
- Charoenphun, N., C. Benjamas, S. Nualpun, & Y. Wirote. 2013. Calcium-binding peptides derived from tilapia (*Oreochromis niloticus*) protein hydrolysate. *European Food Research and Technology*. 236(1): 57-63.
- Chen, C., Y. J. Chi, & W. Xu. 2012. Comparisons on the functional properties and antioxidant activity of spray-dried and freeze-dried egg white protein hydrolysate. *Food and Bioprocess Technology*. 5: 2342-2352.
- Choirunisa, R. F. 2014. Pengaruh perendaman natrium bisulfit (NaHSO<sub>3</sub>) dan suhu pengeringan terhadap kualitas pati umbi ganyong (*Canna edulis* Ker). *Jurnal Bioproses Komoditas Tropis*. 2(2): 116-122.

- Ciptawati, E., I. B. Rachman, H. O. Rusdi, & M. Alvionita. 2021. Analisis perbandingan proses pengolahan ikan lele terhadap kadar nutrisinya. *Indonesian Journal of Chemical Analysis*. 4(1): 40-46.
- Damodaran, S. 1996. *Amino Acids, Peptides, and Protein*. Food Chemistry (Edisi Ke-3). Marcel Dekker. Inc, New York.
- Damrongsakkul, S., K. Ratanathammapan, K. Komolpis, & W. Tanthapanichakoon, 2008. Enzymatic hydrolysis of rawhide using papain and neutrase. *Journal ind eng chem*. 14 (2): 202–206.
- Daulay, n. U., k. Khaidir, & i. Iqbal. 2019. Studi pengeringan hasil pertanian umbi–umbian menggunakan pompa kalor 1 pk. *Abstrak dan Jurnal Teknik Mesin*. 14(2).
- Dayakar, B., K. M. Xavier, S. Ngasotter, P. Layana, A. K. Balange, B. Priyadarshini, & B. B. Nayak. 2022. Characterization of spray-dried carotenoprotein powder from pacific white shrimp (*Litopenaeus vannamei*) shells and head waste extracted using papain: antioxidant, spectroscopic, and microstructural properties. *LWT*. 159: 113-188.
- de Castro, R. J. S., M. P. Bagagli, & H. H. Sato. 2015. Improving the functional properties of milk proteins: focus on the specificities of proteolytic enzymes. *Science Direct*. 1: 64–69.
- de Paris, L. D., J. C. A. Haab, C. Sary, D. M. Bernardi, W. R. Boscolo, & A. Signor. 2016. Production and spray drying of protein hydrolyzate obtained from tilapia processing by-products. *Acta Scientiarum. Technology*. 38(1): 89-97.
- Dekkers, E., S. Raghavan, H. G. Kristinsson, & M. R. Marshall. 2011. Oxidative stability of mahi mahi red muscle dipped in tilapia protein hydrolysates. *Food Chemistry*. 124(2). 640-645.
- Dewatisari, W. F., L. Rumiyaniti, & I. Rakhmawati. 2018. Rendemen dan skrining fitokimia pada ekstrak daun *Sansevieria* sp. *Jurnal Penelitian Pertanian Terapan*. 17(3): 197-202.
- Dewita, D., S. Syahrul, S. W. Sidauruk, & T. Hidayat. 2021. Innovation technology on catfish fillet by-product as raw materials for food industry. *IOP Conference Series: Earth and Environmental Science*. 934(1): 1-5.
- Ding, J., Z. X. Huang, M. Z. Yang, Y. C. Huang, S. L. Ma, & Y. Fang. 2023. Review and prospect of maillard reaction products from food-derived protein hydrolysates/peptides and saccharides in food application and research. *Food Science*. 44(1): 305-318.
- Dong, Y., W. Yan, & Y.-Q. Zhang. 2022. Effects of spray drying and freeze drying on physicochemical properties, antioxidant and ace inhibitory activities of bighead carp (*Aristichthys nobilis*) skin hydrolysates. 11(14): 1-13.
- Dumay, J., C. Donnay-Moreno, G. Barnathan, P. Jaouen, & Berge. 2006. Improvement of lipid and phospholipid recoveries from sardine (*Sardina pilchardus*) viscera using industrial protease. *Process Biochemistry*. 41: 2323-2332.
- Edahwati, L. & S. Sutiyono. 2021. Pemanfaatan limbah tulang dan duri ikan lele menjadi camilan bergizi stik tulang duri lele. *Abdimesin*. 1(2): 8-12.
- Ediriweera, T. K., A. L. Y. H. Aruppala, & E. D. N. S. Abeyrathne. 2019. Analysis of bioactive properties of fish protein hydrolysates from *Scomber japonicus* fin wastes. *Journal of Technology and Value Addition*. 1(1): 31-45.
- Elavarasan, K. & B. A. Shamasundar. 2016. Effect of oven drying and freeze drying on the antioxidant and functional properties of protein hydrolysates derived From

- freshwater fish (*Cirrhinus mrigala*) using papain enzyme. *Journal Of Food Science and Technology*. 53: 1.303-1.311.
- Elavarasan, K., B. A. Shamasundar, F. Badii, & N. Howell. 2001. Angiotensin i-converting enzyme (ACE) inhibitory activity and structural properties of oven- and freeze-dried protein hydrolysate from fresh water fish (*Cirrhinus mrigala*). *Food Chemistry*. 206: 210–216.
- Elfiana, E., U. Usman, M. Sami, R. Ridwan, S. K. Intan, C. A. Rahmawati, & P. Pardi. 2021. Diseminasi Oven Drying Vacuum (ODV) untuk pengeringan rempah bandrek siap saji di desa kumbang kecamatan syamtalira aron kabupaten aceh utara. *Prosiding Seminar Nasional Politeknik Negeri Lhokseumawe*. 5(1): 147-154.
- Endang, D. A. 2023. Perawatan dan perbaikan mesin oven pada umkm bolu di desa waluya. *Abdima Jurnal Pengabdian Mahasiswa*. 2(2):7293-7297.
- Escudero, E., L. Mora, P. D. Fraser, M. C. Aristoy, K. Arihara, & F. Toldrá. 2010. Effect of degree of hydrolysis of whey proteins on their antioxidant activity. *Journal of Food Biochemistry*. 34(4): 587-602.
- Esfandi, R., M. E. Walters, & A. Tsopmo. 2019. Antioxidant properties and potential mechanisms of hydrolyzed proteins and peptides from cereals. *Heliyon*. 5(4).
- Estellita, D. D. & U. Andriani. 2014. Perbedaan kualitas ikan lele dumbo dengan ikan lele lokal dalam pembuatan abon ikan. *Jurnal Pengabdian Kepada Masyarakat*. 20 (78): 33-39.
- Evania, M. K., V. K. Ananingsih, & B. Soedarini. 2024. Kajian pustaka optimasi kondisi proses berbagai metode pengeringan pada rimpang (jahe, kunyit, dan temulawak). *Innovative: Journal Of Social Science Research*. 4(1): 1362-1375.
- Fahmiati, S., E. Triwulandari, E. F. Umam, M. Ghozali, Y. Sampora, Y. A. Devi, & D. Sondari. 2019. Pembuatan kitosan termodifikasi melalui reaksi maillard. *Indonesian Journal of Industrial Research*. 41(2): 105-109.
- Farkye, N., K. Smith, F. T. Schonrock, & V. La-Grange, V. 2001. An overview of changes in the characteristics, functionality and nutritional value of skim milk powder (smp) during storage. *Journal of Dairy Science*.
- Fellows, P. 1992. *Food Processing Technology Principles and Practice*. Ellis Howord. New York.
- Fellows, P. J. 2022. *Food Processing Technology: Principles And Practice*. Woodhead Publishing. Cambridge.
- Fessenden, R. J. & J. S. Fessenden. 1986. *Kimia Organik*, Edisi-3 (A.H. Pudjatmaka). Erlangga. Jakarta.
- Fidianti, R. F. A., B. Hartoyo, & T. Widiyastuti. 2023. Konversi pakan dan income over feed cost ayam broiler pada penggunaan biopeptida ekstrak ceker ayam yang dihidrolisis dengan enzim papain. *Prosiding Seminar Nasional Teknologi Agribisnis Peternakan (STAP)*. 10: 178-184.
- Fitriani, S. 2008. Pengaruh Suhu dan Lama Pengeringan terhadap Beberapa Mutu Manisan Belimbing Wuluh (*Averrhoa bellinbi* L.). *Jurnal SAGU*. 7(1): 32-37.
- Floegel, A., D. O. Kim, S. J. Chung, S. I. Koo, dan O. K. Chun. 2011. Comparison of ABTS/DPPH assays to measure antioxidant capacity in popular antioxidant-rich US foods. *Journal of Food Composition and Analysis*. 24(7): 1.043–1.048.
- Foh, M. B. K., M. T. Tamara, I. Amadou, B. M. Foh, & X. Wenshui. 2011. Chemical and physicochemical properties of tilapia (*Oreochromis niloticus*) fish protein



- hydrolysate and concentrate. *International Journal Biological Chemistry*. 10: 1-15.
- Gao, Q. H., C. S. Wu, J. G. Yu, M. Wang, Y. J. Ma, & C. L. Li. 2012. Textural characteristic, antioxidant activity, sugar, organic acid, and phenolic profiles of 10 promising jujube (*Ziziphus jujuba* mill.) Selections. *Journal of Food Science*. 77(11): 1218-1225.
- Gao, Q. H., C. S. Wu, M. Wang, B. N. Xu, & L. J. Du. 2012. Effect of drying of jujubes (*Ziziphus jujuba* Mill.) On the contents of sugars, organic acids, a-tocopherol,  $\beta$ -carotene, and phenolic compounds. *Journal of Agricultural and Food Chemistry*. 60(38): 9642-9648.
- Gao, R., Q. Yu, Y. Shen, Q. Chu, G. Chen, S. Fen, M. Yang, L. Yuan, D. J. McClements, & Q. Sun. 2021. Production, Bioactive Properties, and Potential Applications Of Fish Protein Hydrolysates: Developments and Challenges. *Trends in Food Science & Technology*. 110: 687-699.
- Gautam, S. S., S. K., V. Dash, A. K. Goyal, & G. Rath. 2010. Comparative study of extraction, purification and estimation of bromelain from stem and fruit of pineapple plant. *Thai J. Pharm. Sci*. 34(2): 67-76.
- Gomez, K. A. & A. A. Gomez. 1984. *Statistical Procedures for Agricultural Research*. John Willey and Sons. Canada.
- González-Palma, I., H. B. Escalona-Buendía, E. Ponce-Alquicira, M. Téllez-Téllez, V. Gupta, G. Díaz-Godínez, & J. Soriano-Santos. 2016. Evaluation of the antioxidant activity of aqueous and methanol extracts of *pleurotus ostreatus* in different growth stages. *Frontiers in Microbiology*. 7: 2-9.
- Ha, N. C., D. M. Hien, N. T. Thuy, L. T. Nguyen, & L. Devkota. 2017. Enzymatic hydrolysis of catfish (*Pangasius hypophthalmus*) by-product: kinetic analysis of key process parameters and characteristics of the hydrolysates obtained. *Journal of Aquatic Food Product Technology*. 26(9): 1070-1082.
- Habibi, N. A., S. Fathia, & C. T. Utami. 2019. Perubahan karakteristik bahan pangan pada keripik buah dengan metode freeze drying. *Jurnal Sains Terapan*. 5(2): 67-76.
- Halim, N. R. A., H. M. Yusof, & N. M. Sarbon. 2016. Functional and bioactive properties of fish protein hydrolysates and peptides: a comprehensive review. *Trends in Food Science & Technology*. 51: 24-33.
- Halvorsen, B. L., K. Holte, M. C. Myhrstad, C. W. Mari, I. Barikmo, E. Hvattum, R. S. Fagertun, W. Anne-Brit, H. Karin, B. Halvard, A. L. Frost, M. Jan, R. Jr. J. David, & B. Rune. 2002. A systematic screening of total antioxidant in dietary plants. *Journal of Nutrition*. 132(3): 461-471.
- Handayani, D. I. W. & D. Kartikawati. 2015. Stik lele alternatif diversifikasi olahan lele (*Clarias sp.*) Tanpa limbah berkalsium tinggi. *Serat Acitya*. 4(1): 109.
- Handayani, D. I. W. 2015. Stik lele alternatif diversifikasi olahan lele (*Clarias sp.*) Tanpa limbah berkalsium tinggi. *Serat Acitya – Jurnal Ilmiah UNTAG Semarang*. 4(1): 109-117.
- Hanum, T. I. 2018. Formulasi dan uji aktivitas krim ekstrak beras merah (*Oryza nivara* L.) Sebagai antiaging. *Talenta Conference Series: Tropical Medicine (TM)*. 1(1): 237-244.
- Harborne, J. B. 1993. Do natural plant phenols play a role in ecology?. *International Symposium on Natural Phenols in Plant Resistance*. 381: 36-45.
- Harborne, J. B. 1994. *The Flavonoids Advances in Research Since 1986*. Routledge. New York.

- Hartmann, R. & H. Meisel. 2007. Food-derived peptides with biological activity: from research to food applications. 18(2): 163–169.
- Hasnaliza, H., M. Y. Maskat, W. W. Aida, & S. Mamot. 2010. The effects of enzyme concentration temperature and incubation time on nitrogen content and degree of hydrolysis of protein precipitate from cockle (*Anadara granosa*) meat wash water. *Journal Food Res.* 17 (1): 147–152.
- He, Y., X. Li, & M. Zhang. 2018. Effect of enzymatic hydrolysis on the formation and structural changes of protein-polysaccharide complexes from soy protein isolate. *Journal of Food Engineering.* 236: 1-9.
- Hidayah, N., A. Poernomo, N. I. Rohadatul'aisy, & S. Sugiyono. 2023. Mutu dan umur simpan cookies yang difortifikasi dengan hidrolisat protein ikan. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan.* 18(1): 75-86.
- Hidayat, R., M. Maimun, & S. Sukarno. 2020. Analisis mutu pindang ikan tongkol (*euthynnus affinis*) dengan teknik pengolahan oven steam. *Jurnal Fishtech.* 9(1): 21-33.
- Himaya, S. W. A., D. H. Ngo, B. Ryu, & S. K. Kim. 2012. An active peptide purified from gastrointestinal enzyme hydrolysate of pacific cod skin gelatin attenuates Angiotensin-i Converting Enzyme (ACE) activity and cellular oxidative stress. *Food chemistry.* 132(4): 1.872-1.882.
- Hong, P. V. C., H. D. Tan, P. T. T. Thanh, M. H. Cang, D. L. Dong, & L. T. Thien. 2021. Spray drying conditions for protein hydrolysate of crocodile meat. *Food Research.* 5(1): 140 – 148
- Hoyle, N. T., & J. H. Merritt. 1994. Quality of fish protein hydrolysates from herring (*Clupea harengus*). *Journal of Food Science.* 59(1): 76-79.
- Huang, S. W., E. N. Frankel, & J. B. German. 1994. Antioxidant activity of  $\alpha$ - and  $\gamma$ -tocopherols in bulk oils and in oil-in-water emulsions. *Journal of Agricultural and Food Chemistry.* 42: 2108–2114.
- Hudson, B. J. F. 1990. *Food Antioxidants.* Elsevier Science. London, New York.
- Huriawati, F., W. L. Yuhanna, & T. Mayasari. 2016. Pengaruh metode pengeringan terhadap kualitas serbuk seresah enhalus acoroides dari pantai tawang Pacitan. *Bioeksperimen: Jurnal Penelitian Biologi.* 2(1): 35-43.
- Husna, A., L. Handayani, & F. Syahputra. 2020. Pemanfaatan tulang ikan kambing-kambing (*Abalistes stellaris*) sebagai sumber kalsium pada produk tepung tulang ikan. *Acta Aquatica: Aquatic Sciences Journal.* 7(1): 13-20.
- Hwei-Ming, B., C. Villaume, & F. Giannangeli. 2001. Optimisation des qualites des proteines de soja. *Sciences des Aliments.* 21: 133–147
- Idowu, A. T., S. Benjakul, S. Sinthusamran, J. Pongsetkul, T. Sae-Leaw, & P. Sookchoo. 2019. Whole wheat cracker fortified with bio calcium and protein hydrolysate powders from salmon frame: characteristics and nutritional value. *Food Qual Saf.* 3(3): 191–199.
- Imansyah, F. & N. T. Mooniarsih. 2020. Pengolahan Limbah Ikan menjadi Produk Bernilai Ekonomis Tinggi dengan Sentuhan Teknologi Tepat Guna Mesin Pembuat Tepung Ikan. *Jurnal Pengabd.* 3(1): 51-64.
- Imrawati, I., S. Mus, S. A. Gani, & K. I. Bubua. 2018. Antioxidant activity of *Muntingia calabura* L. Leaves ethyl acetate fraction. *Journal of Pharmaceutical and Medicinal Sciences.* 2(2): 59-62.

- Inggrid, H. M. & H. Santoso. 2014. Ekstraksi antioksidan dan senyawa aktif dari buah kiwi (*Actinidia deliciosa*). Lembaga Penelitian dan Pengabdian Kepada Masyarakat. 3(3): 10-4.
- Iqbal, M., C. Anam, & A. A. Ridwan. 2015. Optimasi rendemen dan kekuatan gel gelatin ekstrak tulang ikan lele dumbo (*Clarias gariepinus* sp). Jurnal Teknosains Pangan. 4(4).
- [IQI] International Quality Ingredients. 2005. Product Specification: Fish Protein Hydrolysate HP. <http://www.IQI.com>. (Diakses pada tanggal 22 Maret 2024).
- Jahan, S. N., A. R. Joadder, & S. Islam. 2019. Assessment of proximate composition of oven dried channa punctatus at three different temperatures. International Journal of Fisheries and Aquatic Studies. 7(5): 311-314.
- Je, J. Y., K. H. Lee, M. H. Lee, & C. B. Ahn. 2009. Antioxidant and antihypertensive protein hydrolysates produced from tuna liver by enzymatic hydrolysis. Food Res Int. 42: 1266–1272.
- Je, J. Y., P. J. Park, & S. K. Kim. 2005. Antioxidant activity of a peptide isolated from alaska pollack (*Theragra chalcogramma*) frame protein hydrolysate. Food Research International. 38(1): 45–50.
- Jonson, A. H. & M. S. Peterson. 1974. Hydrolysis, In Encyclopedia of Food Technology. The Avi Publishing Company. USA.
- Joshi, A. P. K., H. P. V. Rupasinghe, & S. Khanizadeh. 2011. Impact of drying processes on bioactive phenolics, vitamin c, and antioxidant capacity of red-fleshed apple slices. J. Food Process. 35(4): 453–457.
- Judy, A. & L. Elisabeth. 1914. Preserving Food: Drying Fruits and Vegetables. The University of Georgia Collage. USA.
- Jumardi, J. 2023. Hidrolisis Protein dari Daging Ikan Sidat (*Anguilla Marmorata*) secara Enzimatis Menggunakan Ekstrak Bromelin dari Buah Nanas dan Uji Aktivitas Antioksidan. Doctoral Dissertation. Universitas Hasanudin
- Jun, S. Y., P. J. Park, W. K. Jung, & S. K. Kim. 2004. Purification and characterization of an antioxidative peptide from enzymatic hydrolysate of yellowfin sole (*Limanda aspera*) frame protein. European Food Research and Technology. 219(1): 20–26.
- Karnila, R., D. Ilham, & S. W. Sidauruk. 2020. Utilization of papain enzymes in the production of protein hydrolysates of yellow pike conger (*Congresox talabon*). Aquaculture, Aquarium, Conservation & Legislation. 13(3): 1.285-1.291.
- Kim, M. R., J. W. Kim, J. B. Park, Y. K. Hong, & J. S. Choi. 2017. Anti-obesity effects of yellow catfish protein hydrolysate on mice fed a 45% kcal high-fat diet. International Journal of Molecular Medicine. 40(3): 784–800.
- [KKP] Kementerian Kelautan dan Perikanan. 2023. Data Angka Konsumsi Ikan (AKI). <https://statistik.kkp.go.id/home.php?m=aki&i=209#panel-footer>. (Diakses pada tanggal 29 Agustus 2023).
- [KKP] Kementerian Kelautan dan Perikanan. 2023. Data Volume Produksi Perikanan Budidaya Pembesaran per Komoditas Utama (ton). [https://statistik.kkp.go.id/home.php?m=prod\\_ikan\\_prov&i=2#panel-footer-kpda](https://statistik.kkp.go.id/home.php?m=prod_ikan_prov&i=2#panel-footer-kpda). (Diakses pada tanggal 29 Agustus 2023).
- Klompong, V, S. Benjalul, D. Kantachote, K. D. Hayes, & F. Shahidi. 2008. Comparative study on antioxidative activity of yellow stripe trevally protein hydrolysate



- produced from alcalase and flavourzyme. *International Journal of Food Science & Technology*. 43(6): 1019-1026
- Kristinsson, H. G. & B. A. Rasco. 2000. Fish protein hydrolysates: production, biochemical, and functional properties. *Critical Reviews in Food Science and Nutrition*. 40(1): 43-81.
- Kristinsson, H. G. & B. A. Rasco. 2000. Biochemical and functional properties of atlantic salmon (*Salmo salar*) muscle proteins hydrolyzed with various alkaline proteases. *Journal of Agrifood Chemistry*. 48: 657–666.
- Kristinsson, H. G. 2007. Aquatic Food Protein Hydrolysates, In *Maximizing The Value Of Marine By-products*. Woodhead Publishing. Cambridge.
- Kristinsson, H. G., A. E. Theodore, N. Demir, & B. Ingadottir. 2005. A comparative study between acid-and alkali-aided processing and surimi processing for the recovery of proteins from channel catfish muscle. *Journal of Food Science*. 70(4): 298-306.
- Lagler, K. F., S. Punpoka, M. W. C., Weber, & L. F. de Beaufort. 1965. Index to the families and major groups in weber and de beaufort's "fishes of the indo-australian archipelago". Kasetart University. (1-11) : 1911-1962
- Laishram, M., A. S. Desai, D. I. Pathan, A. S. Pawase, & S. M. Wasave. 2023. Functional properties and proximate analysis of fish waste protein hydrolysate processed using enzymes. *Current Research in Nutrition and Food Science Journal*. 11(2): 641-654.
- Lestari, Y. 2019. Perbandingan kerja alat pengeringan tipe spray dryer dan freeze dryer dalam proses pengeringan bahan berbentuk cair. *Jurnal Ilmiah Kohesi*. 3(3): 96-99.
- Li, G. H., G. W. Le, H. Liu, & Y. H. Shi. 2005. Mung bean protein hydrolysates obtained with alkalase exhibit angiotensin converting enzyme inhibitory activity. *Food Science and Technology International*. 11(4): 281-287.
- Liaudanskas, M., P. Viškelis, R. Raudonis, D. Kviklys, N. Uselis, & V. Janulis. 2014. Phenolic composition and antioxidant activity of *malus domestica* leaves. *The Scientific World Journal*. 1-10.
- Lisa, M., M. Lutfi, & B. Susilo. 2015. Pengaruh suhu dan lama pengeringan terhadap mutu tepung jamur tiram putih (*Plaerotus ostreatus*). *Jurnal Keteknikan Perntanian Tropis dan Biosiste*. 3.
- Lowe, G. 1970. The structure and mechanism of action of papain. *Biological Sciences*. 257(813): 237-248.
- Luisi, G., A. Stefanucci, G. Zengin, M. P. Dimamito, & A. Mollica. 2018. Antioxidant and tyrosinase inhibitory in vitro activity of amino acids and small peptides: new hints for the multifaceted treatment of neurologic and metabolic dysfunctions. *Antioxidant*. 8(1): 7.
- Luliana, S., N. U. Purwanti, & K. N. Manihuruk, 2016. Pengaruh cara pengeringan simplisia daun senggani (*Melastoma malabathricum* L.) Terhadap aktivitas antioksidan menggunakan metode DPPH (2, 2-difenil-1 pikrilhidrazil). *Pharmaceutical Sciences and Research*. 3(3): 2.
- Luo H. Y., B. Wang, Z. R. Li , C. F. Chi, Q. H. Zhang, & G. Y. He. 2013. Preparation and evaluation of antioxidant peptide from papain hydrolysate of *Sphyrna lewini* muscle protein. *Food Science Technology*. 51: 281-288
- Madhavi, D. L., S. S. Deshpande., & D. K. Salunkhe. 1995. *Food Antioxidants Technological, Toxicological, and Health Perspectives*. Marcel Dekker. New York.

- Mahyudin, K. 2013. Panduan Lengkap Agribisnis Lele. Niaga Swadaya. Yogyakarta.
- Malik, A., A. R. Ahmad, & A. Najib. 2017. Pengujian aktivitas antioksidan ekstrak terpurifikasi daun teh hijau dan jati belanda. *Jurnal Fitofarmaka Indonesia*. 4(2): 238–240.
- Mamboya, E. A. F. & E. Amri. 2012. Papain, a plant enzyme of biological importance: a review. *J. Biochem. Biotechnol.* 8(2): 99-104.
- Margaretta, S., Handayani, S. D., Indraswati, N., & Hindarso, H. 2013. Ekstraksi senyawa phenolic pandanus amaryllifolius roxb. Sebagai antioksidan alami. *Widya Teknik*. 10(1): 20-30.
- Martins, S. I. F. S., W. M. F. Jongen, & M. A. J. S. Van-Boekel. 2000. A review of maillard reaction in food and implications to kinetic modelling. *Trends in Food Science & Technology*. 11(9-10): 364-373.
- Martono, B., S. Falah, & E. Nurlaela. 2016. Aktivitas antioksidan teh varietas GMB 7 pada beberapa ketinggian tempat. *Jurnal Tanaman Industri dan Penyegar*. 3(1): 53–60.
- Maryam, S. 2015. Kadar antioksidan dan IC<sub>50</sub> tempe kacang merah (*Phaseolus vulgaris* L.) yang difermentasi dengan lama fermentasi berbeda. *Prosiding Seminar Nasional MIPA*. 5 : 347-352.
- Matemu, A., Nakamura, S., & Katayama, S. 2021. Health benefits of antioxidative peptides derived from legume proteins with a high amino acid score. *Antioxidants*. 10(2): 316.
- Mendis, E., N. Rajapakse, & S. K. Kim. 2005. Antioxidant properties of a radical scavenging peptide purified from enzymatically prepared fish skin gelatin hydrolysate. *Journal of Agricultural and Food Chemistry*. 53: 581–587.
- Mendis, E., N. Rajapakse, H. G. Byun, & S. K. Kim. 2005. Investigation of jumbo squid (*Dosidicus gigas*) skin gelatin peptides for their in vitro antioxidant effects. *Life Sciences*. 77(17): 2.166–2.178.
- Miksusanti, M. & E. Danelfita. 2012. Aktivitas antioksidan dan sifat kestabilan warna campuran ekstrak etil asetat kulit buah manggis (*Garcinia mangostana* L.) Dan kayu secang (*Caesalpinia sappan*l). *Jurnal Penelitian Sains*. 15(2).
- Molyneux, P. 2004. The use of stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Journal of Science and Technology*. 26(2): 211-219.
- Mora, L. & F. Toldrá. 2021. Stability of Bioactive Peptides During Processing. *Food Chemistry, Function, and Analysis*.
- Mulita, A. & D. Tanggasari. 2024. Variasi suhu pengeringan menggunakan oven terhadap mutu kerupuk rumput laut. *Nutriology: Jurnal Pangan, Gizi, Kesehatan*. 5(1): 18-25.
- Mutamimah, D., B. Ibrahim, W. Trilaksani. 2018. Antioxidant activity of protein hydrolysate produced from tuna eye (*Thunnus* sp.) By enzymatic hydrolysis. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 21(3): 522-531.
- Muzaifa, M., N. Safriani, & F. Zakaria. 2012. Production of protein hydrolysates from fish by-product prepared by enzymatic hydrolysis. 5(1): 36-39.
- Nalinanon, S., S. Benjakul, H. Kishimura, & F. Shahidi. 2011. Functionalities and antioxidant properties of protein hydrolysates from the muscle of ornate threadfin bream treated with pepsin from skipjack tuna. *Food Chem*. 124: 1354–1362.

- Nam, P. V., N. Van Hoa, T. T. L. Anh, & T. S. Trung. 2019. towards zero-waste recovery of bioactive compounds from catfish (*Pangasius hypophthalmus*) by-products using an enzymatic method. *Waste and Biomass Valorization*. 11: 4195-4206.
- Nguyen, H. T., H. N. D. Bao, H. T. T. Dang, H. T. T., Tómasson, T., Arason, S., & Gudjónsdóttir, M. 2022. Protein characteristics and bioactivity of fish protein hydrolysates from tra catfish (*Pangasius hypophthalmus*) side stream isolates. *Foods*. 11(24): 1-19.
- Nie, R., Y. Liu, & Z. Liu. 2014. The calcium-binding activity of fish scale protein hydrolysates. *Journal of Agricultural Chemistry and Environmental*. 3(1B): 11-15.
- Noman, A., Q. Jiang, X. Yanshun, H. A. Abdelmoneim, Q. A. Wedad, M. A. Sherif, & X. Wenshui. 2019. Influence of degree of hydrolysis on chemical composition, functional properties, and antioxidant activities of chinese sturgeon (*Acipenser sinensis*) hydrolysates obtained by using alcalase 2.4L. *Journal of Aquatic Food Product Technology*. 28(6): 583-597.
- Noman, A., Y. Wang, C. Zhang, L. Yin, & S. M. Abed. 2022. Fractionation and purification of antioxidant peptides from chinese sturgeon (*Acipenser sinensis*) protein hydrolysates prepared using papain and alcalase 2.4 l. *Arabian Journal of Chemistry*. 15(12): 2-10.
- Noman, A., Y. Xu, W. Q. Al-Bukhaiti, S. M. Abed, A. H. Ali, A. H. Ramadhan, & W. Xia. 2018. Influence of enzymatic hydrolysis conditions on the degree of hydrolysis and functional properties of protein hydrolysate obtained from chinese sturgeon (*Acipenser sinensis*) by using papain enzyme. *Process Biochemistry*. 67 : 19-28.
- Norra, I., A. Aminah, R. Suri, & J. A. Zaidi. 2017. Effect of drying temperature on the content of fucoxanthin, phenolic and antioxidant activity of malaysian brown seaweed, *Sargassum* sp. *J. Trop Agri, and Science*. 45(1): 25-36.
- Novia, D., S. Amelia, & N. Z. Ayuza. 2011. Kajian suhu pengovenan terhadap kadar protein dan nilai organoleptik telur asin. *Jurnal Peternakan*. 8(2).
- Novitasari, R. T. M., A. D. Anggo, & T. W. Agustini. 2021. Pengaruh kombinasi bahan pengisi maltodekstrin dan karagenan terhadap karakteristik bubuk flavor lemi dari rajungan. *Jurnal Ilmu dan Teknologi Perikanan*. 3(1): 16-25.
- Nurfiani, E., Kadirman, & F. Ratnawati. 2018. Pengaruh suhu dan lama pengeringan terhadap sifat kimia dan organoleptik tepung umbi talas (*Colocasia esculenta*). *Jurnal Pendidikan Teknologi Pertanian*. 4(18): 95-105.
- Nurhayati, T, D. Aryanti, dan Nurjanah. 2009. Kajian awal potensi ekstrak spons sebagai antioksidan. *Jurnal Kelautan Nasional*. 2(2): 43-51.
- Nurhayati, T., E. Salamah, Cholifah, dan R. Nugraha. 2014. Optimasi proses pembuatan hidrolisat jeroan ikan kakap putih. *JPHPI*. 17(1): 42-52.
- Nurilmala, M., T. Nurhayati, & R. Roskananda. 2018. Limbah industri filet ikan patin untuk hidrolisat protein. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 21(2): 287-294.
- Nurjanah, T. Nurhayati, A. Latifah, & T. Hidayat. 2021. Aktivitas antioksidan dan komponen bioaktif hidrolisat protein jeroan ikan kakap putih (*Lates calcalifer*). *Warta IHP*. 38 (1): 70-78.
- Olabode, Z. A. I. N. A. B., C. T. Akanbi, B. Olunlade, & A. A. Adeola. 2015. Effects of drying temperature on the nutrients of moringa (*Moringa oleifera*) leaves and sensory attributes of dried leaves infusion. *Direct Research Journal of Agriculture and Food Science*. 3(5): 117-122.

- Orphanides, A., V. Goulas, & V. Gekas. 2013. Effect of drying method on the phenolic content and antioxidant capacity of spearmint. *Czech Journal of Food Sciences*. 31(5): 509-513.
- Ovissipour, M., A. A. Kenari, A. Motamedzadegan, & R. M. Nazari. 2012. Optimization of enzymatic hydrolysis of visceral waste proteins of yellowfin tuna. *Food Bioprocess Technol*. 5: 696–705.
- Pangestuti, E. K. & P. Darmawan. 2021. Analysis of ash contents in wheat flour by the gravimetric method: analisis kadar abu dalam tepung terigu dengan metode gravimetri. *Jurnal Kimia dan Rekayasa*. 2(1): 16-21.
- Park, P. J., W. K. Jung, K. S. Nam, F. Shahidi, & S. K. Kim. 2001. Purification and characterization of antioxidative peptides from protein hydrolysate of lecithin-free egg yolk. *Journal of the American of Oil Chemists' Society*. 78: 651-656.
- Pedersen. 1994. Removing Bitterness From Protein Hydrolysate. *Food Industri X*. Chicago: Institute of Food Technologists USA.
- Permatasari, R. & M. S. Annas. 2015. Distribusi temperatur pada microwave menggunakan metode cfd. *Seminar Nasional Tahunan Teknik Mesin XIV*. 1: 1–5.
- Peter, J. B. 2003. Properties of different fish processing by-products from pollock, COD and salmon. *Journal of Food Processing Preservation*. 27: 101-116.
- Pigot, G. M. & B. W. Tucker. 1990. *Utility Fish Flesh Effectively While Maintaining Nutritional Qualities*. *Seafood Effects Of Technology On Nutrition*. Marcel Decker. New York.
- Poedjiadi A. 2006. *Dasar-dasar Biokimia*. UI-Press. Jakarta.
- Pramono, P. K. P. 2022. Rasio Efisiensi Protein Ransum Broiler yang Disuplementasi Mannan Oligosakarida (MOS) Hasil Hidrolisis Bungkil Inti Sawit dengan Enzim Mannanase. Tesis. Universitas Jambi.
- Pramono, S. 2006. Penanganan pasca panen dan pengaruhnya terhadap efek terapi obat alami. *Prosiding Seminar nasional Tumbuhan Obat Indonesia XXVIII*. 1-6.
- Prasetyaningrum, A. 2010. Rancang bangun oven drying vacuum dan aplikasinya sebagai alat pengering pada suhu rendah. *Jurnal Riptek*. 4(1): 45-53.
- Prastari, C., S. Yasni, & M. Nurilmala. 2017. Karakteristik protein ikan gabus yang berpotensi sebagai antihiperlipidemik. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 20(2): 413-423.
- Pratita, A. T. K., N. R. Aisy, G. A. Wardani, & M. Fathurohman. 2022. Isolasi dan aktivitas antioksidan dengan menggunakan metode ABTS (2, 2 Azinobis (3-Ethylbenzotiazolin) 6 Sulfonat) senyawa superoksida dismutase pada mikroalga *chlorrela vulgaris*. *Prosiding Seminar Nasional Diseminasi Hasil Penelitian Program Studi S1 Farmasi*. 2(1).
- Prihatini, I. & R. K. Dewi. 2021. Kandungan enzim papain pada pepaya (*Carica papaya* L) terhadap metabolisme tubuh. *Jurnal Tadris IPA Indonesia*. 1(3): 449-458.
- Putalan, R., I. Munifah, T. Nurhayati, & E. Chasanah, 2018. Antioxidant and ACE inhibitor potential of stripe trevally fish (*Selaroides leptolepis*) hydrolysate. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*. 13(1): 17-22.
- Rababah, T. M., M. Alhamad, M. Al-Mahasneh, K. Ereifej, J. Andrade, B. Altarifi, A. Almajwal, & W. Yang. 2015. Effects of drying process on total phenolics, antioxidant activity and flavonoid contents of common mediterranean herbs. *International Journal of Agricultural and Biological Engineering*. 8(2): 145-150.

- Rahman, S. A., A. M. Nassef, H. Rezk, M. E. H. Assad, & M. E. Hoque. 2021. Experimental investigations and modeling of vacuum oven process using Several semi-empirical models and a fuzzy model of cocoa beans. *Heat and Mass Transfer*. 57: 175-188.
- Ramadhia, M., S. Kumalaningsih, & I. Santoso. 2012. The making of aloe vera powder (*Aloe vera* L.) With foam-mat drying method. *Jurnal Teknologi Pertanian*. 13(2): 125-137.
- Ratri, P. R. & M. Jannah. 2023. Quality assessment of high calcium catfish (*Clarias sp.*) Bone flour made by boiling and drying methods. *IOP Conference Series: Earth and Environmental Science*. 1168(1): 1-5.
- Ratti C. & T. Kudra. 2006. Drying of foamed biological materials: opportunities and challenges. *Journal Drying Technology*. 24(9): 1101–1108.
- Riansyah, A., A. Supriadi, & R. Nopianti. 2013. Pengaruh perbedaan suhu dan waktu pengeringan terhadap karakteristik ikan asin sepat siam (*Trichogaster pectoralis*) dengan menggunakan oven. *Jurnal Fishtech*. 2(1): 53-68.
- Rice-Evans, C. A., N. J. Miller, & G. Paganga. 1996. Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine*. 20(7): 933-956.
- Rodríguez-Díaz, J. C., R. V. Tonon, & M. D. Hubinger. 2014. Spray drying of blue shark skin protein hydrolysate: physical, morphological, and antioxidant properties. *Drying Technology*. 32(16): 1986–1996.
- Roslan, A. S., A. Ismail, Y. Ando, & A. Azlan. 2020. Effect of drying methods and parameters on the antioxidant properties of tea (*Camellia sinensis*) leaves. *Food Production, Processing and Nutrition*. 2: 1-11.
- Rusli, N., M. S. Saehu, & F. Fatmawati. 2023. Aktivitas antioksidan fraksi etil asetat daun meistera chinensis dengan metode DPPH (1, 1-difenil-2-pikrilhidrazil). *Jurnal Mandala Pharmacon Indonesia*. 9(1): 43-48.
- Ryu, B., K. H. Shin, & S. K. Kim. 2021. Muscle protein hydrolysates and amino acid composition in fish. *Marine Drugs*. 19(7): 1-13.
- Sae-leaw, T., Y. C. O'Callaghan, S. Benjakul, & N. M. O'Brien. 2016. Antioxidant, immunomodulatory and antiproliferative effects of gelatin hydrolysates from seabass (*Lates calcarifer*) skins. *International Journal of Food Science & Technology*. 51(7): 1.545-1.551.
- Sakinah, F. 2017. Uji Aktivitas Antioksidan Kombinasi Ekstrak Rimpang Kunyit Putih (*Curcuma longa* L.) dan Rumpun Bambu (*Lophatherum gracile* B.) Menggunakan Metode DPPH serta Identifikasi Golongan Senyawa Aktifnya. Fakultas Sains dan Teknologi. Universitas Islam Negeri Maulana Malik Ibrahim. Skripsi.
- Salamah, E., T. Nurhayati, & I. R. Widadi. 2012. Pembuatan dan karakterisasi hidrolisat protein dari ikan lele dumbo (*Clarias gariepinus*) menggunakan enzim papain. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 15(1).
- Salmiyah, S. & A. Bahrudin. 2018. Fitokimia dan antioksidan pada buah tome-tome (*Flacourtia inermis*). *Hospital Majapahit (Jurnal Ilmiah Kesehatan Politeknik Kesehatan Majapahit Mojokerto)*. 10(1): 1-62.
- Sandoval-Gallardo, J. M., I. Osuna-Ruiz, E. Martínez-Montaña, C. Hernández, M. A. Hurtado-Oliva, A. Valdez-Ortiz, & J. S. Ramírez-Pérez, J.S. 2020. Influence of enzymatic hydrolysis conditions on biochemical and antioxidant properties of pacific thread herring (*Ophistonema libertate*) hydrolysates. *Journal of Food*. 18(1): 392–400.



- Santika, J., M. Sukmiwati, & A. Diharmi. 2021. Komposisi Kimia Rumput Laut Hijau Segar (*Caulerpa lentillifera*). Fakultas Perikanan dan Kelautan. Universitas Riau Pekanbaru.
- Sarmadi, B. H. & A. Ismail. 2010. Antioxidative peptides from food proteins: a review. *Peptides*. 31(10): 1949–956.
- Sathivel, S., W. Prinyawiwatkul, J. M. King, C. C. Grimm, & S. Lloyd. 2003. Oil production from catfish viscera. *Journal of the American Oil Chemists' Society*. 80: 377-382.
- Sayuti, K. & R. Yenrina. 2015. *Antioksidan Alami dan Sintetik*. Andalas University Press. Padang.
- Senadheera, T. R., A. Hossain, D. Dave, & F. Shahidi, F. 2023. Antioxidant and ACE-inhibitory activity of protein hydrolysates produced from atlantic sea cucumber (*Cucumaria frondosa*). *Molecules*. 28(13): 1-15.
- Sepúlveda Rincón, C., P. Vazquez, P., & J. Z. Montoya. 2023. Effect of spray-drying conditions on the physical and antioxidant properties of a hydrolysate from red tilapia (*Oreochromis spp.*) Viscera. *Food Science and Technology*. 43: 1-8.
- Shahidi, F., M. Nacz, R. B. Pegg, & J. Synowiecki. 1991. Chemical composition and nutritional value of processing discards of COD. *Food Chem*. 42 : 145–151.
- Shahidi, F., X. Q. Han, & J. Synowiecki. 1995. Production and characteristics of protein hydrolysates from capelin (*Mallotus villosus*). *Food chemistry*. 53(3): 285-293.
- Shaviklo, G. R., G. Thorkelsson, K. Sveinsdottir, & F. Rafpour. 2011. Chemical properties and sensory quality of ice cream fortified with fish protein. *Journal Sci Food Agriculture*. 91(7):1199–1204.
- Sheriff, S. A., B. Sundaram, B. Ramamoorthy, & P. Ponnusamy. 2014. Synthesis and in vitro antioxidant functions of protein hydrolysate from backbones of *Rastrelliger kanagurta* by proteolytic enzymes. *Saudi Journal of Biological Sciences*. 21(1): 19-26.
- Sila, A. & A. Bougatef. 2016. Antioxidant peptides from marine by-products: isolation, identification and application in food systems. A review. *Journal of Functional Foods*. 21: 10-26.
- Silva, A. F., H. Abreu, A. M. Silva, & S. M. Cardoso. 2019. Effect of oven-drying on the recovery of valuable compounds from *Ulva rigida*, *Gracilaria sp.* and *Fucus vesiculosus*. *Marine Drugs*. 17(2): 1-17.
- Singh, A., R. Kumar, & S. N. Sabapathy. 2019. Stability of bioactive peptides during food processing and storage: a review. *Food Reviews International*. 35(4): 287-329.
- Sitompul, S. 2004. Analisis asam amino dalam tepung ikan dan bungkil kedelai. *Buletin Teknik Pertanian*. 9(1): 33-37.
- Strzelczak, A., J. Balejko, M. Szymczak, & A. Witczak. 2021. Effect of protein denaturation temperature on rheological properties of baltic herring (*Clupea harengus* membras) Muscle Tissue. *Foods*. 10(4): 1-11.
- Sukkhown, P., K. Jangchud, Y. Lorjaroenphon, & T. Pirak. 2018. Flavored-functional protein hydrolysates from enzymatic hydrolysis of dried squid by-products: effect of drying method. *Food Hydrocolloids*. 76: 103-112.
- Sukweenadhi, J., O. Yunita, F. Setiawan, Kartini, M. T. Siagian, A. P. Danduru, & C. Avanti. 2020. Antioxidant activity screening of seven indonesian herbal extract. *Biodiversitas*. 21(5): 2062–2067.
- Sulaiman, M. I. 2009. Trend Teknologi Mikrowave pada Industri Pertanian. *Jurnal Pangan*. 18(2): 96-101.

- Suliasih, N., I. S. Nurminabari, & G. R. B. Kusuma. 2018. Pengaruh formula dan perbandingan bumbu serbuk dengan santan serbuk terhadap karakteristik bumbu gulai serbuk dengan metode foam-mat drying. *Pasundan Food Technology Journal (PFTJ)*. 4(3): 167-175.
- Sun, T., S. Rao, X. Zhou, & L. Li. 2022. Plant carotenoids: recent advances and future perspectives. *Molecular Horticulture*. 2(1): 3.
- Sundari, D., Almasiyuri, & L. Astuti. 2015. Pengaruh proses pemasakan terhadap komposisi zat gizi bahan pangan sumber protein. *Jurnal Litbang Kemkes*. 25(4): 235-242.
- Sutriandi, A., I. T. Maulana, & E. R. Sadiyah. 2016. Pengaruh metode pengeringan terhadap mutu ekstrak biji kara bengkok (*Mucuna pruriens* (L.) DC.) Yang dihasilkan. *Prosiding Farmasi ISSN*. 2(2): 710-716.
- Suyanto, N. S. R. 2004. *Budidaya Ikan Lele (Edisi Revisi)*. Niaga Swadaya. Yogyakarta.
- Suzuki, T. 1981. *Fish and Krill Protein Processing Technology, Applied*. Science Publisher, Ltd. London.
- Syarif, S., R. Kosman, & N. Inayah. 2015. Uji aktivitas antioksidan terong belanda (*Solanum betaceum* Cav.) Dengan metode FRAP. *As-Syifaa Jurnal Farmasi*. 7(1): 26-33.
- Tan, Y. & Chang, S. K. 2018. Isolation and characterization of collagen extracted from channel catfish (*Ictalurus punctatus*) skin. *Food Chemistry*. 242: 147-155.
- Taniyo, W., Y. K. Salimi, & H. Iyabu, 2021. Karakteristik dan aktivitas antioksidan hidrolisat protein ikan niki (*Awaous melanocephalus*). *Dalton: Jurnal Pendidikan Kimia dan Ilmu Kimia*. 4(2).
- Taufiq, M. 2004. *Pengaruh Temperatur Terhadap Laju Pengeringan Jagung Pada Pengeringan Konvensional dan Fluidized Bed*. Skripsi. Fakultas Teknik. Universitas Sebelas Maret. Surakarta.
- Thaipong, K., U. Boonprakob, K. Crosby, L. Cisneros-Zevallos, & D. H. Byrne. 2006. Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts. *Journal of Food Composition and Analysis*. 19(6-7): 669-675.
- Theafelicia, Z. & S. N. Wulan. 2023. Perbandingan berbagai metode pengujian aktivitas antioksidan (DPPH, ABTS, dan FRAP) pada teh hitam (*Camellia sinensis*). *Jurnal Teknologi Pertanian*. 24(1): 35-44.
- Tkaczewska, J., J. Borawska-Dziadkiewicz, P. Kulawik, I. Duda, M. Morawska, & B. Mickowska, 2020. The effects of hydrolysis condition on the antioxidant activity of protein hydrolysate from cyprinus carpio skin gelatin. *LWT*. 117: 1-9.
- Tran, T. H., M. T. Nguyen, T. N. Cao, Q. Do, & M. T. Phan. 2023. Utilization of catfish fat by-products for the biological base oils synthesis. *ARNP Journal of Engineering and Applied Sciences*. 18(19):2.157-2.164.
- Vieira, G. H. F., A. M. Martin, S. Saker-Sampaio, S. Omar, & R. C. F. Goncalves. 1995. Studies on the enzymatic hydrolysis of brazilian lobster (*Panulirus* spp.) Processing wastes. *Journal Food Sci. Agric*. 69: 61–65.
- Vifta, R. L., N. Winarti, & S. Rahayu. 2020. Flavonoid total dan potensi antioksidan bunga telang (*Clitoria ternatea* L.) Sebagai tanaman fungsional kabupaten semarang. *Media Informasi Penelitian Kabupaten Semarang*. 2(1): 38-49.
- Vijaykrishnaraj, M., B. Roopa, P. Prabhasankar. 2016. Preparation of gluten free bread enriched with green mussel (*Perna canaliculus*) protein hydrolysates and

- characterization of peptides responsible for mussel favour. Food Chem. 211: 715–725.
- Wang, H. L., X. H. Chen, J. Y. Li, & J. Wei. 2009. Effect of drying temperature on the hydrolysis and physicochemical properties of starches. Jurnal. 117:615-622.
- Wang, J. S., M. M. Zhao, Q. Z. Zhao, Y. Bao, & Y. M. Jiang. 2007. Characterization of hydrolysates derived from enzymatic hydrolysis of wheat gluten. Journal Food Science. 72: 103-107.
- Wangkheirakpam, M. R., S. S. Mahanand, R. K. Majumdar, S. Sharma, D. D. Hidangmayum, & S. Netam. 2019. Fish waste utilization with reference to fish protein hydrolysate- a review. Fishery Technology. 56(3): 169-178.
- Whika, F. D., R. Leni, & R. Ismi. 2017. Rendemen dan skrinng fitokimia pada ekstrak daun *Sansevieria* sp. Jurnal Penelitian Pertanian Terapan. 17(3): 197-202.
- Widadi, I. R. 2011. Pembuatan dan Karakterisasi Hidrolisat Protein dari Ikan Lele Dumbo (*Clarias gariepinus*) Menggunakan Enzim Papain. Departemen Teknologi Hasil Perairan, Fakultas Perikanan dan Ilmu Kelautan. Institut Pertanian Bogor. Bogor. Skripsi.
- Widhyastini, I. M. 2013. Pengaruh suhu pengeringan kulit bagian luar dan bagian dalam manggis (*Gracinia Mangostana*, L.) Terhadap kandungan proksimat, alkaloid dan flavonoid. Jurnal Sains Natural. 3(2): 193-200.
- Wijayanti, A. T. 2009. Kajian penyaringan dan lama penyimpanan dalam pembuatan fish pepton dari ikan selar kuning (*Caranx leptolepis*). Teknologi Hasil Perikanan. Institut Pertanian Bogor. Bogor. Skripsi.
- Wijayanti, I., R. Romadhon, & L. Rianingsih. 2015. Pengaruh konsentrasi enzim papain terhadap kadar proksimat dan nilai rendemen hidrolisat protein ikan bandeng (*Chanos chanos* Forks). Pena Akuatika: Jurnal Ilmiah Perikanan dan Kelautan. 12(1): 13-23.
- Wijayanti, I., R. Romadhon, & L. Rianingsih. 2016. Karakteristik hidrolisat protein ikan bandeng (*Chanos chanos* Forsk) dengan konsentrasi enzim bromelin yang berbeda. SAINTEK PERIKANAN: Indonesian Journal of Fisheries Science and Technology. 11(2): 129-133.
- Winangsih, E. Prihastanti, & S. Parman. 2013. Pengaruh metode pengeringan terhadap kualitas simplisia lempuyang wangi (*Zingiber aromaticum* L.). Jurnal Anatomi dan Fisiologi 21(1): 19-25.
- Winarno F. G. 2004. Pangan, Gizi, Teknologi dan Konsumen. PT Gramedia Pustaka Utama. Jakarta.
- Winarno, F. G. 2007. Teknologi Pangan. MBRIO Biotekindo. Bogor.
- Winarno, F. G., F. Srikandi, & D. Fardiaz. 1980. Pengantar Teknologi Pangan. Gramedia Pustaka Utama. Jakarta.
- Winarsih, H. 2007. Antioksidan Alami dan Radikal Bebas. Kanisius. Yogyakarta.
- Wisuthiphaet, N., S. Kongruang, & C. Chamcheun. 2015. Production of fish protein hydrolysates by acid and enzymatic hydrolysis. J. Med. and Bioeng. 4(6): 466-470.
- Witono, Y., I. Taruna, W. S. Widrati, & A. Ratna. 2014. Enzymatic hydrolysis of the low economic value fishes using biduri's protease. Jurnal Teknologi dan Industri Pangan. 25(2): 140-140.
- Witono, Y., M. Maryanto, I. Taruna, A. D. Masahid, & K. Cahyaningati. 2020. Aktivitas antioksidan hidrolisat protein ikan wader (*Rasbora jacobsoni*) dari hidrolisis oleh enzim calotropin dan papain. Jurnal Agroteknologi. 14(1): 44-57.

- Witono, Y., T. Iwan, S. W. Wiwik & R. Amelia. 2014. Pengaruh waktu hidrolisis terhadap karakteristik hidrolisat protein ikan toman (*Channa micropeltes*) asal das kalimantan timur. *Jurnal Teknologi dan Industri Pangan*. 25(2): 140-145.
- Wu, H., H. M. Chen, & C. Y. Shiau. 2003. Free amino acids and peptides as related to antioxidant properties in protein hydrolysates mackerel (*Scomber austriasicus*). *Food Research*. 36: 949-957
- Wu, S., X. Feng, X. Lan, Y. Xu, dan D. Liao. 2015. Purification and identification of Angiotensin-I Converting Enzyme (ACE) inhibitory peptide from lizard fish (*Saurida elongata*) hydrolysate. *Journal of Functional Foods*. 13: 295–299.
- Wu, X., B. Zhou, Y. Cheng, C. Zeng, C. Wang, & L. Feng. 2010. Comparison of gender differences in biochemical composition and nutritional value of various edible parts of the blue swimmer crab. *Journal Food Composition and Analysis*. 23: 154-159.
- Wuryanti. 2004. Isolasi dan penentuan aktivasi spesifik enzim bromelin dari buah nanas (*Ananas comosus* L.). *Jurnal Kim. Sains & Apl*. VII(3): 83-87
- Yamin, M., D. F. Ayu, & F. Hamzah. 2017. Lama Pengeringan Terhadap Aktivitas Antioksidan dan Mutu Teh Herbal Daun Ketepeng Cina (*Cassia alata* L.). Doctoral Dissertation. Riau University.
- Yang, J. I., J. Y. Tang, Y. S. Liu, H. R. Wang, S. Y. Lee, C. Y. Yen, & H. W. Chang. 2016. Roe protein hydrolysates of giant grouper (*Epinephelus lanceolatus*) inhibit cell proliferation of oral cancer cells involving apoptosis and oxidative stress. *BioMed Research International*. 2016: 1-12.
- Yang, P., H. Ke, P. Hong, S. Zeng, & W. Cao. 2011. Antioxidant activity of bigeye tuna (*Thunnus obesus*) head protein hydrolysate prepared with alcalase. *International Journal of Food Science & Technology*. 46(12): 2460-2466.
- Yarnpakdee, S., S. Benjakul, H. G. Kristinsson, & H. Kishimura, 2015. Antioxidant and sensory properties of protein hydrolysate derived from nile tilapia (*Oreochromis niloticus*) by One-And Two-Step Hydrolysis. *Journal of Food Science and Technology*. 52: 3336-3349.
- Yuslianti, E. R. 2018. Pengantar Radikal Bebas dan Antioksidan. Deepublish. Yogyakarta.
- Zaen, A. T. A. 2023. Pengaruh Lama Waktu Hidrolisis Menggunakan Papain terhadap Aktivitas Antioksidan Hidrolisat Protein Insang Lele (*Clarias sp.*). Universitas Gadjah Mada. Skripsi.
- Zambra, C., D. Hernández, H. Reyes, N. Riveros, & R. Lemus-Mondaca. 2021. Kagenekia oblonga leaves subjected to different drying methods: drying kinetics, energy consumption and interesting compounds. *Frontiers in Sustainable Food Systems*. 5: 1-11.
- Zarein, M., S. H. Samadi, & B. Ghobadian. 2015. Investigation of microwave dryer effect on energy efficiency during drying of apple slices. *Journal Of The Saudi Society Of Agricultural Sciences*. 14(1): 41-47.
- Zhang, D. L. & Y. Hamauzu. 2004. Phenolics, ascorbic acid, carotenoids and antioxidant activity of broccoli and their changes during conventional and microwave cooking. *Food Chemistry*. 88: 503–509.
- Zhang, L. L., B. Wang, L. H. Zhang, & M. Zeng. 2015. RSM as an approach to optimize ginger intermittent microwave drying process. *Advanced Materials Research*. 1095: 304–308.

- Zhong S, C. Ma, Y. C. Lin, & Y. Luo. 2011. Antioxidant properties of peptide fractions from silver carp (*Hypophthalmichthys molitrix*) processing by-product protein hydrolysates evaluated by electron spin resonance spectrometry. *Food Chem.* 126(4): 1636–1642.
- Zou, T.-B., T.-P. He, H.-B. Li, H.-W. Tang, & E.-Q. Xia. 2016. The structure-activity relationship of the antioxidant peptides from natural proteins. *Molecules.* 21(1): 1-14.
- Zulfikar. 2008. *Kimia Kesehatan Jilid 3*. Departemen Pendidikan Nasional. Jakarta.