

DAFTAR PUSTAKA

- Alaraby, S.O.M.A. *et al.* (2021) ‘A comparative study of polydioxanone (PDS) and polyglactin (Vicryl) in Hypospadias Repair’, *African Journal of Paediatric Surgery*, 18(1), p. 53. doi:10.4103/ajps.ajps_90_20.
- Appeadu-Mensah, W. *et al.* (2015) ‘Complications of hypospadias surgery: Experience in a tertiary hospital of a developing country’, *African Journal of Paediatric Surgery*, 12(4), p. 211. doi:10.4103/0189-6725.172538.
- Aritonang, J., Rodjani, A. and Wahyudi, I. (2016) ‘Relation between complicating factors of Hypospadias and complications after tip: A retrospective study’, *Indonesian Journal of Urology*, 23(2). doi:10.32421/juri.v23i2.239.
- Baskin, L.S. (2012) “*Hypospadias*,” in A.G. Coran *et al.* (eds) *Pediatric surgery*. 7th edn. Philadelphia, PA: Elsevier Mosby, pp. 1488–1510.
- Bhat, A. and Mandal, A. (2008) ‘Acute postoperative complications of hypospadias repair’, *Indian Journal of Urology*, 24(2), p. 241. doi:10.4103/0970-1591.40622.
- Byrne, M. and Aly, A. (2019) ‘The surgical suture’, *Aesthetic Surgery Journal*, 39(Supplement_2). doi:10.1093/asj/sjz036.
- Castagnetti, M., & El-Ghoneimi, A. (2010). Surgical management of primary severe hypospadias in children: Systematic 20-year review. *Journal of Urology*, 184(4). <https://doi.org/10.1016/j.juro.2010.06.044>
- Cimador, M. *et al.* (2004) ‘Suture materials: Do they affect fistula and stricture rates in flap urethroplasties?’, *Urologia Internationalis*, 73(4), pp. 320–324. doi:10.1159/000081592.

- Docimo, S.G. *et al.* (2019) ‘Hypospadias’, in *The kelalis--king--belman textbook of clinical pediatric urology*. 6th edn. Boca Raton: CRC Press, Taylor & Francis Group, pp. 1232–1258.
- Duarsa, G. W. K., Tirtayasa, P. M. W., Daryanto, B., Nurhadi, P., Renaldo, J., Tarmono, ... Kloping, Y. P. (2020). Risk factors for urethrocutaneous fistula following hypospadias repair surgery in Indonesia. *Journal of Pediatric Urology*, 16(3). <https://doi.org/10.1016/j.jpuro.2020.04.011>.
- Firmiana, M.E., Rahmawati, S. and Imawati, R. (2016) “Mewah Menuju rahmatullah” : Pengaruh status Sosial Ekonomi Terhadap Persepsi Masyarakat mengenai trend Pemakaman Mewah masyarakat muslim’, *JURNAL AL-AZHAR INDONESIA SERI HUMANIORA*, 2(4), p. 282.
doi:10.36722/sh.v2i4.176.
- Guarino, N., Vallasciani, S.A. and Marrocco, G. (2009) ‘A new suture material for hypospadias surgery: A comparative study’, *Journal of Urology*, 181(3), pp. 1318–1323. doi:10.1016/j.juro.2008.10.056.
- Hadidi, A.T. (2022) *Hypospadias surgery*. 2nd edn. Switzerland: Springer.
- Hair, J. F., Anderson, R. E., Tatham, R. L., & Black, W. C. (1998). *Multivariate data analysis* (5th ed.). Upper Saddle River, NJ: Prentice Hall.
- Hu, J., Zhao, Y., He, T., Chen, Y., Wang, Z., & Peng, L. (2023). Risk factors for postoperative complications following one-stage proximal hypospadias repair involving the disconnection of the urethral plate: a retrospective study. *BMC Pediatrics*, 23(1). <https://doi.org/10.1186/s12887-023-04339-w>.
- Karabulut, R., Sonmez, K., Turkyilmaz, Z., Bagbanci, B., Basaklar, A. C., & Kale, N. (2010). An In Vitro and In Vivo Evaluation of Tensile Strength and Durability of Seven Suture Materials in Various pH and Different Conditions: An Experimental Study in Rats. *Indian Journal of Surgery*, 72(5). <https://doi.org/10.1007/s12262-010-0158-5>.

- Keays, M.A. and Dave, S. (2023) 'Current hypospadias management: Diagnosis, surgical management, and long-term patient-centred outcomes', *Canadian Urological Association Journal*, 11(1-2S), p. 48. doi:10.5489/cuaj.4386.
- Kerstein, R. L., Sedaghati, T., Seifalian, A. M., & Kang, N. (2013). Effect of human urine on the tensile strength of sutures used for hypospadias surgery. *Journal of Plastic, Reconstructive and Aesthetic Surgery*, 66(6).<https://doi.org/10.1016/j.bjps.2013.02.006>
- Khalid, A. et al. (2017) 'Does the choice of suture material affect the incidence of urethrocutaneous fistulae after hypospadias repair? – a comparison of polyglactin 910 with Polydioxanone', *International Journal of toxicological and pharmacological research*, 9(03). doi:10.25258/ijtpr.v9i03.9069.
- Lee, O. T., Durbin-Johnson, B., & Kurzrock, E. A. (2013). Predictors of secondary surgery after hypospadias repair: A population based analysis of 5,000 patients. *Journal of Urology*, 190(1). <https://doi.org/10.1016/j.juro.2013.01.091>.
- Lock, A. M., Gao, R., Naot, D., Coleman, B., Cornish, J., & Musson, D. S. (2017). Induction of immune gene expression and inflammatory mediator release by commonly used surgical suture materials: An experimental in vitro study. *Patient Safety in Surgery*, 11(1). <https://doi.org/10.1186/s13037-017-0132-2>.
- Mahesh, L., Kumar, V. R., Jain, A., Shukla, S., Aragonese, J. M., González, J. M. M., ... Calvo-Guirado, J. L. (2019). Bacterial adherence around sutures of different material at grafted site: A microbiological analysis. *Materials*, 12(18). <https://doi.org/10.3390/ma12182848>.
- Moore, K.L., Dalley, A.F. and Agur, A.M.R. (2018) *in Clinically oriented anatomy*. 6th edn. 6th ed: Lippincott Williams & Wilkins, pp. 239–241.
- Moore, K.L., Persaud, T.V.N., and Torchia, M.G. (2016) *The Developing Human Clinically Oriented Embryology 10th edn*. Elsevier, pp. 267-270

Noegroho, B.S., Siregar, S. and Firmansyah, I. (2018) 'KARAKTERISTIK PASIEN HIPOSPADIA DI RUMAH SAKIT HASAN SADIKIN BANDUNG TAHUN 2015 - 2018', *Jurnal Pengabdian Kepada Masyarakat Universitas Padjajaran*, 2(5).

Yu, X. et al. (2019) 'Hypospadias prevalence and trends in international birth defect surveillance systems, 1980–2010', *European Urology*, 76(4), pp. 482–490. doi:10.1016/j.eururo.2019.06.027.

Omar, M. and Osawa, F. (2022) 'Trends in urethrocutaneous fistula management post hypospadias surgery at Kenyatta National Hospital', *Kenya Journal of Urology*, 01, pp. 14–18.

Partin, A. et al. (2022) 'Conditions of the External Genitalia', in *Campbell Walsh Wein Handbook of Urology*. 12th edn. Elsevier, pp. 228–253.

Park, J.M. and Bloom, D.A. (2013) "Hypospadias", in L. Spitz et al. (eds.) *Operative Pediatric Surgery*. 7th edn. London, New York: CRC Press, pp. 893–911.

Permana, W., Tarmono, T., & Renaldo, J. (2021). Risk Factors of Urethrocutaneous Fistula Development in Hypospadias Surgery. *Jurnal Kedokteran Brawijaya*, 31(3). <https://doi.org/10.21776/ub.jkb.2021.031.03.9>.

Ru, W., Tang, D., Wu, D., Tao, C., Chen, G., Wei, J., ... Shu, Q. (2021). Identification of risk factors associated with numerous reoperations following primary hypospadias repair. *Journal of Pediatric Urology*, 17(1). <https://doi.org/10.1016/j.jpuro.2020.11.010>.

Sheng, X., Xu, D., Wu, Y., Yu, Y., Chen, J., & Qi, J. (2018). The risk factors of Urethrocutaneous fistula after hypospadias surgery in the youth population. *BMC Urology*, 18(1). <https://doi.org/10.1186/s12894-018-0366-z>.

- Shirazi, M. *et al.* (2022) ‘Comparison of post-urethroplasty complication rates in pediatric cases with hypospadias using Vicryl or polydioxanone sutures’, *Asian Journal of Urology*, 9(2), pp. 165–169. doi:10.1016/j.ajur.2021.08.010.
- Sriyai, M., Tasati, J., Molloy, R., Meepowpan, P., Somsunan, R., Worajittiphon, P., ... Punyodom, W. (2021). Development of an Antimicrobial-Coated Absorbable Monofilament Suture from a Medical-Grade Poly(l -lactide- co- ϵ -caprolactone) Copolymer. *ACS Omega*, 6(43). <https://doi.org/10.1021/acsomega.1c03569>
- Wilcox, D.T. and Mouriquand, P.M. (2008) “*Hypospadias*”, in D.F. Thomas, P.G. Duffy, and A.M. Rickwood (eds.) *Essentials of Paediatric Urology* . 2nd edn. Informa Healthcare, pp. 213–232.
- Zhang, B., Ruan, S., & Bi, Y. (2021). Urethral plate in tubularized incised plate urethroplasty: How wide is enough? *Translational Andrology and Urology*, 10(2). <https://doi.org/10.21037/TAU-20-1243>