



DAFTAR PUSTAKA

- A.C. Effendi, Kusmana, dan B. Hermanto (2011). Peta Geologi Lembar Bogor, Jawa Barat. Skala 1:100.000: Pusat Penelitian dan Pengembangan Geologi:Bandung.
- Abdurrokhim. (2014). A prograding slope– shelf succession of the middle–late Miocene Jatiluhur Formation: Sedimentology and genetic stratigraphy of mixed siliciclastic and carbonate deposits in the Bogor Trough, West Java. Chiba University, Japan.
- Abdurrokhim, & Ito, M. (2013). The role of slump scars in slope channel initiation: A case study from the Miocene Jatiluhur Formation in the Bogor Trough, West Java. Journal of Asian Earth Sciences, 73, 68– 86. Retrieved from <http://dx.doi.org/10.1016/j.jseaes.2013.04.005>.
- Arpandi, D., & Patmosukismo, S. (1975). The Cibulakan Formation as one of the most prospective stratigraphic units in the Northwest Java Basinal area. In Indonesian Petroleum Association, Proceeding 4th Annual Convention (pp. 181–210).
- ADHITIA, I., 2022, Penilaian Potensi Dan Pemanfaatan Batugamping Daerah Klapanunggal Dan Sekitarnya: Jurnal Teknik | Majalah Ilmiah Fakultas Teknik UNPAK, v. 23, doi:10.33751/teknik.v23i1.5610.
- Adji, T.N., Haryono, E., and Pratama, D., 2019, Estimasi laju penyerapan karbon atmosfer melalui proses pelarutan batuan karbonat di kawasan karst jonggrangan (studi kasus: SBT gua anjani): ResearchGate,.
- Bakalowicz, M., 2005, Karst groundwater: A challenge for new resources: Hydrogeology Journal, v. 13, p. 148–160, doi:10.1007/s10040-004-0402-9.
- Bakalowicz, M., 2011, Karst Management: Karst Management, doi:10.1007/978-94-007-1207-2.
- BSN, 2015, SNI 8066:2015 tentang Tata Cara Pengukuran Debit Aliran Sungai Dan Saluran Terbuka Menggunakan Alat Ukur Arus Dan Pelampung: Jakarta : Badan Standardisasi Nasional,.
- BSNI, 2011, Pengukuran dan penghitungan cadangan karbon-Pengukuran lapangan untuk penaksiran cadangan karbon hutan: Sni 7724:2011, v. 65.020, www.bsn.go.id.
- Cahyadi, A. 2009. Zonasi Kawasan Karst di Indonesia sebagai Salah Satu Upaya Menjaga Penyerapan Karbon dioksida. Makalah dalam Earth's Challenge di IPB Bogor, 5 Juni 2010.
- D., Syarat, M., and Zulqisthi, G., 2014, TINGKAT LAJU PELARUTAN DAN PENYERAPAN KARBON DI KAWASAN KARST GUNUNG SEWU MENGGUNAKAN STANDARD LIMESTONE TABLETS DAN HIDROKIMIA (Studi: DTA Mata air Ngeleng, Giritirto, Purwosari, Gunung Kidul): , p. 301020.
- Danardono, Haryono, E., and Widyastuti, M., 2019, Potential of Carbon Stocks and



Its Economic Values in Tropical Karst Landscape (Case Study in Biduk-Biduk Karst, East Kalimantan, Indonesia): Journal of Physics: Conference Series, v. 1373, doi:10.1088/1742-6596/1373/1/012030.

Daoxian, Y. 2002. The Carbon Cycle in Karst. IGCP Report.

Dayathilake, D.D.T.L., Lokupitiya, E., and Wijeratne, V.P.I.S., 2020, Estimation of aboveground and belowground carbon stocks in urban freshwater wetlands of Sri Lanka: Carbon Balance and Management, v. 15, p. 1–10, doi:10.1186/s13021-020-00152-5.

Delerce, S., Marieni, C., & Oelkers, E. H. (2023). Carbonate geochemistry and its role in geologic carbon storage. Surface Process, Transportation, and Storage: Volume 4, 423–477. <https://doi.org/10.1016/B978-0-12-823891-2.00001-6>.

Fernández-Raga, M., Rodríguez, I., Caldevilla, P., Búrdalo, G., Ortiz, A., and Martínez-García, R., 2022, Optimization of a Laboratory Rainfall Simulator to Be Representative of Natural Rainfall: Water (Switzerland), v. 14, doi:10.3390/w14233831.

Gara T.W., Murwira A, Dube T, Sibanda M, Rwasoka D.T, Ndaimani H,

Chivhenge E., and . Hatendi C. M .2017 Southern Forests 79 31-40.

Gombert, P., 2002a, Peran pelarutan karst dalam siklus karbon global: v. 33, p. 177–184.

Gombert, P., 2002b, Role of karstic dissolution in global carbon cycle: Global and Planetary Change, v. 33, p. 177–184, doi:10.1016/S0921-8181(02)00069-3.

Haryono, E., Adji, T.N., Widyastuti, M., and Trijuni, S., 2009, Atmospheric Carbon Dioxide Sequestration Through Karst Denudation Process: Preliminary Estimation from Gunung Sewu Karst: International Seminar on Achieving Resilient, p. 1–7, <https://osf.io/preprints/inarxiv/wduzn/>.

Herman, J.S., and White, W.B., 1985, Dissolution kinetics of dolomite: Effects of lithology and fluid flow velocity: Geochimica et Cosmochimica Acta, v. 49, p. 2017–2026, doi:10.1016/0016-7037(85)90060-2.

Karbon, P., Dona, D., Lushanya, T., Lokupitiya, E., Indika, P., and Wijeratne, S., 2020, Estimasi stok karbon di atas dan di bawah permukaan tanah di lahan basah air tawar perkotaan di Sri Lanka: , p. 1–10.

Kerentanan, A., and Terhadap, A. Chapter 3:

Larson, E.B., and Emmons, R. V., 2021a, Dissolution of carbonate rocks in a laboratory setting: Rates and textures: Minerals, v. 11, p. 1–17, doi:10.3390/min11060605.

Larson, E.B., and Emmons, R. V., 2021b, Dissolution of carbonate rocks in a laboratory setting: Rates and textures: Minerals, v. 11, p. 2–5, doi:10.3390/min11060605.



Larson, E.B., and Emmons, R. V, 2021c, Pelarutan Batuan Karbonat di Laboratorium : Kecepatan dan:

Liu, Z., and Dreybrodt, W., 1997, Dissolution kinetics of calcium carbonate minerals in H₂O-CO₂ solutions in turbulent flow: The role of the diffusion boundary layer and the slow reaction H₂O + CO₂ ⇌ H⁺ + HCO₃⁻: *Geochimica et Cosmochimica Acta*, v. 61, p. 2879–2889, doi:10.1016/S0016-7037(97)00143-9.

Liu, Y., Liu, C., Wang, S., Guo, K., Yang, J., Zhang, X., and Li, G., 2013, Organic Carbon Storage in Four Ecosystem Types in the Karst Region of Southwestern China: *PLoS ONE*, v. 8, doi:10.1371/journal.pone.0056443.

Liu, Z., and Zhao, J., 2000, Contribution of carbonate rock weathering to the atmospheric CO₂ sink: *Environmental Geology*, v. 39, p. 1053–1058, doi:10.1007/s002549900072.

Maria, R, Fajar, R. Marganeringrum, D. Dkk. (2017). Penentuan Jaringan Air Bersih Dari Mata Air Untuk Mendukung Ketahanan Air Daerah Karst Ligarmukti, Klapanunggal Kabupaten Bogor. Seminar Nasional Geomatika 2017.

Milanolo, S., & Gabrovšek, F. (2015). Estimation of carbon dioxide flux degassing from percolating waters in a karst cave: Case study from Bijambare cave, Bosnia and Herzegovina. *Geochemistry*, 75(4), 465–474. <https://doi.org/10.1016/j.chemer.2015.10.004>.

Pandapotan Situmorang, J., Sugianto, S., and . D., 2016, Estimation of Carbon Stock Stands using EVI and NDVI Vegetation Index in Production Forest of Lembah Seulawah Sub-District, Aceh Indonesia: *Aceh International Journal of Science and Technology*, v. 5, p. 126–139, doi:10.13170/aijst.5.3.5836.

Posamentier, H.W., Suyenaga, W., Rufaida, D., Meyrick, R., and Pemberton, S.G., 1998, Stratigraphic analysis of the Main Member of the Upper Cibulakan Formation at E Field, offshore Northwest Java, Indonesia, in Indonesian Petroleum Association, Proceeding 26th Annual Convention, p. 129–153.

Praktis Survei Terintegrasi Kawasan Karst Editor Eko Haryono, P. Seri Bunga Rampai:, www.geo.ugm.ac.id.

Praptisih, Siregar, M.S., M.Hendrizan, and Putra, P.S., 2009, Fasies Batuan Karbonat di Daerah Klapanunggal, Bogor: Pemaparan Hasil Penelitian Puslit Geoteknologi-LIPI, p. 173–182.

Reksalegora, S. W., Kusumanegara, Y., & Lowry, P. (1996). A depositional model for the Main Interval, Upper Cibulakan Formation: Its implications for reservoir distribution and prediction, ARII ONWJ. In Indonesian Petroleum Association, Proceeding 25th Annual Convention (pp. 163–173).

Rupawan, D.P., and Hidartan, H., 2020, Analisis Kestabilan Lereng di Daerah Lulut, Kecamatan Klapanunggal, Kabupaten Bogor, Provinsi Jawa Barat: *Journal of Geoscience Engineering & Energy*, v. I, p. 21–29,



doi:10.25105/jogee.v1i01.6692.

Rustan, Duli, A., and Nur, M., 2019, Mengukur Laju Kerosakan Gambar Gua Prasejarah Studi Kasus di Gua-Gua Prasejarah Kawasan Karst Indonesia (Measuring The Rate of Corruption Case Study Prehistoric Cave Drawings in The Karst Region Maros-Pangkep: Asian Journal of Environment, History and Heritage, v. 3, p. 183–194.

Saatchi S.S, Harris N.L, Brown S, Lefsky M, and Mitchard E.T.A 2011 .

Proceedings of the National Academy of Sciences of the United States of America 108 9899-9904.

Saner P, Loh Y.Y., Ong R.C. and Hector A. 2012 Plos One 7 1-11 .

Soewarno, S. (1991). Hidrologi Pengukuran dan Pengolahan Data Aliran Sungai (Hidrometri). Nova, Bandung, hal. xx, 825.

Sudjatmiko (2003).Peta Geologi Lembar Cianjur, Jawa Barat. Skala 1:100.000: Pusat Penelitian dan Pengembangan Geologi:Bandung.

T. Tukandi, Sidorto, dkk. (1992). Peta Geologi Lembar Jakarta dan Kepulauan Seribu. Skala 1:100.000: Pusat Penelitian dan Pengembangan Geologi:Bandung.

Widyastuti, M., Cahyadi, A., and Sasongko, M.H.D., 2016, Hidrologi dan Hidrogeologi Karst: Pedoman Praktis Survei Terintegrasasi Kawasan Karst, p. 20–43, <https://doi.org/10.31227/osf.io/8wcm7>.

Wu, Z., Zhou, C., Jiang, Z., Luo, W., Xiao, Q., Hu, Z., & Wu, H. (2020). Subsoil carbonate dissolution rates and their determining factors in a karst drainage basin, SW China. Environmental Earth Sciences, 79(22). <https://doi.org/10.1007/s12665-020-09255-1>.

Zhongcheng, J., and Daoxian, Y., 1999, CO₂ source-sink in karst processes in karst areas of China: Episodes, v. 22, p. 33–35, doi:10.18814/epiugs/1999/v22i1/005.

Zulqisthi, G., 2013, Universitas gadjah mada fakultas pertanian yogyakarta: , p. 19590110.