

DAFTAR PUSTAKA

- Adeyemo, O. S., Chavarriaga, P., Tohme, J., Fregene, M., Davis, S. J., & Setter, T. L. 2017. Overexpression of Arabidopsis FLOWERING LOCUS T (FT) gene improves floral development in cassava (*Manihot esculenta*, Crantz). *PLoS One*, 12(7), e0181460.
- Alves, A. A. C. 2001. Cassava botany and physiology. In *Cassava: biology, production and utilization* (pp. 67-89). Wallingford UK: Cabi.
- Amanda, U. D., & Cartealy, I. C. 2015. Isolasi RNA total dari mesokarp buah kelapa sawit (*Elaeis guineensis* Jacq. var. Tenera). *Pros. Sem. Nas. Masy. Biodiv. Indon*, 1(2), 171-6.
- Asmoro, N. W. 2021. Karakteristik dan sifat tepung singkong termodifikasi (mocaf) dan manfaatnya pada produk pangan. *Journal of Food and Agricultural Product*, 1(1), 34-43.
- Aswidinnor, H., Suwanto, A., Suhartono, M.T., Toruan-Mathius, N., & Purwantara, A. 2005. Konstruksi pustaka cDNA dari daun klon karet AVROS 2037 yang diinfeksi patogen *Corynespora cassiicola* Construction of a cDNA library from leaf of AVROS 2037 rubber clone infected by *Corynespora cassiicola* pathogen. *Menara Perkebunan*, 73(2).
- Bahri, S., & Santoso, S. J. 2014. Perbanyakkan Tanaman Ubikayu (*Manihot esculenta* Crantz) Dengan Jumlah Mata Tunas Pada Varietas molecular mechanisms. *Development*, 143(9), 1442–1451.
- Behnam, B., Bohorquez-Chaux, A., Castaneda-Mendez, O. F., Tsuji, H., Ishitani, M., & Becerra Lopez-Lavalle, L. A. 2019. An optimized isolation protocol yields high-quality RNA from cassava tissues (*Manihot esculenta* Crantz). *FEBS Open bio*, 9(4), 814-825.
- Baum, D. 2008 Reading a Phylogenetic Tree: The Meaning of Monophyletic Groups. *Nature Education* 1(1):190
- Caniago, M., & Roslim, D. I. 2014. Deskripsi Karakter Morfologi Ubi Kayu (*Manihot esculenta* Crantz) Juray Dari Kabupaten Rokan Hulu. *Jurnal Online Mahasiswa (JOM) Bidang Matematika dan Ilmu Pengetahuan Alam*, 1(2), 7.
- Choi, H., & Oh, E. 2016. PIF4 integrates multiple environmental and hormonal signals for plant growth regulation in Arabidopsis. *Molecules and cells*, 39(8), 587.
- DPKP DIY 2024, *Deskripsi Ubi Kayu Varietas Malang dan Adira*, DPKP DIY, viewed 28 June 2024, (<https://dpkp.jogjaprovo.go.id/detail-benih/Ubi+Kayu+Varietas+Adira+Malang1/190523/8cec1bc2a2c0eff686c56f271d5feb237f32a4f8d74bb2cdb00cbb91871ebae6705>)
- Ebeling, W., Hennrich, N., Klockow, M., Metz, H., Orth, H. D., & Lang, H. (1974). Proteinase K from *Tritirachium album* limber. *European journal of biochemistry*, 47(1), 91-97.
- Ekawasti, F., Cahyaningsih, U., Dharmayanti, N. L. P. I., & Winarsongko, A. Optimization of Sybr Green Real Time Polymerase Chain Reaction using Excreted-Secreted Antigens (ESAs) Genetik Marker for Detection *Toxoplasma gondii*. *Jurnal Sain Veteriner*, 42(1), 1-13.
- Eswanto, E., Razali, M., & Siagian, T. 2019. Mesin perajang singkong bagi pengrajin keripik singkong sambal desa patumbak kampung. *Jurnal Ilmiah Teknik Mesin" MEKANIK"*, 5(2).
- Faatih, M. 2009. Isolasi dan digesti DNA kromosom.

- Handoyo, D., & Rudiretna, A. 2000. Prinsip umum dan pelaksanaan polymerase chain reaction (PCR)[general principles and implementation of polymerase chain reaction]. *Unitas*, 9(1), 17-29.
- Hall, B. G. 2013. Building phylogenetic trees from molecular data with MEGA. *Molecular biology and evolution*, 30(5), 1229-1235.
- Hao, Y., Zong, X., Ren, P., Qian, Y., & Fu, A. 2021. Basic helix-loop-helix (bHLH) transcription factors regulate a wide range of functions in Arabidopsis. *International Journal of Molecular Sciences*, 22(13), 7152.
- Harshitha, R., & Arunraj, D. R. 2021. Real-time quantitative PCR: A tool for absolute and relative quantification. *Biochemistry and Molecular Biology Education*, 49(5), 800-812.
- Harsita, P. A., & Amam, A. 2019. Analisis Sikap Konsumen Terhadap Atribut Produk Olahan Singkong. *Agrisocionomics: Jurnal Sosial Ekonomi Pertanian*, 3(1), 19-27.
- Hartati, I., Kurniasari, L., & Yulianto, M. E. 2008. Inaktivasi enzimatis pada produksi linamarin dari daun singkong sebagai senyawa anti neoplastik. *Majalah Ilmiah Momentum*, 4(2).
- Hikmatyar, M. F., & Royani, J. I. 2015. Isolasi dan Amplifikasi DNA Keladi Tikus (*Thyponium flagelliform*) untuk Identifikasi Keragaman Genetik. *Jurnal Bioteknologi dan Biosains Indonesia*, 2(2), 42-48.
- Hyde, P. T., & Setter, T. L. 2022. Long-day photoperiod and cool temperature induce flowering in cassava: Expression of signaling genes. *Frontiers in Plant Science*, 13, 973206.
- ITIS. *Manihot esculenta* Crantz. Published 2021. Accessed 12 March 2023. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=503688#null
- Juliasih, N. L. G. R., & Amha, R. F. 2019. Analisis Cod, Do, Kandungan Posfat Dan Nitrogen Limbah Cair Tapioka. *Analit: Analytical and Environmental Chemistry*, 4(1), 65-72.
- Kartika, A. I. 2018. Optimasi Annealing Temperature Primer mRNA RECK dengan Metode One Step qRT-PCR. *Jurnal Labora Medika Vol*, 2(1), 22-31.
- Kotake, T., Takada, S., Nakahigashi, K., Ohto, M., & Goto, K. 2003. Arabidopsis TERMINAL FLOWER 2 gene encodes a heterochromatin protein 1 homolog and represses both FLOWERING LOCUS T to regulate flowering time and several floral homeotic genes. *Plant and Cell Physiology*, 44(6), 555-564
- Kumar, S., Nei, M., Dudley, J., & Tamura, K. 2008. MEGA: a biologist-centric software for evolutionary analysis of DNA and protein sequences. *Briefings in bioinformatics*, 9(4), 299-306.
- Lee, J., Kang, M. H., Kim, J. Y., & Lim, P. O. 2021. The role of light and circadian clock in regulation of leaf senescence. *Frontiers in Plant Science*, 12, 669170
- Livak, K. J., & Schmittgen, T. D. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2⁻ ΔΔCT method. *methods*, 25(4), 402-408.
- Marnis, H., Iswanto, B., Suprpto, R., Imron, I., & Dewi, R. R. S. P. S. (2015). Pertumbuhan dan Siogosititas Ikan Lele Afrika (*Clarias gariepinus*) Transgenik F-2 yang Membawa Gen Hormon Pertumbuhan Ikan Patin Siam (*Pangasianodon hypophthalmus*). *Jurnal Riset Akuakultur*, 10(2), 161-168.

- Mawardi, A., & Simonapendi, M. L. 2016. Uji efektivitas metode isolasi DNA genom kopi arabika (*Coffea arabica* L.) asal kabupaten Jayawijaya. *Jurnal Biologi Papua*, 8(1), 7-12.)
- Merdekawati, F., & Nurhayati, B. 2023. Desain Primer Gen Pengkode RNA Dependent RNA Polimerase (Rdrp) Untuk Deteksi SARS Cov2 Dengan Menggunakan Real Time Polymerase Chain Reaction. *JURNAL Riset KESEHATAN POLTEKKES DEPKES BANDUNG*, 15(1), 30-36.
- Mutiyani, M., Soeatmadji, dan D. Wahono. 2014. Efek diet tinggi karbohidrat dan diet tinggi lemak terhadap kadar glukosa darah dan kepadatan sel beta. *Indonesian Journal of Human Nutrition*. 1 (2): 106-113
- Murtiyaningsih, H. 2017. Isolasi DNA genom dan identifikasi kekerabatan genetik nanas menggunakan RAPD (Random Amplified Polimorphic DNA). *Agritrop: Jurnal Ilmu-Ilmu Pertanian (Journal of Agricultural Science)*, 15(1).
- Nieto, C., López-Salmerón, V., Davière, J. M., & Prat, S. 2015. ELF3-PIF4 interaction regulates plant growth independently of the evening complex. *Current Biology*, 25(2), 187-193.
- Pineda, M., Morante, N., Salazar, S., Cuásquer, J., Hyde, P. T., Setter, T. L., & Ceballos, H. 2020. Induction of earlier flowering in cassava through extended photoperiod. *Agronomy*, 10(9), 1273.
- Proveniers, M. C., & van Zanten, M. 2013. High temperature acclimation through PIF4 signaling. *Trends in plant science*, 18(2), 59-64.
- Pusdatin (Pusat Data dan Informasi Pertanian). 2016. Outlook : Komoditas Pertanian Sub Sektor Tanaman Pangan Ubikayu. Kementrian Pertanian. Jakarta. 59 hlm.
- Rahmawati, Siswoyo, T.A., Restanto, D.P., Hartatik, S., Soeparjono, S. And Avivi, S. 2017. *Proceeding The 1st International Basic Science Conference: Towards The Extended Use of Basic Science for Enhancing*. pp.32-35.
- Rajan, V. 2013. A method of alignment masking for refining the phylogenetic signal of multiple sequence alignments. *Molecular biology and evolution*, 30(3), 689-712.
- Reuben-Kalu, J. I., Eswaran, K., Muthurajan, R., Doraiswamy, U., Venkatasamy, B., & Shanmugam, K. P. 2023. Precise isolation of high-quality RNA from leaves and storage roots of cassava (*Manihot esculenta* Crantz) for gene expression studies. *Bulletin of the National Research Centre*, 47(1), 84.
- Sakuraba, Y., Jeong, J., Kang, M. Y., Kim, J., Paek, N. C., & Choi, G. 2014. Phytochrome-interacting transcription factors PIF4 and PIF5 induce leaf senescence in Arabidopsis. *Nature communications*, 5(1), 4636.
- Schippers, J. H. 2015. Transcriptional networks in leaf senescence. *Current Opinion in Plant Biology*, 27, 77-83.
- Shahib, M. N., Dewi, Y. A., Tarawan, V. M., Niyono, A. A., Dwiyananingrum, F., Dhianawaty, D., ... & Rezano, A. 2019. The profiles of Ascl2 Gene Expression in different Conditions of Cells.
- Song, Y., Yang, C., Gao, S., Zhang, W., Li, L., & Kuai, B. 2014. Age-triggered and dark-induced leaf senescence require the bHLH transcription factors PIF3, 4, and 5. *Molecular plant*, 7(12), 1776-1787.
- Stamatoyannopoulos, J. A. 2004. The genomics of gene expression. *Genomics*, 84(3), 449-457.
- Susila, H., & Purwestri, Y. A. 2023. PEBP Signaling Network in Tubers and Tuberous Root Crops. *Plants*, 12(2), 264.

- Thines, B. C., Youn, Y., Duarte, M. I., & Harmon, F. G. 2014. The time of day effects of warm temperature on flowering time involve PIF4 and PIF5. *Journal of experimental botany*, 65(4), 1141-1151.
- Trees, R. P. 1987. The neighbor-joining method: a new method for. *Mol Biol Evol*, 4(4), 406-425.
- Triani, N. 2020. Isolasi DNA tanaman jeruk dengan menggunakan metode CTAB (cetyl trimethyl ammonium bromide). *G-Tech: Jurnal Teknologi Terapan*, 3(2), 221-226
- Triyaningsih, T., Nuringtyas, T. R., Purwestri, Y. A., & Sebastian, A. 2022. Optimization of qRT-PCR Annealing Temperature of WRKY45 Gene for Detection of Resistance Genes Against *Xanthomonas oryzae* pv. *oryzae* on Black Rice Cempo Ireng. *Jurnal ILMU DASAR*, 23(1), 23-28.
- Untergasser, A., Ruitjer, J. M., Benes, V., & van den Hoff, M. J. 2021. Web-based LinRegPCR: application for the visualization and analysis of (RT)-qPCR amplification and melting data. *BMC bioinformatics*, 22(1), 398.
- Utama, Y. A. K., & Rukismono, M. 2018. Singkong-man VS Gadung-man.
- Utami, I. N., Nurchayati, Y., & Hastuti, E. D. Produksi dan Profil Metabolit Bunga Krisan (*Chrysanthemum* sp.) pada Intensitas Cahaya Lampu LED dengan Durasi Yang Berbeda. *Bioma: Berkala Ilmiah Biologi*, 21(2), 154-164.
- Waluyo, T. 2020. Pemanfaatan Hormon Tumbuh Organik Untuk Meningkatkan Produktivitas Singkong Hasil Eksplorasi Seleksi Bibit Unggul. *Jurnal Ilmu dan Budaya*, 41(70).
- Wangiyana, I. G. A. S. 2022. Rekonstruksi Pohon Filogenetik Dari Sekuen Maturase K *Gyrinops versteegii* Menggunakan Referensi Pencarian MegaBLAST. *Jurnal Sangkareang mataram*, 9(2), 19-24.
- Widyastuti, D. A. 2017. Isolasi DNA kromosom *Salmonella* sp. dan visualisasinya pada elektroforesis gel agarosa. Prosiding SNPBS (Seminar Nasional Pendidikan Biologi dan Saintek) Ke-2.
- Wirajana, I. N., Yuliana, D. A., & Ratnayani, K. 2013. Isolasi DNA metagenomik dari tanah hutan mangrove Pantai Suwung Bali. *Jurnal Kimia*, 7(1), 19-24.
- Womsiwor, O. O. O., Nurmaini, N., Zikri, A., Hendra, H., Amrizal, A., Yudistira, Y., & Batubara, F. Y. 2018. Rancang Bangun Mesin Pengupas Dan Pencuci Singkong Tipe Horizontal. *Journal of Applied Agricultural Science and Technology*, 2(2), 11-19.
- Xu, Y., & Zhu, Z. 2021. PIF4 and PIF4-interacting proteins: at the nexus of plant light, temperature and hormone signal integrations. *International Journal of Molecular Sciences*, 22(19), 10304.
- Zuraida, N. 2018. Karakterisasi beberapa sifat kualitatif dan kuantitatif plasma nutfah ubi kayu (*Manihot esculenta* Crantz.).