

DAFTAR PUSTAKA

- Afandi, Y. K., Arief, I. S. dan Amiadji., 2015, *Analisa laju korosi pada pelat baja karbon dengan variasi ketebalan coating*, Jurnal Teknik ITS, Volume 4, pp. 2337-3539.
- Almanda, D., Dermawan, E., Ramadhan, A.I., Diniardi, E. dan Fajar, A. N., 2015, Analisis Desain Optimum Model Piezoelektrik PVDF Untuk Sumber Pembangkit Listrik Air Hujan Berskala Mini, *Prosiding Seminar Nasional Sains dan Teknologi (Semnastek)* 2015, Universitas Muhammadiyah Jakarta.
- Al-nima, A. M., Al-kotaji, M., Al-iraqi, O., & H Ali, Z., 2019, Preparation and Evaluation of Ultrasound Transmission Gel. *Asian Journal of Pharmaceutical and Clinical Research*, 1, 12, 422–427
- Alipio, M. M., Questo, D. L. R., Subang, D. M. I., Tan, L. A., 2019, Saluyot (*Corchorus olitorius* L.) Leaves as Acoustic Gel for Ultrasound Imaging., *Journal of Science*, 29–32.
- Anwar S. dan Maringan, S., 2020, Implementasi Metode Color Moment dan GLCM Untuk Mendeteksi Penyakit Tanaman Karet, *Jurnal Majalah Ilmiah Informasi dan Teknologi Ilmiah (INTI)*, Volume 7, No 2, Hal: 145-151.
- Apri Lyanda, B.Anta. dan Elisna, S., 2011, Ultrasonografi Toraks. *Jurnal Respirologi Indonesia*, Vol. 31, No. 1, Departemen Pulmonologi dan Ilmu Kedokteran Respirasi FKUI – RS Persahabatan, Jakarta.
- Arief Nurdini, & Anita., 2022, Analisis Peramalan Permintaan Tempe Gmo 450 Gram Dengan Menggunakan Metode Regresi Linear. *Jurnal Ilmiah Teknik*, 1(2), 131–142. <https://doi.org/10.56127/juit.v1i2.203>
- Bagotsky, V. S., 2006, *Fundamentals of Electrochemistry* 2nd ed, Wiley Interscience.
- Beckh, S., Bolcskei, P.L. dan Lessnan, K.D., 2002, *Real time chest ultrasonography A comprehensive review for the pulmonologist*, *Chest*.2002, 122:1759– 73.
- Bhardwaj, MC, 1997, ``Inovasi dalam Analisis Ultrasonik Non-Kontak: Aplikasi untuk Deteksi Benda Tersembunyi," *Mat. Res. Berinovasi*, 1:188-196
- Bradford, A. J. dan Faulkner, L. R., 1992, *Electrochemical methods*. New York: John Wiley & Sons, Inc.

- Bueche R. J., 1986, *Introduction to Physics for Scientists and Engineers*. New York: Mc Graw- Hill, pp 50-56.
- Carlsson, T., 2021, *Imaging in Vascular Surgery*, (Oxford), 5, 39, 257-267.
- Christianto, Paulus., 2011. *Piezo Vibration Sensor*. Universitas Kristen Maranatha. Bandung.
- Deng Shuduan. dan Li Xianghong., 2012, Inhibition by Jasminum nudiflorum Lindl leaves extract the corrosion of aluminum in HCl solution, *Corrosion Science*, 64. 253–262.
- Etingof, M.I., 2012, Modern Vernier Caliper. Measurement Technique, 55(8): 890-893.
- Fatimah, S., Maslebu, G., dan Trihandaru, S., 2018, Analisis Homogenitas Citra Ultrasonografi Berbasis Silicone Rubber Phantom dengan GLCM, *Jurnal Fisika*, 8 (1), 18-27.
- Febrawi, T. dan Daryanto, B. W., 2013, Vibration Energy Harvesting In Washing Machines with piezoelectric mechanism, *Journal of Engineering of POMITS*, Vol. 2 No 1, pp. 1- 5.
- Fachri A, E., 2022, Penyebaran dan peredaman energi dalam vibrasi. <https://extreme-maintenance.com/articles/show/penyebaran-dan-peredaman-energi-dalam-vibrasi>, diakses tanggal 29 Maret 2022.
- G. Maslebu, K. Adi, and Suryono, 2016. "Using computer aided system to determine the maximum depth of visualization of B-Mode diagnostic ultrasound image", *J. Phys. Conf. Ser.*, vol. 694, no. 1, pp. 012052.
- Griffin, D.R., 2001, *Return to the Magic Well: Echolocation Behavior of Bats and Responses of Insect Prey*, *BioScience*, 7, 51, 555-556
- Hassani, S.N., 1978, *Ultrasound in Gynecology and Obstetrics*, Springer-Verlag, Inc., New York.
- Hafizah, W. M., Supriyanto, E., dan Yunus, J., 2012, Feature Extraction of Kidney Ultrasound Images Based on Intensity Histogram and Gray Level CoOccurrence Matrix, *Sixth Asia Modelling Symposium*, 115–120

- Husdi, H., & Lasena, Y., 2020, Real Time Analisis Berbasis Internet Of Things Untuk Prediksi Iklim Lahan Pertanian. *JURNAL MEDIA INFORMATIKA BUDIDARMA*, 4(3), 834–840.
- I. K. A. Adiputra, R. Patmasari, and R. Magdalena, 2018, “Face Recognition Using The Direct GLCM and K-NN Methods,” in *Symposium of Future Telecommunication and Technologies (SOFTT)*, no. 2.
- Ian Desi Rosalina, S. dan Komalasari, E., 2019, Proteksi Katodik Dengan Menggunakan Anoda Korban Pada Struktur Baja Karbon Untuk Mengendalikan Laju Korosi, *Jom FTEKNIK*. Volume 6 Edisi 1.
- J.Keijiman, 1999, “Achieving quality in coating work: the 21st century challenge,” in *Proceeding Inorganic and Organic Coating – The Difference*.
- Khalid et al., "Impact of Coating Thickness on Texture Features for Surface Inspection Using GLCM," *Journal of Coatings Technology and Research*, vol. 11, no. 2, pp. 271-279, 2014.
- Laga, M.U., Maslebu, G. dan Setiawan, A, 2020, Ekstraksi Ciri Citra Ultrasonografi Abdomen Menggunakan Metode Gray Level Co-Occurance Matrix (GLCM), *Jurnal Fisika Flux*, 2,17, 8-15
- M. Fikri., F. Ashraf. dan Peter., 2011, Clinical ultrasound physics, *Journal of Emergencies, Trauma, and Shock*, 4(4): 501-503.
- Manbachi, A. dan Cobbold, R. S. C., 2011, *Development and application of piezoelectric materials for ultrasound generation and detection*. *Ultrasound*, 4,19, 187–196.
- Materka, A. dan Strzelecki, M., 1998. *Texture Analysis Methods – A Review*, *Technical University of Lodz*. Institute of Electronics, Poland.
- Mccafferty, E. 2010. *Introduction to Corrosion Science*. Springer. Alexandria. USA. pp. 373- 375.
- Michael, B., 2002, *Basic Principles of Ultrasonic Testing Krautkramer Ultrasonic System*, *Agfa NDT GmbH*, Hürth, Germany.
- Mohanty, 2011. Classifying Benign and Malignant Mass Using GLCM and GLRLM based Texture Features from Mammogram. *International Journal of Engineering Research and Applications (IJERA)*, vol 1, hal. 687-693.

- Mokhamad Halim Fathoni, Harris Pirngadi, dan Muhammad Rivai, 2013, “Perancangan, Pembuatan dan Karakterisasi Transduser Ultrasonik 3,5 MHz untuk Pengujian Bahan Padat,” *JURNAL TEKNIK POMITS*, vol. 2, no. 2.
- Myasar, A. K., Mudhafar, A. N. A., & Ahmed, Z. A., 2019. Comparative study of new formula of ultrasound gel with commercial ultrasound gel, *Drug Invention Today*, 11, 12, 2822–2826
- NASA, 2013. The Electromagnetic Spectrum. <https://imagine.gsfc.nasa.gov/science/toolbox/emspectrum1.html>. Diakses pada 10 mei 2024.
- Nurlina, N. dan Riska, R., 2019, *Alat Ukur dan Pengukuran*, Makassar: LPP Unismuh Makassar
- N. Nafisah, R. I. Adam, and C. Carudin, “Klasifikasi K-NN dalam Identifikasi Penyakit COVID-19 Menggunakan Ekstraksi Fitur GLCM,” *Journal of Applied Informatics and Computing (JAIC)*, vol. 5, no. 2, pp. 128–132, 2021.
- N. Zulpe and V. Pawar, “GLCM Textural Features for Brain Tumor Classification, 2012,” *International Journal of Computer Science Issues (IJCSI)*, vol. 9, no. 3, p. 354.
- Parker, J.R. 2011. *Algorithms for Image Processing and Computer Vision*. Indianapolis: Wiley Publishing, Inc
- Prastiwi, F., Manik T.N. dan Fahrudin A.E., 2017, Alat Ukur Tebal Papan Komposit Berbasis Mikrokontroler, *Jurnal Fisika Flux*. 14(2): 96-100.
- Q. Zurong, L., Yaohuan. dan Q. Zhen, 2022, Review of Ultrasonic Ranging Methods and Their Current Challenges, *Micromachines* 2022, 13, 520.
- Ratna Sulistiyan, S., Warsito, dan Darmawan, Andi., 2008, “Rancang Bangun Model Pemantauan Tinggi Muka Air Sungai Menggunakan Telemetri Radio”, *Jurnal Rekayasa dan Teknologi Elektro*, Volume 2 No. 1.
- Rahayu, S., dkk, 2013, *Piezoelectric Materials Synthesis BNT-BT With the addition of Ta2O5 Method Using Solid State Reaction*, Universitas Andalas, Padang.
- Rizky, A.S., Abdul, F. dan Anton, Y., 2016, Ekstraksi Ciri Citra Batik Berdasarkan Tekstur Menggunakan Metode Gray Level Co Occurrence Matrix, *ANNUAL RESEARCH SEMINAR 2016*, Vol 2, No. 1.

- Therapy, N, 2021, HOW MUCH DO YOU KNOW ABOUT ULTRASOUND GEL ?, <https://nationaltherapy.com/>, diakses tanggal 15 mei 2024.
- Sarbaini, S., Zukrianto, Z., & Nazaruddin, N., 2022, Pengaruh Tingkat Kemiskinan Terhadap Pembangunan Rumah Layak Huni Di Provinsi Riau Menggunakan Metode Analisis Regresi Sederhana. *Jurnal Teknologi Dan Manajemen Industri Terapan*, 1(3), 131–136. <https://doi.org/10.55826/tmit.v1i3.46>
- Siqueira, F.R., Schwartz, W.R. dan Pedrini, H., 2013. *Multi-Scale Gray Level CoOccurrence Matrices for Texture Description*, *Neurocomputing*, ISSN 0925-2312, Vol. 120, pp. 336-345.
- Shung, K. K., 2016. *Diagnostic Ultrasound Imaging and Blood Flow Measurements*, Vol.4, 2nd ed., Vol. 4, CRC Press, Los Angeles.
- Sulton, A., Herman, P., Wimala, L. dan Dhanistha., 2019, Analisis Pengaruh Variasi Sudut Blasting dengan Coating Campuran Epoxy dan Aluminium Serbuk terhadap Kekuatan Adhesi, Prediksi Laju Korosi, dan Morfologi pada Plat Baja ASTM A36, *JURNAL TEKNIK ITS*, No. 1, Vol. 8,) ISSN: 2337-3539, Departemen Teknik Kelautan, Fakultas Teknologi Kelautan, Institut Teknologi Sepuluh Nopember (ITS).
- Szabo, T. L., 2014, *Diagnostic Ultrasound Imaging: Inside Out*, 2nd ed., Academic Press, Boston
- Tao Y, Wei C, Su Y, Hu B and Sun D (2022) Emerging High-Frequency Ultrasound Imaging in Medical Cosmetology. *Front. Physiol.* 13:885922.
- Utomo, R. S. B., & Alva, S, 2017, STUDI DAN KARAKTERISASI LAJU KOROSI LOGAM ALUMINIUM DENGAN PELAPISAN MEMBRAN SOL-GEL. *Jurnal Teknik Mesin (JTM)*, 6(3), 192.
- Victory Immanuel Ratar, Surya Suryasatriya Trihandaru, dan Giner Maslebu., 2020, Analisis Resolusi Spasial Citra Ultrasonografi (USG) pada Arah Tangensial Radiasi Citra menggunakan Phantom Berbasis Silicon Rubber, *Jurnal Fisika dan Aplikasinya*, Vol. 16, no.1.
- Wibawanto, H., Susanto, A., Sri Widodo, T., dan Tjokronegoro, S. M., 2008, Identifikasi Citra Massa Kistik Berdasar Fitur Gray level Co-Occurence Matrix, Aplikasi Teknologi Informasi. 33-35. *Seminar Nasional Aplikasi Teknologi Informasi 2008 (SNATI 2008)*, Yogyakarta, 21 Juni 2008.

Widodo, R., Widodo, A. W., & Supriyanto, A. (2018). Pemanfaatan Ciri Gray Level Co-Occurrence Matrix (GLCM) Citra Buah Jeruk Keprok (*Citrus reticulata* Blanco) untuk Klasifikasi Mutu. *Jurnal Pengembangan Teknologi Informasi Dan Ilmu Komputer*, 2(11), 5769–5776