

DAFTAR PUSTAKA

- Adnan, M., Rehman, H. A., Asif, M., Hussain, M., Bilal, H. M., Adnan, M., Rehman F., Ahmad, S., & Khalid, M. (2020). Seed priming; an effective way to improve plant growth. *EC Agriculture*, 6(6), 01-05.
- Alhasnawi, A. N., Kadhimi, A. A., Isahak, A., Mohamad, A., Doni, F., Mohtar, W., Yusoff, W., & Zain, C. R. B. M. (2014). Salinity stress in plant and an important antioxidant enzyme. *Life Science Journal*, 11(10), 913-920.
- Apel, K., & Hirt, H. (2004) Reactive oxygen species: metabolism, oxidative stress and signal transduction. *Annu Rev Plant Biol*, 55, 373–399.
- Ashraf, M. P. J. C., & Harris, P. J. C. (2004). Potential biochemical indicators of salinity tolerance in plants. *Plant science*, 166(1), 3-16.
- Bahari, A., Pirdashti, H., & Yaghubi, M. (2013). The effects of amino acid fertilizers spraying on photosynthetic pigments and antioxidant enzymes of wheat (*Triticum aestivum* L.) under salinity stress. *International Journal of Agronomy and Plant Production*, 4(4), 787-793.
- Bantacut, T. (2014). Indonesian staple food adaptations for sustainability in continuously changing climates. *Journal of Environment and Earth Science*, 4(21), 202-16.
- Becana, M., D.A. Dalton, J.F. Moran, O.I. Iturbe, M.A. Matammoros, & M. C. Ribio. (2000). Reactive oxygen species and antioxidants in legume nodules. *Physiol. Plant*, 109, 372–381.
- Bergmeyer, N. (1970). *Methoden der enzymatischen Analyse*, vol 1. Akademie-Verlag: Berlin, p. 636–647.
- Chinnusamy, V., Jagendorf, A., & Zhu, J. K. (2005). Understanding and improving salt tolerance in plants. *Crop science*, 45(2), 437-448.
- Daiponmak, W., Theerakulpisut, P., Thanonkao, P., Vanavichit, A., & Prathepha, P. (2010). Changes of antosianin cyanidin-3-glucoside content and antioxidant activity in Thai rice varieties under salinity stress. *Sci Asia*, 36, 286-291.
- Davies, K. J. (1987). Protein damage and degradation by oxygen radicals. I. general aspects. *Journal of Biological Chemistry*, 262(20), 9895-9901.
- Dionisio-Sese, M. L., & Tobita, S. (1998). Antioxidant responses of rice seedlings to salinity stress. *Plant science*, 135(1), 1-9.

- Elloumi, W., Jebali, A., Maalej, A., Chamkha, M., & Sayadi, S. (2020). Effect of mild salinity stress on the growth, fatty acid and carotenoid compositions, and biological activities of the thermal freshwater microalgae *Scenedesmus* sp. *Biomolecules*, 10(11), 1515.
- Eryilmaz, F. (2006). The relationships between salt stress and anthocyanin content in higher plants. *Biotechnology & Biotechnological Equipment*, 20(1), 47-52.
- Fageria, N. K., & Baligar, V. C. (2003). Upland rice and allelopathy. *Communications in Soil Science and Plant Analysis*, 34(9-10), 1311-1329.
- Fridovich, I. (1986). Biological effects of the superoxide radical. *Archives of biochemistry and biophysics*, 247(1), 1-11.
- Ghosh, B., Md, N. A., & Gantait, S. (2016). Response of rice under salinity stress: a review update. *Rice research*, 4(2) 1-8.
- Hidayah, A., Nisak, R. R., Susanto, F. A., Nuringtyas, T. R., Yamaguchi, N., & Purwestri, Y. A. (2022). Seed Halopriming Improves Salinity Tolerance of Some Rice Cultivars During Seedling Stage. *Botanical Studies*, 63(1), 24.
- Hoang, T. M. L., Williams, B., Khanna, H., Dale, J., & Mundree, S. G. (2014). Physiological basis of salt stress tolerance in rice expressing the antiapoptotic gene SfiAP. *Functional Plant Biology*, 41(11), 1168-1177.
- Huang, C. J., Wei, G., Jie, Y. C., Xu, J. J., Zhao, S. Y., Wang, L. C., & Anjum, D. S. (2015). Responses of gas exchange, chlorophyll synthesis and ROS-scavenging systems to salinity stress in two ramie (*Boehmeria nivea* L.) cultivars. *Photosynthetica*, 53(3), 455-463.
- Islam, M. Z., Park, B. J., & Lee, Y. T. (2019). Effect of salinity stress on bioactive compounds and antioxidant activity of wheat microgreen extract under organic cultivation conditions. *International journal of biological macromolecules*, 140, 631-636.
- Jamil M, Malook I, Parveen S, Naz T, Ali A, Ullah Jan S, & Ur Rehman S. (2013). Smoke priming, a potent protective agent against salinity effect on proline accumulation, elemental uptake, pigmental attributes and protein banding patterns of rice (*Oryza sativa*). *J Stress Physiol Biochem*, 9(1), 169–183.
- Jisha, K. C., & Puthur, J. T. (2014). Seed halopriming outdo hydropriming in enhancing seedling vigor and osmotic stress tolerance potential of rice varieties. *Journal of Crop Science and Biotechnology*, 17, 209-219.

Karolinoerita, V., & Yusuf, W. A. (2020). Salinisasi lahan dan permasalahannya di Indonesia. *Jurnal Sumberdaya Lahan*, 14(2), 91-99.

Khalofah, A., Kilany, M., & Migdadi, H. (2021). Phytostimulatory influence of comamonas testosteroni and silver nanoparticles on *Linum usitatissimum* L. under salinity stress. *Plants*, 10(4), 790.

Khan, M. O., Irfan, M., Muhammad, A., Ullah, I., Nawaz, S., Khalil, M. K., & Ahmad, M. (2022). A practical and economical strategy to mitigate salinity stress through seed priming. *Frontiers in Environmental Science*, 10, 991977.

Kristiono, A., Purwaningrahayu, R. D., & Taufiq, A. (2013). Respons tanaman kedelai, kacang tanah, dan kacang hijau terhadap cekaman salinitas. *Buletin Palawija*, 26, 45-60.

Kumari, N., Rai, P. K., Bara, B. M., & Singh, I. (2017). Effect of halo priming and hormonal priming on seed germination and seedling vigour in maize (*Zea mays* L) seeds. *Journal of Pharmacognosy and Phytochemistry*, 6(4), 27-30.

Lafitte, H. R., Ismail, A., & Bennett, J. (2004). Abiotic stress tolerance in rice for Asia: progress and the future. In *New directions for a diverse planet: Proceedings of the 4 th International Crop Science Congress*, p. 1-17.

Lestari, M. F., & Rachmawati, D. (2020, September). The effect of rice husk ash on growth of rice (*Oryza sativa* L. 'Sembada Merah') on salinity stress. In *AIP Conference Proceedings*, 2260(1), 030015.

Lichtenthaler, H. K., & Wellburn, A. R. (1983). Determination of total karotenoid and chlorophylls a and b of leaf extracts in different solvents. *Biochem Soc Trans*, 11, 591-603.

Lotkowska E. M., Tohge T., Fernie R. A., Xue P. G., Balazadeh S., & Roeber, M. B. (2015) The Arabidopsis transcription factor MYB112 promotes anthocyanin formation during salinity and under high light stress. *Plant Physiol*, 169(3), 1862-1880.

Munns, R. (2005). Genes and salt tolerance: bringing them together. *New phytologist*, 167(3), 645-663.

Munns, R., & Tester, M. (2008). Mechanisms of salinity tolerance. *Annu. Rev. Plant Biol.*, 59, 651-681.

Nakano Y, & Asada K. (1981). Hydrogen peroxide is scavenged by ascorbate-specific peroxidase in spinach chloroplasts. *Plant Cell Physiol*, 22:867-880.

- Nasrudin, N., Isnaeni, S., & Fahmi, P. (2022). The effect of high salt stress on the agronomic, chlorophyll content, and yield characteristics of several rice varieties. In *IOP Conference Series: Earth and Environmental Science*, 995 (1), 012028.
- Noctor G., & Foyer C. (1998). Ascorbate and glutathione: keeping active oxygen under control. *Annu Rev Plant Physiol Plant Mol Biol*, 49, 249–279.
- Paparella, S., Araújo, S. S., Rossi, G., Wijayasinghe, M., Carbonera, D., & Balestrazzi, A. (2015). Seed priming: state of the art and new perspectives. *Plant cell reports*, 34, 1281-1293.
- Parida, A. K., & Das, A. B. (2005). Salt tolerance and salinity effects on plants: a review. *Ecotoxicology and environmental safety*, 60(3), 324-349.
- Patade, V. Y., Bhargava, S., & Suprasanna, P. (2009). Halopriming imparts tolerance to salt and PEG induced drought stress in sugarcane. *Agriculture, ecosystems & environment*, 134(1-2), 24-28.
- Paul, A., Dasgupta, P., Roy, D., & Chaudhuri, S. (2017). Comparative analysis of Histone modifications and DNA methylation at OsBZ8 locus under salinity stress in IR64 and Nonabokra rice varieties. *Plant molecular biology*, 95, 63-88.
- Polash, M. A. S., Sakil, M. A., & Hossain, M. A. (2019). Plants responses and their physiological and biochemical defense mechanisms against salinity: A review. *Trop. Plant Res*, 6, 250-274.
- Purwestri, Y. A., Nurbaiti, S., Putri, S. P. M., Wahyuni, I. M., Yulyani, S. R., Sebastian, A., Nuringtyas, T.R., & Yamaguchi, N. (2023). Seed halopriming: a promising strategy to induce salt tolerance in Indonesian pigmented rice. *Plants*, 12(15), 2879.
- Qin, F., Xu, H. L., & Ci, D. (2017). Drought stimulation by hypocotyl exposure altered physiological responses to subsequent drought stress in peanut seedlings. *Acta Physiologiae Plantarum*, 39, 1-15.
- Rengasamy, P. (2002). Transient salinity and subsoil constraints to dryland farming in Australian sodic soils: an overview. *Australian Journal of Experimental Agriculture*, 42(3), 351-361.
- Rossatto, T., do Amaral, M. N., Benitez, L. C., Vighi, I. L., Braga, E. J. B., de Magalhães Júnior, A. M., Maia, M. A. C., & da Silva Pinto, L. (2017). Gene

- expression and activity of antioxidant enzymes in rice plants, cv. BRS AG, under saline stress. *Physiology and Molecular Biology of Plants*, 23, 865-875.
- Roy, S. J., Tucker, E. J., & Tester, M. (2011). Genetic analysis of abiotic stress tolerance in crops. *Current opinion in plant biology*, 14(3), 232-239.
- Paul, S., & Roychoudhury, A. (2017). Effect of seed priming with spermine/spermidine on transcriptional regulation of stress-responsive genes in salt-stressed seedlings of an aromatic rice cultivar. *Plant Gene*, 11, 133-142.
- Samyori, D., Das, A. B., & Deka, S. C. (2017). Pigmented rice a potential source of bioactive compounds: A review. *International journal of food science & technology*, 52(5), 1073-1081.
- Sebastian, A., Nugroho, I. C., Putra, H. S. D., Susanto, F. A., Wijayanti, P., Yamaguchi, N., Nuringtyas, T. R., & Purwestri, Y. A. (2022). Identification and characterization of drought-tolerant local pigmented rice from Indonesia. *Physiology and Molecular Biology of Plants*, 28(5), 1061-1075.
- Scandalios, J. G., Guan, L., & Polidoros, A. N. (1997). *Catalases in plants: gene structure, properties, regulation and expression*. In: Scandalios JG (ed) *Oxidative stress and the molecular biology of antioxidant defenses*. Cold Spring Harbor, New York, p. 343-406.
- Subramanyam, K., Du Laing, G., & Van Damme, E. J. (2019). Sodium selenate treatment using a combination of seed priming and foliar spray alleviates salinity stress in rice. *Frontiers in plant science*, 10, 407836.
- Suzuki, N., Rivero, R. M., Shulaev, V., Blumwald, E., & Mittler, R. (2014). Abiotic and biotic stress combinations. *New Phytologist*, 203(1), 32-43.
- Vighi, I. L., Benitez, L. C., Amaral, M. N., Moraes, G. P., Auler, P. A., Rodrigues, G. S., Deuner, S., Maia, L. C., & Braga, E. J. B. (2017). Functional characterization of the antioxidant enzymes in rice plants exposed to salinity stress. *Biologia plantarum*, 61(3), 540-550.
- Wachid, A., & Mintono, M. (2017). Rice Productivity Variety Ir-64 Using System Of Rice Intensification (Sri) Method With Several Models (Tegel And Legowo). *Nabatia*, 5(2), 91-99.
- Wang, G., Zeng, F., Song, P., Sun, B., Wang, Q., & Wang, J. (2022). Effects of reduced chlorophyll content on photosystem functions and photosynthetic electron transport rate in rice leaves. *Journal of plant physiology*, 272, 153669.

Yoshida S., Forno, D. A., Cock, J. H., & Gomez, K. A. (1976). Laboratory manual for physiological studies of rice. In The International Rice Research Institute, p. 61 – 62.