

DAFTAR PUSTAKA

- Abbas, M. (2022). Removal of methylene blue pollutant from the textile industry by adsorption onto Zeolithe: Kinetic and thermodynamic study. *J. Eng. Fibers Fabr.*, 17, 1–11.
- Abka-khajouei, R., Tounsi, L., Shahabi, N., Patel, A. K., Abdelkafi, S., & Michaud, P. (2022). Structures, Properties and Applications of Alginates. *Marine Drugs*, 20(6).
- Abouzeid, R. E., Khiari, R., & Ali, K. A. (2023). Activated Charcoal/Alginate Nanocomposite Beads for Efficient Adsorption of the Cationic Dye Methylene Blue: Kinetics and Equilibrium. *Chem. Afr.*, 6(5), 2369–2379.
- Agusriyadin, A. (2021). Karakterisasi Abu Dasar Batubara Termodifikasi 8-Hidroksikuinolin sebagai Adsorben Ion Logam Cu(II) dan Cd(II). *SAINTIFIK*, 7(1), 77–86.
- Ahmad, A., Mubarak, N. M., Jannat, F. T., Ashfaq, T., Santulli, C., Rizwan, M., Najda, A., Bin-Jumah, M., Abdel-Daim, M. M., Hussain, S., & Ali, S. (2021). A critical review on the synthesis of natural sodium alginate based composite materials: An innovative biological polymer for biomedical delivery applications. *Processes*, 9(1), 1–27.
- Ait Hmeid, H. (2021). Adsorption of a basic dye, Methylene Blue, in aqueous solution on bentonite. Moroccan Journal of Chemistry Adsorption of a basic dye, Methylene Blue, in aqueous solution on bentonite DAOUDI (d). *L. Mor. J. Chem*, 9, 416–433.
- Alam, M. Z., Bari, M. N., & Kawsari, S. (2022). Statistical optimization of Methylene Blue dye removal from a synthetic textile wastewater using indigenous adsorbents. *Environ. Sustain. Indicators*, 14, 1–13.
- Alvarez-Puebla, R. A., Goulet, P. J. G., & Garrido, J. J. (2005). Characterization of the porous structure of different humic fractions. *Colloids and Surf. A: Physicochem. Eng. Asp.*, 256(2), 129–135.
- Andersson, J. (2018). *Surface tension-driven flow in soft porous materials : an investigation of the mechanism of capillary flow in soft hydrophilic microchannels*. Chalmers University of Technology.
- Anshar, A. M., Santosa, S. J., & Sudiono, S. (2015). Kapasitas dan Energi Adsorpsi Humin Terhadap Eosin. *Al Kimia*, 3(2), 1–14.
- Anwar, K. (2019). *Isotermis dan Termodinamika Adsorpsi Metyhlene Blue Menggunakan Batang Jagung Termodifikasi Asam Sitrat* [Skripsi]. Universitas Islam Negeri Maulana Malik Ibrahim.
- Aoyama, M. (2015). Separation of acid-soluble constituents of soil humic acids by dissolution in alkaline urea solution and precipitation with acid. *Chem. Biol. Technol. Agric.*, 2(1).

- Arivoli, S., Hema, M., Parthasarathy, S., & Manju, N. (2010). Adsorption dynamics of methylene blue by acid activated carbon. *J. Chem. Pharm. Res*, 2(5), 626–641.
- Ashkan, Z., Zahirinejad, S., Hemmati, R., & Dinari, A. (2023). Alginate as Support Material in Enzyme Immobilization. *Alg. Bio.*, 327–360.
- Astuti, W. (2018). *Adsorpsi Menggunakan Material Berbasis Lignoselulosa* (Vol. 1). Unnes Press.
- Aziz, F., Achaby, M. El, Lissaneddine, A., Aziz, K., Ouazzani, N., Mamouni, R., & Mandi, L. (2020). Composites with alginate beads: A novel design of nano-adsorbents impregnation for large-scale continuous flow wastewater treatment pilots. *Saudi J. Biol. Sci.*, 27(10), 2499–2508.
- Badan Pusat Statistik Jawa tengah. (2020). *Provinsi Jawa Tengah Dalam Angka 2020* (1 ed.). Badan Pusat Statistik Jawa Tengah.
- Badita, C. R., Aranghel, D., Burducea, C., & Mereuta, P. (2020). Characterization of Sodium Alginate Based Films. *Rom. J. Phys.*, 65, 602.
- Barot, N. S., & Bagla, H. K. (2009). Extraction of humic acid from biological matrix - dry cow dung powder. *Green Chemistry Letters and Reviews*, 2(4), 217–221.
- Basuki, R., Rusdiarso, B., & Santosa, S. J. (2017). Ekstraksi Adsorben Ramah Lingkungan dari Matriks Biologi: Asam Humat Tinja Kuda (AH-TK). *Chempublish J.*, 2(1).
- Baunsele, A. B., & Missa, H. (2020a). Kajian Kinetika Adsorpsi Metilen Biru Menggunakan Adsorben Sabut Kelapa. *Akta Kimia Indonesia*, 5(2), 76.
- Baunsele, A. B., & Missa, H. (2020b). Kajian Kinetika Adsorpsi Metilen Biru Menggunakan Adsorben Sabut Kelapa. *Akta Kimia Indonesia*, 5(2), 76.
- Belattmania, Z., Kaidi, S., Atouani, S. El, Katif, C., Bentiss, F., Jama, C., Reani, A., Sabour, B., & Vasconcelos, V. (2020). Isolation and FTIR-ATR and 1H NMR characterization of alginates from the main alginophyte species of the atlantic coast of Morocco. *Molecules*, 25(18).
- Borah, D., Bordoloi, B., & Wahid, R. (2017b). Effect of pH on The Adsorption of Methylene Blue on Clay Material. *G.J.E.S.R.M.*, 4(11).
- Coutinho, D. F., Ahari, A. F., Kachouie, N. N., Gomes, M. E., Neves, N. M., Reis, R. L., & Khademhosseini, A. (2012). An automated two-phase system for hydrogel microbead production. *Biofabrication*, 4(3).
- Dasgupta, J., Sikder, J., Chakraborty, S., Curcio, S., & Drioli, E. (2014). *Remediation of textile effluents by membrane based treatment techniques: A state of the art review*.
- Do, D. D. (1998). *Adsorption analysis : equilibria and kinetics* (Vol. 1). Imperial College Press.
- Eltaweil, A. S., Abd El-Monaem, E. M., Elshishini, H. M., El-Aqapa, H. G., Hosny, M., Abdelfatah, A. M., Ahmed, M. S., Hammad, E. N., El-Subruiti, G. M., Fawzy, M., & Omer, A. M. (2022). Recent developments in alginate-based adsorbents for removing phosphate ions from wastewater: a review. *R.S.C. Advances*, 12(13), 8228–8248.
- Eustáquio, H. M. B., Lopes, C. W., Da Rocha, R. S., Cardoso, B. D., & Pergher, S. B. C. (2015). Modification of Activated Carbon for the Adsorption of Humic Acid. *Adsorp. Sci. Technol.*, 33(2), 117–126.

- Fajarwati, F. I., Sugiharto, E., & Siswanta, D. (2016). Film of Chittosan-Carboxymethyl Cellulosepolyelectrolyte Complex as Methylene Blue Adsorbent. *Eksakta*, 36–45.
- Farma, R., Deraman, M., Awitdrus, A., Talib, I. A., Taer, E., Basri, N. H., Manjunatha, J. G., Ishak, M. M., Dollah, B. N. M., & Hashmi, S. A. (2013). Preparation of highly porous binderless activated carbon electrodes from fibres of oil palm empty fruit bunches for application in supercapacitors. *Bioresource Technology*, 132, 254–261.
- Fathoni, I., & Rusmini, D. (2016). Pemanfaatan bentonit Teknis sebagai Adsorben Zat Warna. *UNESA J. Chem.*, 5(3).
- Febriani, F., Koesnarpadi, S., & Sari, I. Y. L. (2022). *Adsorpsi Metylene Blue Menggunakan Adsorben Asam Fulvat (AF) dari Tanah Gambut Samboja Kalimantan Timur*. 35–39.
- Figueiredo, L., Pereira, M. F. R., Freitas, M. M. A., & Orfaó, J. J. M. (1999). Modification of the surface chemistry of activated carbons. *Carbon*, 37, 1379–1389.
- Firda, Mulyani, O., & Yuniarti, A. (2016). Pembentukan, Karakterisasi Serta Manfaat Asam Humat Terhadap Adsorpsi Logam Berat (Review). *Soilrens*, 14(2), 9–13.
- Gomri, F., Finqueneisel, G., Zimny, T., Korili, S. A., Gil, A., & Boutahala, M. (2018). Adsorption of Rhodamine 6G and humic acids on composite bentonite–alginate in single and binary systems. *Appl. Water Sci.*, 8(6).
- Handayani, M., & Sulistiyono, E. (2009). Uji Persamaan Langmuir dan Freundlich pada Penyerapan Limbah Chrom (VI) oleh Zeolit. *Prosiding Seminar Nasional Sains dan Teknologi Nuklir BATAN*, 130–136.
- Hanum, F., Gultom, R. J., & Simanjuntak, M. (2017). Adsorpsi Zat Warna metilen Biru dengan Karbon Aktif Dari Kulit Durian menggunakan KOH dan NaOH sebagai Aktivator. *J. Tek. Kim. USU*, 6(1).
- Hardiyati, R., Sylvia, N., & Muhammad, D. (2022). Adsorpsi Metilen Biru Menggunakan Karbon Aktif Dari Ampas Tebu. *Seminar Nasional Fakultas Teknik Universitas Malikussaleh*, 879–888.
- Harmaiyani, R., Amran, A., Oktavia, B., & Kurniawati, D. (2023). Adsorpsi Zat Warna Methylene Blue Menggunakan Karbon Aktif Kulit Kelengkeng (Euphoria longan lour) Dengan Metode Batch. *Periodic*, 12(3), 75–77.
- Hayu, L. D. R., Nasra, E., Azhar, M., & Etika, S. B. (2021). Adsorpsi Zat Warna Methylene Blue Menggunakan Karbon Aktif dari Kulit Durian (Durio zibethinus Murr.). *Periodic*, 10(2), 8–13.
- Inam, E., Udo, O. O., Edet, J. B., Etim, U. J., & Offiong, N. O. (2018). Adsorption of Methylene Blue from Aqueous Solution by Humic Acid Extracted from Freshwater River Humus. *J. Mater. Environ. Sci*, 9(4), 1324–1334.
- Ismadji, S., Soetaredjo, F. E., Santoso, S. P., Putro, J. N., Yuliana, M., Irawaty, W., Hartono, S. B., & Lunardi, V. B. (2021). ADSORPSI PADA FASE CAIR. *Adsorpsi*, 1.
- Ismillali, N., & Hermanto, D. (2020). Isolasi Asam Humat dari Bendungan Batujai Lombok Tengah-NTB dan Potensinya sebagai Reduktif-Biosorben Au(III) pada Sistem Batch. *J. Ilm. Dasar*, 21(1), 43–48.

- Karo, J. A. K. (2021). Teknologi Proses Ekstraksi Asam Humat dari Gambut. *Indonesian J.R.I.*, 1–5.
- Kazan, A., Heymuth, M., Karabulut, D., Akay, S., Yildiz-Ozturk, E., Onbas, R., Muderrisoglu, C., Sargin, S., Heils, R., Smirnova, I., & Yesil-Celiktas, O. (2017). Formulation of organic and inorganic hydrogel matrices for immobilization of β -glucosidase in microfluidic platform. *Eng. Life Sci.*, 17(7), 714–722.
- Kementerian Perdagangan. (2023). *Realisasi Ekspor-Impor Pakaian Jadi Indonesia Periode 2018-2023*.
- Khoo, K.-M., & Ting, Y.-P. (2001). Biosorption of gold by immobilized fungal biomass. *Biochem. Eng. J.*, 8, 51–59.
- Khusna, Y. A. (2019). *Adsorpsi Ion Logam Cu(II) pada Manik Alginat-Asam Humat-Karbon Aktif* [Skripsi]. Universitas Gadjah Mada.
- Kimia, D. T., Husin, A., Dohan, P., & Sitinjak, R. (2021). JURNAL TEKNIK KIMIA-USU Studi Adsorpsi Furfural Menggunakan Karbon Aktif dari Kulit Durian Termodifikasi Study of Furfural Adsorption using Modified Activated Carbon from Durian Shell Waste. *Jurnal Teknik Kimia USU*, 10(1), 19–24.
- Koesnarpadi, S., Santosa, J., Siswanta, D., & Rusdiarso, B. (2021). Ekstraksi, Pemurnian dan Karakterisasi Asam Humat dari Tanah Gambut Samarinda. *Prosiding Seminar Nasional Kimia UNMUL*, 166–172.
- Kołodziej, A., Fuentes, M., Baigorri, R., Lorenc-Grabowska, E., García-Mina, J. M., Burg, P., & Gryglewicz, G. (2014). Mechanism of adsorption of different humic acid fractions on mesoporous activated carbons with basic surface characteristics. *Adsorption*, 20(5–6), 667–675.
- Kusumawati, T. A., Setiawan, A., & Dermawan, D. (2023). Studi Kinetika Adsorpsi Metilen Biru Menggunakan Adsorben Komposit Hidroksiapatit-Karbon Aktif Tongkol Jagung. *Prosiding Teknologi Pengolahan Limbah PPNS*, 266.
- Laos, L. E., Masturi, M., & Yulianti, I. (2016). Pengaruh Suhu Aktivasi Terhadap Daya Serap Karbon Aktif Kulit Kemiri. *Prosiding Seminar Nasional Fisika UNJ*, 135–140.
- Laos, L. E., & Selan, A. (2016). Pemanfaatan Kulit Singkong Sebagai Bahan Baku Karbon Aktif. *JIPF*, 1(1), 32–36.
- Latupeirissa, J., Tanasale, M. F. J. D. P., & Musa, H. S. (2018). Kinetika Adsorpsi Zat Warna Metilen Biru oleh Karbon Aktif dari Kulit Kemiri. *J. Chem. Res.*, 6(1), 12–21.
- Laysandra, L., Ondang, I. J., Ju, Y. H., Ariandini, B. H., Mariska, A., Soetaredjo, F. E., Putro, J. N., Santoso, S. P., Darsono, F. L., & Ismadji, S. (2019). Highly adsorptive chitosan/saponin-bentonite composite film for removal of methyl orange and Cr(VI). *E.S.P.R.*, 26(5), 5020–5037.
- Lestari, P. (2017). Isolation of humic acid from peat soil and its application as an adsorbent for AuCl₄⁻ in solution. *AIP Conference Proceedings*, 1823.
- Li, D., Lv, C., Liu, L., Xia, Y., She, X., Guo, S., & Yang, D. (2015). Egg-box structure in cobalt alginate: A new approach to multifunctional hierarchical mesoporous N-doped carbon nanofibers for efficient catalysis and energy storage. *ACS Central Science*, 1(5), 261–269.

- Liu, B., Liu, H., Xi, Y., Huang, Y., Su, Z., Zhang, Z., Peng, Z., Xu, W., Zhang, C., & Li, X. (2023). Adsorption of lead ions by activated carbon doped sodium alginate/sodium polyacrylate hydrogel beads and their in-situ recycle as sustainable photocatalysts. *J. Colloid Interface Sci.*, 645, 133–145.
- Maryudi, M., Aktawan, A., & Amelia, S. (2021). Pengolahan Limbah Pewarna Metilen Biru Menggunakan Arang Aktif dan Zeolit Aktif dengan Katalis Fe dan Oksidator Hidrogen Peroksida. *J. Ris. Kim.*, 12(2).
- McHugh, D. J. (2003). *A guide to the seaweed industry*. FAO Fisheries Technical Paper.
- Meila Anggriani, U., Hasan, A., Purnamasari, I., Teknik Kimia, J., Sriwijaya, N., Srijaya, J., Bukit, N., & Palembang, B. (2021). Kinetika Adsorpsi Karbon Aktif dalam Penurunan Konsentrasi Logam Tembaga (Cu) dan Timbal (Pb). *J. Kinetika*, 12(02), 29–37.
- Mohammadzadeh, F., Golshan, M., Haddadi-Asl, V., & Salami-Kalajahi, M. (2023). Adsorption kinetics of methylene blue from wastewater using pH-sensitive starch-based hydrogels. *Scientific Reports*, 13(1).
- Mossfika, E., Syukri, S., & Aziz, H. (2020). Preparation of Activated Carbon from Tea Waste by NaOH Activation as A Supercapacitor Material. *J. Ac. Phys.*, 9(2), 42–47.
- Murray, A., & Örmeci, B. (2018). Competitive effects of humic acid and wastewater on adsorption of Methylene Blue dye by activated carbon and non-imprinted polymers. *Journal of Environmental Sciences (China)*, 66, 310–317.
- Musah, M., Azeh, Y., Mathew, J., Umar, M., Abdulhamid, Z., & Muhammad, A. (2022). Adsorption Kinetics and Isotherm Models: A Review. *Ca. J.O.S.T*, 4(1), 20–26.
- Muscolo, A., Sidari, M., & Nardi, S. (2013). Humic substance: Relationship between structure and activity. deeper information suggests univocal findings. *J. Geochem. Explor.*, 129, 57–63.
- Nagori, B. P., & Mathur, N. K. (1996). Preparation of galactomannan beads for pharmaceutical applications. *I.J.C.T*, 3, 279–281.
- Ngapa, Y. D., & Ika, Y. E. (2020). Adsorpsi Pewarna Biru Metilena dan Jingga Metil Menggunakan Adsorben Zeolit Alam Ende-Nusa Tenggara Timur (NTT). *J. Chem. Res*, 8(2), 151–158.
- Ngatijo, N., Gusmaini, N., Bemis, R., & Basuki, R. (2021). Adsorpsi Methylene Blue pada Nanopartikel Magnetit tersalut Asam Humat: Kajian Isoterm dan Kinetika. *CHEESA*, 4(1), 51.
- Nieweś, D., Biegun, M., Huculak-Mączka, M., Marecka, K., Kaniewski, M., Zieliński, J., & Hoffmann, J. (2023). Extraction of humic acid from peat and lignite and the thermal behavior of their mixtures with ammonium nitrate. *J. Therm. Anal. Calorim.*, 148(23), 13175–13188.
- Ninu, Y. D., Boy Baunsele, A., Ninu, Y. D., Baunsele, A. B., Studi,), Metilen, A., Menggunakan, B., Sabut, B., & Siwalan, B. (2023). Studi Adsorpsi Metilen Biru Menggunakan Biosorben Sabut Buah Siwalan Teraktivasi Kalium Hidroksida. *S.P.I.N.*, 5(1), 50–66.

- Nurrobifahmi, Puspitasari, T., & Sugoro, I. (2018). Pengaruh Penambahan Alginat Hasil Radiasi Gamma pada Bahan Pembawa Tepung Beras dan Tapioka Terhadap Viabilitas *Trichoderma Harzianum*. *J. Tan. Iklim*, 42(1), 37–42.
- Nurzihan, A., Ulfah, R., Hrp, N., Siregar, H., & Nasution, H. (2019). Adsorpsi Zat Warna Methylene Blue Menggunakan Bentonit Termodifikasi Ethylene Diamine Tetra Aceticacid (EDTA). *Prosiding Sains Teknologi Kesehatan UMRI*, 1–13.
- Othman, I., Abu Haija, M., Kannan, P., & Banat, F. (2020). Adsorptive Removal of Methylene Blue from Water Using High-Performance Alginate-Based Beads. *Wat. Air and Soil Poll.*, 231(8).
- Pathania, D., Sharma, S., & Singh, P. (2017). Removal of methylene blue by adsorption onto activated carbon developed from *Ficus carica* bast. *Arab. J. Chem.*, 10, S1445–S1451.
- Patil, K., Pawar, R., & Talap, P. (2000). Self-aggregation of Methylene Blue in aqueous medium and aqueous solutions of Bu₄NBr and urea. *P.C.C.P.*, 2(19), 4313–4317.
- Pawar, R. R., Lalmunsiana, Gupta, P., Sawant, S. Y., Shahmoradi, B., & Lee, S. M. (2018). Porous synthetic hectorite clay-alginate composite beads for effective adsorption of methylene blue dye from aqueous solution. *Int. J. Biol. Macromol.*, 114, 1315–1324.
- Pereira, R., Tojeira, A., Vaz, D. C., Mendes, A., & Bártolo, P. (2011). Preparation and characterization of films based on alginate and aloe vera. *Int. J. Polym. Anal. Ch.*, 16(7), 449–464.
- Plazinski, W., & Rudzinski, W. (2012). Molecular modeling of Ca²⁺-oligo(α -L-guluronate) complexes: Toward the understanding of the junction zone structure in calcium alginate gels. *Structural Chemistry*, 23(5), 1409–1415.
- Purbaningtias, T. E., Kurniawati, P., Wiyantoko, B., & Prasetyoko, D. (2017). Pengaruh Waktu Aging pada Modifikasi pori Zeolit Alam dengan Cetyltrimethylammonium Bromide (CTABr). *J. Sains Tek.*, 6(2).
- Rahmawati, A. (2011). Isolasi dan Karakterisasi Asam Humat dari Tanah gambut. *Phenomenon*, 2(1), 117–136.
- Riapanitra, A., Setyaningtyas, T., & Riyani, K. (2004). Penentuan Waktu Kontak dan pH Optimum Penyerapan Metilen Biru Menggunakan Abu Sekam Padi. *Molekul*, 1(1), 41–44.
- Riwayati, I., Fikriyyah, N., & Suwardiyono. (2019). Adsorpsi Zat Warna Methylene Blue menggunakan Abu Alang-Alang (*Imperata cylindrica*) Teraktivasi Asam Sulfat. *Inovasi Teknik Kimia*, 4(2), 6–11.
- Rizki, A., Syahputra, E., & Pandia, S. (2019). Pengaruh Waktu Kontak dan Massa Adsorben Biji Asam Jawa (*Tamarindus indica*) dengan Aktivator H₃PO₄ terhadap Kapasitas Adsorpsi Zat Warna Methylene Blue. *J. Tek. Kim. USU*, 08(2), 54–60.
- Rongping, C., Zishuai, Z., & Dinggui, W. (2018). Study on the Modification of Humic Acid and Its Adsorption to Methylene Blue. *CSBIOE*, 5–11.
- Rusdiarso, B., & Basuki, R. (2020). Stability Improvement of Humic Acid as Sorbent through Magnetite and Chitin Modification. *K.S.A.*, 23(5), 152–159.
- Rydin, H., & Jeglum, J. K. (2013). Peat and organic soil. *Biol. Peat.*, 85–108.

- Sadoun, L., Benmounah, A., Ait-Ramdane-Terbouche, C., Seffah, K., & Terbouche, A. (2023). A novel spherical hybrid material based on the combination of humic acid/alginate/Algerian Zeen Oak sawdust for removing chromium (VI) from wastewater. *Mater. Today Chem.*, 34.
- Santosa, S. J., Tanaka, S., Siswanta, D., & Kunarti, E. S. (2007). INDONESIAN PEAT SOIL DERIVED HUMIC ACID ITS CHARACTERIZATION, IMMOBILIZATION, AND PERFORMANCE AS METAL SORBENT. *Proceeding of International Conference on Chemical Sciences*.
- Schnitzer, M. (1983). *Organic Matter Characterization*. John Wiley & Sons, Ltd.
- Sehol, M., Santosa, J., & Siswanta, D. (2018). The Immobilization of Humic Acid on Chitin and Its Application as Adsorbent of Cr(III). *J. Chem. Res*, 5(2), 63–68.
- Sitanggang, P. Y. (2017). Pengolahan Limbah Tekstil dan Batik di Indonesia. *J.O.U.R.*, 1–10.
- Stevenson, F. J. (1994). *Humus Chemistry: Genesis, Composition and Reactions*. John Wiley (2nd ed.). John Wiley.
- Sun, Q., Zheng, H., Li, Y., Li, M., Du, Q., Wang, C., Sui, K., Li, H., & Xia, Y. (2020). Calcium alginate/activated carbon/humic acid tri-system porous fibers for removing tetracycline from aqueous solution. *Pol. J. Chem. Technol.*, 22(3), 9–16.
- Sutirman, Z. A., Sanagi, M. M., & Wan Aini, W. I. (2021). Alginate-based adsorbents for removal of metal ions and radionuclides from aqueous solutions: A review. *Int. J. Biol. Macromol.*, 174, 216–228.
- Syauqiah, I., Amalia, M., & Kartini, H. A. (2011). Analisis Variasi Waktu dan Kecepatan Pengadukan pada Proses Adsorpsi Limbah Logam Berat dengan Arang Aktif. *INFO TEKNIK*, 12(1), 11–20.
- Tadda, M. A., Ahsan, A., Shitu, A., & Elsergany, M. (2016). A review on activated carbon: process, application and prospects Journal of Advanced Civil Engineering Practice and Research. *J. Adv. Res. Civ. Eng. Archit.*, 2(1), 7–13.
- Tan, K. H. (1995). *Dasar-dasar kimia tanah*. Gadjah Mada University Press.
- Viswanathan, N., & Meenakshi, S. (2010). Selective fluoride adsorption by a hydrotalcite/chitosan composite. *Applied Clay Science*, 48(4), 607–611.
- Waheed, I. F., Hamad, M. A., Jasim, K. A., & Gesquiere, A. J. (2023). Degradation of methylene blue using a novel magnetic CuNiFe₂O₄/g-C₃N₄ nanocomposite as heterojunction photocatalyst. *Diam. Relat. Mater.*, 133.
- Wati, A. M., Mahatmanti, F. W., Jumaeri, J., & Prasetya, A. T. (2021). Adsorpsi Metilen Biru oleh Abu Layang Batu Bara yang Teraktivasi Menggunakan Proses Hidrotermal dengan Bantuan Gelombang Mikro. *Alchemy*, 18(1), 58.
- Wibowo, S., Syafi, W., & Pari, G. (2011). Karakterisasi Permukaan Arang Aktif Tempurung Biji Nyamplung. *Makara, Teknologi*, 15(1), 17–24.
- Widiastuti, N., Fachruddin, H., Setyaningsih, E. P., & Romadiansyah, T. Q. (2022). Adsorpsi Metilen Biru dan Kongo Merah pada Zeolit-A Hasil Sintesis dari Abu Dasar Batubara. *J. Sains Ter.*, 8(1), 24–34.
- Yaacoubi, F. E., Sekkouri, C., Ennaciri, K., Rabichi, I., Izghri, Z., Baçaoui, A., & Yaacoubi, A. (2024). Synthesis of composites from activated carbon based on

- olive stones and sodium alginate for the removal of methylene blue. *Int. J. Biol. Macromol.*, 254.
- Yuliana, R., Erfiyanti, F., & Nurshaliha, P. (2022). Manfaat dan Fungsi Lahan Gambut Bagi Kehidupan Masyarakat. *Prosiding Seminar Nasional 2 Pertamina*, 152–156.
- Yulianti, Z. W., & Munasir. (2019). NANOPARTIKEL Fe₃O₄ /SiO₂ BERBASIS BAHAN ALAM SEBAGAI MATERIAL PENGADSORPI PEWARNA DALAM AIR. *Inov. Fis. Indo.*, 9(1), 1–4.
- Yustiawati, Kihara, Y., Sazawa, K., Kuramitz, H., Kurasaki, M., Saito, T., Hosokawa, T., Syawal, M. S., Wulandari, L., Hendri I, & Tanaka, S. (2015). Effects of peat fires on the characteristics of humic acid extracted from peat soil in Central Kalimantan, Indonesia. *E.S.P.R.*, 22(4), 2384–2395.
- Yuvitasari, R., Destiarti, L., & Nurlina. (2017). Pengaruh Kedalaman dan Frekuensi Ekstraksi Tanah Gambut Kalimantan Barat Terhadap Nilai Keasaman Asam Humat. *JKK*, 6(1), 1–7.
- Zhang, H., Tian, J., Hao, X., Liu, D., & Cui, F. (2021). Investigations on the fouling characteristic of humic acid and alginate sodium in capacitive deionization. *Wat. Reuse*, 11(2), 160–176.