



DAFTAR PUSTAKA

- Abdullah, Zulfikar, Wijaya, A.B. and Firdaus. (2017) *Burung Aceh Edisi I*. Banda Aceh: Bina Karya Akademika.
- Ali, S. (1941) *The Book of Indian Birds*. 12th edn. Oxford: Oxford University Press.
- Alikodra, H. S. (1990) *Pengelolaan Satwa Liar*. 1st edn. Bogor: IPB Press.
- Alqudsy, K.A. (2015) ‘Keanekaragaman dan kemelimpahan spesies burung di ekosistem mangrove Laguna Bogowonto, Kulon Progo Yogyakarta’, *Skripsi*, Universitas Islam Negeri Sunan Kalijaga, Yogyakarta.
- Ashoori, A. and Barati, A. (2013) ‘Breeding success of black-crowned night heron (*Nycticorax nycticorax*), little egret (*Egretta garzetta*) and cattle egret (*Bubulcus ibis*) (Aves: Ardeidae) in relation to nest height in the South Caspian Sea’, *Italian Journal of Zoologi*, 80 (1), pp. 149-154.
- Attiqoh, A.A., Salsabila. B.F., Retnawidyaningrum, D.A., Griapon, E., Sholihah, F.N., Indriani, H., Safitri, M.D., Dafa, M.H., Puspitasari, P.A., Wijayanti, R. and Handziko, R.C. (2018) ‘Keanekaragaman dan persebaran mangrove sejati pada area pemukiman Padukuhan Pasir Mendit, Kabupaten Kulon Progo, DIY’ in Prosiding Seminar Nasional Jurusan Pendidikan Biologi Universitas Negeri Yogyakarta, pp. 81-90. ISBN 978-602-97298-6-3
- Azizah, U. N., Armanda, D. T. and Kusrinah (2015) ‘Keanekaragaman burung ordo Ciconiiformes di kawasan konservasi mangrove Desa Bedono Kecamatan Sayung Demak’ in Prosiding Seminar Nasional from Basic Science to Comprehensive Education, pp. 272-279. ISBN: 978-602-72245-1-3
- Beaver, D. L., Osborn, R. G. and Custer, T. W. (1980) ‘Nest-site and colony characteristic of wading bird in selected Atlantic Coast colonies’, *Wilson Bulletin*, 92(2), pp. 200-220.
- Biswas, S.R., Mallik, A.U., Choudhury, J.K. and Nishat, A. (2009) ‘A unified framework for the restoration of Southeast Asian mangroves: Bridging ecology, society and economics’, *Wetlands Ecol Manage*, 17, pp. 365-383.
- Biswas S.R., Khan, M.S.I. and Mallik, A.U. (2012) ‘Invaders control on post-disturbance succession in coastal mangroves’, *Journal Plant Ecol*, 5, pp. 157–166.
- Biswas, P.L. and Biswas, S.R. (2019). ‘Mangrove forests: Ecology, management, and threats’ in Filho *et al.* (eds) *Life on Land, Encyclopedia of the UN Sustainable Development Goals*. Switzerland: Springer Nature, pp. 1-15.
- Block, W.M. and Brennan, L.A. (1993) ‘The habitat concept in Ornithology: Theory and applications’ in Power, D.M. (eds) *Current Ornithology*. Boston: Springer, pp. 35-91.
- Boles, E. G. and William, L. R. (1989) *Wildlife Ecology and Management*. 2nd edn. Michigan: Macmillan Publisher.
- Budiyarto, A. (2017) ‘Evaluasi kondisi komunitas konservasi mangrove: Studi kasus lembaga pelestari mangrove dan pesisir wana tirta Kulon Progo DIY’, *Prosiding Seminar Nasional Geografi UMS 2017*, pp. 824-836. ISBN: 978-602-361-072-3
- Burger, J. (1978) ‘Competition between cattle egrets and native North American herons, egrets, and ibies’, *Condor*, 80, pp. 15-23.
- Campbell, A. and Brown, B. (2015) *Indonesia’s vast mangroves are a treasure*



worth saving. Available at <https://theconversation.com/indonesias-vast-mangroves-are-a-treasure-worth-saving-39367> (Accessed: 22 September 2023)

- Caraco, T., Martindale, S. and Pulliam, R.H. (1980) 'Avian flocking in the presence of a predator', *Nature*, 285, pp. 400-401.
- Dalio, J.S. (2018) 'Biology of *Bubulcus ibis* and alterations its habits', *IOSR Journal of Pharmacy and Biological Sciences*, 13(2), pp. 9-15.
- Daniel, T.C., Mota-Vargas, C. and Rojas-Soto, O. (2022) 'Geographic and ecological invasion of the cattle egret (*Bubulcus ibis*) in The Americans and its current seasonal patterns', *Research Square*,
- Djamaluddin, R. (2018) *Mangrove: Biologi, Ekologi, Rehabilitasi, dan Konservasi*. Manado: Unsrat Press.
- Djohan, T.S. (2007) 'Distribusi hutan bakau di laguna pantai selatan Yogyakarta', *Jurnal Manusia dan Lingkungan*, 14(1), pp. 15-25.
- Ducommun, M., Dela, P., Quirogaa, M.A., Beltzera, A.H. and Schnack J.A. (2008) 'Diet of cattle egrets (*Bubulcus ibis*) in the flood valley of the Parana River, North, Argentina', *Avian Biology Research*, 1, pp. 145-151.
- Edhianto, B. (1992) 'Studi populasi dan karakteristik habitat satwa bido (*Spilornis cheela bido*, Horst) di RPH Temenggung BKPH Pasarsor KPH Cepu', *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Elangovan, M.V. and Dwivedi, A. (2020) 'Reproductive behaviour and habitat use of cattle egret (*Bubulcus ibis*) in Lucknow, Uttar Pradesh', *CIBTech Journal of Zoology*, 9, pp. 21-29.
- Etezadifar, F. and Barati, A. (2013) 'Nest-site selection of Western Reef Heron (*Egretta gularis*) in relation to mangrove (*Avicennia marina*) structure in the Persian Gulf: implication for management', *Forest Ecology and Management*, 310, pp. 74-79.
- FAO. (2007) *The World's Mangroves 1980–2005, A Thematic Study in the Framework of the Global Forest Resources Assessment*. Rome: Food and Agricultural Organization.
- Firaswan, A., Aryandari, R., Reza, A., Faizah, N., Rachman, N., Ramadhani, A.F. and Andalas, M.S. (2017) 'Isolation hope and threat of mangrove restoration program in Bogowonto Lagoon, Yogyakarta–Indonesia (2002-2014)' in ICBs Conference Proceedings, International Conference on Biological Science (2015), *KnE Life Sciences*, pp. 1-13.
- Fogarty, M.J. and Hetrick, M.W. (1973) 'Summer foods of cattle egrets in north central Florida', *The Auk*, 90, pp. 268-280.
- Grubb, T.C. (1976) 'Adaptiveness of foraging in the cattle egret', *The Wilson Bulletin*, 88(1), pp. 145-148.
- Hamilton, S. E. and Casey, D. (2016) 'Creation of a high spatio-temporal resolution global database of continuous mangrove forest cover for the 21st century (CGMFC-21)', *Global Ecology and Biogeography*, 25, pp. 729-738.
- Hafner, H. and Brittin, R. (1983) 'Changes of foraging sites by nesting little egrets *Egrella gazell L.* in relation to food supply', *Colonial Waterbirds*, 6, pp. 24-30.
- Harris, M. P., Wanless, S., Barton, T. R. and Elston, D. A. (1997) 'Nest site characteristics, duration of use and breeding success in the Guillemot Urea aalge', *Ibis*, 139, pp. 468 – 476.



- Hilaluddin, Shah., J. N. and Shawi, T. A. (2003) ‘Nest site selection and breeding success by cattle egret and little egret in Amroha, Uttar Pradesh, India’, *Waterbird*, 68(4), pp. 774-489.
- Holt, E. A. and Miller, S. W. (2011) ‘Bioindicators: Using organisms to measure environmental impacts’, *Nature Education Knowledge*, 2(2), pp. 8-15.
- ITIS (2023) *Bubulcus ibis* (Linnaeus, 1758). Available at: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=174803#null (Accessed: 25 September 2023)
- Iyer, M.K. (2004) ‘Nesting of Phalacrocoracidae, Threskiornithidae and Ardeidae at Ahmedabad Zoo’, *Newsletter for Birdwatchers*, 44(3), pp. 43-44.
- Khairunnisa, C., Thamrin, E. and Prayogo, H. (2020) ‘Keanekaragaman jenis vegetasi mangrove di Desa Dusun Besar Kecamatan Pulau Maya Kabupaten Kayong Utara’, *Jurnal Hutan Lestari*, 8(2), pp. 325-336.
- Kler, T.K., Kumar, M. and Mehta, P. (2014) ‘Breeding Biology of cattle egret *Bubulcus ibis* in villages of Ludhiana, Punjab, Indian’, *Journal of Applied Research*, 4, pp. 683-684.
- Knox, G.A. (2000) *Estuarine Ecosystem: A System Approach*. Florida: CRC Press, Inc.
- Kosasih, E. and Subrata, S.A. (2011) ‘Seleksi pohon untuk sarang kuntul kerbau (*Bubulcus ibis*) di dusun wisata Ketingan Kab. Sleman Daerah Istimewa Yogyakarta’, *Jurnal Ilmu Kehutanan*, 5(2), pp. 67-78.
- Krausman, P.R. (1999) ‘Some basic principles of habitat use’ in Launchbaugh, K.L., Sanders K.D. and Mosley, J.L. (eds) *Grazing Behaviour of Livestock and Wildlife*. Moscow: University of Idaho, pp. 85-90.
- Leopold, A. (1933) *Game Management*. New York: Charles Scribner’s Sons.
- Litvaitis, J.A., Titus, K. and Anderson., E.M. (1994) ‘Measuring vertebrate use of territorial habitats and foods’, in Bookhout, T.A. (eds) *Research and Management Techniques for Wildlife and Habitats*. 5th edn. Bethesda: The Wildlife and Society, pp. 254-274.
- Ludwig, E., Vanicsek, L., Torok, J. and Csorgo, T. (1994) ‘The effect of nest height on the seasonal pattern of breeding success in blackbirds’, *Tardus merula. Ardea*, 83, pp. 411-418.
- Ma, Z., Cai, Y., Li, B. and Chen, J. (2010) ‘Managing wetland habitats for water birds: An international perspective’, *Wetlands*, 30, pp. 15-27.
- MacKinnon, J. (1990) *Panduan Lapangan Pengenalan Burung di Jawa dan Bali*. Yogyakarta: Gadjah Mada University Press.
- McKilligan, N.G. (2005) ‘Herons, egrets and bitterns: Their biology and conservation in Australia’, *CSIRO Publishing*, pp. 144.
- Metallaoiu, S., Dziri, H., Bousseheba, A., Heddam, S. and Chenchouni, H. (2020) ‘Breeding ecology of the Cattle Egret (*Bubulcus ibis*) in Guerbes-Sanhadja wetlands of Algeria’, *Regional Studies in Marine Science*, 33, pp. 1-16.
- Miller, R. E. and Fowler, M. E. (2015) *Fowler’s Zoo and Animal Medicine*. Missouri: Elsevier Saunders.
- Mueller-Dombois, D. and Ellenberg H. (1974) *Aims and Methods of Vegetation Ecology*. New York: John Wiley and Sons.
- Muladi, I. K. (2004) ‘Fluktuasi populasi dan preferensi jenis pohon tempat bersarang kuntul kerbau (*Bubulcus ibis*) di halaman Hotel Sriwedari, Yogyakarta’, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.



- Mullie, W. C., Massi, A., Focardi, S. and Renzoni, A. (1992) 'Residue levels of organochlorines and mercury in cattle egret, *Bubulcus ibis*, eggs from the Fayum Oasis, Egypt', *Bulletin of Environmental Contamination and Toxicology*, 48, pp. 739-746.
- Nagelkerken, I. and van der Velde, G. (2004) 'Relative importance of interlinked mangroves and seagrass beds as feeding habitats for juvenile reef fish on a Caribbean island', *Marine Ecology Progress Series*, 274, pp. 153–159.
- Nahdi, M.S. and Kurniawan, A.P. (2013) 'Vegetation species abundance in mangrove ecosystem of Pasir Mendit at Bogowonto Lagoon, Kulon Progo, Yogyakarta', *Journal of Biological Researches*, 19, pp. 32-37.
- Nurcahyo, J. K. (2019) 'Karakteristik dan pemilihan pohon untuk tempat bersarang burung kuntul perak (*Egretta intermedia*) di Desa Wisata Ketingan, Kecamatan Mlati, Kabupaten Sleman, D. I. Yogyakarta', *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Noor, Y. S. (1993) *Laporan Penelitian Koloni Berbiak Burung Kokokan (Ardeidae) di Petulu-Bali*. Bali: Asian Wetland Bureau (AWB)-Indonesia.
- Odum, E. (1971) *Fundamentals of Ecology*, Philadelphia, Pennsylvania: Saunders.
- Patankar, P., Desai, I., Shinde, K. and Suresh, B. (2007) 'Ecology and breeding Biology of the cattle egret *Bubulcus ibis* in an industrial area at Vadodara, Gujarat', *Zoos Print Journal*, 22(11), pp. 2885-2888.
- Pérez-Crespo, M.J., Fonseca, J., Pineda-López, R., Palacios, E. and Lara, C. (2013) 'Foraging guild structure and niche characteristics of water birds in an epicontinental lake in Mexico', *Zoological Studies*, 52 (54), pp. 1-17.
- Polidoro, B.A., Carpenter, K.E., Collins, L., Duke, N.C., Ellison, A.M., Ellison, J.C., Farnsworth, E.J., Fernando, E.S., Kathiresan, K., Koedam, N.E., Livingstone, S.R., Miyagi, T., Moore, G.E., Nam, V.N., Ong, J.E., Primavera, J.H., Salmo, S.G., Sanciangco, J.C., Sukardjo, S., Wang, Y. and Yong, J.W.H. (2010) 'The loss of species: mangrove extinction risk and geographic areas of global concern', *PLoS One* 5:e10095. doi: 10.1371/journal.pone.0010095
- Putri, F.M. and Prasetyowati, S.H. (2021) 'Dampak kegiatan wisata terhadap hutan mangrove Pantai Pasir Kadilangu Kabupaten Kulon Progo Daerah Istimewa Yogyakarta', *Journal of Empowerment Community and Education*, 1(3), pp. 187-194.
- Ranglack, G. S., Angus, R. A. and Marion, K. R. (1991) 'Physical and temporal factors influencing breeding success of cattle egrets (*Bubulcus ibis*) in a West Alabama colony', *Colonial Waterbirds*, 14(2), pp. 140-149.
- Replan, E.L. and Malabriga, P.L. (2017) 'True mangrove and associated species in the mangrove ecosystem of Batangas, Aurora and Palawan, Philippines', *9th International Conference on Chemical, Agricultural, Biological and Environmental Sciences*, pp. 150-156.
- Sawitri, R. (2012) 'Environment management strategy of mangrove ecosystem in the river mouth of Bogowonto river, Kulon Progo' *Thesis*, Universitas Gadjah Mada, Yogyakarta.
- Sbiki, M., Chenchouni, H. and Si Bachir, A. (2015) 'Population increase and nest-site selection of Cattle Egrets *Bubulcus ibis* at a new colony in drylands of north-east Algeria', *Ostrich*, 86(3), pp. 231-237.



- Serosero, R.H., Abubakar, S. and Hasan, S. (2020) ‘Distribution and community structure of mangrove in Donrotu, Guratu and Manomadehe Island, West Halmahera District, North Maluku’, *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 12(1), pp. 151-166.
- Sheppard, C. (2019) *World Seas: An Environmental Evaluation*. 2nd edn. London, United Kingdom : Elsevier Ltd.
- Si Bachir, A., Barbraud, C., Doumandji, S. and Hafner, H. (2008) ‘Nest site selection and breeding success in an expanding species, the Cattle Egret *Bubulcus ibis*’, *Ardea*, 96(1), pp 99–107.
- Siegfried, W.R. (1972) ‘Breeding success and reproductive output of the cattle egret’, *Ostrich*, 43(1), pp. 43–55.
- Supardi, N.P., Eliaumra and Novayanti, I. (2019) ‘Perbandingan struktur morfologi tumbuhan mangrove berdasarkan kondisi ekosistem di Desa Bakti Agung dan Desa Labuan Kabupaten Poso’, *Jurnal Kependidikan*, 12(1), pp. 13-28.
- Taufiqurrahman, I., Yuda, P., Untung, M., Atmaja, E. D. and Budi, N. S. (2015) *Daftar Burung Daerah Istimewa Yogyakarta*. Yogyakarta: Yayasan Kutilang Indonesia.
- Taylor, I.R. and Schultz, M.C. (2008) ‘Breeding season diets of egrets in Southeast Australia: implications for future population viability’, *Waterbirds*, 31, pp. 593-601.
- Toloa, E., Kibule, M., Blasberg, D. and Pomeroy, D. (2017) ‘The increasingly urban status of the cattle egret *Bubulcus ibis* in uganda, with some observations on its variable breeding seasons and associated species’, *Scopus: Journal of East African Ornithology*, 37 (1), pp. 14–23.
- Van Lavieren, H., Spalding, M., Alongi, D., Kainuma, M., Clusener-Godt, M. and Adeel, Z. (2012) *Securing The Future Mangroves*. Kanada: United Nations University, Institute for Water, Environment and Health. A Policy Brief. UNU-INWEH, UNESCO-MAB with ISME, ITTO, FAO, UNEP-WCMC and TNC.
- Thomas, J.W. (1979) *Wildlife Habitats in Managed Forests: The Blue Mountains of Oregon and Washington*. Washington DC: Forest Service Handbook 553.
- Wardhani, S. E. (2004) ‘Karakteristik vegetasi di habitat bersarang dan sebaran kuntul kerbau (*Bubulcus ibis*) di beberapa wilayah di Provinsi Daerah Istimewa Yogyakarta’, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Weber, W. J. (1975) ‘Notes on cattle egret breeding’, *The Auk*, 92(1), pp. 111-117.
- Widodo, R., Pratiwi, R., Ningrum, F.P., Widiasuti, N. and Malik, A.A. (2018) ‘Keanekaragaman burung di kawasan wisata Pasir Mendit Kulon Progo sebagai potensi pengembangan edu-ekowisata’, *Konferensi Peneliti dan Pemerhati Burung Indonesia*, 4, pp. 168-177.
- Widodo, W., Noor, Y.R. and Wirjoatmodjo, S. (1996) ‘Pengamatan burung-burung air di Pantai Indramayu-Cirebon, Jawa Barat’, *Media Konservasi*, 5(1), pp. 11-15.
- Wulandari, C. (1988) ‘Studi populasi habitat *Egretta spp* di DIY’, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Zaman, S., Pramanick, P., Biswas, M., Mondal, B., Mukherjee, S.N., Ganguly, G., Chakraborty, D. and Mitra, A. (2014) ‘Ecosystem services of mangrove associate floral species inhabiting Indian Sundarbans’, *International Journal of Institutional Pharmacy and Life Sciences*, 4(6), pp. 29-39.