

## DAFTAR PUSTAKA

- Ahmad, Safraz *et al.* (2022). Effect of 6-Benzylaminopurine (BA) and Kinetin (Kn) on Callus Induction under In vitro Culture of Aloe vera. *Biological Forum – An International Journal* , 14(1): 890-894.
- Alhassan, A. M., and Ahmed, Q. D.( 2016). *Averrhoa bilimbi* Linn.: A review of its ethnomedicinal uses, phytochemistry, and pharmacology. *Journal of Pharmacy and Bioallied Sciences*, 8(4): 265-271.
- A.R. War, M.G. Paulraj, M. Y. War dan S. Ignacimuthu. “Role Of Salicylic Acid In Induction Of Plant Defense System In Chickpea (*Cicer arietinum* L.) ”. *Plant Signaling And Behavior*, 6(11)(2011) : 1787- 1792
- Aryani, N. A. M., Wardani, G., & Prayitno, A. (2018). Anti-inflammatory and antioxidant activity of *Averrhoa dolichocarpa* bark extract. *Journal of Applied Pharmaceutical Science*, 8(3): 88-92.
- Astutik, Astri S., dan Sutoyo. (2021). Stimulasi Pertumbuhan *Dendrobium* sp. Menggunakan Hormon Auksin *Naphtalena Acetic Acid* (IAA) dan *Indole Butyric Acid* (IBA). *Jurnal Buana Sains*, 21(1): 19-28.
- Beziranonglu *et al.* (2023). Salicylic acid improves somatic embryogenesis in callus derived from mature embryos of triticale. *Eurasian Mol Biochem Sci*, 2 (1):14-18.
- Borges *et al.* (2014). A Structure and Antioxidant Activity Study of Paracetamol and Salicylic Acid. *Pharmacology & Pharmacy*, 5(13): 2014.
- Chandana, B.C., Nagaveni, H.C.K., Heena, M.S., Kolakar, S.S., & Lakshmana, D. (2018). Role of Plant Tissue Culture in Micropropagation, Secondary Metabolite Production and Conservation of Some Endangered Medicinal Crops. *J Pharmacogn Phytochem*, SP3: 244-251.
- Damanik I.T.S., Rosmayati, and Siregar L.A.M. 2017. Pengaruh Jenis Eksplan dan Komposisi Zat Pengatur Tumbuh Terhadap Induksi Kalus Pada Tanaman Binahong (*Anredera cordifolia* (Ten.) Steenis). *Jurnal Agroekoteknologi FP USU* .(70):532–536.
- Damayanti F., Astuti I.P., Zulkarnaen R.N., and Sunarti S. Nutritional contents and

- the utilization of Indonesian native starfruits: *Averrhoa dolichocarpa* and *A. leucopetala*. *Biodiversity*, 21(4): 1303-1309.
- Dian *et al.* (2004). Pertumbuhan dan Produksi Saponin Kultur Kalus *Talinum paniculatum* Gaertn. pada Variasi Penambahan Asam 2,4- Diklorofenoksi Asetat (2,4-D) dan Kinetin. *Biofarmasi*, 2 (1): 35-43.
- Dong et la. (2023). Integrated transcriptomic and metabolomic analyses revealed the molecular mechanism of terpenoid formation for salicylic acid resistance in *Pulsatilla chinensis* callus.
- Elzaawely, A. A., Xuan, T. D., Tawata, S., & Khanh, T. D. (2006). Phenolic compounds in leaves and fruits of Vietnamese Belimbing (*Averrhoa carambola* L.). *Agricultural Sciences in China*, 5(8): 599-602.
- Eraslan, F., Inal, A., Gunes, A., & Almaslam, M. (2007). Impact of exogenous salicylic acid on the growth, antioxidant activity and physiology of carrot plants subjected to combined salinity and boron toxicity. *Scientia Horticulturae*, 113, 120–128.
- Fatmawati, A. (2008). Kajian Konsentrasi BA dan 2,4-D Terhadap Induksi Kalus Tanaman *Artemisia annua* L. Secara In Vitro [Skripsi]. Fakultas Pertanian, Universitas Sebelas Maret, Surakarta.
- Filmonof *et al.* (2014). Prediction Of The Biological Activity Spectra Of Organic Compounds Using The Pass Online Web Resource. *Chemistry of Heterocyclic Compounds*, 3(50): 444-457.
- Fitrianingsih, S.P., F. Lestari & S. Aminah. (2014). Uji efek antioksidan ekstrak etanol kulit buah salak (*Salacca zalacca* (Gaertner) Voss) dengan metode peredaman dpph. *Prosiding Skripsi Nasional Penelitian dan PKM Sains, Teknologi dan Kesehatan*. 7 Agustus 2014, Bandung, Indonesia. pp. 49-54.
- Furi, Mustika, Enda Mora, and Zuhriyah. (2015). Isolasi Dan Karakteristik Terpenoid Dari Ekstrak Etil Asetat Kulit Batang Meranti Kunyit (*Shorea Conica*). *Jurnal Penelitian Farmasi Indoneisa* 3(2):38–42.
- Handayani, V., Ahmad, A. R. & Sudir, M. (2014). Uji aktivitas antioksidan ekstrak metanol bunga dan daun patikala (*Etlintera elatior* (Jack) R.M.Sm) menggunakan metode dpph. *Pharm Sci Res*, 1(2): 87-95.

- Hussain S.Z., and Maqbool K. 2014. GC-MS: Principle, Technique and its application in Food Science. *International Journal of Current Science Research and Review*. 13(E):116–126.
- Islam, S., Alam, M. B., Ahmed, A., Lee, S. & Lee, S. H. (2020). file:///Users/macbIdentification of secondary metabolites in *Averrhoa carambola* L. bark by high-resolution mass spectrometry and evaluation for  $\alpha$ -glucosidase, tyrosinase, elastase, and antioxidant potential book. *Journal Food Chemistry*, 332: 1-9.
- Isnaini, Y., & Situmorang, J. (2005). Aplikasi Bioteknologi Untuk Pengembangan Tanaman Gaharu (*Aquilaria* spp.) di Indonesia. Studi Kasus: Perkembangan Penelitian Gaharu di Seameo Biotrop. Perhimpunan Bioteknologi Indonesia, Malang.
- J. Dong, G. Wan, dan Z. Liang. “Accumulation Of Salicylic Acid Induced Phenolic Compounds And Raised Activities Of Secondary Metabolic And Antioxydative Enzymes In *Salvia miltiorrhiza* Cell Culture ”. *Journal Of Biotechnology*, 148 (2010): 99 -104
- Julianti R.F., Nurchayati Y., and Setiari N. 2021. Produksi Flavonoid Pada Kalus Tomat (*Lycopersicon esculentum* Mill.) Secara In Vitro Dalam Medium MS Dengan Konsentrasi Sukrosa Yang Berbeda. *Metamorfosa: Journal of Biological Sciences*. 8(1):141. doi:<https://doi.org/10.24843/metamorfosa.2021.v08.i01.p15>.
- Khan, A.M.S. dan I. Ahmad. (2019). Herbal Medicine: New Look to Phytomedicine. *Academic Press*. pp. 3–13.
- Lizawati. (2012). Proliferasi Kalus Embriogenesis Somatik Jarak Pagar (*Jatropha curcas* L.) Dengan Berbagai Kombinasi Z
- Lee, C.C & Houghton, P. (2005). Cytotoxicity of plants from Malaysia and Thailand used traditionally to treat cancer. *J Ethnopharmacol*, 2005; 100: 237-243.
- Lestari, E., T. Nurhidayati., S. Nurfadillah. (2013). Pengaruh Konsentrasi ZPT 2,4-D dan BA terhadap Pertumbuhan dan Perkembangan Biji *Dendrobium laxiflorum* J.J Smith secara In Vitro. *Jurnal Sains dan Seni Pomits*, 2(1): 2337-

3520.

- Leveau, J.H.J. and S.E. Lindow. 2005. Utilization of the Plant Hormone Indole-3-Acetic Acid for Growth by *Pseudomonas putida* Strain 1290. *Applied and Environmental Microbiology*, Vol.71 No.5. May 2005, p. 2365-2371.
- Lim, T.K. 2011. *Averrhoa dolichocarpa*. *Edible Medicinal and Non-Medicinal Plant*, 1: 465-467
- Luan, F., Peng, L., Lei, Z., Jia, X., Zou, J., Yang, Y., He, X., and Zeng, N. (2021). Traditional uses, phytochemical constituents and pharmacological properties of *Averrhoa carambola* L.: a review. *Frontiers in Pharmacology*, 12: 1-27.
- Mahmud N.M.Q P. (2019). Kajian Genetik Belimbing (*Averrhoa leucopetala*) berdasarkan Profil Random Amplified Polymorphic DNA (RAPD). *Journal UIN Alauddin*, 5(1): 28-29.
- Munné-Bosch, S., & Peñuelas, J. (2003). Photo- and antioxidative protection, and a role for salicylic acid during drought and recovery in field-grown *Phillyrea angustifolia* plants. *Planta*, 217, 758–766.
- Nair, M. S., Soren, K., Singh, V. & Boro, B. (2016). Anticancer activity of fruit and leaf extracts of *Averrhoa bilimbi* on mcf-7 human breast cancer cell lines: a preliminary study. *Journal Austin Publishing*, 4(2): 1-5.
- Namdeo AG. 2007. Plant Cell Elicitation for Production of Secondary Metabolites. *Pharmacognosy Reviews*. Vol 1. Issue 1: 69-79.
- Nursolihah L., Abadi S., and Saputro N.W. 2022. Various Concentration Distribution of Benzil Amino Purine Concentration on Callus Growth in Apple Cucumber Originated from Karawang. *Jurnal Mangifera Edu*. 6(2):139–152. doi:<https://doi.org/10.31943/mangiferaedu.v6i2.120>.
- Sugiyarto L., and Paramita C.K. 2014. Effect of 2,4-Diclorofenoksiasetat (2,4-D) And Benzyl Aminopurin (BA) on The Growth Of Binahong Leaf Center (*Anredera cordifolia* L.) and Analysis of Flavonoid Total Content. *Jurnal Penelitian Saintek*. 19(1). doi:<https://doi.org/10.21831/jps.v19i1.2322>.
- Priyono, D., Suhandi, & Matsaleh. (2000). Pengaruh Zat Pengatur Tumbuh IAA dan 2-IP pada Kultur Jaringan Bakal Buah Pisang. *Jurnal Hortikultura*. 10 (3): 183 – 190.
- Ramanta, S. S. (2018). Ind

- Puteri, R.F., Evie Ratnasari, dan Isnawati. (2014). Pengaruh Penambahan Berbagai Konsentrasi IAA (Naphthalene Acetic Acid) dan BA (Benzyl Amino Purine) terhadap Induksi Kalus Daun Sirsak (*Annona muricata*) secara In Vitro. *LenteraBio*, 3(3): 154–159.
- Romano *et al.* (2013). Novel Insights into the Pharmacology of Flavonoids. *Phytotherapy Research*, 11(27): 1588-1596.
- Rugayah, Sunarti S. (2008). Two New Wild Species of *Averrhoa*(Oxalidaceae) from Indonesia. *Reinwardtia*, 12(4):325-331.
- Rugayah, R., Sunarti, S., dan Djarwaningsih, T. (2009). Keanekaragaman Tumbuhan dan Potensinya di Cagar Alam Tangale, Gorontalo. *J. Tek. Ling* 10(2): 173-181.
- Rasud, Y., & Bustaman, B. (2020). In vitro callus induction from Clove (*Syzygium aromaticum* L.) leaves on medium containing various auxin concentrations. *Jurnal Ilmu Pertanian Indonesia*, 25(1): 67–72. <https://doi.org/10.18343/jipi.25.1.67>
- Saleh, M.S.M., M.J. Siddiqui, S.Z.M. Soad, S. Murugesu, A. Khatib & M.M. Rahman. (2018). Antioxidant and  $\alpha$ -glucosidase inhibitory activities and gas chromatography-mass spectrometry profile of salak (*Salacca zalacca*) fruit peel extracts. *Pharmacognosy Research*, 10(4): 385–390.
- Setyawaty, R., R. Aptuning & Dewanto. (2020). Preliminary studies on the content of phytochemical compounds on skin of salak fruit (*Salacca zalacca*). *Pharmaceutical Journal of Indonesia*, 6(1): 1-6.
- Setiaji, A. (2020). Effect of different strenght of medium on germination and seedling growth of tomato and sucrose effect on biomass of tomato callus. *Jurnal Biota*, 6(1): 12-18.
- Sharifi *et al.* (2019). Effect of salicylic acid on phenols and flavonoids content in callus culture of Iranian sodab (*Ruta graveolens*): A threatened medicinal plant of north of Iran. *Tabari Biomed Stu Res J*, 1(3): 32-36.
- Thomy, Z. (2012). Effect of Plant Growth Regulator 2,4-D and BA on Callus Growth of Plants Producing Gaharu. (*Aquilaria malaccensis* Lamk.). Prosiding Seminar Hasil Nasional Biologi. Medan 11 Mei 2012.

- Tjahjani, S., Nugrahaeni, N., & Lestari, P. (2014). Total flavonoid content and alkaloid profile of *Averrhoa bilimbi* L. and *Averrhoa dolichocarpa*. C.Y. Wu. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(3), 106-109.
- Tounekti T., Sergi M.B., and Iker H. (2013). Salicylic Acid Biosynthesis and Role in Modulating Terpenoid and Flavonoid Metabolism in Plant Responses to Abiotik Stress. *Springer Netherlands*, 8: 141-162.
- Tunjung, W. A. S., Cinatl, J., Michaelis, M., & Smales, C. M. (2015). Anti-Cancer Effect of Kaffir Lime (*Citrus Hystrix* DC) Leaf Extract in Cervical Cancer and Neuroblastoma Cell Lines. *Procedia Chemistry*, 14, 465–468. <https://doi.org/10.1016/j.proche.2015.03.062>
- Ulva M., Nurchayati Y., Prihastan E., and Setiari N. 2019. Pertumbuhan Kalus Tomat (*Lycopersicon esculentum* Mill.) Varietas Permata F1 dari Jenis Eksplan dan Konsentrasi Sukrosa yang Berbeda secara in vitro. *Life Science*. 8(2):160–169.
- Upadhyay R., Patel K., and Upadhyay U. 2023. A Review Article on Advancements in GC-MS. *International Journal of Pharmaceutical Research and Applications*. 8(2):54–59.
- Wahyuni, E. T., Yuliani, S., & Mahdi, C. (2015). Antibacterial activity of *Averrhoa dolichocarpa* leaves extract against pathogenic bacteria. *Indonesian Journal of Biotechnology*, 20(1), 29-36.
- Widiastoety, D. 2014. Pengaruh auksin dan sitokinin terhadap pertumbuhan planlet anggrek Mokara. *J. hort* 24 (3) 230-238.
- Yan SW, Ramasamy R, Alitheen NBM, Rahmat A. (2013). A comparative assessment of nutritional composition, total phenolic, total flavonoid, antioxidant capacity, and antioxidant vitamins of two types of Malaysian underutilized fruits (*Averrhoa bilimbi* And *Averrhoa carambola*). *IntlJ Food Prop*, 16:1231-1244.
- Yang *et al.* (2020). Advances in Pharmacological Activities of Terpenoids. *Natural Product Communications*, 15(3): 1–13.