



## DAFTAR PUSTAKA

- Abou-Shaara, Hossam. 2018. A Scientific Note on the Evolutionary Relationships Between Honey Bees and Their Enemies. *CERCETARI AGRONOMICE IN MOLDOVA (AGRONOMIC RESEARCH IN MOLDAVIA)*. 51.
- Arias M.S., Tingek S., Kelitu A., Sheppard W.S. 1996. *Apis nuluensis* Tingek, Koeniger and Koeniger, 1996 and its genetic relationship with sympatric species inferred from DNA sequences, *Apidologie* 27, 415–422.
- Bartels, P., Hirsch, P.E., Svanbäck, R., Eklöv, P. 2012. Water Transparency Drives Intra-Population Divergence in Eurasian Perch (*Perca fluviatilis*). *PLoS ONE* 7(8): e43641.
- Batoro, J., Lastriyanto, A., Junus, M., Jaya, F., Lamerkabel, Y., Ervan, Masyithoh, D., and Ustadi. 2022. Plant Families Potentially Visited by the Honey Bees (*Apis* spp. and *Trigona* spp.) at Universitas Brawijaya Campus Area and Sawojajar Residential Area of Malang City, East Java, Indonesia. *International Journal of Agriculture and Forestry*, 12(2): 37-44.
- Bhardwaj, P. 2019. Types of sampling in research. *Journal of the Practice of Cardiovascular Sciences*. 5. 157.
- Bustamante, T., Fuchs, S., and Grünwald, B. 2021. A geometric morphometric method and web application for identifying honey bee species (*Apis* spp.) using only forewings. *Apidologie* 52, 697–706.
- Cameron J. Jack, Andrea Lucky, and James D. Ellis. 2016. Giant Honey Bee (suggested common name) *Apis dorsata Fabricius* (Insecta: Hymenoptera: Apidae). *Entomology and Nematology Department, UF/IFAS Extension*, EENY646, 1 – 5.
- Campbell, N.A., J.B. Reece and L.G. Mitchell. 2004. Biologi. Jakarta: 5<sup>th</sup> ed. Erlangga.
- Campbell, S., Greenwood, M., Prior, S., Shearer, T., Walkem, K., Young, S., Bywaters, D., and Walker, K. 2020. Purposive sampling: complex or simple? Research case examples. *Journal of research in nursing* :



JRN, 25(8), 652– 661.

- Cane, Jim & Tepedino, Vincent. 2016. Gauging the Effect of Honey Bee Pollen Collection on Native Bee Communities. *Conservation Letters*.
- Culliney, T. W., "Geological History and Evolution of the Honey Bee" 1983. Co. Paper 22.
- Culliney, T.W. 1983. Origin and Evolutionary History of the Honeybees *Apis. Bee World*. 64. 29-38.
- Damayanti, B., Rizali, A., Priawandiputra, W., Raffiudin, R., Sartiami, D., Pujiastuti, Y., Jauharlina, Pradana, M.G., Meilin, A., Leatemia, J.A., Sudiarta, I.P., Rustam, R., Nelly, N., Lestari, P., Syahputra, E., Hasriyanti, Watung, J.F., Daud, I.D.A., Hariani, N., Jihadi, A., and Johannis, M. 2020. Beekeeping and Managed Bee Diversity in Indonesia: Perspective and Preference of Beekeepers. *Diversity*. 14(1):52.
- Dillon, M. E. "Into Thin Air: Physiology and Evolution of Alpine Insects." *Integrative and Comparative Biology*, vol. 46, no. 1, 6 Jan. 2006, pp. 49–61
- Eimanifar A, Kimball RT, Braun EL, Fuchs S, Grünwald B, Ellis JD. 2017. The complete mitochondrial genome of *Apis nuluensis* Tingek, an Asian honey bee (Insecta: Hymenoptera: Apidae). *Mitochondrial DNA B Resour*. 2(2):552-553.
- El-Aw, M. A.; Kh. A. Draz; Kh. S. Abd El-Hamid and H. Abo-Shara. 2012. Measuring The Morphological Characters Of Honey Bee (*Apis mellifera* L.) Using A Simple Semi-Automatic Technique] *Journal of American Science*; 8 (3):558-564.
- Engel, Michael S. 2012. "THE HONEY BEES of INDONESIA (HYMENOPTERA: APIDAE)." *TREUBIA*, vol. 39, 31, pp. 41–49,
- Engel, M. S. and Rasmussen, C. 2020. Corbiculate Bees, In *Encyclopedia of Social Insects*, edited by C. Starr. Springer. Cham. pp. 1-9.
- Engel, M.S. (1999) The taxonomy of recent and fossil honey bees (Hymenoptera: Apidae: Apis). *Journal of Hymenoptera Research* 8: 165-196.



Exotic Bee ID. (n.d.). *Entomology and Nematology Department*, University of Florida. Retrieved from [https://idtools.org/exotic\\_bee/](https://idtools.org/exotic_bee/). Accessed: 6 June 2024

Farah Farhana Ramli, Kaviarasu Munian, Othman, N., Nur Hartini Sariyati, Akmal, N., Mohd Lokman Ilham-Norhakim, & Muhammad. (2024). A comparative assessment of *16S ribosomal RNA* and *Cytochrome C Oxidase Subunit I (COI)* Primers for Amphibian DNA Barcoding. *Bio Web of Conferences/BIO Web of Conferences*, 94, 01003–01003.

Folmer O, Black M, Hoeh W, Lutz R, Vrijenhoek R. 1994. DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. *Mol Mar Biol Biotechnol*. Oct;3(5):294-9. PMID: 7881515.

Geist, V. 1987. "Bergmann's rule is invalid". *Canadian Journal of Zoology*. 65 (4): 1035–1038.

Goulson, D., & Derwent, L. C. (2004). Synergistic interactions between an exotic honeybee and an exotic weed: pollination of *Lantana camara* in Australia. *Weed Research*, 44(3), 195–202.

Hadisolesilo, S. 2001. Keanekaragaman Spesies Lebah Madu Asli Indonesia. *Biodiversitas*, 2 (1): 123 - 128.

Han, F., Wallberg, A., and Webster, M.T. 2012. "From where did the Western honeybee (*Apis mellifera*) originate?". *Ecology and Evolution*. 2 (8): 1949– 1957.

Hassona, Nadia. 2017. "Cubital Index Determination of Some Honey Bee Races *Apis Mellifera* Subspecies at El-Manzla Region in El-Dakahlia Governorate, Egypt." *Journal of Plant Protection and Pathology /Journal of Plant Protection and Pathology*, 8 (12); 625–629.

Hidayat, P.A., Pratikno H., dan Basuki E. 2016. Keragaman Serangga Polinator pada Tumbuhan Edelweiss Jawa (*Anaphalis javanica*) di Gunung Slamet, Jawa Tengah. *Seminar Nasional Pendidikan dan Saintek 2016*, 481 – 491.

Hossam, Abou-Shaara, & Al-Ghamdi, Ahmad & Mohamed, A.A.. (2012).



Tolerance of two honey bee races to various temperature and relative humidity gradients. *Environmental and Experimental Biology*. 10. 133–138.

Human H., Nicolson S.W., Dietemann V. 2006. Do honeybees, *Apis mellifera scutellata*, regulate humidity in their nest? *Naturwissenschaften* 93: 397–401.

ITIS (Integrated Taxonomic Information System). [retrieved January 30, 2023]. *Subfamily Apinae, Taxonomic Serial No.: 633913*.

Johnson, B., Borowiec, M., Chiu, J., Lee, E., Atallah, J., and Ward, P. 2013. Phylogenomics resolves evolutionary relationships among ants, bees, and Wasps. *Current Biology*, 23(20), 2058-2062.

Kahono, S. 2009. Kajian Awal Fungsi Gunung Ciremai Sebagai Habitat Penting Bagi “Bumblebee”, *Bombus rufipes* Lepeletier 1836 (Hymenoptera: Apidae). *Jurnal Biologi Indonesia*, 5 (3): 387–390.

Kamel, M. 2021. Hiking trails effects on the diversity of gall-inducing insects in high altitude ecosystem, St. Katherine Protectorate, Egypt, *Zoology in the Middle East*, 67 (1): 48-56.

Kasi, P. D., Ariandi, A., & Tenriawaru, E. P. (2019). Identifikasi Bakteri Asam Laktat dari Limbah Cair Sagu dengan Gen 16S rRNA. *Inflammatory Bowel Diseases*, 36(1), 35–40.

Katuwal, Dharma Raj and Pokhrel, Alina, Comparative Study of *Apis cerena* and *Apis mellifera* .2023. *Journal of Agriculture & Forestry Research*, Volume 2, (3).

Kekeçoglu1, M., Bouga, M., Soysal M., I., and Harizanis, P. 2007. Morphometrics as a Tool for the Study of Genetic Variability of Honey Bees. *Journal of Tekirdag Agricultural Faculty*, 4 (1): 7 – 15.

Khan, K.A. 2021. Genetic diversity and phylogenetic relationship among the western and the Asian honey bees based on two mitochondrial gene segments (COI and ND5). *Saudi J Biol Sci*, 28(12):6853-6860.

Kotthoff, Ulrich & Wappler, Torsten & Engel, Michael. 2011. Miocene honey bees from the Randeck Maar of southwestern Germany (Hymenoptera, Apidae). *ZooKeys*. 96. 11-37.



- Kumar R. and Chaudhary, O.P. (1996). *Ageratum conyzoides L.* a major pollen source to Italian honeybees, *Apis mellifera* in Northern India. Conference: *Silver jubilee national symposium on arid horticulture At: CCS Haryana Agricultural university, Hisar, 5.*
- Kumar, M. S., A.J. A. R. Singh, and G. Alagumuthu. 2012. Traditional beekeeping of stingless bees (*Trigona* sp.) by kani tribes of Western Ghats, Tamil Nadu, India. *Indian J Tradit. Knowledge*, 11(12): 342-345.
- Lamerkabel, J.S.A. 2011. Mengenal Jenis – Jenis Lebah Madu, Produk – Produk dan Cara Budidayanya. *Jurnal Ilmu dan Pengetahuan Teknologi*. 9(1) : 70 – 78.
- Lenaini, I. 2021. TEKNIK PENGAMBILAN SAMPEL PURPOSIVE DAN SNOWBALL SAMPLING Jurnal Historis, 6 (1).
- Louabé, S., Tekombo, B. M. K., Topé, S. F., & Fohouo, F. T. (2022). Pollination efficiency of *Apis mellifera* (Hymenoptera: Apidae) on *Lantana camara* (Verbenaceae) flowers at Dang (Ngaoundéré, Cameroon). *Journal of Entomology and Zoology Studies*, 10(1), 25–33.
- Ma Z, Ren J, Zhang R. Identifying the Genetic Distance Threshold for Entiminae (Coleoptera: Curculionidae) Species Delimitation via COI Barcodes. *Insects*. 2022 Mar 5;13(3):261.
- Martins, A.C., Melo, G.A. and Renner, S.S. 2014. The corbiculate bees arose from New World oil-collecting bees: Implications for the origin of pollen baskets. *Molecular phylogenetics and evolution*, 80: 88-94.
- Mattila, H. R., Rios, D., Walker-Sperling, V. E., Roeselers, G., & Newton, I. L. 2012. Characterization of the active microbiotas associated with honey bees reveals healthier and broader communities when colonies are genetically diverse. *PLoS One*, 7(3), e32962.
- Meixner, M. D., Pinto, M. A., Bouga, M., Kryger, P., Ivanova, E., & Fuchs, S. (2013). Standard methods for characterising subspecies and ecotypes of *Apis mellifera*. *Journal of Apicultural Research*, 52(4), 1–28.



- Engel, Michael S, Hinojosa-Diaz I.A., and Rasnitsyn A.P. 2009. "A honey bee from the Miocene of Nevada and the biogeography of *Apis* (Hymenoptera: Apidae: Apini)". *Proceedings of the California Academy of Sciences*. 60 (3): 23–38.
- Engel, Michael S. 1999. "The taxonomy of recent and fossil honey bees (Hymenoptera: Apidae: *Apis*)". *Journal of Hymenoptera Research*. 8: 165– 196.
- Michener, C. D. (2007). *The bees of the world*. JHU Press. Page: 49 – 55.
- Milner, J.R.D, Bloom, E.H., Crowder, D.W., and Northfield, T.D. 2020. Plant evolution can mediate negative effects from honey bees on wild pollinators. *Ecol Evol*, 10: 4407– 4418.
- Mortensen, A.N., Schmehl, D.R., and Ellis, J. 2013. "European honey bee". Entomology and Nematology Department, University of Florida, EENY 568.
- Natalia Gutiérrez-Pinto, Kevin G. McCracken, Luis Alza, Pablo Tubaro, Cecilia Kopuchian, Andrea Astie, Carlos Daniel Cadena. 2014. The validity of ecogeographical rules is context-dependent: testing for Bergmann's and Allen's rules by latitude and elevation in a widespread Andean duck, *Biological Journal of the Linnean Society*. 111 (4) : 850–862.
- Novita, N., Saepudin, R., & Sutriyono, S. (2013). Analisis Morfometrik Lebah Madu Pekerja *Apis cerana* Budidaya pada Dua Ketinggian Tempat yang Berbeda. *Jurnal Sain Peternakan Indonesia/Jurnal Sain Peternakan Indonesia*, 8(1), 41–56.
- Nucleotide [Internet]. Bethesda (MD): National Library of Medicine (US), National Center for Biotechnology Information; [1988] – . Accession No. MZ191825.1, *Apis cerana isolate KYY-42 cytochrome c oxidase subunit I (COX1) gene, partial cds; mitochondrial*; [cited 2024 07 01]. Available from: [https://www.ncbi.nlm.nih.gov/nucleotide/MZ191825.1?report=genbank&log\\$=nucltop&blast\\_rank=9&RID=88C3DVA7016](https://www.ncbi.nlm.nih.gov/nucleotide/MZ191825.1?report=genbank&log$=nucltop&blast_rank=9&RID=88C3DVA7016)
- Oldroyd, B. P., & Wongsiri, S. (2009). *Asian Honey Bees (Biology,*



*Conservation, and Human Interactions).* Cambridge, Massachusetts and London, England: Harvard University Press. ISBN 0674021940.

Oldroyd, Benjamin, P. and Wongsiri, S. 2006. Asian Honey Bees (Biology, Conservation, and Human Interactions). Cambridge, Massachusetts and London, England: Harvard University, *Undergraduate Research Journal*.

Omayio, D., and Mzungu, E. 2019. Modification of Shannon-Wiener Diversity Index towards Quantitative Estimation of Environmental Wellness and Biodiversity Levels under a Non-comparative Scenario. *Journal of Environment and Earth Science*, 9 (9): 57.

Pearson WR. 2013. An introduction to sequence similarity ("homology") searching. *Curr Protoc Bioinformatics*. Chapter 3:3.1.1-3.1.8.

Petz M., Stabentheiner A., Crailsheim K. 2004. Respiration of individual honeybee larvae in relation to age and ambient temperature. *J. Compar. Physiol. B* 174: 511–518

Radloff, Sarah, E., Hepburn, Colleen, Randall, H.H., Fuchs, Stefan, Hadisoesilo, S., Tan, K., Engel, M.S., and Kuznetsov, V. 2010. "Population structure and classification of *Apis cerana*". *Apidologie*. 41 (6): 589–601.

Raffiudin, R., And Crozier, R. 2007. Phylogenetic analysis of honey bee behavioral evolution. *Molecular phylogenetics and evolution*. 43. 543-52.

Raffiudin, R., S. Hadisoesilo dan T. Atmowidi. 2005. *Studi Keragaman Genetik dan Morfologi Lebah Apis koschevnikovi di Kalimantan Selatan*. Lembaga Penelitian dan Pemberdayaan Masyarakat. Institut Pertanian Bogor, Bogor.

Raisyah, R. 2023. IDENTIFICATION OF MORPHOLOGICAL CHARACTERS AND ANTIOXIDANT ACTIVITY OF HONEY FROM FIRE BEES. *International Journal Of Technology Science* 1 (1): 29-38.

Rajkumari, P., Rahman, A., & Bathari, M. (2020). Morphometric and molecular characterization of Eastern honey bee, *Apis cerana* F.



populations in the Northeast Himalayas. *Journal of Entomology and Zoology Studies*, 8(1), 1273–1280.

Ratia, G. 2023. Taxonomy and world distribution map of Honey Bee species, *Apiservices*. (Accessed: April 4, 2023).

Rika Raffiudin, Meis Dyahastuti, Rahmia Nugraha, Sayasti, T., Nina Ratna Djuita, Suwananda, E., Allvioningrum, V., Reza Mardhony, Biagioni, S., Christina Ani Setyaningsih, Lilik Budi Prasetyo, Windra Priawandiputra, Tri Atmowidi, Saad, A., & Behling, H. (2024). The effect of land cover on the foraging behavior and pollen in the honey of the giant bee *Apis dorsata* in Sumatra. *Frontiers in Bee Science*, 2.

Rohlf, F.J., Slice, D. 1990. Extensions of the procrustes method for the optimal superimposition of landmarks. *Syst. Biol.* 39, 40-59.

Rubinoff, D. 2018. "Bees gone wild". *Scientific American*. Retrieved 14 August 2019.

Ruttner F. 1988. *Biogeography and taxonomy of honeybees*, Springer Verlag, Berlin. pp; 201 – 217.

Sanford, M.T. and Dietz, A. 1976. "The fine structure of the wax gland of the honey bee (*Apis mellifera L.*)". *Apidologie*. 7 (3): 197–207.

Santoso, M.A.D., Juliandi, B., and Raffiudin, R. 2018. Honey Bees Species Differentiation using Geometric Morphometric on Wing Venations. *IOP Conf. Series: Earth and Environmental Science*, 197: 1-7.

Sharma, Harish & Partap, Uma & Gurung, Min & Islam, Nurul & Tamang, Nar. 2012. Beekeeping Training for Farmers in the Himalayas Resource Manual for Trainers. *Kathmandu: ICIMOD, ResearchGate*. pp; 12 – 31.

Shelomi, Matan & Zeuss, Dirk. (2017). Bergmann's and Allen's Rules in Native European and Mediterranean Phasmatodea. *Frontiers in Ecology and Evolution*. 5, 25: 1 - 13.

Steenis, CGGJ van. 2006. Flora Pegunungan Jawa. Terj. *Pusat Penelitian Biologi LIPI, Bogor*. Hal. 22-25.

Sujarwo, A. 2019. MMA TRAIL: Perjalanan Sembilan Hari di Jantung Pulau Jawa yang Mengubah Pikiran Manusia. *Phoenix Publisher*.



Jakarta. pp. 163.

Supriatna, J. 2014. *Berwisata Alam di Taman Nasional*. Yayasan Pustaka Obor Indonesia. Jakarta. pp. 203.

Tanaka, H., Roubik, D., Kato, M. (2001) .Phylogenetic position of *Apis nuluensis* of northern Borneo and phylogeography of *A. cerana* as inferred from mitochondrial DNA sequences. *Insectes soc.* 48, 44–51

Tautz J., Maier S., Groh C., Rossler W., Brockmann A. 2003. Behavioral performance in adult honey bees is influenced by the temperature experienced during their pupal development. *Proc. Natl. Acad. Sci. USA* 100: 7343–734

Thummajitsakul, S., S. Klinbunga, and S. Sittipraneed. 2011. Genetic differentiation of the stingless bee *Tetragonula pagdeni* in Thailand using SSCP analysis of a large subunit of mitochondrial ribosomal DNA. *Biochem. Genet.*, 49: 499-510.

Tingek, S., Koeniger, G., & Koeniger, N. (1996). Description of a new cavity nesting species of *Apis* (*Apis nuluensis* n. sp.) from Sabah, Borneo, with notes on its occurrence and reproductive biology (Insecta: Hymenoptera: Apoidea: Apini). *Senckenbergiana Biologica*, 76, 115-120

Tofilski, Adam. (2008). Using geometric morphometrics and standard morphometry to discriminate three honeybee subspecies. *Apidologie*. 39, 558–563

Trianto, M. and Purwanto, H. 2020. Molecular phylogeny of stingless bees in the Special Region of Yogyakarta revealed using partial *16S rRNA* mitochondrial gene. *Buletin Peternakan*, 44(4): 186-193.

Turner, D.P. 2020, Sampling Methods in Research Design. *Headache: The Journal of Head and Face Pain*, 60: 8-12.

Valenzano, Dario & Mennucci, Andrea & Tartarelli, Giandonato & Cellerino, Alessandro. (2006). Shape analysis of female facial attractiveness. *Vision research*. 46. 1282-91.

Wallberg, A., Schöning, C., Webster, M.T., and Hasselmann, M. .2017. Two extended haplotype blocks are associated with adaptation to high altitude habitats in East African honey bees, *PLoS Genet* 13(5): e1006792.



- Weber, E. 2012. "Apis mellifera: The Domestication and Spread of European Honey Bees for Agriculture in North America". University of Michigan *Undergraduate Research Journal*, (9): 21.
- Webster, Mark, S., David, H. 2010. "A Practical Introduction to Landmark-Based Geometric Morphometrics". *Paleontological Society Papers. 16 (Quantitative Methods in Paleobiology)*: 163–188.
- Widhiono, I., Haryanto, T., Sudiana, E., Proklamasiningsih, E., dan Yani, E. 2022. Rediscovery of *Bombus rufipes* Lepeletier 1835 (Hymenoptera: Apoidea: Bombidae) on Mount Slamet. *Journal of Tropical Biodiversity and Biotechnology*, (7) : 02 (2022): jtbb70620.
- Winston, M., Dropkin, J., Taylor, O. 1981. "Demography and life history characteristics of two honey bee races (*Apis mellifera*)". *Oecologia*. 48 (3): 407–413.
- Wolf, T. J., & Schmid-Hempel, P. 1989. Extra Loads and Foraging Life Span in Honeybee Workers. *Journal of Animal Ecology*, 58(3), 943–954.
- Woyke, Jerzy. (2000). 1998 Differences in Body Colour Expression Between European and Asian Honeybees. *Proceedings of Fourth Asian Apicultural Association, Khatmandu 1998*. 20 – 23.
- Xia Y, Gu HF, Peng R, Chen Q, Zheng YC, Murphy RW, Zeng XM. 2012. COI is better than 16S rRNA for DNA barcoding Asiatic salamanders (Amphibia: Caudata: Hynobiidae). *Mol Ecol Resour*. 2012 Jan;12(1):48-56.
- Yang, L. and Li, S. 2015. Hydrogen Sulfide Inhibits Flowering but Hastens New Leaf Growth in Bok Choy (Chinese Cabbage). *J. Emerg. Invest*, 1 – 4.
- Zaja, Meri & Kiprijanovska, Hrisula & Dolgoski, Blagoja & Krstevska, Mirjana & Angelova, Elizabeta & Uzunov, Aleksandar. (2019). DETERMINATION OF THE CUBITAL INDEX AT HONEY BEES FROM AUTOCHTHONOUS POPULATION (*APIS MELLIFERA MACEDONICA*) IN MARIOVO REGION. *Journal of Hygienic Engineering and Design*, 49 – 53.



UNIVERSITAS  
GADJAH MADA

**Identifikasi Lebah Madu (Hymenoptera: Apini) di Taman Nasional Gunung Merbabu (TNGMb) dengan Analisis Geometrik Morfometrik dan Molekuler**

Aqil Abyan Rahman, Drs. Hari Purwanto, M. P., Ph.D.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zemlak, T. S., R. D. Ward, A. D. Connell, B. H. Holmes, and P. D. N.

Hebert. 2009. DNA barcoding reveals overlooked marine fisher. *Mol.*

*Ecol. Resour.* 9: 237-24