



## REFERENCES

- Abdi, H., and Williams, L. (2010) Principal Component Analysis. *WIREs Compt Stat*, 2: 433-459. DOI: 10.1002/wics.101.
- Adityas, M. (2013) Bentuk Bidang Pecahan Fosil Cervidae Koleksi Museum Sangiran (Analisis Mikroskopis). *Jurnal Arkeologi Papua*, 2: 45-55
- Ali, N., Abdullah, M., Nor, S., Pau, T., Kulaimi, N., and Naim, D. (2020) A review of the genus *Rusa* in the indo-malayan archipelago and conservation efforts. *Saudi Journal of Biological Sciences*, 28(1): 10-26. DOI: 10.1016/j.sjbs.2020.08.024.
- Axis lydekkeri* (Martin, 1888) in GBIF Secretariat (2023). *GBIF Backbone Taxonomy*. Checklist dataset <https://doi.org/10.15468/39omei> accessed via GBIF.org on 2024-07-15.
- Ballantyne, C. (2002) A general model of paraglacial landscape response. *The Holocene*, 12(3): 371-376. DOI: 10.1191/0959683602hl553fa.
- Behrensmeyer, A., and Miller, J. (2012) Building Links Between Ecology and Paleontology Using Taphonomic Studies of Recent Vertebrate Communities. *Paleontology in Ecology and Conservation*: 69-91. DOI: 10.1007/978-3-642-25038-5\_5.
- Benton, M. (2010) Studying Function and Behavior in Fossil Record. *PLoS Biology*, 8(3): 1-5. DOI: 10.1371/journal.pbio.1000321.
- Berghuis, H., van Kolfschoten, T., Adhityatama, S., Troelstra, S., Noerwidi, S., Suriyanto, R., Wibowo, U., Pop, E., Kurniawan, I., Hilgen, S., Veldkamp, A., and Joordens, J. (2022) The eastern Kendeng Hills (Java, Indonesia) and the hominin-bearing beds of Mojokerto, a re-interpretation. *Quaternary Science Reviews*, 295. DOI: 10.1016/j.quascirev.2022.107692.
- Bismark, R., Mukhtar, A., Takandjanji, M., Garsetiasih, R., Setio, P., Sawitri, R., Subiandono, E., Iskandar, S., and Kayat, K. (2018) Pengembangan Penangkaran Rusa Timor. *Sintesis Hasil-Hasil Litbang*: 4 – 30. ISBN: 978-979-8452-39-0.



Boone and Crockett Club, “*Antler Measurements*” in *Quality Whitetails*. (Stackpole Books, Mechanicsburg, 1995): 33-34.

Bubenik, G., and Hundertmark, K. (2002) Accessory antlers in male Cervidae. *Zeitschrift fur Jagdwissenschaft*, 48(1): 10-21. DOI: 10.1007/BF02285353.

Cap, H., Aulagnier, S., and Deleporte, P. (2002) The phylogeny and behavior of Cervidae (Ruminantia Pecora). *Ethology, Ecology, & Evolution*, 14: 199-216.

Croitor, R. (2018) Systematical position and paleoecology of the endemic deer *Megaceroides algericus* Lydekker, 1890 (Cervidae, Mammalia) from the late Pleistocene-early Holocene of North Africa. *Geobios*, 49: 265-283.

Currey, J., Landete-Castillejos, T., Estevez, J., Ceacero, F., Olguin, A., Garcia, A., and Gallego, L. (2009) The mechanical properties of red deer antler bone when used in fighting. *Journal of Experimental Biology*, 212(24): 3985-3993. DOI: 10.1242/jeb.032292.

Dong, W. (2007) New material of Muntiacinae (Artiodactyla, Mammalia) from the Late Miocene of the northeastern Qinghai-Tibetan Plateau, China. *Comptes Rendus Paleovol*, 6(5): 335-343.

Evans, J. (2018) Fluvial Environments. *Encyclopedia of Engineering Geology*, 358-364. DOI: 10.1007/978-3-319-12127-7\_129-1.

Feleke, M., Bennett, S., Chen, J., Hu, X., Williams, D., and Xu, J. (2020) New physiological insights into the phenomena of deer antler: A unique model for skeletal tissue regeneration. *Journal of Orthopaedic Translation*: 57-66. DOI: 10.1016/j.jot.2020.10.012.

Fortelius, M., Eronen, J., Jernvall, J., Liu, L., Pushkina, D., Rinne, J., Tesakov, A., Vislobokova, I., Zhang, Z., and Zhou, L. (2002) Fossil mammals resolve regional patterns of Eurasian climate change over 20 million years. *Evolutionary Ecology Research*, 4:1005-1006.

Garsetiasih, R., Sawitri, R., and Rianti, A. (2016) *Bioekologi dan Konservasi Banteng di Indonesia*: 13-57. ISBN: 978-602-6961-13-6.



Gibbard, P., and Head, M. (2010) *The newly-ratified definition of the Quaternary System/Period and redefinition of the Pleistocene Series/Epoch, and comparison of proposals advanced prior to formal ratification*, 33(3): 152. DOI: 10.18814/epiiugs/2010/v33i3/002.

Goodenough, J., McGuire, B., and Jakob, E. (2010) *Perspective on Animal Behavior*. ISBN 978-0-470-04517-6.

Gruwier, B., de Vos, J., and Kovarovic, K. (2015) Exploration of the taxonomy of some Pleistocene Cervini (Mammalia, Artiodactyla, Cervidae) from Java and Sumatra (Indonesia): a geometric- and linear morphometric approach. *Quaternary Science Reviews*, 119: 35-53. DOI: 10.1016/j.quascirev.2015.04.012.

Gusmalinda, R., Dewi, B., and Masruri, N. (2016) Social Behavior of Spotted Deer (*Axis axis*) in Gunung Madu Plantations Inc. Sanctuary Lampung Tengah Lampung Province Indonesia. *Proceedings of 3<sup>rd</sup> International Wildlife Symposium*: 1-7. ISBN: 978-601-0860-13-8.

Hammer, O., Harper, D., and Ryan, P. (2001) PAST: PALEONTOLOGICAL STATISTICS SOFTWARE PACKAGE FOR EDUCATION AND DATA ANALYSIS. *Palaeontologica Electronica*, 4(1): 1-9

Haryono, M. (2019) *Panduan Identifikasi Jenis Satwa Liar dilindungi Mamalia*: 36-40.

Hsieh, S., and Plotnick, R. (2020) The representation of animal behavior in the fossil record. *Animal Behavior*, 169: 65-80. DOI: 10.1016/j.anbehav.2020.09.010

Huffman, F. (2001) PLIO-PLEISTOCENE ENVIRONMENTAL VARIETY IN EASTERN JAVA AND EARLY HOMO ERECTUS PALEOECOLOGY – A GEOLOGICAL PERSPECTIVE. *Sangiran: Man, Culture, and Environment in Pleistocene Times, Proceedings of the International Colloquium on Sangiran Solo – Indonesia*, 31(2): 93-107

Janis, C. (2008) An Evolutionary History of Browsing and Grazing Ungulates. *Biodiversity in Managed Landscapes: Theory and Practice*, 195, 2(2): 21-30



Kawtikwar, P., Bhagwat, D., and Sakarkar, D. (2010) Deer antlers – Traditional use and future perspective. *Indian Journal of Traditional Knowledge*, 9(2): 245-251.

Kubo, M., and Yamada, E. (2014) The Inter-Relationship between Dietary and Environmental Properties and Tooth Wear: Comparisons of Mesowear, Molar Wear Rate, and Hypsodonty Index of Extant Sika Deer Populations. *PLoS One*, 9(3): 23-46. DOI: 10.1371/journal.pone.0090745.

Kumawat, R., Joshi, S., Mathur, R., and Choudhary, O.P. (2014) Gross Morphological Studies on Mandible of Indian Spotted Deer (*Axis axis*). *Indian Veterinary Journal*, 91(09):105-107.

Morley, R. and Morley, H. (2021) 1.31 Tropical Asia during Pleistocene. *Holocene Climate Change and Environment*, 1-32

Pitra, C., Fickel, J., Meijaard, E., and Groves, P. (2004) Evolution and phylogeny of Old-World Deer. *Molecular Phylogenetics and Evolution*, 33: 880-895. DOI: 10.1016/j.ympev.2004.07.013.

Rizwar, R., Kamilah, S., Darmi, D., Syarifuddin, S., Nelda, F., and Oktarina, D. (2021) Feeding Preference and Daily Activities of Deer ( *Axis axis* Erxl. 1777) in the Captivity of Wari Park, South Sumatra Province. *3rd KOBI Congress, International and National Conferences*: 183-185. DOI: 10.2991/absr.k.210621.030

Thornbury, W. (1950) GLACIAL SLUICEW A YS AND LA CU STRINE PLAINS OF SOUTHERN INDIANA. *Indian Geological Survey Bulletin* 04: 3-20.

Turner, D., and Han, J. (2023) Living fossils and conservation values. *Frontiers Earth Science*, 11: 1-8. DOI: 10.3389/feart.2023.1086066.

van den Bergh, G., de Vos, J., Sondaar, P., and Aziz, F. (1996) Pleistocene zoogeographic evolution of Java (Indonesia) and glacio-eustatic sea level fluctuations: a background for the presence of Homo. *Bulletin of the Indo-Pacific Prehistory Association*, 14: 7-21. DOI: 10.7152/bippa.v14i0.11583.

Walker, M. (2024). Deer: Family Cervidae. *The Hoofed Animals of The World*. ISBN: 9781446620939.



Yudha, D., Pratama, M., and Eprilurahman, R. (2019) Identification of Pleistocene deer (Cervidae) in Java, Indonesia based on antlers characteristics. *AIP Conference Proceedings*. DOI:.1063/5.0015773.

Yudha, D., Pratama, M., and Eprilurahman, R. (2020) Antlers Characterization for Identification of Deer Species (Family Cervidae) in Indonesia. *Journal of Tropical Biodiversity and Biotechnology*, 4(3): 97-106 DOI:.1063/5.0015773.

Zaim, Y., de Vos, J., Huffman, F., Aziz, F., Kappelman, J., and Rizal, Y. (2003) A new antler specimen from the 1936 Perning hominid site, East Jawa, Indonesia, attributable to Axis lydekkeri (MARTIN, 1886). *Journal of Mineral Technology*, 10(2): 1-6.