

DAFTAR PUSTAKA

- Adams, G. (2020). A beginner's guide to RT-PCR, qPCR and RT-qPCR. *The Biochemist*, 42(3), 48–53. <https://doi.org/10.1042/BIO20200034>
- Agarwal, G., Choudhary, D., Singh, V. P., & Arora, A. (2012). Role of ethylene receptors during senescence and ripening in horticultural crops. *Plant Signaling & Behavior*, 7(7), 827–846. <https://doi.org/10.4161/psb.20321>
- Ahmed, F. E., Gouda, M. M., Hussein, L. A., Ahmed, N. C., Vos, P. W., & Mohammad, M. A. (2017). Role of Melt Curve Analysis in Interpretation of Nutrigenomics' MicroRNA Expression Data. *Cancer Genomics & Proteomics*, 14(6), 469–481. <https://doi.org/10.21873/cgp.20057>
- Alós, E., Rodrigo, M. J., & Zacarias, L. (2019). Chapter 7—Ripening and Senescence. In E. M. Yahia (Ed.), *Postharvest Physiology and Biochemistry of Fruits and Vegetables* (pp. 131–155). Woodhead Publishing. <https://doi.org/10.1016/B978-0-12-813278-4.00007-5>
- Arenas, F., Morte, A., & Navarro-Ródenas, A. (2022). Design and Validation of qPCR-Specific Primers for Quantification of the Marketed *Terfezia clavaryi* and *Terfezia crassiverrucosa* in Soil. *Journal of Fungi*, 8(10), Article 10. <https://doi.org/10.3390/jof8101095>
- Argueso, C. T., Hansen, M., & Kieber, J. J. (2007). Regulation of Ethylene Biosynthesis. *Journal of Plant Growth Regulation*, 26(2), 92–105. <https://doi.org/10.1007/s00344-007-0013-5>
- Artika, I. M., Dewi, Y. P., Nainggolan, I. M., Siregar, J. E., & Antonjaya, U. (2022). Real-Time Polymerase Chain Reaction: Current Techniques, Applications, and Role in COVID-19 Diagnosis. *Genes*, 13(12), 2387. <https://doi.org/10.3390/genes13122387>
- Ayub, R., Guis, M., Amor, M. B., Gillot, L., Roustan, J.-P., Latché, A., Bouzayen, M., & Pech, J.-C. (1996). Expression of ACC oxidase antisense gene inhibits ripening of cantaloupe melon fruits. *Nature Biotechnology*, 14(7), 862–866. <https://doi.org/10.1038/nbt0796-862>
- Badan Pusat Statistik. (2023). *Produksi Tanaman Buah-Buahan, 2021-2022*. Retrieved May 10, 2024, from: <https://www.bps.go.id/id/statistics-table/2/NjIjMg==/produksi-tanaman-buah-buahan.html>
- Barbosa dos Santos, I., & Park, S.-W. (2019). Versatility of Cyclophilins in Plant Growth and Survival: A Case Study in Arabidopsis. *Biomolecules*, 9(1), 20. <https://doi.org/10.3390/biom9010020>
- Becskei, A., & Rahaman, S. (2022). The life and death of RNA across temperatures. *Computational and Structural Biotechnology Journal*, 20, 4325–4336. <https://doi.org/10.1016/j.csbj.2022.08.008>
- Best, D. H., & Roberts, K. A. (2014). *In Vitro* Amplification Techniques. In L. M. McManus & R. N. Mitchell (Eds.), *Pathobiology of Human Disease* (pp. 4064–4073). Academic Press. <https://doi.org/10.1016/B978-0-12-386456-7.07702-9>
- Booker, M. A., & DeLong, A. (2015). Producing the Ethylene Signal: Regulation and Diversification of Ethylene Biosynthetic Enzymes¹. *Plant Physiology*, 169(1), 42–50. <https://doi.org/10.1104/pp.15.00672>

- Boulter, N., Suarez, F. G., Schibeci, S., Sunderland, T., Tolhurst, O., Hunter, T., Hodge, G., Handelsman, D., Simanainen, U., Hendriks, E., & Duggan, K. (2016). A simple, accurate and universal method for quantification of PCR. *BMC Biotechnology*, 16(1), 27. <https://doi.org/10.1186/s12896-016-0256-y>
- Cao, H., & Shockey, J. M. (2012). Comparison of TaqMan and SYBR Green qPCR Methods for Quantitative Gene Expression in Tung Tree Tissues. *Journal of Agricultural and Food Chemistry*, 60(50), 12296–12303. <https://doi.org/10.1021/jf304690e>
- Chang, C. (2016). Q&A: How do plants respond to ethylene and what is its importance? *BMC Biology*, 14(1), 7. <https://doi.org/10.1186/s12915-016-0230-0>
- Chen, H., Bai, S., Kusano, M., Ezura, H., & Wang, N. (2022). Increased ACS Enzyme Dosage Causes Initiation of Climacteric Ethylene Production in Tomato. *International Journal of Molecular Sciences*, 23(18), 10788. <https://doi.org/10.3390/ijms231810788>
- Chen, T., Qin, G., & Tian, S. (2020). Regulatory network of fruit ripening: Current understanding and future challenges. *New Phytologist*, 228(4), 1219–1226. <https://doi.org/10.1111/nph.16822>
- Chen, Y., Grimplet, J., David, K., Castellarin, S. D., Terol, J., Wong, D. C. J., Luo, Z., Schaffer, R., Celton, J.-M., Talon, M., Gambetta, G. A., & Chervin, C. (2018). Ethylene receptors and related proteins in climacteric and non-climacteric fruits. *Plant Science*, 276, 63–72. <https://doi.org/10.1016/j.plantsci.2018.07.012>
- Cherian, S., Figueroa, C. R., & Nair, H. (2014). ‘Movers and shakers’ in the regulation of fruit ripening: A cross-dissection of climacteric versus non-climacteric fruit. *Journal of Experimental Botany*, 65(17), 4705–4722. <https://doi.org/10.1093/jxb/eru280>
- Chhedha, U., Pradeepan, S., Esposito, E., Strezsak, S., Fernandez-Delgado, O., & Kranz, J. (2024). Factors Affecting Stability of RNA – Temperature, Length, Concentration, pH, and Buffering Species. *Journal of Pharmaceutical Sciences*, 113(2), 377–385. <https://doi.org/10.1016/j.xphs.2023.11.023>
- Corbacho, J., Romojaro, F., Pech, J.-C., Latché, A., & Gomez-Jimenez, M. C. (2013). Transcriptomic Events Involved in Melon Mature-Fruit Abscission Comprise the Sequential Induction of Cell-Wall Degrading Genes Coupled to a Stimulation of Endo and Exocytosis. *PLoS ONE*, 8(3), e58363. <https://doi.org/10.1371/journal.pone.0058363>
- Cui, L., Siskos, L., Wang, C., Schouten, H. J., Visser, R. G. F., & Bai, Y. (2022). Breeding melon (*Cucumis melo*) with resistance to powdery mildew and downy mildew. *Horticultural Plant Journal*, 8(5), 545–561. <https://doi.org/10.1016/j.hpj.2022.07.006>
- Dahmani-Mardas, F., Troadec, C., Boualem, A., Lévêque, S., Alsadon, A. A., Aldoss, A. A., Dogimont, C., & Bendahmane, A. (2010). Engineering Melon Plants with Improved Fruit Shelf Life Using the TILLING Approach. *PLoS ONE*, 5(12), e15776. <https://doi.org/10.1371/journal.pone.0015776>
- Daryono, B. S., & Maryanto, D. S. (2017). *Keanekaragaman dan Potensi Sumber Daya Genetik Melon*. UGM Press. Yogyakarta

- Daryono, B. S., Setyani, E., Alfiani, A., & Rivaldi, P. R. (2018). Fruit characters of *Cucumis melo* L.: ‘Tacapa green black’, ‘melona’ and ‘meloni.’ *Digital Press Life Sciences*, 1, 00003. <https://doi.org/10.29037/digitalpress.21241>
- Ezura, H., & Owino, W. O. (2008). Melon, an alternative model plant for elucidating fruit ripening. *Plant Science*, 175(1–2), 121–129. <https://doi.org/10.1016/j.plantsci.2008.02.004>
- Food and Agriculture Organization (n.d.). *Manual for the preparation and sale of fruits and vegetables*. etrieved June 27, 2024, from <https://www.fao.org/4/y4893e/y4893e04.htm>
- Fuchs, T. C., Truisi, G. L., & Hewitt, P. G. (2017). Chapter 34—Toxicogenomics in Preclinical Development. In A. S. Faqi (Ed.), *A Comprehensive Guide to Toxicology in Nonclinical Drug Development (Second Edition)* (pp. 893–920). Academic Press. <https://doi.org/10.1016/B978-0-12-803620-4.00034-7>
- Fuentes, L., Figueroa, C. R., & Valdenegro, M. (2019). Recent Advances in Hormonal Regulation and Cross-Talk during Non-Climacteric Fruit Development and Ripening. *Horticulturae*, 5(2), 45. <https://doi.org/10.3390/horticulturae5020045>
- Gao, F., Hao, J., Yao, Y., Wang, X., & Hasi, A. (2013). Cloning and characterization of ethylene-insensitive 2 (EIN2) gene from *Cucumis melo*. *Russian Journal of Plant Physiology*, 60(5), 713–719. <https://doi.org/10.1134/S102144371305004X>
- Garcia-Mas, J., Benjak, A., Sanseverino, W., Bourgeois, M., Mir, G., González, V. M., Hénaff, E., Câmara, F., Cozzuto, L., Lowy, E., Alioto, T., Capella-Gutiérrez, S., Blanca, J., Cañizares, J., Ziarsolo, P., Gonzalez-Ibeas, D., Rodríguez-Moreno, L., Droege, M., Du, L., ... Puigdomènech, P. (2012). The genome of melon (*Cucumis melo* L.). *Proceedings of the National Academy of Sciences*, 109(29), 11872–11877. <https://doi.org/10.1073/pnas.1205415109>
- Gonda, I., Burger, Y., Schaffer, A., Ibdah, M., Tadmor, Y., Katzir, N., Fait, A., & Lewinsohn, E. (2016). *Biosynthesis and perception of melon aroma* (pp. 281–305). <https://doi.org/10.1002/9781118354056.ch11>
- Goni, R., García, P., & Foissac, S. (2009). *The qPCR data statistical analysis*.
- Guénin, S., Mauriat, M., Pelloux, J., Van Wuytswinkel, O., Bellini, C., & Gutierrez, L. (2009). Normalization of qRT-PCR data: The necessity of adopting a systematic, experimental conditions-specific, validation of references. *Journal of Experimental Botany*, 60(2), 487–493. <https://doi.org/10.1093/jxb/ern305>
- Guo, J. (2014). Transcription: The epicenter of gene expression. *Journal of Zhejiang University. Science. B*, 15(5), 409–411. <https://doi.org/10.1631/jzus.B1400113>
- Handa, A. K., Tiznado-Hernández, M.-E., & Mattoo, A. K. (2012). 26 - Fruit development and ripening: A molecular perspective. In A. Altman & P. M. Hasegawa (Eds.), *Plant Biotechnology and Agriculture* (pp. 405–424). Academic Press. <https://doi.org/10.1016/B978-0-12-381466-1.00026-2>
- Harshitha, R., & Arunraj, D. R. (2021). Real-time quantitative PCR: A tool for absolute and relative quantification. *Biochemistry and Molecular Biology Education*, 49(5), 800–812. <https://doi.org/10.1002/bmb.21552>

- Hewitt, S., & Dhingra, A. (2020). Beyond Ethylene: New Insights Regarding the Role of Alternative Oxidase in the Respiratory Climacteric. *Frontiers in Plant Science*, 11, 543958. <https://doi.org/10.3389/fpls.2020.543958>
- Ho-Pun-Cheung, A., Bascoul-Mollevi, C., Assenat, E., Boissière-Michot, F., Bibeau, F., Cellier, D., Ychou, M., & Lopez-Crapez, E. (2009). Reverse transcription-quantitative polymerase chain reaction: Description of a RIN-based algorithm for accurate data normalization. *BMC Molecular Biology*, 10(1), 31. <https://doi.org/10.1186/1471-2199-10-31>
- Houben, M., & Van De Poel, B. (2019). 1-Aminocyclopropane-1-Carboxylic Acid Oxidase (ACO): The Enzyme That Makes the Plant Hormone Ethylene. *Frontiers in Plant Science*, 10, 695. <https://doi.org/10.3389/fpls.2019.00695>
- Huang, S., Sawaki, T., Takahashi, A., Mizuno, S., Takezawa, K., Matsumura, A., Yokotsuka, M., Hirasawa, Y., Sonoda, M., Nakagawa, H., & Sato, T. (2010). Melon EIN3-like transcription factors (CmEIL1 and CmEIL2) are positive regulators of an ethylene- and ripening-induced 1-aminocyclopropane-1-carboxylic acid oxidase gene (CM-ACO1). *Plant Science*, 178(3), 251–257. <https://doi.org/10.1016/j.plantsci.2010.01.005>
- Iqbal, N., Khan, N. A., Ferrante, A., Trivellini, A., Francini, A., & Khan, M. I. R. (2017). Ethylene Role in Plant Growth, Development and Senescence: Interaction with Other Phytohormones. *Frontiers in Plant Science*, 08. <https://doi.org/10.3389/fpls.2017.00475>
- Kapoor, L., Simkin, A. J., George Priya Doss, C., & Siva, R. (2022). Fruit ripening: Dynamics and integrated analysis of carotenoids and anthocyanins. *BMC Plant Biology*, 22(1), 27. <https://doi.org/10.1186/s12870-021-03411-w>
- Kesh, H., & Kaushik, P. (2021). Advances in melon (*Cucumis melo* L.) breeding: An update. *Scientia Horticulturae*, 282, 110045. <https://doi.org/10.1016/j.scienta.2021.110045>
- Khan, S., Alvi, A. F., & Khan, N. A. (2024). Role of Ethylene in the Regulation of Plant Developmental Processes. *Stresses*, 4(1), 28–53. <https://doi.org/10.3390/stresses4010003>
- Khan, S., Alvi, A. F., Saify, S., Iqbal, N., & Khan, N. A. (2024). The Ethylene Biosynthetic Enzymes, 1-Aminocyclopropane-1-Carboxylate (ACC) Synthase (ACS) and ACC Oxidase (ACO): The Less Explored Players in Abiotic Stress Tolerance. *Biomolecules*, 14(1), 90. <https://doi.org/10.3390/biom14010090>
- Kiill, L. H. P., Feitoza, E. D. A., Siqueira, K. M. M. D., Ribeiro, M. D. F., & Silva, E. M. S. D. (2016). EVALUATION OF FLORAL CHARACTERISTICS OF MELON HYBRIDS (*Cucumis melo* L.) IN POLLINATOR ATTRACTIVENESS. *Revista Brasileira de Fruticultura*, 38(2). <https://doi.org/10.1590/0100-29452016531>
- Kuang, J., Yan, X., Genders, A. J., Granata, C., & Bishop, D. J. (2018). An overview of technical considerations when using quantitative real-time PCR analysis of gene expression in human exercise research. *PLOS ONE*, 13(5), e0196438. <https://doi.org/10.1371/journal.pone.0196438>
- Li, X., Wang, X., Zhang, Y., Zhang, A., & You, C.-X. (2022). Regulation of fleshy fruit ripening: From transcription factors to epigenetic modifications. *Horticulture Research*, 9, uhac013. <https://doi.org/10.1093/hr/uhac013>

- Lija, M., & Beevy, S. S. (2021). A Review on the diversity of Melon. *Plant Science Today*, 8(4), 995–1003. <https://doi.org/10.14719/pst.1300>
- Ling, D., & Salvaterra, P. M. (2011). Robust RT-qPCR Data Normalization: Validation and Selection of Internal Reference Genes during Post-Experimental Data Analysis. *PLOS ONE*, 6(3), e17762. <https://doi.org/10.1371/journal.pone.0017762>
- Liu, F., Shao, X., Fan, Y., Jia, B., He, W., Wang, Y., Wang, F., & Wang, C. (2024). Time-Series Transcriptome of *Cucumis melo* Reveals Extensive Transcriptomic Differences with Different Maturity. *Genes*, 15(2), 149. <https://doi.org/10.3390/genes15020149>
- Liu, M., Pirrello, J., Chervin, C., Roustan, J.-P., & Bouzayen, M. (2015). Ethylene control of fruit ripening: Revisiting the complex network of transcriptional regulation. *Plant Physiology*, pp.01361.2015. <https://doi.org/10.1104/pp.15.01361>
- Liu, Y., Tang, M., Liu, M., Su, D., Chen, J., Gao, Y., Bouzayen, M., & Li, Z. (2020). The Molecular Regulation of Ethylene in Fruit Ripening. *Small Methods*, 4(8), 1900485. <https://doi.org/10.1002/smt.201900485>
- Livak, K. J., & Schmittgen, T. D. (2001). Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the 2- $\Delta\Delta$ CT Method. *Methods*, 25(4), 402–408. <https://doi.org/10.1006/meth.2001.1262>
- Ma, Y., Zhang, F., Bade, R., Daxibater, A., Men, Z., & Hasi, A. (2015). Genome-Wide Identification and Phylogenetic Analysis of the ERF Gene Family in Melon. *Journal of Plant Growth Regulation*, 34(1), 66–77. <https://doi.org/10.1007/s00344-014-9443-z>
- Magwaza, L. S., & Opara, U. L. (2015). Analytical methods for determination of sugars and sweetness of horticultural products—A review. *Scientia Horticulturae*, 184, 179–192. <https://doi.org/10.1016/j.scienta.2015.01.001>
- Manchali, S., Chidambara Murthy, K. N., Vishnuvardana, & Patil, B. S. (2021). Nutritional Composition and Health Benefits of Various Botanical Types of Melon (*Cucumis melo* L.). *Plants*, 10(9), 1755. <https://doi.org/10.3390/plants10091755>
- Maryanto, S. D., Ranis, R. E., & Daryono, B. S. (2015). Stability Phenotypic Characters and The Scent of Gama Melon Parfum Cultivar. *IPTEK Journal of Proceedings Series*, 0(1). <https://doi.org/10.12962/j23546026.y2014i1.286>
- McMurchie, E.J., McGlasson, W.B., & Eaks, I.L. (1972). Treatment of fruit with propylene gives information about the biogenesis of ethylene. *Nature*, 237(5352). <https://doi.org/10.1038/237235a0>
- Miki, T., Yamamoto, M., Nakagawa, H., Ogura, N., Mori, H., Imaseki, H., & Sato, T. (1995). Nucleotide Sequence of a cDNA for 1-Aminocyclopropane-1-Carboxylate Synthase from Melon Fruits. *Plant Physiology*, 107(1), 297–298. <https://doi.org/10.1104/pp.107.1.297>
- Monforte, A. J., Diaz, A., Caño-Delgado, A., & Van Der Knaap, E. (2013). The genetic basis of fruit morphology in horticultural crops: Lessons from tomato and melon. *Journal of Experimental Botany*, 65(16), 4625–4637. <https://doi.org/10.1093/jxb/eru017>
- Mosolygó, T., Laczi, K., Spengler, G., & Burián, K. (2022). A Practical Approach for Quantitative Polymerase Chain Reaction, the Gold Standard in

- Microbiological Diagnosis. *Sci*, 4(1), Article 1.
<https://doi.org/10.3390/sci4010004>
- Muhammadi, A., & Daryono, B. S. (2022). *Phenotypic Characters Stability of Melon (Cucumis melo L. 'Kinaya')*: 7th International Conference on Biological Science (ICBS 2021), Yogyakarta, Indonesia.
<https://doi.org/10.2991/absr.k.220406.043>
- Nolan, T., Hands, R. E., & Bustin, S. A. (2006). Quantification of mRNA using real-time RT-PCR. *Nature Protocols*, 1(3), 1559–1582.
<https://doi.org/10.1038/nprot.2006.236>
- Nonaka, S., Ito, M., & Ezura, H. (2023). Targeted modification of CmACO1 by CRISPR/Cas9 extends the shelf-life of *Cucumis melo* var. Reticulatus melon. *Frontiers in Genome Editing*, 5, 1176125.
<https://doi.org/10.3389/fgeed.2023.1176125>
- Nugraheni, M. L. N. (2024). *Profil Ekspresi Gen Terkait Biosintesis Klorofil dan Karakter Morfologi Tiga Varietas Melon. Skripsi*. Departemen Biologi, Fakultas Sains dan Analitika Data, Institut Teknologi Sepuluh Nopember. Surabaya.
- Núñez-Palenius, H. G., Cantliffe, D. J., Huber, D. J., Ciardi, J., & Klee, H. J. (2006). Transformation of a muskmelon 'Galia' hybrid parental line (*Cucumis melo* L. var. Reticulatus Ser.) with an antisense ACC oxidase gene. *Plant Cell Reports*, 25(3), 198–205. <https://doi.org/10.1007/s00299-005-0042-0>
- Obando-Ulloa, J. M., Moreno, E., García-Mas, J., Nicolai, B., Lammertyn, J., Monforte, A. J., & Fernández-Trujillo, J. P. (2008). Climacteric or non-climacteric behavior in melon fruit. *Postharvest Biology and Technology*, 49(1), 27–37. <https://doi.org/10.1016/j.postharvbio.2007.11.004>
- Oren, E., Tzuri, G., Dafna, A., Rees, E. R., Song, B., Freilich, S., Elkind, Y., Isaacson, T., Schaffer, A. A., Tadmor, Y., Burger, J., Buckler, E. S., & Gur, A. (2022). QTL mapping and genomic analyses of earliness and fruit ripening traits in a melon recombinant inbred lines population supported by *de novo* assembly of their parental genomes. *Horticulture Research*, 9, uhab081. <https://doi.org/10.1093/hr/uhab081>
- Osorio, S., Scossa, F., & Fernie, A. R. (2013). Molecular regulation of fruit ripening. *Frontiers in Plant Science*, 4. <https://doi.org/10.3389/fpls.2013.00198>
- Paniagua, C., Posé, S., Morris, V. J., Kirby, A. R., Quesada, M. A., & Mercado, J. A. (2014). Fruit softening and pectin disassembly: An overview of nanostructural pectin modifications assessed by atomic force microscopy. *Annals of Botany*, 114(6), 1375–1383. <https://doi.org/10.1093/aob/mcu149>
- Paris, H. S., Tadmor, Y., & Schaffer, A. A. (2017). Cucurbitaceae Melons, Squash, Cucumber. In *Encyclopedia of Applied Plant Sciences* (pp. 209–217). Elsevier. <https://doi.org/10.1016/B978-0-12-394807-6.00063-0>
- Patharkar, O., & Walker, J. (2017). Advances in abscission signaling. *Journal of Experimental Botany*, 69. <https://doi.org/10.1093/jxb/erx256>
- Pattyn, J., Vaughan-Hirsch, J., & Van De Poel, B. (2021). The regulation of ethylene biosynthesis: A complex multilevel control circuitry. *New Phytologist*, 229(2), 770–782. <https://doi.org/10.1111/nph.16873>

- Paul, V., & Pandey, R. (2016). *Internal Atmosphere of Fruits: Role and Significance in Ripening and Storability* (pp. 359–412). <https://doi.org/10.13140/RG.2.1.1598.2480>
- Paul, V., Pandey, R., & Srivastava, G. C. (2012). The fading distinctions between classical patterns of ripening in climacteric and non-climacteric fruit and the ubiquity of ethylene—An overview. *Journal of Food Science and Technology*, 49(1), 1–21. <https://doi.org/10.1007/s13197-011-0293-4>
- Pech, J. C., Bouzayen, M., & Latché, A. (2008). Climacteric fruit ripening: Ethylene-dependent and independent regulation of ripening pathways in melon fruit. *Plant Science*, 175(1–2), 114–120. <https://doi.org/10.1016/j.plantsci.2008.01.003>
- Pech, J.-C., Purgatto, E., Bouzayen, M., & Latché, A. (2018). Ethylene and Fruit Ripening. In *Annual Plant Reviews online* (pp. 275–304). John Wiley & Sons, Ltd. <https://doi.org/10.1002/9781119312994.apr0483>
- Pedersen, K. B., Williams, A., Watt, J., & Ronis, M. J. (2019). Improved method for isolating high-quality RNA from mouse bone with RNAlater at room temperature. *Bone Reports*, 11, 100211. <https://doi.org/10.1016/j.bonr.2019.100211>
- Pereira, L., Santo Domingo, M., Ruggieri, V., Argyris, J., Phillips, M. A., Zhao, G., Lian, Q., Xu, Y., He, Y., Huang, S., Pujol, M., & Garcia-Mas, J. (2020). Genetic dissection of climacteric fruit ripening in a melon population segregating for ripening behavior. *Horticulture Research*, 7(1), 187. <https://doi.org/10.1038/s41438-020-00411-z>
- Pitrat, M. (2016). Melon Genetic Resources: Phenotypic Diversity and Horticultural Taxonomy. In R. Grumet, N. Katzir, & J. Garcia-Mas (Eds.), *Genetics and Genomics of Cucurbitaceae* (Vol. 20, pp. 25–60). Springer International Publishing. https://doi.org/10.1007/7397_2016_10
- Pujol, M., & Garcia-Mas, J. (2023). Regulation of climacteric fruit ripening in melon: Recent advances and future challenges. *Journal of Experimental Botany*, 74(20), 6224–6236. <https://doi.org/10.1093/jxb/erad256>
- Putri, D. P. (2024). *Pengaruh Jenis Kultivar Melon (*Cucumis melo* L.) dan Usia Kematangan Buah Terhadap Total Karotenoid dan Ekspresi Gen Etilen*.
- Qin, X., Coku, A., Inoue, K., & Tian, L. (2011). Expression, subcellular localization, and cis-regulatory structure of duplicated phytoene synthase genes in melon (*Cucumis melo* L.). *Planta*, 234(4), 737–748. <https://doi.org/10.1007/s00425-011-1442-8>
- Rao, X., Huang, X., Zhou, Z., & Lin, X. (2014). *An improvement of the 2^{-ΔΔCT} method for quantitative real-time polymerase chain reaction data analysis*.
- Remans, T., Keunen, E., Bex, G. J., Smeets, K., Vangronsveld, J., & Cuypers, A. (2014). Reliable Gene Expression Analysis by Reverse Transcription-Quantitative PCR: Reporting and Minimizing the Uncertainty in Data Accuracy. *The Plant Cell*, 26(10), 3829–3837. <https://doi.org/10.1105/tpc.114.130641>
- Rio, D. C., Ares, M., Hannon, G. J., & Nilsen, T. W. (2010). Purification of RNA using TRIzol (TRI reagent). *Cold Spring Harbor Protocols*, 2010(6), pdb.prot5439. <https://doi.org/10.1101/pdb.prot5439>

- Rodríguez, A., Rodríguez, M., Córdoba, J. J., & Andrade, M. J. (2015). Design of Primers and Probes for Quantitative Real-Time PCR Methods. In C. Basu (Ed.), *PCR Primer Design* (Vol. 1275, pp. 31–56). Springer New York. https://doi.org/10.1007/978-1-4939-2365-6_3
- Romo-Tovar, J., Belmares Cerda, R., Chávez-González, M. L., Rodríguez-Jasso, R. M., Lozano-Sepulveda, S. A., Govea-Salas, M., & Loredó-Treviño, A. (2024). Importance of Certain Varieties of Cucurbits in Enhancing Health: A Review. *Foods*, 13(8), 1142. <https://doi.org/10.3390/foods13081142>
- Ruedrich, E. D., Henzel, M. K., Hausman, B. S., & Bogie, K. M. (2013). Reference Gene Identification for Reverse Transcription-Quantitative Polymerase Chain Reaction Analysis in an Ischemic Wound-Healing Model. *Journal of Biomolecular Techniques : JBT*, 24(4), 181–186. <https://doi.org/10.7171/jbt.13-2404-003>
- Ruiz-Villalba, A., Ruijter, J. M., & van den Hoff, M. J. B. (2021). Use and Misuse of Cq in qPCR Data Analysis and Reporting. *Life*, 11(6), 496. <https://doi.org/10.3390/life11060496>
- Ságio, S. A., Barreto, H. G., Lima, A. A., Moreira, R. O., Rezende, P. M., Paiva, L. V., & Chalfun-Junior, A. (2014). Identification and expression analysis of ethylene biosynthesis and signaling genes provides insights into the early and late coffee cultivars ripening pathway. *Planta*, 239(5), 951–963. <https://doi.org/10.1007/s00425-014-2026-1>
- Saladié, M., Cañizares, J., Phillips, M. A., Rodriguez-Concepcion, M., Larrigaudière, C., Gibon, Y., Stitt, M., Lunn, J. E., & Garcia-Mas, J. (2015). Comparative transcriptional profiling analysis of developing melon (*Cucumis melo* L.) fruit from climacteric and non-climacteric varieties. *BMC Genomics*, 16(1), 440. <https://doi.org/10.1186/s12864-015-1649-3>
- Santo Domingo, M., Areco, L., Mayobre, C., Valverde, L., Martín-Hernández, A. M., Pujol, M., & Garcia-Mas, J. (2022). Modulating climacteric intensity in melon through QTL stacking. *Horticulture Research*, 9, uhac131. <https://doi.org/10.1093/hr/uhac131>
- Schemberger, M. O., Stroka, M. A., Reis, L., De Souza Los, K. K., De Araujo, G. A. T., Sfeir, M. Z. T., Galvão, C. W., Etto, R. M., Baptista, A. R. G., & Ayub, R. A. (2020). Transcriptome profiling of non-climacteric ‘yellow’ melon during ripening: Insights on sugar metabolism. *BMC Genomics*, 21(1), 262. <https://doi.org/10.1186/s12864-020-6667-0>
- Singh, B. P., & Gupta, V. K. (2017). *Molecular Markers in Mycology: Diagnostics and Marker Developments*. Springer.
- Tadmor, Y., Burger, J., Yaakov, I., Feder, A., Libhaber, S. E., Portnoy, V., Meir, A., Tzuri, G., Sa’ar, U., Rogachev, I., Aharoni, A., Abeliovich, H., Schaffer, A. A., Lewinsohn, E., & Katzir, N. (2010). Genetics of Flavonoid, Carotenoid, and Chlorophyll Pigments in Melon Fruit Rinds. *Journal of Agricultural and Food Chemistry*, 58(19), 10722–10728. <https://doi.org/10.1021/jf1021797>
- Taylor, S., Wakem, M., Dijkman, G., Alsarraj, M., & Nguyen, M. (2010). A practical approach to RT-qPCR—Publishing data that conform to the MIQE guidelines. *Methods*, 50(4), S1–S5. <https://doi.org/10.1016/j.ymeth.2010.01.005>

- Vegas, J., Garcia-Mas, J., & Monforte, A. J. (2013). Interaction between QTLs induces an advance in ethylene biosynthesis during melon fruit ripening. *Theoretical and Applied Genetics*, 126(6), 1531–1544. <https://doi.org/10.1007/s00122-013-2071-3>
- Wacker, M. J., & Godard, M. P. (n.d.). *Analysis of One-Step and Two- Step Real-Time RT-PCR Using SuperScript III*.
- Wang, B., Duan, H., Chong, P., Su, S., Shan, L., Yi, D., Wang, L., & Li, Y. (2020). Systematic selection and validation of suitable reference genes for quantitative real-time PCR normalization studies of gene expression in *Nitraria tangutorum*. *Scientific Reports*, 10(1), 15891. <https://doi.org/10.1038/s41598-020-73059-3>
- Wang, C., Jiang, H., Gao, G., Yang, F., Guan, J., & Qi, H. (2023). CmMYB44 might interact with *CmAPS2-2* to regulate starch metabolism in oriental melon fruit. *Plant Physiology and Biochemistry*, 196, 361–369. <https://doi.org/10.1016/j.plaphy.2023.01.047>
- Wang, G., Gao, X., Wang, X., Liu, P., Guan, S. L., Qi, K., Zhang, S., & Gu, C. (2022). Transcriptome analysis reveals gene associated with fruit size during fruit development in pear. *Scientia Horticulturae*, 305, 111367. <https://doi.org/10.1016/j.scienta.2022.111367>
- Wang, Z., Yadav, V., Yan, X., Cheng, D., Wei, C., & Zhang, X. (2021). Systematic genome-wide analysis of the ethylene-responsive ACS gene family: Contributions to sex form differentiation and development in melon and watermelon. *Gene*, 805, 145910. <https://doi.org/10.1016/j.gene.2021.145910>
- Wibowo, W. A., Maryanto, S. D., & Daryono, B. S. (2021). Phenotypic characters and identification CYPs (Cyclophilin) gene in *Cucumis melo* L. cv. Gama Melon Parfum. *Biodiversitas Journal of Biological Diversity*, 22(6). <https://doi.org/10.13057/biodiv/d220601>
- Yockteng, R., Almeida, A. M. R., Yee, S., Andre, T., Hill, C., & Specht, C. D. (2013). A method for extracting high-quality RNA from diverse plants for next-generation sequencing and gene expression analyses. *Applications in Plant Sciences*, 1(12), 1300070. <https://doi.org/10.3732/apps.1300070>
- Zhai, Y., Fan, Z., Cui, Y., Gu, X., Chen, S., & Ma, H. (2022). APETALA2/ethylene responsive factor in fruit ripening: Roles, interactions and expression regulation. *Frontiers in Plant Science*, 13, 979348. <https://doi.org/10.3389/fpls.2022.979348>
- Zhang, H., Zhang, Y., Wang, P., & Zhang, J. (2022). Transcriptome profiling of genes associated with fruit firmness in the melon variety ‘Baogua’ (*Cucumis melo* ssp. *Agrestis* Jeffrey). *Physiology and Molecular Biology of Plants*, 28(2), 301–313. <https://doi.org/10.1007/s12298-022-01131-5>
- Zhao, F., Maren, N. A., Kosentka, P. Z., Liao, Y.-Y., Lu, H., Duduit, J. R., Huang, D., Ashrafi, H., Zhao, T., Huerta, A. I., Ranney, T. G., & Liu, W. (2021). An optimized protocol for stepwise optimization of real-time RT-PCR analysis. *Horticulture Research*, 8(1), 1–21. <https://doi.org/10.1038/s41438-021-00616-w>