

DAFTAR PUSTAKA

- Acs, A., Sutak, A. and Kontschan, J. 2016. New records of macrochelid mites and description of a new phoretic species (Acari: Mesostigmata: Macrochelidae) from Greece. *Acarologia*, 56(1): 63-71.
- Ainscough, B.D. 1981. Uropodine studies. I. Suprageneric classification in the Cohort *Uropodina* Kramer, 1882 (Acari: Mesostigmata). *International Journal of Acarology*, 7(1-4): 47-56.
- Arboláez, H.P.H., Hu, J., Orozco, Y.N., Gebremikael, M.T., Alcantara, E.A., Sleutel, S., Höfte, M. and De Neve, S. 2023. Mesofauna as effective indicators of soil quality differences in the agricultural systems of central Cuba. *Applied Soil Ecology*, 182.
- Arif, M.A.S., Niswati, A., Yusnaini, S. and Ardiyani, N.P. 2017. Population and Diversity of Soil and Leaf Litter Mesofauna in Arable Soils at The Agriculture Experimental Field of University of Lampung. *Journal of Tropical Soils*, 22(1): 55-66.
- Azim, K., Soudi, B., Boukhari, S., Perissol, C., Roussos, S. and Thami Alami, I. 2018. Composting parameters and compost quality: a literature review. *Organic agriculture*, 8(1): 141-158.
- Baderan, D.W.K., Rahim, S., Angio, M. and Salim, A.B. 2021. Keanekaragaman, pemerataan, dan kekayaan spesies tumbuhan dari geosite potensial Benteng Otanaha sebagai rintisan pengembangan Geopark Provinsi Gorontalo. *Al-Kauniyah: Jurnal Biologi*, 14(2): 264-274.
- Balestrini, R., Bianciotto, V., Ghignone, S., Lumini, E., Mello, A., Sillo, F. and Zampieri, E. 2024. *Soil Microbiology, Ecology and Biochemistry* (Fifth Edition). Elsevier, p. 303-328,
- Bayartogtokh, B. and Bae, Y.S. 2022. New findings of oribatid mites of the genera *Rhinoppia* and *Suctobelbella* (Acari: Oribatida) from Korea. *Systematic and Applied Acarology*, 27(7), pp.1356-1387.
- Bellini, B.C., Weiner, W.M. and Winck, B.R. 2023. Systematics, ecology and taxonomy of Collembola: Introduction to the special issue. *Diversity*, 15(2) : 221.

- Britto, E.P.J., Finotti, A.S. and de Moraes, G.J. 2015. Diversity and population dynamics of Ascidae, Blattisociidae and Melicharidae (Acari: Mesostigmata) in tropical flowers in Brazil. *Experimental and Applied Acarology*, 66 : 203-217.
- Brown, R. D. 1973. Funnel for Extraction of Leaf Litter Organisms¹. *Annals of the Entomological Society of America*, 66(2): 485–486.
- Coleman, D.C. 2001. *Encyclopedia of Biodiversity*. Elsevier, p: 305-314
- de Azevedo, L.H., Emberson, R.M., Esteca, F.D.C. and de Moraes, G.J. 2015. Macrochelid mites (Mesostigmata: Macrochelidae) as biological control agents. *Prospects for biological control of plant feeding mites and other harmful organisms*, p: 103-132.
- De Bertoldi, M., Vallini, G. and Pera, A. 1983. The biology of composting: a review. *Waste Manag Res*, 1(1): 157–176.
- De Moraes, G. J., Venancio, R., dos Santos, V. L. V., and Paschoal, A. D. 2015. Potential of Ascidae, Blattisociidae and Melicharidae (Acari: Mesostigmata) as Biological Control Agents of Pest Organisms. *Prospects for Biological Control of Plant Feeding Mites and Other Harmful Organisms*, p: 33–75.
- Dickson, N., Richard, T. and Kozlowski, R. 1991. Composting to Reduce the Waste Stream-A guide to small scale food and yard waste composting. *Northeast regional agricultural engineering service*.
- Fain, A. and Bochkov, A.V. 2001. A review of the genus *Cheyletus* Latreille, 1776 (Acari: Cheyletidae).
- Galitskaya, P., Biktasheva, L., Saveliev, A., Grigoryeva, T., Boulygina, E. and Selivanovskaya, S., 2017. Fungal and bacterial successions in the process of co-composting of organic wastes as revealed by 454 pyrosequencing. *PloS one*, 12(10), p.e0186051.
- Greenslade, P. 1999. Revision of *Folsomina denis* (Collembola: Isotomidae) With A Description. *The Raffles Bulletin of Zoology*, 47(1): 1-15.
- Griffiths, H.M., Ashton, L.A., Parr, C.L. and Eggleton, P. 2021. The impact of invertebrate decomposers on plants and soil. *New Phytologist*, 231(6): 2142-2149.

- Hassink, J., Bouwman, L.A., Zwart, K.B. and Brussaard, L. 1993. Relationships between habitable pore space, soil biota and mineralization rates in grassland soils. *Soil Biology and Biochemistry*, 25(1): 47-55.
- Hillebrand, H., Bennett, D.M. and Cadotte, M.W., 2008. Consequences of dominance: a review of evenness effects on local and regional ecosystem processes. *Ecology*, 89(6): 1510-1520.
- Hopkin, S.P. 1997. *Biology of the springtails: (Insecta: Collembola)*. OUP Oxford.
- Janion-Scheepers, C., Measey, J., Braschler, B., Chown, S.L., Coetzee, L., Colville, J.F., Dames, J., Davies, A.B., Davies, S.J., Davis, A.L. and Dippenaar-Schoeman, A.S. 2016. Soil biota in a megadiverse country: current knowledge and future research directions in South Africa. *Pedobiologia*, 59(3): 129-174.
- Janssens, F. 1996. Checklist of the Collembola: note on the collembolan ordinal morphogenetic relationships. Bellinger, PF, Christiansen, KA, Janssens, F, 2007.
- Jordana, R., Baquero, E., Ledesma, E., Sendra, A. and Ortuño, V.M., 2020. Poduromorpha (Collembola) from a sampling in the mesovoid shallow substratum of the Sierra de Guadarrama National Park (Madrid and Segovia, Spain): Taxonomy and Biogeography. *Zoologischer Anzeiger*, 285, pp.81-96.
- Kabasakal, B. and Doğan, S. 2021. Description of a new species and first records of five species of the family Cheyletidae (Acari: Trombidiformes) from Turkey. *Systematic and Applied Acarology*, 26(10): 1833-1855.
- Karyanto, A., Rahmadi, C., Franklin, E., Susilo, F.X. and de Moraes, J.W. 2012. Soil Collembola, Acari and other mesofauna—the Berlese method. In A handbook of tropical soil biology (pp. 85-95). Routledge.
- Keeling, A.A., Griffiths, B.S., Ritz, K. and Myers, M. 1995. Effects of compost stability on plant growth, microbiological parameters and nitrogen availability in media containing mixed garden-waste compost. *Bioresource Technology*, 54(3): 279-284.

- Khan, B.S., Qayyoom, M.A., Alvi, A.M., Bashir, M.H. and Akram, M.I. 2019. Description of a new species of *Trichouropoda* Berlese, 1916 (Acari: Mesostigmata: Uropodina: Trematuridae) from Pakistan.
- Kim, H. and Park, K.H. 2018. New records of the genus *Isotomurus* (Collembola: Isotomidae) from Korea. *Animal Systematics, Evolution and Diversity*, 34(1): 3-9.
- Krantz, G.W. and Walter, D.E. 2009. A manual of acarology.
- Krantz, G.W., 1999. Reflections on the biology, morphology and ecology of the Macrochelidae. In *Ecology and Evolution of the Acari: Proceedings of the 3rd Symposium of the European Association of Acarologists 1–5 July 1996*, Amsterdam, The Netherlands (pp. 291-301). Springer Netherlands.
- Krebs, C. J. 1978. *Ecological Methodology*. Harper and Row Publisher. New York
- Kristanto, G.A. and Rahmah, S.A. 2019. Assessment of compost maturity using the static respirometry index. *Reaktor*, 18(04): 194-201.
- Kurnia, V.C., Sumiyati, S. and Samudro, G. 2017. Pengaruh kadar air terhadap hasil pengomposan sampah organik dengan metode open windrow. *Jurnal Teknik Mesin Mercu Buana*, 6(2): 119-123.
- Lafooraki, E.Y., Hajizadeh, J. and Shayanmehr, M. 2023. A revision of the genus *Isotomurus* (Collembola: Isotomidae) in northern Iran using molecular evidence. *Zootaxa*, 5230(1): 48-66.
- Lindquist, E.E. and Moraza, M.L. 2010. Revised diagnosis of the family Blattisociidae (Acari: Mesostigmata: Phytoseioidea), with a key to its genera and description of a new fungus-inhabiting genus from Costa Rica. *Zootaxa*, 2479(1): 1-21.
- Manu, M., Băncilă, R.I., Bîrsan, C.C., Mountford, O. and Onete, M. 2021. Soil mite communities (Acari: Mesostigmata) as indicators of urban ecosystems in Bucharest, Romania. *Scientific reports*, 11(1) : 3794.
- Mašán, P. 2023. A new and morphologically unusual *Cheiroseius* mite (Acari: Blattisociidae) found in association with tree sap, with a key to the congeneric species of the Slovak fauna. *Systematic and Applied Acarology*, 28(3): 461-470.

- Mašán, P., 2023. A new, morphologically and ecologically unusual *Lasioseius* mite (Acari: Blattisociidae) associated with *Diaperis boleti* (Coleoptera, Tenebrionidae) and wood-decomposing fungi in Slovakia. *Acarologia*, 63(1): 89-105.
- Meena, A.L., Karwal, M., Dutta, D. and Mishra, R.P. 2021. Composting: phases and factors responsible for efficient danimproved composting. *Agriculture and Food: e-Newsletter*, (3)1: 85-90.
- Moraes, G.D., Abo-Shnaf, R.I., Perez-Madruga, Y., Sanchez, L., Karmakar, K. and Ho, C.C. 2015. The *Lasioseius phytoseioides* species group (Acari: Blattisociidae): new characterisation, description of a new species, complementary notes on seven described species and a taxonomic key for the group. *Zootaxa*, 3980(1): 1-41.
- Mullen, G. R., & OConnor, B. M. 2019. Mites (Acari). *Medical and Veterinary Entomology*, p: 533–602.
- Nemet, F., Perić, K. and Lončarić, Z. 2021. Microbiological activities in the composting process—A review. *COLUMELLA—Journal of Agricultural and Environmental Sciences*, 8(2): 41-53.
- Norton, R.A. and Behan-Pelletier, V.M. 2007. *Eniochthonius mahunkai* sp. (Acari: Oribatida: Eniochthoniidae), from North American peatlands, with a redescription of *Eniochthonius* and a key to North American species. *Acta Zoologica Academiae Scientiarum Hungaricae*, 53(4): 295-333.
- O'Connor, B.M. 2009. *Encyclopedia of Insects (Second Edition)*. Academic Press, p. 643-649.
- Odum, E.P. 1993. *Dasar-dasar Ekologi Edisi Ketiga*. Yogyakarta: Gadjah Mada University Press.
- Olivier, P.A.S. and Theron, P.D. 1997. The genus *Eupodes* Koch, 1835 (Acari: Prostigmata: Eupodidae) from southern African soil and vegetation. Part 1. Characterisation of the genus, designation of the type species and descriptions of three new species. *Koedoe*, 40(2): 57-73.
- Olivier, P.A.S. and Theron, P.D. 1997. The genus *Eupodes* Koch, 1835 (Acari: Prostigmata: Eupodidae) from southern African soil and vegetation. Part 1.

Characterisation of the genus, designation of the type species and descriptions of three new species. *Koedoe*, 40(2): 57-73.

- Purnomo, E.A., Sutrisno, E. and Sumiyati, S. 2017. Pengaruh variasi C/N rasio terhadap produksi kompos dan kandungan kalium (K), pospat (P) dari batang pisang dengan kombinasi kotoran sapi dalam sistem vermicomposting (Doctoral dissertation, Diponegoro University).
- Quintero-Gutiérrez, E.J., Sandmann, D., Cómbita-Heredia, O., Klarner, B., Widyastuti, R. and Scheu, S. 2020. A new species of the genus *Lasioseius* (Acari: Blattisociidae) inhabiting litter of secondary rainforest in Sumatra, Indonesia. *Acarologia*, 60(2): 338-352.
- Ratna, D.A.P., Samudro, G. and Sumiyati, S. 2017. Pengaruh kadar air terhadap proses pengomposan sampah organik dengan metode takakura. *Jurnal Teknik Mesin*, 6.
- Ren, H., Lv, H., Xu, Q., Yao, Z., Yao, P., Zhao, N., Wang, Z., Huang, D., Cao, W., Gao, Y. and Zhang, D. 2024. Green manure provides growth benefits for soil mesofauna by promoting soil fertility in agroecosystems. *Soil and Tillage Research*, 238.
- Roman P, Martinez M.M. and Pantoja, A. 2015. Farmer's Compost Handbook: Experiences in Latin America. FAO Rome. <http://www.fao.org/3/a-i3388e>. (Diakses 06 April 2023).
- Rusek, J. 1998. Biodiversity of Collembola and their functional role in the ecosystem. *Biodiversity & Conservation*, 7 : 1207-1219.
- Rynk, R. 1992. On-farm composting handbook (NRAES-54). Cooperative Extension. Ithaca, New York.
- Sanjaya, Y. 2017. Collembola Diversity between Chemical Pesticide and Bioinsecticide in Broccoli Farm (*Brassica oleraceae* var. *italica*). IOP Publishing. In *Journal of Physics: Conference Series*, 812(1).
- Sari, R.P., Iswanto, B. and Indrawati, D. 2018. Pengaruh Variasi Rasio C/N Terhadap Kualitas Kompos Dari Sampah Organik Secara Anaerob. In *Prosiding Seminar Nasional Cendekiawan*, p. 657-663.
- Schilliger, L.H., Morel, D., Bonwitt, J.H. and Marquis, O. 2013. *Cheyletus eruditus* (Taurus®): An effective candidate for the biological control of the snake

mite (*Ophionyssus natricis*). *Journal of Zoo and Wildlife Medicine*, 44(3): 654-659.

Selden, P. A. 2017. *Reference Module in Life Sciences*. Elsevier.

Seniczak, S., Norton, R.A. and Seniczak, A. 2009. Morphology of *Eniochthonius minutissimus* (Berlese, 1904) and *Hypochothonius rufulus* CL Koch, 1835 (Acari: Oribatida: Hypochothonioidea). In *Annales Zoologici* (Vol. 59, No. 3, pp. 373-386). Museum and Institute of Zoology, Polish Academy of Sciences.

Siagian, S.W., Yuriandala, Y. and Maziya, F.B. 2021. Analisis suhu, pH dan kuantitas kompos hasil pengomposan reaktor aerob termodifikasi dari sampah sisa makanan dan sampah buah. *Jurnal Sains & Teknologi Lingkungan*, 13(2): 166-176.

Sitompul, E., Wardhana, I.W. and Sutrisno, E. 2017. Studi identifikasi rasio C/N pengolahan sampah organik sayuran sawi, daun singkong, dan kotoran kambing dengan variasi komposisi menggunakan metode Vermikomposting. *Jurnal Teknik Lingkungan*, 6(2): 1-12.

Southwood, T.R.E. and Henderson, P.A., 2009. *Ecological methods*. John Wiley & Sons.

Strandtmann, R.W. and Goff, M.L., PACIFIC INSECTS. 19, (3-4) : 121-143

Subías, L.S. and Balogh, P. 1989. Identification keys to the genera of Ooppiidae Grandjean, 1951 (Acari: Oribatei).

Sulistyorini, L. 2005. Pengelolaan sampah dengan cara menjadikannya kompos. *Jurnal Kesehatan Lingkungan*, 2(1): 77-84.

Sulistyowati, E.S. 2018. *Ensiklopedia Geografi: Tanah*. Klaten. Cempaka Putih.

Suwatanti, E. and Widiyaningrum, P. 2017. Pemanfaatan MOL limbah sayur pada proses pembuatan kompos. *Indonesian Journal of Mathematics and Natural Sciences*, 40(1) : 1-6.

Theffie, K.L., Kumolontang, W.J. and Rondonuwu, J., 2015. Pemberian kompos pada tanah bekas tambang dengan indikator tanaman sawi (*Brassica chinensis* L). *Eugenia*, 21(2), pp.88-93.

- Thukral, A.K., Bhardwaj, R., Kumar, V. and Sharma, A. 2019. New indices regarding the dominance and diversity of communities, derived from sample variance and standard deviation. *Heliyon*, 5(10).
- Tongkaemkaew, U., Sukkul, J., Sumkhan, N., Panklang, P., Brauman, A. and Roslan Ismail, R.I. 2018. Litterfall, litter decomposition, soil macrofauna, and nutrient content in rubber monoculture and rubber-based agroforestry plantations. *Forest and Society*, 2(2): 138-149.
- Velli, A., Sommaggio, D., Maccagnani, B. and Burgio, G. 2010. Evaluation of environment quality of a protected area in Northern Italy using Syrph the Net method. *Bulletin of Insectology*, 63(2): 217-224.
- Wang, F., Chen, J.X. and Christiansen, K. 2004. A survey of the genus *Pseudosinella* (Collembola: Entomobryidae) from East Asia. *Annals of the Entomological Society of America*, 97(3): 364-385.
- Wang, S., Chen, H.Y., Tan, Y., Fan, H. and Ruan, H. 2016. Fertilizer regime impacts on abundance and diversity of soil fauna across a poplar plantation chronosequence in coastal Eastern China. *Scientific reports*, 6(1): 20816.
- Widarti, B.N., Wardhini, W.K. and Sarwono, E. 2015. Pengaruh rasio C/N bahan baku pada pembuatan kompos dari kubis dan kulit pisang. *Jurnal Integrasi Proses*, 5(2).
- Winkler, D., Németh, M.T. and Fiera, C. 2021. A new species of *Pseudosinella* Schäffer, 1897 (Collembola, Entomobryidae) from Hungary and Romania, with redescription of the related species *Pseudosinella huetheri* Stomp, 1971. *ZooKeys*, 1063, p.121.
- Wiser, M.F. 2022. *Reference Module in Life Sciences*. Elsevier.
- Yadav, S. 2018. Correlation analysis in biological studies. *Journal of the Practice of Cardiovascular Sciences*. 4(2): 116
- Zhang, F. and Deharveng, L. 2015. Systematic revision of Entomobryidae (Collembola) by integrating molecular and new morphological evidence. *Zoologica Scripta*, 44(3): 298-311.
- Zhang, Z.Q. 2011. *Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness*. Magnolia press.