



## DAFTAR PUSTAKA

- Abbas, M., & Sukarsa, S. (2022). Type and size of pollen collected by *Tetragonula laeviceps* at various altitudes. *Biodiversitas Journal of Biological Diversity*, 23(3). <https://doi.org/10.13057/biodiv/d230347>
- Ab Hamid, S. (2023). Morphometric Analysis in Stingless Bee (Apidae meliponini) Diversity. In J. Saputra, S. B. A. Razak, & T. Z. T. Chilek (Eds.), *Recent Advances in Global Meliponiculture* (pp. 153–158). Hershey: IGI Global. <http://dx.doi.org/10.4018/978-1-6684-6265-2.ch009>
- Afriana, R., Dahelmi, Herwina, H., Janra, M. N., & Jasmi. (2022). Diversity of insects associated with stingless bee *Lepidotrigona terminata* at plantations in Batu Gadang Village, Padang Pariaman Regency, west Sumatra. *IOP Conference Series. Earth and Environmental Science*, 1059(1), 012083.
- Aji, K. W., & Arisuryanti, T. (2021). Molecular Identification of Mudskipper Fish (*Periophthalmus* spp.) from Baros Beach, Bantul, Yogyakarta. *Journal of Tropical Biodiversity and Biotechnology*, 6(3), 66391.
- Akihary, C.V. and Kolondam, B.J., (2020). Pemanfaatan gen 16S rRNA sebagai perangkat identifikasi bakteri untuk penelitian-penelitian di Indonesia. *pharmacon*, 9(1), pp.16-22.
- Alfian, R. B., (2022) Drs. Hari Purwanto, M.P., Ph.D. Klanceng (Hymenoptera: Meliponini) Di Hutan Lindung Petungkriyono, Pekalongan, Jawa Tengah. Universitas Gadjah Mada, Skripsi. Diunduh dari <http://etd.repository.ugm.ac.id/>
- Ayala, R., Gonzalez, V.H. and Engel, M.S., (2012). Mexican stingless bees (Hymenoptera: Apidae): diversity, distribution, and indigenous knowledge. In *Pot-honey: a legacy of stingless bees* (pp. 135-152). New York, NY: Springer New York.
- Barrows, E. M. (1976). Nectar Robbing and Pollination of *Lantana camara* (Verbenaceae). *Biotropica*, 8(2), 132–13.
- Bawono, P., Heringa, J. (2014). 'Phylogenetic Analyses' in Anders, B (ed). *Comprehensive Biomedical Physics*. Amsterdam: Elsevier



- Boardman, P. (2022, April 28). *Surveying invertebrates: Sampling sites and methods*. Biodiversity Projects. [accesed 24 March 2024]  
<https://www.fscbiodiversity.uk/blog/surveying-invertebrates-sampling-sites-and-methods>
- Bookstein, F.L. (1992) *Morphometric Tools for Landmark Data: Geometry and Biology*. Cambridge University Press, Cambridge.
- Bueno, F.G.B., Kendall, L., Alves, D.A., Tamara, M.L., Heard, T., Latty, T. and Gloag, R., (2023). Stingless bee floral visitation in the global tropics and subtropics. *Global Ecology and Conservation*, 43, p.e02454.
- Chan, A., Chiang, L.-P., Hapuarachchi, H. C., Tan, C.-H., Pang, S.-C., Lee, R., Lee, K.-S., Ng, L.-C., & Lam-Phua, S.-G. (2014). DNA barcoding: complementing morphological identification of mosquito species in Singapore. *Parasites & Vectors*, 7(1), 1–12.
- Chesters, D., & Zhu, C.-D. (2014). A Protocol for Species Delineation of Public DNA Databases, Applied to the Insecta. *Systematic Biology*, 63(5), 712–725.
- Cognato, A. I. (2006). Standard Percent DNA Sequence Difference for Insects Does Not Predict Species Boundaries. *Journal of Economic Entomology*, 99(4), 1037–1045.
- Costa, M. A., Del Lama, M. A., Melo, G. A. R., & Sheppard, W. S. (2003). Molecular phylogeny of the stingless bees (Apidae, Apinae, Meliponini) inferred from mitochondrial 16S rDNA sequences. *Apidologie*, 34(1), 73–84.
- Csősz, S., Seifert, B., Mikó, I., Boudinot, B. E., Borowiec, M. L., Fisher, B. L., Prebus, M., Puniamoorthy, J., Rakotonirina, J.-C., Rasoamanana, N., Schultz, R., Trietsch, C., Ulmer, J. M., & Elek, Z. (2021). Insect morphometry is reproducible under average investigation standards. *Ecology and Evolution*, 11(1), 547–559. <https://doi.org/10.1002/ece3.7075>
- da Silva, G., de Mello Pereira, F., de Almeida Souza, B., do Rêgo Lopes, M. T., & Diniz, F. M. (2019). Pesquisas com abelhas-sem-ferrão (Hymenoptera: Meliponini) e aplicabilidade dos marcadores moleculares: Uma revisão sistemática da literatura. *Pubvet*, 13(01).  
<https://doi.org/10.31533/pubvet.v13n01a250.1-19>



- De Mandal, S., Chhakchhuak, L., Gurusubramanian, G. and Kumar, N.S., (2014). Mitochondrial markers for identification and phylogenetic studies in insects—A Review. *DNA Barcodes*, 2(1), pp.1-9. DOI:10.2478/dna-2014-0001
- Darajati, W., Pratiwi, S., Herwinda, E., Radiansyah, A. (2016). *Indonesian Biodiversity Strategy and Action Plan 2015-2020*. Jakarta: Kementerian Perencanaan Pembangunan Nasional/BAPPENAS. p. 64,72, 118.
- Efin, A., Atmowidi, T., & Prawasti, T. S. (2019). Short Communication: Morphological characteristics and morphometric of Stingless Bee (Apidae: Hymenoptera) from Banten Province, Indonesia. *Biodiversitas: Journal of Biological Diversity*, 20(6): 1693-1698.  
<https://doi.org/10.13057/biodiv/d200627>
- Engel, M. S. (2000). A review of the Indo-Malayan meliponine genus *Lisotrigona*, with two new species (Hymenoptera: Apidae). *Oriental Insects*.  
<https://doi.org/10.1080/00305316.2000.10417261>
- Engel, M. S., Kahono, S., & Peggie, D. (2019). A key to the genera and subgenera of stingless bees in Indonesia (Hymenoptera: Apidae). *TREUBIA*, 45(0), 65–84. <http://dx.doi.org/10.14203/treubia.v45i0.3687>
- Engel, M. S., Rasmussen, C. (2021). Corbiculate Bees. In: Starr, C.K. (eds) *Encyclopedia of Social Insects*. Springer, Cham. p. 302-310  
[https://doi.org/10.1007/978-3-030-28102-1\\_30](https://doi.org/10.1007/978-3-030-28102-1_30)
- Engel, M. S., Rasmussen, C., Ayala, R. and de Oliveira, F.F., (2023). Stingless bee classification and biology (Hymenoptera, Apidae): a review, with an updated key to genera and subgenera. *ZooKeys*, 1172, p.239.  
<https://doi.org/10.3897/zookeys.1172.104944>
- Esa, N. E. F., Ansari, M. N. M., Razak, S. I. A., Ismail, N. I., Jusoh, N., Zawawi, N. A., Jamaludin, M. I., Sagadevan, S., & Nayan, N. H. M. (2022). A Review on Recent Progress of Stingless Bee Honey and Its Hydrogel-Based Compound for Wound Care Management. *Molecules* , 27(10).  
<https://doi.org/10.3390/molecules27103080>
- Folmer, O., Black, M., Hoeh, W., Lutz, R., & Vrijenhoek, R. (1994). DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from



- diverse metazoan invertebrates. *Molecular Marine Biology and Biotechnology*, 3(5), 294–299.
- Francoy, T.M., Silva, R.A.O., Nunes-Silva, P., Menezes, C. and Imperatriz-Fonseca, V.L., (2009). Gender identification of five genera of stingless bees (Apidae, Meliponini) based on wing morphology. *Genetics and molecular research*, 8(1), pp.207-214. <https://doi.org/10.4238/vol8-1gmr557>
- GBIF Secretariat, (2023). *Trigona fulviventris* Guérin-Méneville, 1844 in . GBIF Backbone Taxonomy. Checklist dataset <https://doi.org/10.15468/39omei> accessed via GBIF.org on 2024-04-23.
- Gonzalez, V. H., Oyen, K., Vitale, N., & Ospina, R. (2022). Neotropical stingless bees display a strong response in cold tolerance with changes in elevation. *Conservation Physiology*, 10(1), coac073.
- Greenleaf, S. S., Williams, N. M., Winfree, R., & Kremen, C. (2007). Bee foraging ranges and their relationship to body size. *Oecologia*, 153(3), 589–596.
- Grüter, C., Menezes, C., Imperatriz-Fonseca, V. L., & Ratnieks, F. L. W. (2012). A morphologically specialized soldier caste improves colony defense in a neotropical eusocial bee. *Proceedings of the National Academy of Sciences*, 109(4), 1182–1186.
- Halcroft, M., Spooner-Hart, R., Dollin, L.A. (2013). Australian Stingless Bees. In: Vit, P., Pedro, S., Roubik, D. (eds) *Pot-Honey: A legacy of stingless bees*. Springer, New York, NY. p. 40. [https://doi.org/10.1007/978-1-4614-4960-7\\_3](https://doi.org/10.1007/978-1-4614-4960-7_3)
- Hora, Z. A., Bayeta, A. G., & Negera, T. (2023). Nesting ecology and nest characteristics of stingless bees (Apidae: Meliponini) in Oromia Regional State, Ethiopia. *International Journal of Tropical Insect Science*, 43(2), 409–417.
- Iasur-Kruh, L., Weintraub, P. G., Mozes-Daube, N., Robinson, W. E., Perlman, S. J., & Zchori-Fein, E. (2013). Novel Rickettsiella Bacterium in the Leafhopper Orosius albicinctus (Hemiptera: Cicadellidae). *Applied and Environmental Microbiology*. <https://doi.org/10.1128/AEM.00721-13>



- ITIS. 2023. Meliponini. Taxonomic Serial No.: 633943. Retrieved [June, 28, 2024], from the Integrated Taxonomic Information System (ITIS) on-line database, [www.itis.gov](http://www.itis.gov) <https://doi.org/10.5066/F7KH0KBK>
- Jalil, A., and Shuib, I. (2012) Indo-Malayan Stingless Bees: Pictorial Identification guide and Composite Algorithm.
- Kahono, S. and Erniwati, E., (2014). Keragaman dan kelimpahan lebah sosial (Apidae) pada bunga tanaman pertanian musiman yang diaplikasi pestisida di Jawa Barat. *Berita Biologi*, 13(3), pp.231-238.
- Kamel, M. (2021). Hiking trails effects on the diversity of gall-inducing insects in high altitude ecosystem, St. Katherine Protectorate, Egypt. *Zoology in the Middle East*, 67(1), 48–56. <https://doi.org/10.1080/09397140.2020.1859975>
- Kaur, R. and Singh, D., (2020). Molecular markers a valuable tool for species identification of insects: a review. *Annals of Entomology*, 38(1). <https://connectjournals.com/01462.2020.38.1>
- Kek, S. P., Chin, N. L., Tan, S. W., Yusof, Y. A., & Chua, L. S. (2017). Molecular identification of honey entomological origin based on bee mitochondrial *16S* rRNA and *COI* gene sequences. *Food Control*, 78, 150–159.
- Keller, E. M., Harris, I., & Cross, P. (2014). Identifying suitable queen rearing sites of *Apis mellifera mellifera* at a regional scale using morphometrics. *Journal of Apicultural Research*, 53(2), 279–287.
- Laksono, P., Raffiudin, R. and Juliandi, B., (2020), February. Stingless bee *Tetragonula laeviceps* and *T. aff. biroi*: geometric morphometry analysis of wing venation variations. In *IOP Conference Series: Earth and Environmental Science*. 457(1) p. 012084). IOP Publishing. <https://doi.org/10.1088/1755-1315/457/1/012084>
- Lestari, I., Murningsih, M. dan Utami, S., (2019). Keanekaragaman jenis tumbuhan paku epifit di Hutan Petungkriyono Kabupaten Pekalongan, Jawa Tengah. *NICHE Journal of Tropical Biology*, 2(2), pp.14-21. <https://doi.org/10.14710/niche.2.2.14-21>
- Li, Y.-R., Wang, Z.-W., Yu, Z.-R., & Corlett, R. T. (2021). Species diversity, morphometrics, and nesting biology of Chinese stingless bees (Hymenoptera,



- Apidae, Meliponini). *Apidologie*, 52(6), 1239–1255.  
<https://doi.org/10.1007/s13592-021-00899-x>
- Lombogia, C. A., Posangi, J., Pollo, H. N., Tulung, M., & Tallei, T. E. (2020). Assessment of Genetic Variation in *Apis nigrocincta* (Hymenoptera: Apidae) in Sulawesi Revealed by Partial Mitochondrial Cytochrome Oxidase I Gene Sequences. *Scientifica*, 2020. <https://doi.org/10.1155/2020/1609473>
- Macías-Macías, J. O., Quezada-Euán, J. J. G., Contreras-Escareño, F., Tapia-Gonzalez, J. M., Moo-Valle, H., & Ayala, R. (2011). Comparative temperature tolerance in stingless bee species from tropical highlands and lowlands of Mexico and implications for their conservation (Hymenoptera: Apidae: Meliponini). *Apidologie*, 42(6), 679–689.
- Makkar, G. S., Chhuneja, P. K., & Singh, J. (2016). Stingless Bee, *Tetragonula iridipennis* Smith, 1854 (Hymenoptera: Apidae: Meliponini): Molecular and Morphological Characterization. *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences*, 88(1), 285–291.
- Malerbo-Souza, D.T., da Silva, T.G., de Andrade, M.O., de Farias, L.R. and Medeiros, N.M.G., (2018). Factors affecting the foraging behavior of bees in different maize hybrids. *Rev Brasileira de Ciências Agrárias*, 13(3), pp.1-8.
- McGinnis, S., & Madden, T. L. (2004). BLAST: at the core of a powerful and diverse set of sequence analysis tools. *Nucleic Acids Research*, 32(suppl\_2), W20–W25.
- Meiri, S., 2011. Bergmann's Rule—what's in a name?. *Global Ecology and Biogeography*, 20(1), pp.203-207.
- Milam, J., Johnson, D. E., Andersen, J. C., Fassler, A. B., Narango, D. L., & Elkinton, J. S. (2020). Validating Morphometrics with DNA Barcoding to Reliably Separate Three Cryptic Species of *Bombus Cresson* (Hymenoptera: Apidae). *Insects*, 11(10), 669.
- Mitteroecker, P., & Gunz, P. (2009). Advances in Geometric Morphometrics. *Evolutionary Biology*, 36(2), 235–247.
- Nisa, N. R., Juliandi, B., Raffiudin, R., Jauharlina, J., Pradana, M. G., Meilin, A., Jasmi, J., Pujiastuti, Y., Lestari, P., Fahri, F., Priawandiputra, W., &



- Atmowidi, T. (2022). Intra- and Interspecies Wing Venation Variations of *Apis cerana* and *Apis nigrocincta* Species in Indonesia. *HAYATI Journal of Biosciences*, 29(2), 222–233.
- Nixon, K.C. (2001). 'Phylogeny' in Levin, S.A. (ed.) *Encyclopedia of Biodiversity* (2nd ed.). Cambridge: Academic Press
- Nogueira, D. S., Mahlmann, T., Teixeira, J. S. G., de Oliveira, M. L., & Roubik, D. W. (2019). Geometric morphometrics of wing venation to differentiates new species of *Scaura* Schwarz populations (Hymenoptera: Apidae: Meliponini). *Scientia Plena*, 15(1), 1-9. <https://doi.org/10.14808/sci.plena.2019.018001>
- Nurrachmania, M. and Sihombing, B.H., (2021). Pengaruh sumber nektar dan jenis stup terhadap produksi madu trigona itama di desa sait buttu saribu pamatang sidamanik kabupaten simalungun. *Menara Ilmu: Jurnal Penelitian dan Kajian Ilmiah*, 15(2).
- Nyan, S., Kamarudin, N. dan Abdul, Z., (2018). Mobile phone and tablet assisted positioning device for trekkers: The case for sultan Idris shah forestry education centre (SISFEC). *The Malaysian Forester*, 81(2), pp.175-183.
- Pratama, M. N., Agus, A., Umami, N., Agussalim, A., & Purwanto, H. (2023). Morphometric and molecular identification, domestication, and potentials of stingless bees (Apidae: Meliponini) in Mount Halimun Salak National Park, West Java, Indonesia. *Biodiversitas: Journal of Biological Diversity*, 24(11). 6107-6118 <https://doi.org/10.13057/biodiv/d241132>
- Pullaiah, T. (Ed.). (2019). *Global Biodiversity: Volume 1: Selected Countries in Asia*. Oakville: Apple Academic Press. p. 149-154.
- Purwanto, H., Hidayat Soesilohadi, R. C., & Trianto, M. (2022). Stingless bees from meliponiculture in South Kalimantan, Indonesia. *Biodiversitas Journal of Biological Diversity*, 23(3). <https://doi.org/10.13057/biodiv/d230309>
- Nugroho, R.B. & Soesilohadi, R. (2014). Identifikasi Macam Sumber Pakan Lebah *Trigona* sp. (Hymenoptera: Apidae) di Kabupaten Gunungkidul. *Biomedika*, 7(2), 42-45.
- Rachmawati, R. D., Agus, A., Umami, N., Agussalim, A., & Purwanto, H. (2022). Diversity, distribution, and nest characteristics of stingless bees



- (Hymenoptera: Meliponini) in Baluran National Park, East Java, Indonesia.  
*Biodiversitas Journal of Biological Diversity*, 23(8), 3890-3901.  
<https://doi.org/10.13057/biodiv/d230805>
- Rasmussen, C. (2008). Catalog of the Indo-Malayan/Australasian stingless bees (Hymenoptera: Apidae: Meliponini). *Zootaxa*. 1935(1): 1-80.
- Rattanawanee, A., Duangpakdee, O., Rod-im, P. and Hepburn, R., 2015. Discrimination of two Tetragonula (Apidae: Meliponini) species in Thailand using geometric morphometric analysis of wing venation. *Agriculture and Natural Resources*, 49(5), pp.700-710.
- Reller, L. B., Weinstein, M. P., & Pettit, C. A. (2007). Detection and identification of microorganisms by gene amplification and sequencing. *Clinical infectious diseases*, 44(8), 1108-1114.
- Rizkyta, A. (2022). *Klanceng (Hymenoptera: Meliponini) yang Dibudidayakan di Sekitar Hutan Lindung Petungkriyono, Pekalongan, Jawa Tengah*. Skripsi. Universitas Gadjah Mada
- Roubik, D. W. (2023). Stingless Bee (Apidae: Apinae: Meliponini) Ecology. *Annual Review of Entomology*, 68, 231–256.  
<https://doi.org/10.1146/annurev-ento-120120-103938>
- Iraheta, C. E., Hernández Martínez, M. Á., Alas Romero, L. A., Claros Álvarez, M. E., Arévalo, D. R., & Rodríguez González, V. A. (2015). Stingless bee distribution and richness in El Salvador (Apidae, Meliponinae). *Journal of Apicultural Research*, 54(1), 1–10.
- Santoso, M.A.D., Juliandi, B. and Raffiudin, R., (2018), October. Honey bees species differentiation using geometric morphometric on wing venations. In *IOP Conference Series: Earth and Environmental Science*. 197(1) p. 012015). IOP Publishing. DOI 10.1088/1755-1315/197/1/012015
- Shelomi, M., (2012). Where are we now? Bergmann's rule sensu lato in insects. *The American Naturalist*, 180(4), pp.511-519.
- Siqueira, E. N. L., Bartelli, B. F., Nascimento, A. R. T., & Nogueira-Ferreira, F. H. (2012). Diversity and Nesting Substrates of Stingless Bees (Hymenoptera,



- Meliponina) in a Forest Remnant. *Psyche; a Journal of Entomology*, 2012. 1-9. <https://doi.org/10.1155/2012/370895>
- Stork, N.E., (2018). How many species of insects and other terrestrial arthropods are there on Earth?. *Annual review of entomology*, 63, pp.31-45.
- Suhri, A. G. M., Kahono, S., & Syamsir, S. (2023). Distribution, nest architecture, and forage plants of an endemic Wallacean species of stingless bee *Wallacetrigona incisa* (Apidae: Meliponini) in Sulawesi, Indonesia. *Research Square*. 1-24 <https://doi.org/10.21203/rs.3.rs-3373328/v1>
- Sujarwo, A. (2019). *MMA TRAIL: Perjalanan Sembilan Hari di Jantung Pulau Jawa yang Mengubah Pikiran Manusia*. Jakarta: Phoenix Publisher.
- Supriatna, J. (2014). *Berwisata Alam di Taman Nasional*. Yayasan Pustaka Obor, Jakarta, Indonesia. p. 203-208.
- Suriawanto, N., Atmowidi, T., & Kahono, S. (2017). Nesting sites characteristics of stingless bees (Hymenoptera: Apidae) in Central Sulawesi, Indonesia. *Journal of Insect Biodiversity*, 5(10), 1–9.
- Taman Nasional Gunung Merbabu. 27 Januari (2018). *Sejarah Kawasan*. diakses 4 April 2024 dari <https://tngunungmerbabu.org/sejarah-kawasan/>
- Tatsuta, H., Takahashi, K. H., & Sakamaki, Y. (2018). Geometric morphometrics in entomology: Basics and applications. *Entomological Science*, 21(2), 164–184. <https://doi.org/10.1111/ens.12293>
- Thummajitsakul, S., Klinbunga, S., & Sittipraneed, S. (2011). Genetic differentiation of the stingless bee *Tetragonula pagdeni* in Thailand using SSCP analysis of a large subunit of mitochondrial ribosomal DNA. *Biochemical Genetics*, 49(7-8), 499–510.
- Thummajitsakul, S., Silprasit, K., Klinbunga, S., & Sittipraneed, S. (2013). The partial mitochondrial sequence of the Old World stingless bee, *Tetragonula pagdeni*. *Journal of Genetics*, 92(2), 299–303. <https://doi.org/10.1007/s12041-013-0243-1>
- Toledo-Hernández, E., Peña-Chora, G., Hernández-Velázquez, V. M., Lormendez, C. C., Toribio-Jiménez, J., Romero-Ramírez, Y., & León-Rodríguez, R.



- (2022). The stingless bees (Hymenoptera: Apidae: Meliponini): a review of the current threats to their survival. *Apidologie*, 53(8), 1–23.
- Trianto, M., 2020. *Keanekaragaman Lebah Klanceng (Hymenoptera: Meliponini) Di Daerah Istimewa Yogyakarta* (Doctoral dissertation, Universitas Gadjah Mada).
- Trianto, M., Arisuryanti, T., Purwanto, H., & Ubaidillah, R. (2023). Updated Species Check-list of the Indonesian Stingless Bees (Hymenoptera, Apidae, Apinae, Meliponini). *Journal of Tropical Biodiversity and Biotechnology*, 8(2), 77160. <https://doi.org/10.22146/jtbb.77160>
- Trianto, M., Marisa, F., & Kisman, M. D. (2020). *Tetragonula laeviceps* (Hymenoptera: Apidae: Meliponini): Morphology, Morphometric, and Nest Structure. *BIOEDUSCIENCE*, 4(2), 188–194. <https://doi.org/10.22236/j.bes/424924>
- Trianto, M., & Purwanto, H. (2020). Morphological characteristics and morphometrics of Stingless Bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *Biodiversitas Journal of Biological Diversity*, 21(6). <https://doi.org/10.13057/biodiv/d210633>
- Veiga, J. C., Menezes, C., Venturieri, G. C., & Contrera, F. A. L. (2012). The bigger, the smaller: relationship between body size and food stores in the stingless bee *Melipona flavolineata*. *Apidologie*, 44(3), 324–333.
- Viraktamath, S., Jha, A. K., Rao, S., Thangajam, R., & Roy, J. (2021). Morphometry of stingless bees (Hymenoptera:Apidae:Meliponini) of the genus *Lisotrigona* indicates presence of more than one species in India. *Entomon*, 46(2), 95–104.
- Wahyudi, J. (2019) Kekayaan Flora Anggrek di Taman Nasional Gunung Merbabu. Jakarta: Direktorat Jenderal Konservasi Sumber Daya Alam dan Ekosistem.
- Wang, Y., & Qian, P.-Y. (2013). Conserved Regions in 16S Ribosome RNA Sequences and Primer Design for Studies of Environmental Microbes. *Encyclopedia of Metagenomics*, 1–6.



- Wei, Y., Lewis, R., Naseri, A., Zhang, S., Zhi, D. (2020). Genealogical search using whole-genome genotype profiles. In Jiang, X., and Tang, H. (eds) *Responsible Genomic Data Sharing*. Cambridge, Academic Press. P. 51-94.
- Wilson, J.-J., Sing, K.-W., Floyd, R. M., & Hebert, P. D. N. (2017). DNA Barcodes and Insect Biodiversity. In *Insect Biodiversity* (pp. 575–592). John Wiley & Sons, Ltd.
- Withaningsih, S., Diaz, F., Rozi, F., & Parikesit, P. (2023). Distribution and Characteristics of Two Species of Stingless Bee Hives (*Tetragonula* spp.) in the Rural Landscape of Sumedang Regency (Indonesia). *Diversity*, 15(9), 1018.
- Yeates, D. K., Seago, A., Nelson, L., Cameron, S. L., Joseph, L., & Trueman, J. W. H. (2011). Integrative taxonomy, or iterative taxonomy? *Systematic Entomology*, 36(2), 209–217.
- Zahara, I., Fahri, F., Lamerkabel, J. S. A., Qashiratuttarafi, Q., Juliandi, B., & Raffiudin, R. (2022). Landmark-Based Geometric Morphometric of *Apis dorsata* and *A. d. binghami* Wing Venation in Indonesian Archipelagos. *Hayati*, 29(5), 658–668.
- Zhang, H., & Bu, W. (2022). Exploring Large-Scale Patterns of Genetic Variation in the *COI* Gene among Insecta: Implications for DNA Barcoding and Threshold-Based Species Delimitation Studies. *Insects*, 13(5), 425. <https://doi.org/10.3390/insects13050425>
- Zhang, K., Lin, S., Ji, Y., Yang, C., Wang, X., Yang, C., Wang, H., Jiang, H., Harrison, R. D., & Yu, D. W. (2016). Plant diversity accurately predicts insect diversity in two tropical landscapes. *Molecular Ecology*, 25(17), 4407–4419. <https://doi.org/10.1111/mec.13770>
- Zheng, L., He, J., Lin, Y., Cao, W. and Zhang, W., 2014. 16S rRNA is a better choice than COI for DNA barcoding hydrozoans in the coastal waters of China. *Acta Oceanologica Sinica*, 33, pp.55-76.