

## DAFTAR PUSTAKA

- Al Sanafi, A.E. 2016. Pharmacological importance of *Clitoria ternatea*. *IOSR Journal of Pharmacy*, 6(3): 57-67.
- Aristya, G. R., and Daryono, B. S. 2014. Karakter fenotipik tanaman stroberi festival (*Fragaria x ananassa* D.) hasil induksi kolkisin pada konsentrasi 0,05% dan 0,01%, *Biogenesis: Jurnal Ilmiah Biologi*, 2(2): 70-78.
- Aziz, I. R. 2019. Kromosom tumbuhan sebagai marka genetik. *Teknosains: Media Informasi Sains Dan Teknologi*, 13(2): 125-131.
- Aziz, I. R., Muthiadin, C., Hajrah., Alir, R.F., Suryaflly, F.D., Amnah, A.Z., Hermawan, I.A., Mustami, M.K., Mahfut., Upreti, B.M. 2021. Polyploidy induction of Rutaceae through Bio-catharanthine treatment. *Biota*. 10(10): 14-23.
- Bae, S.J., Islam, M.M., Kim, H.Y., Lim, K.B. 2020. Induction of tetraploidy in watermelon with oryzalin treatments. *Hortic Sci Technol*, 38(2): 385-393.
- Billa, A. T., Lestari, S. S., Daryono, B. S., & Subiastuti, A. S. 2022. Bio-Catharantin effects on phenotypic traits and chromosome number of shallots (*Allium Cepa* L. Var. *Ascalonicum* 'Tajuk'). *Sabrao Journal of Breeding and Genetics*, 54(2): 350-358.
- Curtis, M. G., Walker, B., Denny, T. N. 2011. Flow cytometric methods for prenatal and neonatal diagnosis. *J. immunol. methods.*, Amsterdam, 363(2): 198-209.
- Corneillie, S., Storme N. D., Acker R., Fangel J. 2019. Polyploidy affects plant growth and alters cell wall composition. *Plant Physiology*, 179(1): 74-87.
- Eng, W. and Ho, W. 2019. Polyploidization using colchicine in horticultural plants : A review, *Scientia Horticulturae*, 246: 604-617.
- Ermayanti, T. M., Nur Wijayanta, A. and Ratnadewi, D. 2018. Induksi poliploid di pada tanaman talas (*Colocasia esculenta* (L.) Schott) kultivar kaliurang dengan perlakuan kolkisin secara In Vitro. *Jurnal Biologi Indonesia*, 14(1): 91-102.
- Ermayanti T M, Al Hafiizh E, Martin A F and Rantau D E. 2014. Prosiding seminar nasional XXIII kimia dalam Indonesia dan lingkungan. *Jurnal prosiding*, 513-522.
- Faradilla, F. P., Kusumaningrum, H. P., dan Wijanarka. 2017. Identifikasi molekuler tanaman pisang rajalawe berdasarkan gen internal transcribed spacer (ITS). *Jurnal Biologi*, 6(1): 21-28.
- Faria, R.T.D.; Takahashi, L.S.; Lone, A.B. 2011. UEL 6: Nova cultivar de *Dendrobium*. *Hortic Bras*, 27(1): 114-115.
- Frawley, L. E. and Orr-Weaver, T. L. 2015. Polyploidy. *Current Biology : Cell Press*, 25(9): 345-361.
- Friska, M. and Daryono, B. S. 2017. Derajat ploidi jahe merah (*Zingiber officinale* Roxb. Var. *Rubrum* Rosc.) hasil induksi dengan kolkisin. *Biogenesis: Jurnal Ilmiah Biologi*, 5(1): 49-54.
- Gill, N., Hans, C. S. and Jackson, S. 2008. An overview of plant chromosome structure. *Cytogenetic and genome research*, 120(3-4): 194-201.
- Hao, G.Y.; Lucero, M.E.; Sanderson, S.C.; Zacharias, E.H.; Holbrook, N.M. 2013. Polyploidy enhances the occupation of heterogeneous environments

- through hydraulic related trade-offs in *Atriplex canescens* (*Chenopodiaceae*). *New Phytol*, 197: 970–978.
- Herlina, P., Ahmad Y., and Martanti, D. 2024. Identifikasi tingkat ploidi tanaman pisang menggunakan flow cytometer di Jawa Tengah. *Manikara*, 2(2): 61–68.
- Islam M., Deepo, D. M., Nasif, S. O., Siddique, A. B., Hassan O., Paul, N. C. 2022. Cytogenetics and consequences of polyploidization on different biotic-abiotic stress tolerance and the potential mechanism involved. *Plants*, 11(1): 2684.
- ITIS (the Integrated Taxonomic Information System). 2018. *Clitoria ternatea*. ITIS Report. At : [https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=22362#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=22362#null). (Accessed : May 29, 2024).
- Jamil, N., Zairi, M. N. Z., and Nasim, M. 2018. Influences of environmental conditions to phytoconstituents in *Clitoria ternatea* (Butterfly Pea Flower) – A Review. *Journal of Science and Technology*, 10(2): 208–228.
- Jerayaj E. J., Lim, Y. Y., Choo, W. S. 2021. Extraction methods of butterfly pea (*Clitoria ternatea*) flower and biological activities of its phytochemicals. *J Food Sci Technol*, 58(6): 2054–2067.
- Kurniawan L., Laili, A. N., Anggaini, D. S., Ain, S. Q., Wulandari, D. R., and Ulum, F. B. 2023. Poliploidy induction of Indonesian black rice *Oryza sativa* L.var. cempo ireng with bio-catharantine. *Life Science and Biotechnology*, 1(2) :41–47.
- Kusuma, A. D. 2019. Potensi teh bunga telang (*Clitoria ternatea*) sebagai obat pengencer dahak herbal melalui uji mukositas. *Risenologi*, 4(2): 65–73.
- Lahiri K., Mukhopadhyay, M. J., and Mukhopadhyay, S. 2016. Karyotype analysis and 4c nuclear DNA estimation in different cultivars of *Clitoria ternatea* L. *Cytologia*, 81(1): 19–23.
- Limera C, Wang K, Xu L, Wang Y, Zhu X, Feng H, Sha Y, Gong Y, Liu L. 2016. Induction of autotetraploidy using colchicine and its identification in radish (*Raphanus sativus* L.). *The Journal of Horticultural Science and Biotechnology*, 91(1): 63–70.
- Liu, J., Zhu, J., Tang, L., Wen, W., Lv, S., Yu, R. 2014. Enhancement of vindoline and vinblastine production in suspension-cultured cells of *Catharanthus roseus* by artemisinic acid elicitation. *World Journal of Microbiology and Biotechnology*, 30(1): 175–180.
- Lesmin, F., Pratiwi, A. E., Afriona, N., dan Atifa, Y. 2022. Review jurnal : faktor keberhasilan poliploidisasi pada ikan mas (*Cyprinus carpio*) dan ikan lele (*Clarias gariepinus*). *Prosiding Semnas Bio*: 542–547.
- Miguel, T.P. and K.W. Leonhardt. 2011. In vitro polyploid induction of orchids using oryzalin. *Scientia Horticulturae*, 130: 314–319.
- Muarifin, A., Ayudha B., Sartika, D., and Daryono B. S. 2021. Induced polyploidy in *Arachis Hypogaea* L. var. talam using *Catharanthus Roseus* phenolic extract. *Asian Journal of Plant Sciences*, 20(2): 263–70.
- Mohammad, D.D.; Mazharul, I.M.; Ann, T.C.; Kim, H.Y.; Lim, K.B. 2020. Phenotypic characteristics and karyotype analysis of *Hibiscus sabdariffa* var. sabdariffa by fluorescence in situ hybridization (FISH). *Hortic Sci Technol*, 38: 695–704.

- Morris, J. B. 2009. Characterization of butterfly pea (*Clitoria ternatea* L.) accessions for morphology, phenology, reproduction and potential nutraceutical, pharmaceutical trait utilization. *Genetic Resources and Crop Evolution*, 56(3): 421–427.
- Nagahatenna DSK and Peiris SE. 2008. Modification of plant architecture of *Hemidesmus indicus* (L.) R. Br. (Iramusu) by in vitro colchicine treatment. *Tropikal Agricultural Research*, 20: 234-242.
- Nagat E., Kamla, B., and Hoda, K. 2020. Phenotypic and molecular characterization of polyploidy *Vicia faba* induced by colchicine. *GSC*, 11(03): 235-243.
- Ochatt, S. J. 2008. Flow cytometry in plant breeding. *Cytometry Part A*, 73(7): 581–598.
- Oktavia, S. dan Setiawati, T. 2020. Triploidisasi ikan mas (*Cyprinus carpio* L.) menggunakan ekstrak umbi kembang sunsang (*Gloriosa superba* L.) dengan lama perendaman yang berbeda. *Biodidaktita : Jurnal Biologi dan Pembelajarannya*, 15(1): 18-33.
- Orgogozo V., Morizot, B., and Arnaud Martin. 2015. The differential view of genotype-phenotype relationships. *Frontiers in Genetics*, 6(179) : 1-14.
- Putri D. A., Rahyuni, M., Sarwati, M. 2022. The effect of vinca alkaloids (vincristine and vinblastine) on the morphological characters of jack beans or koro pedang (*Canavalia ensiformis*). *Journal of Biotechnology and Natural Science*, 2(1): 27-31.
- Rahayu E. M. D., Sukma, D., Syukur, M., Aziz, S. A., and Irawati. 2015. In vivo polyploid induction using colchicine of moth orchid seedling (*Phalaenopsis amabilis* (L.) Blume). *Buletin Kebun Raya*, 18(1) :41-48.
- Rahmi, P., Witjaksono., Ratnadewi, D. 2019. Induksi poliploid tanaman kangkung (*Ipomoea aquatica* Forssk.) kultivar salina In Vitro dengan oryzalin. *Jurnal Biologi Indonesia*, 15(1): 1–8.
- Rizko. 2020. Isolasi DNA daun jeruk bali merah (*Citrus maxima* Merr.) dengan modifikasi metode doyle and doyle. *Berkala Bioteknologi*, 3(2): 1-7.
- Rohmah, D.I., Mulyani, M., Janah, L.N., Pancoro, A., Miftahudin, M., Wibowo, A.T., Daryono, B.S., 2022. The effectiveness of bio-catharantine on peanut (*Arachis hypogea* L.) lurik cultivar: Presented at the 7th International Conference on Biological Science (ICBS 2021), Yogyakarta, Indonesia.
- Shafura, N., Janah, L. N., Huda, M. S., & Daryono, B. S. (2022). Effectiveness of bio-batharantin induction to increase red spinach (*Alternanthera amoena* Voss.) *Production: 7th International Conference on Biological Science (ICBS 2021)*, Yogyakarta, Indonesia.
- Sinuraya, F., Roslin, D. I., Deviona, Suharyanto. 2023. The effect of colchicine concentration and immersion time on growth and morphological characters of *Acacia crassiorpa* A. Cunn. Ex Benth In vitro explants. *Jurnal Biologi Tropis*, 23(3): 238-247.
- Suarna, W. and Wijaya, M. S. 2021. Butterfly pea (*Clitoria ternatea* L.: Fabaceae) and its morphological variations in Bali. *Journal of Tropical Biodiversity and Biotechnology*, 6(2): 1–12.
- Syaifudin A, Ratnasari E, Isnawati. 2013. Pengaruh pemberian berbagai konsentrasi kolkisin terhadap pertumbuhan dan produksi tanaman cabai (*Capsicum annum*) Varietas Lado F1. *Lentera Bio*, 2(2): 167-171.

- Syukur, M., Sujiprihati, S. dan Siregar, A., 2010. Pendugaan parameter genetik beberapa karakter agronomi cabai F4 dan evaluasi daya hasilnya menggunakan rancangan perbesaran (Augmented Design). *J. Agrotropika*, 15(1): 9-16.
- Tammu, R. M., Nuringtyas, T. R., & Daryono, B. S. 2021. Colchicine effects on the ploidy level and morphological characters of Katokkon pepper (*Capsicum annuum* L.) from North Toraja, Indonesia. *Journal of Genetic Engineering and Biotechnology*, 19(1): 31.
- Travers, A. and Muskhelishvili, G., 2015. DNA structure and function. *FEBS Journal*, 1(2): 2279-2295.
- Van de Peer, Y., Mizrachi, E., Marchal, K., 2017. The evolutionary significance of poly-ploidy. *Nat Rev Genet*, 18(1): 411–424.
- Varma, A., Padh, H., and Shrivastava, N., 2007. Plant genomic DNA isolation : an art or a science. *Journal Biotechnology*, 2(1): 386-392.
- Weihan R. A., Zulkarnain, and Lizawati. 2020. Identifikasi keragaman karakter morfologi tanaman pisang (*Musa* spp.) wilayah daratan di kabupaten tanjung jabung timur. *AGROSCRIPT*, 2(2) :67-78.
- Xue, H.; Zhang, B.; Tian, J.R.; Chen, M.M.; Zhang, Y.Y.; Zhang, Z.H.; Ma, Y. 2017. Comparison of the morphology, growth and development of diploid and autotetraploid ‘Hanfu’apple trees. *Sci Hortic*, 225(1): 277–285.
- Zulchi, T., Husni, A., and Fransiska. 2020. Hasil ploidisasi kembang telang (*Clitoria ternatea* L) terhadap produksi biomasa. *Prosiding Seminar Nasional Teknologi Peternakan dan Veteriner Virtual*, 3(2): 743-751.