

DAFTAR PUSTAKA

- [1] Badan Pusat Statistik Kota Yogyakarta, “Kota Yogyakarta dalam Angka 2023,” 2023.
- [2] Badan Standardisasi Nasional, ”Tata Cara Perancangan Sistem Ventilasi dan Penkondisian Udara pada Bangunan Gedung,” 2001.
- [3] U. N. Fithrah, M. R. Kirom, and T. Ayodha, “Effect of Cooling Load Error Calculation Without South,” vol. 4, no. 1, pp. 658–665, 2017.
- [4] M. Mukhtar, Baharuddin Hamzah, and Rosady Mulyadi, “Pengaruh Geometri Dan Window To Wall Ratio Terhadap Overall Thermal Transfer Value Dan Konsumsi Energi Pendingin Bangunan,” *Nat. Natl. Acad. J. Archit.*, vol. 10, no. 1, pp. 15–26, 2023, doi: 10.24252/nature.v10i1a2.
- [5] M. Waskel and S. Chaudhary, “Cooling Load Estimation Using CLTD/CLF Method for an Educational Building of Institute of Engineering & Technology Devi Ahilya Vishwavidyalaya Indore,” *Int. J. Sci. Res.*, vol. 7, no. 3, pp. 0–5, 2018, doi: 10.21275/ART2018997.
- [6] A. Bhatia, “Cooling Load Calculations and Principles,” *Energy Policy*, vol. 34, no. 18, pp. 4081–4092, 2006, doi: 10.1016/j.enpol.2005.10.011.
- [7] R. P. Utari, “Analisa Nilai Overall Thermal Transfer Value (OTTV) sebagai Konservasi Energi Selubung pada Bangunan berdasarkan SNI 03-6389-2011,” *Pros. SENTRA (Seminar Teknol. dan Rekayasa)*, pp. 40–47, 2019.
- [8] M. S. Hidayat, “Studi Overall Thermal Transfer Value (OTTV) di Gedung Kampus Universitas,” *Metr. Ser. Teknol. dan Sains*, vol. 3, no. 2, pp. 1–7, 2022, doi: 10.51616/teksi.v3i2.344.
- [9] Badan Standardisasi Nasional, “Konservasi Energi Selubung Bangunan pada Bangunan Gedung,” 2011.
- [10] J. Virgone, V. Iordache, and T. Catalina, “Study on the impact of the building form on the energy consumption,” *Proc. Build. Simul. 2011 12th Conf. Int. Build. Perform. Simul. Assoc.*, 2011.
- [11] W. S. Rashdi, S. W.M., and M. R. Embi, “Analysing Optimum Building form in Relation to Lower Cooling Load,” *Procedia - Soc. Behav. Sci.*, vol. 222, pp. 782–790, Jun. 2016, doi: 10.1016/j.sbspro.2016.05.161.
- [12] D. Pramita, E. Laksmiyanti, I. T. Adhi, and T. Surabaya, “Kinerja Bentuk





- Bangunan Perkantoran Bertingkat Menengah Di Surabaya Terhadap Efisiensi Energi Pendinginan,” *IPTEK*, vol. 20, no. 1, 2016.
- [13] F. Faizi, M. Noorani, A. Ghaedi, and M. Mahdavinejad, “Design an optimum pattern of orientation in residential complexes by analyzing the level of energy consumption (case study: Maskan Mehr complexes, Tehran, Iran),” in *Procedia Engineering*, Elsevier Ltd, 2011, pp. 1179–1187. doi: 10.1016/j.proeng.2011.11.2128.
- [14] D. M. Rachmawati, D. Ariestadi, and I. Alfianto, “Analisis Orientasi Fasad Bangunan untuk Optimalisasi Kinerja OTTV Gedung Kuliah Bersama Universitas Negeri Malang,” *Live Appl. Sci.*, vol. 3, 2023.
- [15] C. Koranteng, C. Essel, and J. Nkrumah, “Passive Analysis of the Effect of Window Size and Position on Indoor Comfort for Residential Rooms in Kumasi, Ghana,” *IARJSET*, vol. 2, no. 10, pp. 114–115, Oct. 2015, doi: 10.17148/iarjset.2015.21024.
- [16] S. Loekita, “Analisis Konservasi Energi Melalui Selubung Bangunan,” *Civ. Eng. Dimens.*, vol. 8, no. 2, pp. 93–98, 2006, [Online]. Available: <http://puslit.petra.ac.id/journals/civil>
- [17] M. N. Associated, “Investigating The Effect of Different Building’s Orientation on Amount of Cooling Load in Kerman City Located in Hot and Arid Region of Iran,” *Eur. Online J. Nat. Soc. Sci.*, 2015, [Online]. Available: www.european-science.com
- [18] T. Kusumo, “Efektivitas Strategi Hybrid pada Hunian di Lingkungan Perumahan Perkotaan Padat Jakarta,” *Semin. Nas. Sustain. Archit.*, 2018.
- [19] X. Su, Y. Yuan, Z. Wang, W. Liu, L. Lan, and Z. Lian, “Human thermal comfort in non-uniform thermal environments: A review,” *Energy and Built Environment*, vol. 5, no. 6. KeAi Communications Co., pp. 853–862, Dec. 01, 2024. doi: 10.1016/j.enbenv.2023.06.012.
- [20] Winarto Sonden, “Selubung Bangunan dan Lingkungan Luar (Passive Cooling),” *Swart. Patra Maj. Ilm. PPSDM Migas*, vol. 04, no. 04, 2014.
- [21] S. A. Widhayaka and J. E. D. Rilatupa, “Optimalisasi Kinerja Termal Selubung Bangunan Unit Hunian di Rusunawa Cibesut Jakarta Timur,” *MODUL*, vol. 21, no. 1, pp. 43–50, May 2021, doi: 10.14710/mdl.21.1.2021.43-50.
- [22] G. Gusti Yudha Saelendra, J. Adi Suryabrata, and D. Wihardyanto,





- “Pengaruh Desain Courtyard Terhadap Konsumsi Energi Untuk AC (Air Conditioner) dan Pencahayaan (Studi Simulasi Hipotetik Bangunan Tinggi Perkantoran Di Jakarta),” *INERSIA INformasi dan Ekspose Has. Ris. Tek. Sipil dan Arsit.*, vol. 14, no. 1, pp. 36–47, 2018, doi: 10.21831/inersia.v14i1.19493.
- [23] I. Fahmi, “Pengaruh Iklim Terhadap Bentuk dan Bahan Arsitektur Bangunan,” *RADIAL J. Perad. Sains, Rekayasa dan Teknol.*, vol. 1, no. 1, pp. 1–10, 2018.
- [24] Jamilah, F. R. Oktavia, and S. W. Nafita, “Pengaruh Material yang Berbeda Terhadap Laju Perpindahan Panas,” *J. Penelit. Fis. dan Ter.*, vol. 3, no. 1, p. 1, Dec. 2021, doi: 10.31851/jupiter.v3i1.5979.
- [25] N Lechner, *Heating, Cooling, Lighting: Design Methods for Architect.* Canda: John Wiley & Sons, Inc, 2001.
- [26] M. K. Ridwan, “Handout Fisika Bangunan,” 2010.
- [27] ASHRAE, *ASHRAE Handbook: Fundamental SI Edition.* Atlanta: American Society of Heating, Refrigerating and Air Conditioning Engineers Inc, 2017.
- [28] CIBSE, *Environmental Design: CIBSE Guide A 8th Edition.* London: CIBSE, 2016.
- [29] A. Octavianti, M. Muliadi, and A. Apriansyah, “Estimasi Intensitas Radiasi Matahari di Wilayah Kota Makassar,” *Prism. Fis.*, vol. 6, no. 3, pp. 152–159, 2018, doi: 10.26418/pf.v6i3.28711.
- [30] J. Vidmar, “How Can We Reduce Energy Consumption By Simply Adapting Building’s Shape?,” Modelur. [Online]. Available: <https://modelur.com/use-form-factor-to-reduce-energy-consumption-of-buildings/>

