

DAFTAR PUSTAKA

- Adams, G. 2020. A beginner's guide to RT-PCR, qPCR and RT-qPCR. *Biochem (Lond)*, 42(3): 48–53.
- Adeyemo, O. S., Chavarriaga, P., Tohme, J., Fregene, M., Davis, S. J., & Setter, T. L. 2017. Overexpression of *Arabidopsis FLOWERING LOCUS T (FT)* gene improves floral development in cassava (*Manihot esculenta* Crantz). *PLOS ONE*, 12(7); 1-15.
- Adeyemo, O.S., Hyde, P.T. & Setter, T.L. 2019. Identification of *FT* family genes that respond to photoperiod, temperature and genotype in relation to flowering in cassava (*Manihot esculenta* Crantz). *Plant Reproduction*, 32: 181-191.
- Ailán-Choke, L.G., Ferreira, V.L., Paiva, F., Tavares, L.E.R., Paschoal, F., & Pereira, F.B. 2024. Untangling the Defiant Taxonomy of *Physaloptera* (Nematoda: Chromadorea: Spirurida: Physalopteridae) Parasites in Reptiles: An Integrative Approach on the Enigmatic *P. retusa* Suggests Cryptic Speciation. *Taxonomy*, 4: 326–340.
- Alves, A. A. C. 2001. *Cassava Botany and Physiology*. In Cassava: Biology, Production and Utilization. CABI. Wallingford UK. pp. 67-89.
- Amanda, U.D. & Cartealy, I.C. 2015. Isolasi RNA total dari mesokarp buah kelapa sawit (*Elaeis guineensis* Jacq. var. Tenera). *Prosiding Skripsi Nasional Masyarakat Biodiversitas Indonesia*, 1(2): 171-176.
- Anacardium occidentale* v0.9 DOE-JGI, <http://phytozome.jgi.doe.gov/>
- Artika, I.M., Dewi, Y.P., Nainggolan, I.M., Sirega, J.E., & Antonjaya, U. 2022. Real-Time Polymerase Chain Reaction: Current Techniques, Applications, and Role in COVID-19 Diagnosis. *Genes*, 13(12): 2387.
- Badan Penelitian dan Pengembangan Pertanian. 2009. *Deskripsi Varietas Unggul Palawija 1918-2009*. Pusat Penelitian dan Pengembangan Tanaman Pangan. Bogor. pp. 321-330.
- Bahri, S., & Santoso, S. J. 2014. Perbanyak tanaman ubi kayu (*Manihot esculenta* Crantz) dengan jumlah mata tunas pada varietas. *Joglo*, 26(1): 1-10.
- Barido-Sottani, J., Schwery, O., Warnock, R.C.M., Zhang, Chi., Wright, C. 2024. Practical guidelines for Bayesian phylogenetic inference using Markov Chain Monte Carlo (MCMC). *Open Research Europe*, 3(204): 1-32.
- Behnam, B., Bohorquez-Chaux, A., Castaneda-Mendez, O.F., Tsuji, H., Ishitani, M., Lopez-Lavalle, L.A.B. 2019. An optimized isolation protocol yields high-quality RNA from cassava tissues (*Manihot esculenta* Crantz). *FEBS Open Bio*, 9: 814–825.
- Behnam, B., Higo, A., Yamaguchi, K., Tokunaga, H., Utsumi, Y., Selvaraj, M.G., Seki, M., Ishitani, M., Lopez-Lavalle, L.A.B. & Tsuji, H. 2021. Field transcriptome analyses reveal developmental transitions during flowering in cassava (*Manihot esculenta* Crantz). *Plant Molecular Biology*, 106: 285-296.
- Beier, S., Himmelbach, A., Colmsee, C., Zhang, X.-Q., Barrero, R. A., Zhang, Q., ... Mascher, M. 2017. Construction of a map-based reference genome sequence for barley, *Hordeum vulgare* L. *Scientific Data*, 4(1).



- Beltrán, J., Jaimes, H., Echeverry, M., Ladino, Y., López, D., Duque, M.C., Chavarriaga, P., Tohme, J. 2009. Quantitative analysis of transgenes in cassava plants using real-time PCR technology. *In Vitro Cell.Dev.Biol.-Plant*, 45: 48–56.
- Berns, M.C., Nordström, K., Cremer, F., Tóth, R., Hartke, M., Simon, S., Klasen, J.R., Bürstel, I., & Coupland, G. 2014. Evening Expression of *Arabidopsis GIGANTEA* is Controlled by Combinatorial Interactions among Evolutionarily Conserved Regulatory Motifs. *The Plant Cell*, 26: 3999–4018.
- Bertioli, D. J., Jenkins, J., Clevenger, J., Dudchenko, O., Gao, D., Seijo, G., ... Schmutz, J. 2019. The genome sequence of segmental allotetraploid peanut *Arachis hypogaea*. *Nature Genetics*, 51(5): 877–884.
- Brachypodium distachyon* Bd21-3 v1.1 DOE-JGI, <http://phytozome.jgi.doe.gov/>
- Brandoli, C., Petri, C., Egea-Cortines, M., & Weiss, J. 2020. *Gigantea*: Uncovering new functions in flower development. *Genes*, 11 (1142): 1-15.
- Bredeson, J. V., Lyons, J. B., Prochnik, S. E., Wu, G. A., Ha, C. M., Edsinger-Gonzales, E., ... Rokhsar, D. S. 2016. Sequencing wild and cultivated cassava and related species reveals extensive interspecific hybridization and genetic diversity. *Nature Biotechnology*, 34(5): 562–570.
- Bouché, F., Lobet, G., Tocquin, P., & Périlleux, C. 2015. FLOR-ID: an interactive database of flowering-time gene networks in *Arabidopsis thaliana*. *Nucleic Acids Research*, 44: D1167–D1171.
- Bouckaert, R.R & Drummond, A.J. 2017. bModelTest: Bayesian phylogenetic site model averaging and model comparison. *BMC Evolutionary Biology*, 17(42): 1-11.
- Bustin, S.A. 2000. Absolute quantification of mRNA using real-time reverse transcription polymerase chain reaction assays. *J. Mol. Endocrinol.* 25:169-193.
- Cao, H. & Shockley, J.M. 2012. Comparison of TaqMan and SYBR Green qPCR methods for quantitative gene expression in tung tree tissues. *Journal of agricultural and food chemistry*, 60(50): 12296-12303.
- Ceballos, H., Rojanaridpiched, C., Phumichai, C., Becerra, L.A., Kittipadakul, P., Iglesias, C., Gracen, V.E. 2020. Excellence in Cassava Breeding: Perspectives for the Future. *Crop Breed Genet Genom*. 2(2): e200008.
- Chan, A. P., Crabtree, J., Zhao, Q., Lorenzi, H., Orvis, J., Puiu, D., ... Rabinowicz, P. D. 2010. Draft genome sequence of the oilseed species *Ricinus communis*. *Nature Biotechnology*, 28(9): 951–956.
- Chen, Z. J., Sreedasyam, A., Ando, A., Song, Q., De Santiago, L. M., Hulse-Kemp, A. M., ... Schmutz, J. 2020. Genomic diversifications of five *Gossypium* allopolyploid species and their impact on cotton improvement. *Nature Genetics*, 52(5): 525–533.
- Cofeea arabica* v0.5 UC Davis Coffee Genome Project. DOE-JGI, <http://phytozome.jgi.doe.gov/>
- Colasanti, J. & Sundaresan, V., 2000. ‘Florigen’ enters the molecular age: long-distance signals that cause plants to flower. *Trends in Biochemical Sciences*, 25(5): 236-240.
- Cormier, F., Lawac, F., Maledon, E., Gravillon, M.-C., Nudol, E., Mournet, P., ... Arnau, G. 2019. A reference high-density genetic map of greater yam

- (*Dioscorea alata* L.). *Theoretical and Applied Genetics*, 132(6), 1733–1744.
- Daccord, N., Celton, J.-M., Linsmith, G., Becker, C., Choisne, N., Schijlen, E., ... Bucher, E. 2017. High-quality de novo assembly of the apple genome and methylome dynamics of early fruit development. *Nature Genetics*, 49(7): 1099–1106.
- David, K.M., Armbruster, U., Tama, N., & Putterill, J. 2006. *Arabidopsis GIGANTEA* protein is post-transcriptionally regulated by light and dark. *FEBS Letters*. (580): 1193–1197.
- D'Hont, A., Denoeud, F., Aury, J.-M., Baurens, F.-C., Carreel, F., Garsmeur, O., ... Wincker, P. 2012. The banana (*Musa acuminata*) genome and the evolution of monocotyledonous plants. *Nature*, 488(7410): 213–217.
- Dogan, I & Dogan, N. 2016. Genetic distance measures: Review. *Turkiye Klinikleri J Biostat*, 8(1): 87-93.
- Dominguez, M.S.C.E. 1983. *Morphology of the Cassava Plant*. Centro Internacional de Agricultura Tropical. Colombia. pp. 6-26.
- Ekanayake, I.J., Osiru, D.S.O., & Porto, M.C.M. 1997. *Morphology of Cassava*. International Institute of Tropical Agriculture (IITA). Nigeria. pp. 3-30.
- Food and Agriculture Organizations of the United Nations. 2013. *Save and Grow: Cassava*. Food and Agriculture Organizations of the United Nations. Rome. pp. 40-46.
- Fowler, S., Lee, K., Onouchi, H., Samach, A., Richardson, K., Morris, B., Coupland, G. & Putterill, J. 1999. *GIGANTEA*: A circadian clock-controlled gene that regulates photoperiodic flowering in *Arabidopsis* and encodes a protein with several possible membrane-spanning domains. *EMBO J*, 18: 4679–4688.
- Genome sequence and analysis of the tuber crop potato. 2011. *Nature*, 475(7355), 189–195.
- Giasuddin, A.S.M. 1995. Polymerase Chain Reaction Technique: Fundamental Aspects and Applications in Clinical Diagnostics. *Journal of Islamic Academy of Sciences*, 8(1): 29-32.
- Goodstein, D.M., Shu, S., Howson, S., Neupane, R., Hayes, R.D., Fazo, J., Mitros, T., Dirks, W., Hellsten, U., Putnam, N., & Rokhsar, D.S. 2012. Phytozome: a comparative platform for green plant genomics. *Nucleic Acids Res*, 40 (D1): D1178-D1186.
- Higuchi, Y., Sage-Ono, K., Sasaki, R., Ohtsuki, N., Hoshino, A., Iida, S., Kamada, H., & Ono, M. 2011. Constitutive expression of the *GIGANTEA* ortholog affects circadian rhythms and suppresses one-shot induction of flowering in *pharbitis nil*, a typical short-day plant. *Plant Cell Physiology*, 52(4): 638–650.
- Hufford, M. B., Seetharam, A. S., Woodhouse, M. R., Chougule, K. M., Ou, S., Liu, J., ... Dawe, R. K. 2021. De novo assembly, annotation, and comparative analysis of 26 diverse maize genomes. *Science*, 373(6555): 655–662.
- Hulse-Kemp, A. M., Bostan, H., Chen, S., Ashrafi, H., Stoffel, K., Sanseverino, W., ... Van Deynze, A. 2021. An anchored chromosome-scale genome assembly of spinach improves annotation and reveals extensive gene rearrangements in euasterids. *The Plant Genome*:14(2).



- Huq, E., Tepperman, J.M., & Quail, P.H. 2000. *GIGANTEA* is a nuclear protein involved in phytochrome signaling in *Arabidopsis*. *Proceedings of the National Academy of Sciences*, 97(17): 9789–9794.
- Hyde, P.T & Setter, T.L. 2022. Long-day photoperiod and cool temperature induce flowering in cassava: Expression of signaling genes. *Front. Plant Sci*, 13:973206.
- Imaizumi, T. & Kay, S.A. 2006. Photoperiodic control of flowering: not only by coincidence. *TRENDS in Plant Science*, 11(11): 550-558.
- Integrated Taxonomy Information System (ITIS). 2023. “*Manihot esculenta* Crantz”. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=503688#null. [Diakses 3 April 2023].
- Izawa, T., Mihara, M., Suzuki, Y., Gupta, M., Itoh, H., Nagano, A.J, et al. 2011. Os-*GIGANTEA* confers robust diurnal rhythms on the global transcriptome of rice in the field. *PlantCell*, 23: 1741–1755.
- James, A. B., Monreal, J. A., Nimmo, G. A., Kelly, C. L., Herzyk, P., Jenkins, G. I., et al. 2008. The circadian clock in *Arabidopsis* roots is a simplified slave version of the clock in shoots. *Science*, 322: 1832–1835.
- Ke, Q., Kim, H.S, Wang, Z., Ji, C.Y., Jeong, C.J, Lee, H.S, Choi, Y.I., Xu, B., Deng, X., Yun, D., & Kwak, S. 2017. Down-regulation of *GIGANTEA*-like genes increases plant growth and salt stress tolerance in poplar. *Plant Biotechnology Journal*, 15: 331–343.
- Kim, W.Y., Fujiwara, S., Suh, S.S., Kim, J., Kim, Y., Han, L., David, K., Putterill, J., Nam, H.G., & Somers, D.E. 2007. *ZEITLUPE* is a circadian photoreceptor stabilized by *GIGANTEA* in blue light. *Nature*, (449): 356–360.
- Kim, Y., Lim, J., Yeom, M., Kim, H., Kim, J., Wang, L., Kim, W.Y., Somers, D.E., & Nam, H.G. 2013. *ELF4* Regulates *GIGANTEA* Chromatin Access through Subnuclear Sequestration. *Cell Reports*, 3: 671–677.
- Kubista, M., Andrade, J.M., Bengtsson, M., Forootan, A., Jonake, J., Lind, K., Sindelka, R., Sjöback, R., Sjögren, B., Strombom, L., Stahlberg, A., Zoric, N. 2006. The real-time polymerase chain reaction. *Molecular Aspects of Medicine*, 27: 95–125.
- Lamesch, P., Berardini, T. Z., Li, D., Swarbreck, D., Wilks, C., Sasidharan, R., ... Huala, E. 2011. The *Arabidopsis* Information Resource (TAIR): improved gene annotation and new tools. *Nucleic Acids Research*, 40(D1): D1202–D1210.
- Leelawijitkul, S., Kongsil, P., Kittipadakul, P. & Juntawong, P. 2022. Correlation Between Relative Gene Expression Patterns of Two Flowering locus T (*MeFT1* and *MeFT2*) in Cassava Leaf and Flowering Traits Under Different Flowering Induction Conditions. *Pakistan Journal of Biological Sciences*, 25(5): 369-379.
- Letunic, I. & Bork, P. 2024. Interactive Tree of Life (iTOL) v6: Recent updates to the phylogenetic tree display and annotation tool. *Nucleic Acids Research*. doi:10.1093/nar/gkae268.
- Liang, Q., Muñoz-Amatriaín, M., Shu, S., Lo, S., Wu, X., Carlson, J. W., ... Lonardi, S. 2023. A view of the pan-genome of domesticated Cowpea (*Vigna unguiculata* [L.] Walp.). *The Plant Genome*, 17(1).



- Livak, K.J. & Schmittgen, T.D. 2001. Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the $2^{-\Delta\Delta CT}$ Method. *Method*, 25: 402–408.
- Lorenz, T.C. 2012. Polymerase chain reaction: basic protocol plus troubleshooting and optimization strategies. *Journal of Visualized Experiments*, 63: 1-15.
- Lovell, J. T., Jenkins, J., Lowry, D. B., Mamidi, S., Sreedasyam, A., Weng, X., ... Juenger, T. E. 2018. The genomic landscape of molecular responses to natural drought stress in *Panicum hallii*. *Nature Communications*, 9(1).
- McCormick, R. F., Truong, S. K., Sreedasyam, A., Jenkins, J., Shu, S., Sims, D., ... Mullet, J. E. 2017. The *Sorghum bicolor* reference genome: improved assembly, gene annotations, a transcriptome atlas, and signatures of genome organization. *The Plant Journal*, 93(2): 338–354.
- Ming, R., Hou, S., Feng, Y., Yu, Q., Dionne-Laporte, A., Saw, J. H., ... Alam, M. 2008. The draft genome of the transgenic tropical fruit tree papaya (*Carica papaya* Linnaeus). *Nature*, 452(7190): 991–996.
- Ming, R., VanBuren, R., Wai, C. M., Tang, H., Schatz, M. C., Bowers, J. E., ... Yu, Q. 2015. The pineapple genome and the evolution of CAM photosynthesis. *Nature Genetics*, 47(12): 1435–1442.
- Mishra, P. & Panigrahi, K.C. 2015. GIGANTEA: an emerging story. *Frontiers in Plant Science*, 6(8): 1-15.
- Mizoguchi, T., Wheatley, K., Hanzawa, Y., Wright, L. Mizoguchi, M., Song, H., Carre' I.A., & Coupland, G. 2002. *LHY* and *CCA1* Are Partially Redundant Genes Required to Maintain Circadian Rhythms in *Arabidopsis*. *Developmental Cell*, 2: 629–641.
- Mizoguchi, T., Wright, L., Fujiwara, S., Cremer, F., Lee, K., Onouchi, H., Mouradov, A., Fowler, S., Kamada, H., Putterill, J., Coupland, G. 2005. Distinct Roles of *GIGANTEA* in Promoting Flowering and Regulating Circadian Rhythms in *Arabidopsis*. *The Plant Cell*, 17: 2255–2270.
- Montaigu, A. & Coupland, G. 2017. The timing of *GIGANTEA* expression during day/night cycles varies with the geographical origin of *Arabidopsis* accessions. *Plant Signaling & Behavior*, 12(7): 1-7.
- Motamayor, J. C., Mockaitis, K., Schmutz, J., Haiminen, N., III, D. L., Cornejo, O., ... Kuhn, D. N. 2013. The genome sequence of the most widely cultivated cacao type and its use to identify candidate genes regulating pod color. *Genome Biology*, 14(6).
- Mutiyani, M., Soeatmadji, & D. Wahono. 2014. Efek diet tinggi karbohidrat dan diet tinggi lemak terhadap kadar glukosa darah dan kepadatan sel beta. *Indonesian Journal of Human Nutrition*, 1(2): 106-113.
- Nolan, T., Hands, R.E., & Bustin, S.A. 2006. Quantification of mRNA using real-time RT-PCR. *Nature Protocol*, 1(3): 1559-1582.
- Oluwasanya, D.N., Gisel, A., Stavlone, L. & Stter, T.L. 2021. Environmental responsiveness of flowering time in cassava genotypes and associated transcriptome changes. *PLOS ONE*, 16(7): 1-24.
- Onwueme, I.C & Sinha, T.D. 1991. *Field Crop Production in Tropical Africa*. The Netherlands: Technical Centre for Agricultural and Rural Co-operation. pp. 233-240.



- Orek, C.O. 2018. An Optimised Cetyltrimethylammonium Bromide (CTAB)-Based Protocol for Extracting RNA from Young and Old Cassava Leaves. *Journal of Advances in Biology & Biotechnology*, 19(4): 1-7.
- Ouyang, S., Zhu, W., Hamilton, J., Lin, H., Campbell, M., Childs, K., ... Buell, C. R. 2007. The TIGR Rice Genome Annotation Resource: improvements and new features. *Nucleic Acids Research*, 35(Database): D883–D887.
- Paltiel, J., Amin, R., Gover, A., Ori, N., & Samach, A. 2006. Novel roles for *GIGANTEA* revealed under environmental conditions that modify its expression in *Arabidopsis* and *Medicago truncatula*. *Planta*, 224(6): 1255–1268.
- Pearson, W.R. 2013. An Introduction to Sequence Similarity (“Homology” Searching. *Current protocols in bioinformatics*, 3(3.1.1–3.1.8).
- Pevsner, J. 2015. *Bioinformatics and Functional Genomics Third Edition*. John Wiley & Sons. United Kingdom. pp. 246-295.
- Phaseolus vulgaris* v2.1, DOE-JGI and USDA-NIFA, <http://phytozome.jgi.doe.gov/>.
- Pusdatin (Pusat Data dan Informasi Pertanian). 2016. *Outlook: Komoditas Pertanian Sub Sektor Tanaman Pangan Ubikayu*. Kementerian Pertanian. Jakarta. 59.
- Putterill, J. & Varkonyi-Gasic, E., 2016. FT and florigen long-distance flowering control in plants. *Current Opinion in Plant Biology*, 33: 77-82.
- Reuben-Kalu, J.I., Eswaran, K, Muthurajan, R., Doraiswamy, U., Venkatasamy, B., Shanmugam, K.P. 2023. Precise isolation of high-quality RNA from leaves and storage roots of cassava (*Manihot esculenta Crantz*) for gene expression studies. *Bulletin of the National Research Centre*, 47:84.
- Remans, T., Keunen, E., Bex, G.J., Smeets, K., Vangronsveld, J., & Cuypers, A. 2014. Reliable Gene Expression Analysis by Reverse Transcription-Quantitative PCR: Reporting and Minimizing the Uncertainty in Data Accuracy. *The Plant Cell*, 26: 3829–3837.
- Rozi, F., Elisabeth, D.A.A., Krisdiana, R., Adri, A., Yardha, Y., & Rina, Y. 2023. Prospects of Cassava Development in Indonesia in Supporting Global Food Availability in Future. *Advances in Root Vegetables Research*. IntechOpen. pp. 1-22.
- Rychlik, W., Spencer, W.J., & Rhoads, R.E. 1998. Optimization of the annealing temperature for DNA amplification in vitro. *Nucleic Acids Research*, 18(21): 6409-6412.
- Salcedo, A., Zambrana, C., Siritunga, D. 2014. Comparative Expression Analysis of Reference Genes in Field-Grown Cassava. *Tropical Plant Biol*, 7: 53–64.
- Sanchez, C.R., Villacreses, J., Blanc, N., Espinoza, L., Martinez, C., Pastor, G., Manque, P., Undurraga, S.F., Polanco, V. 2016. High quality RNA extraction from Maqui berry for its application in next-generation sequencing. Springer plus. 5:124.
- Sawa, M., Nusinow, D.A., Kay, S.A., Imaizumi, T. 2007. *FKF1* and *GIGANTEA* Complex Formation is Required for Day-Length Measurement in *Arabidopsis*. *Science*, 318: 261-264.
- Schmutz, J., Cannon, S. B., Schlueter, J., Ma, J., Mitros, T., Nelson, W., ... Jackson, S. A. 2010. Genome sequence of the palaeopolyploid soybean. *Nature*, 463(7278): 178–183.



- Solanum lycopersicum* ITAG2.4 International Tomato Genome Sequencing Project and SGN, <http://phytozome.jgi.doe.gov/>.
- Srikanth, A. & Schmid, M. 2011. Regulation of flowering time: all roads lead to Rome. *Cell. Mol. Life Sci.*, 68: 2013–2037.
- Ståhlberg, A., Håkansson, J., Xian, X., Semb, H., Kubista, M. 2004. Properties of the Reverse Transcription Reaction in mRNA Quantification. *Clinical Chemistry*, 50(3): 509–515.
- Sullivan, J. & Joyce, P. 2005. Model Selection in Phylogenetics. *Annu. Rev. Ecol. Evol. Syst.*, 36: 445–66.
- Susila, H. & Purwestri, Y.A. 2023. PEBP Signaling Network in Tubers and Tuberous Root Crops. *Plants*, 12(2): 264.
- Tamura, K., Nei, M. & Kumar, S. 2004. Prospects for inferring very large phylogenies by using the neighbor-joining method. *Proceedings of the National Academy of Sciences*, 101: 11030–11035.
- Tokunaga, H., Quynh, D.T.N., Anh, N.H., Nhan, P.T., Matsui, A., et al. 2022. Field transcriptome analysis reveals a molecular mechanism for cassava-flowering in a mountainous environment in Southeast Asia. *Plant Molecular Biology*. 109: 233–248.
- Tsuji, H., 2017. Molecular function of florigen. *Breeding science*, 67(4): 327-332.
- Utama, Y.A.K. & Rukismono, M. 2018. *Ubi kayu-Man Vs Gadung-Man*. Papua: Aseni. pp. 15-22.
- Verde, I., Abbott, A. G., Scalabrin, S., Jung, S., Shu, S., Marroni, F., ... Rokhsar, D. S. 2013. The high-quality draft genome of peach (*Prunus persica*) identifies unique patterns of genetic diversity, domestication and genome evolution. *Nature Genetics*, 45(5): 487–494.
- Villamayor-Jr., F. G. 1987. Ecological and cultur requirements of cassava. *Philippine Root Crops Information Service*, 2(1): 1-4.
- Wong, M.L., & Medrano, J.F. 2005. Real-Time PCR for mRNA Quantitation, *BioTechniques*, 39(1): 75-85.
- Wu, G. A., Prochnik, S., Jenkins, J., Salse, J., Hellsten, U., Murat, F., ... Rokhsar, D. 2014. Sequencing of diverse mandarin, pummelo and orange genomes reveals complex history of admixture during citrus domestication. *Nature Biotechnology*, 32(7): 656–662.
- Xu, L., Sun, L., Guan, G., Huang, Q., Lv, J., Yan, L., Ling, L. & Zhang, Y. 2019. The effects of pH and salts on nucleic acid partitioning during phenol extraction. *Nucleosides, Nucleotides and Nucleic Acids*, 38(4): 305–320.