

DAFTAR PUSTAKA

- Adam, J. M. (2010). *Dislipidemia*. In: Sudoyo A.W., Setiyohadi, B., Alwi, I., Simadibrata, M., Setiati, S., editors. Buku Ajar Ilmu Penyakit Dalam. Jakarta: Interna Publishing, pp.1984-1992.
- Adeliana, S., Handayani, L. T., and Kurniawan, H. (2016). *Hubungan Perilaku Merokok dengan Kadar Kolesterol HDL (High Density Lipoprotein) pada Perokok Aktif di Gudang Taman Glagahwero Kalisat Jember*. Undergraduate thesis, Universitas Muhammadiyah Jember.
- Adeloye, D., Abaa, D. Q., Owolabi, E. O., et al. (2020). Prevalence of hypercholesterolemia in Nigeria: a systematic review and meta-analysis. *Public Health*, vol (178), pp. 167–178.
- Almatsier, Sunita. 2004. *Prinsip Dasar Ilmu Gizi*. Jakarta: PT. Gramedia Pustaka Utama.
- Al-Rahmad, A. H., Annaria, A., & Fadri, T. K. (2016). Faktor Resiko Peningkatan Kolesterol pada Usia di Atas 30 Tahun di Kota Banda Aceh. *Jurnal Nutrisia*, 18(2), 109-114.
- Aman, A., Soewondo, P., Soelistijo, S. (2019). *Pedoman pengelolaan dislipidemia di Indonesia 2019*. PB PERKENI.
- Amanda, D., & Martini, S. (2018). Hubungan karakteristik dan obesitas sentral dengan kejadian hipertensi. *Jurnal Berkala Epidemiologi*, 6(1), 57-66. doi: 10.20473/jbe.v6i1
- Artha, I. M. J. R., Bhargah, A., Dharmawan, N. K., et al. (2019). High level of individual lipid profile and lipid ratio as a predictive marker of poor glycemic control in type-2 diabetes mellitus. *Vascular Health and Risk Management*, vol (15), pp. 149–157.
- Bantas, K, Agustina, F. M. T. & Zakiyah D. (2012). Risiko Hiperkolesterolemia pada Pekerja di Kawasan Industri. *Kesmas: National Public Health Journal*, vol (6), no, (5), pp. 219-224.
- Barasi, M. E. (2009). *At glance ilmu gizi* (H. Halim (ed.)). Erlangga.
- Bereda, G. (2022). Pathophysiology and Management of Dyslipidaemia. *Journal of Scientific and Technical Research*, vol. (43), no. (2), pp. 34369-34375.
- Browning, L.M., Hsieh, S.D., Ashwell, M. (2010). A systematic Review of Waist-to Height Ratio as a Screening Tools for the Prediction of Cardiovascular Disease and Diabetes: 0-5 could be a suitable global boundary value. *Nutrition Research Reviews*, 23: 247-269.
- Cabezas, M. C., Burggraaf, B., Klop, B. (2018). Dyslipidemias in clinical practice. *Clinica Chimica Acta*, 487, pp. 117-25.
- Cao, L., Zhou, J., et al. (2022). Effects of Body Mass Index, Waist Circumference, Waist-to-Height Ratio and Their Changes on Risks of Dyslipidemia among Chinese Adults: The Guizhou Population Health Cohort Study. *Int. J.*

- Environ. Res. Public Health*, vol. (19), no. (1), pp. 341; <https://doi.org/10.3390/ijerph19010341>
- Chandel, N. S. (2021). Lipid metabolism. *Cold Spring Harbor Perspectives in Biology*, 13(9), a040576.
- Cindy, S. A. P. (2016). *Kunjungan Pegawai Universitas Gadjah Mada dengan Penyakit Tidak Menular ke GMC Health Center Periode Tahun 2014*.
- Dana, Y. A. & Maharani, H. (2022). Hubungan Indeks Massa Tubuh dengan Kadar Kolesterol pada Karyawan dan Mahasiswi Politeknik Kudus. *Jurnal Ilmiah Kesehatan*, vol. (1), no. (1), pp. 1–9.
- Erik, T. M. H. A. (2005). *Penyakit degeneratif*. Jakarta: Gramedia.
- Esmailzadeh, A., Mimiran, P., Azizi, F. (2004). Waist-to-hip ratio is Better Screening Measure for Cardiovascular Risk Factor than other Anthropometric Indicator in Tehranian Adult Men. *International Journal of Obesity*, 28: 1325-1332.
- Estari, M., Reddy, A.S., Bikshapathi, T., Satyanarayana J, Venkanna L, Reddy MK. The investigation of serum lipids and prevalence of dyslipidemia in urban adult population of Warangal district, Andhra Pradesh, India. (2009). *Biology and Medicine*, vol. (1).
- Eyben, F.E., Mouritsen, e., Holm, J., Montvilas, P., *et al.* 2003. Intra-abdominal Obesity and Metabolic Risk Factors: A Study of Young Adults. *International Journal of Obesity*, 27(8): 941-949.
- Feng, R., Luo, C., Li, C., Du, S., Okekunle, A. P., Li, Y., *et al.* (2017). Free fatty acids profile among lean, overweight, and obese non-alcoholic fatty liver disease patients: a case-control study. *Lipids Health Dis*, vol. (16), no. (1), pp. 165.
- Fernandez, J. R., Redden, D. Y., Pietrobelli, A., Allison, D. B. (2004). Waist Circumference Percentiles in Nationally Representative Sample of AfricanAmerica, European-American and Mexican-American Children and Adolescent. *The Journal of Pediatrics*, 6 (4): 438-444.
- Frisca, Karjadidjaja, I., Santoso, A. H. (2019). Prevalensi Obesitas Sentral Berdasarkan Lingkar Pinggang pada Pengemudi Bus Antar Kota. *Jurnal Muara Sains, Teknologi, Kedokteran, dan Ilmu Kesehatan*, vol. (3), no. (2), pp. 231–236.
- Fuadi, M. I., Nugraha, D. P., & Bebasari, E. (2020). Gambaran obesitas pada Pasien Stroke Akut di Rumah Sakit Umum Daerah Arifin Achmad Provinsi Riau Periode Januari-Desember. *Jurnal Kedokteran Syiah Kuala*, vol. (20), no. (1), pp. 13–17.
- Gadjah Mada Medical Center. (2013). *Apa Itu Gadjah mada medical center – gmc.ugm.ac.id*. Available at: <https://gmc.ugm.ac.id/apa-itu-gmc/> (Accessed: 25 June 2024).
- Goswami, B., Reang, T., Sarkar, S., Sengupta, S., Bhattacharjee, B. (2020). Role of body visceral fat in hypertension and dyslipidemia among the diabetic

- and nondiabetic ethnic population of Tripura—A comparative study. *Journal of Family Medicine and Primary Care*, 9(6), pp. 2885-2890.
- Gupta, R., Misra, A., Vikram, N.K., Kondal, D., Gupta, S.S., Agrawal, A., *et al.* (2009). Younger age of escalation of cardiovascular risk factors in Asian Indian subjects. *BMC Cardiovasc Disord*, vol. (5), no. (9).
- Hadi, H. (2005). Beban Ganda Masalah Gizi dan Implikasinya terhadap Kebijakan Pembangunan Kesehatan Nasional. *Pidato Pengukuhan Guru Besar*. Yogyakarta.
- Halawani, A. F. M., Alahmari, Z. S., Asiri, D. A., *et al.* (2019). Diagnosis and Management of Dyslipidemia. *Arch Pharma Pract*, vol. (10), no. (4), pp. 67–70.
- Hartono, A., Widyastuti, p., Hardiyanti, E. (2009). *Gizi Kesehatan Masyarakat*. Oxford: Blackwell Publishing, Ltd.
- Hendarto, A., Hafifah, C. N., *et al.* (2018). Hubungan antara Ukuran Lingkar Pinggang dengan Masa Lemak Tubuh, Profil Lipid, dan Gula Darah Puasa pada Remaja Obes. *Sari Pediatri*, vol. (20), no. (4), pp. 237–241.
- Hernandez-Reyes, A., Vidal, A., *et al.* (2020). Waist Circumference as a Preventive Tool of Atherogenic Dyslipidemia and Obesity-Associated Cardiovascular Risk in Young Adults Males: A Cross-Sectional Pilot Study. *Diagnostics*, vol. (10), no. (1033), pp. 1–16.
- Husein, S. G., Melianasari, Y. & Handayani, B. (2020). *Kimia Klinik II*. Sekolah Tinggi Farmasi Indonesia. Bandung, Jawa Barat
- Husnah. (2018). Association of Central Obesity and Waist/Hip Circumference with Dislipidemia. *World Nutri Journal*, vol. (1), no. (2), pp. 18–22.
- Jim, E. L. (2013). Metabolisme Lipoprotein. *Jurnal Biomedik*, vol. (5), no. (3), pp. 149-156.
- Jellinger, P. S., Handelsman, Y., Rosenblit, P. D., Bloomgarden, Z. T., *et al.* (2017). American Association of Endocrinologist and American College of Endocrinology Guidelines for Management of Dyslipidemia and Prevention of Cardiovascular Disease. *Endocrine practice: official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists*, vol. (23), no. (2), pp. 1–87. <https://doi.org/10.4158/EP171764.APPGL>
- Julius, U. (2003). Influence of plasma free fatty acids on lipoprotein synthesis and diabetic dyslipidemia. *Exp Clin Endocrinol Diabetes*, vol (111), no. (5), pp. 246-250.
- Junge, C. & Freeman, Mason W. (2005). *Lowering Your Cholesterol*. Cambridge: Tata McGraw-Hill.
- Kaulina, F. (2009). Hubungan Antara Asupan, Kolesterol, Lingkar Pinggang dengan Profil Lipid. *Undergraduate thesis*, Universitas Diponegoro.
- Kementerian Kesehatan Indonesia. (2018). *Infographic-P2PTM*, www.p2ptm.kemkes.go.id.

- Lee, J., Hoang, T., Lee, S., & Kim, J. (2022). Association Between Dietary Patterns and Dyslipidemia in Korean Women. *Frontier Nutrition*, 8:756257.
- Li, X., Katashima, M., Yasumasu, T., & Li, K. J. (2012). Visceral fat area, waist circumference and metabolic risk factors in abdominally obese Chinese adults. *Biomedical and environmental sciences: BES*, 25(2), 141–148. <https://doi.org/10.3967/0895-3988.2012.02.003>
- Lopes, N., Zanini, A.C., Filho, A.C., Chagas, A.C.P. (2008). Metabolic Syndrome Patient Compliance with Drug Treatment. *Clinics*, vol. (63), no. (5), pp:573-80
- Mann J, and Skeaff M. (2002). *Lipids*. Di dalam Mann, J. & A. S. Truswell (eds). Essentials of Human Nutrition. 2nd Edition. Oxford.
- Maulida M, Diana Mayasari D, Rahmayani F. (2018). Pengaruh Rasio Kolesterol Total terhadap High Density Lipoprotein (HDL) pada Kejadian Stroke Iskemik. *Majority*, 7(2), 214-218
- Mayes, P.A., *et al.* (2009). Harper's Review of Biochemistry. Diterjemahkan oleh I. Darmawan. Jakarta: EGC.
- Meagber, E.A. (2004). Addressing Cardiovascular Disease in Women: Focus on Dyslipidemia. *JABFP*, vol. (17), no. (6).
- Mouhamed, D. Haj. Ezzaher, A., Neffati, F., Gaha, L., Douki, W., Najjar, M.F. (2013). Association between cigarette smoking and dyslipidemia, *Immuno-analyse & Biologie Spécialisée*, Volume 28, Issue 4, 2013, pp. 195-200, ISSN 0923-2532.
- Murray, R., Dayl, K., Peter, A. & Victor, W. 2003. *Biokimia Harper*. Jakarta: EGC.
- Mutmainnah, I., Rotty, L. W. A., & Wantania, F. E. N. (2023). Pengaruh Aktivitas Fisik terhadap Profil Lipid Penderita Penyakit Jantung Koroner. *e-Clinic*, vol. (11), No. (1), pp. 72-79.
- Nanis, A. T. A. & Bakhtiar, R. (2020). Dislipidemia dengan Riwayat Pengobatan Tradisional: Studi Kasus dengan Pendekatan Dokter Keluarga. *J. Ked. Mulawarman*, vol. (7), no. (3), pp. 34–39.
- Nisa, H., Akbar, F. N., and Latifah, A. (2020). Kebiasaan dan Kualitas Sarapan serta Hubungannya dengan Profil Penyakit Kardiometabolik pada Orang Dewasa di Indonesia. *Pusat Penelitian dan Penerbitan (Puslitpen) LP2M UIN Syarif Hidayatullah Jakarta*.
- Nishimura, S., Manabe, I., Nagai, R. (2009). Adipose tissue inflammation in obesity and metabolic syndrome. *Discov Med*, 8(41):55–60.
- Novitasary, M. D., Mayulu, N., Kawnginan, S. (2013). Hubungan antara Aktivitas Fisik dengan Obesitas pada Wanita Usia Subur Peserta Jamkesmas di Puskesmas Wawonasa Kecamatan Singkil Manado. *J e-Biomedik (eBM)*, vol. (1), no. (2), pp. 1040–1046.
- Nuraini, Fitriana. (2015). Hubungan Aktivitas Fisik dengan Obesitas pada Anak Usia Sekolah di SD Muhammadiyah Sokonandi Yogyakarta. *Skripsi*. Universitas Gadjah Mada: Yogyakarta.

- Okekunle, A. P., Asowata, J. O., Adedokun, B., & Akpa, O. M. (2021). Secondhand smoke exposure and dyslipidemia among non-smoking adults in the United States. *Indoor Air*. doi:10.1111/ina.12914
- Ompusunggu, I. J. (2010). Model Prediksi dan Sistem Skor Terjadinya Dislipidemia pada Penderita Hipertensi Dewasa Urban di Indonesia. *Tesis*. Fakultas Kesehatan Masyarakat, Program Pascasarjana.
- Onwe, P., Folawiyo, M., Anyigor-Ogah, C., Umahi, G., Okorocho, A., Afoke, A. 2015. Hyperlipidemia: Etiology and possible control. *Dent Medical Science*, 14(10), pp. 93-100.
- Parjiono & Atma, S. (2015). Asupan Zat Gizi, Aktivitas Fisik, Obesitas Sentral sebagai Faktor Risiko Terjadinya Dislipidemis pada Pasien di Laboratorium Pramita Yogyakarta. *Tesis*. Fakultas Kedokteran UGM.
- Prastowo, K. (2013). Perbandingan Efektivitas Circulo Massafe dan Sport Massage dalam Mengatasi Kelelahan Kerja Karyawan Laki-Laki Gadjah Mada Medical Center. *Universitas Negeri Yogyakarta*, 53(9), 1689-1699.
- Pujarini, Listyo A. (2009). Dislipidemia pada Penderita Stroke dengan Demensia di RS. Dr. Sardjito Jogjakarta. *Biomedika*, vol. (1), no. (2).
- Purnamasari, D. (2018). The Emergence of Noncommunicable Disease in Indonesia. *Acta Med Indones*, vol. (50), no. (4), pp. 273–274.
- Purva, A., Gaur, K., Khan, M.S. (2020). A Review on Dyslipidemia: Types, Risk Factors and Management. *Asian Journal of Pharmaceutical Research and Development*, vol. (8), no. (2), pp. 96-98.
- Puspitasari, N. 2018. Faktor Kejadian Obesitas Sentral pada Usia Dewasa. *HIGEIA*, vol. (2), no. (2), pp. 249–259.
- Racette, S., Deusinger, S., Deusinger, E. (2003). Obesity: Overview of Prevalence, Etiology, and Treatment. *Physical Therapy. Journal of the American Physical Therapy Association*, 83: 276-288.
- Rachmi, C. N., Li, M., Alison, B. L. (2017). Overweight and obesity in Indonesia: prevalence and risk factors-a literature review. *Public Health*, vol (147), pp. 20–29.
- Ridayani, N., Santri, F. N., & Naim, R. (2018). Gambaran hasil pemeriksaan kadar high density lipoprotein (HDL) dan low density lipoprotein (LDL) pada penderita obesitas di Rumah Sakit Umum Daerah Syekh Yusuf Kabupaten Gowa. *Jurnal Media Laboran*, vol. (8), no. (1), pp. 15–21.
- Salim, B. R. K., Wihandani, D. M., & Dewi, N. N. A. (2021). Obesitas Sebagai Faktor Risiko Terjadinya Peningkatan Kadar Triglicerida dalam Darah: Tinjauan Pustaka. *Intisari Sains Medis*, vol. (12), no. (2), pp. 519–523.
- Sari, F. T. (2014). *Hubungan Pola Konsumsi dan Asupan Gorengan dengan Kejadian Dislipidemia pada Peserta GMC Health Center*.

- Saragih, A. D. (2020). Terapi Dislipidemia Untuk Mencegah Resiko Penyakit Jantung Koroner. *Indonesian Journal of Nursing and Health Sciences*, volume 1, nomor 1, pp. 15–24.
- Sartika, R. A. (2008). Pengaruh Asam Lemak Jenuh, Tidak Jenuh dan Asam Lemak Trans terhadap Kesehatan. *Jurnal Kesehatan Masyarakat Nasional*, vol (2), no. (4), pp. 154-160.
- Shuster, A., Patlas, M., Pinthus, J. H., & Mourtzakis, M. (2012). The clinical importance of visceral adiposity: a critical review of methods for visceral adipose tissue analysis. *The British journal of radiology*, 85(1009), 1–10. <https://doi.org/10.1259/bjr/38447238>
- Sorace, Paul. (2006). Exercise, Physical Activity, and Dyslipidemia. *Strength and Conditioning Journal*: vol. 28, no. 4, pg.57
- Soriano-Maldonado, C., Lopez-Pineda, A., et al. (2021). Gender Differences in the Diagnosis of Dyslipidemia: ESCARVAL-GENERO. *International journal of environmental research and public health*, 18(23), 12419. <https://doi.org/10.3390/ijerph182312419>
- Stein, R., Ferrari, F., Scolari, F. (2019). Genetics, Dyslipidemia, and cardiovascular disease: New Insights. *Current Cardiology Reports*, 21: 68.
- Sudikno, Milla, H., & Besral. (2017). Hubungan Aktivitas Fisik dengan Kejadian Obesitas pada Orang Dewasa di Indonesia (Analisis Data Riskesdas 2007). *J of The Indonesian Nutrition Association*, vol. (33), no. (1), pp. 37–49.
- Sumarni. (2017). The Correlation Between Visceral Fat Levels and Lipid Profile In Obese Adults. *Jurnal Ilmiah Kedokteran*, 4(1).
- Susetyowati, Huriyati, E., Kandarina, B. J. I., & Faza, F. (2019). Association of Eating Pattern and Nutritional Status with Dyslipidemia Among Adults in Yogyakarta - Indonesia. The UGM Annual Scientific Conference Life Sciences 2016, *KnE Life Sciences*, pp. 86–96.
- Sutanto, K. & Karjadidjaja, I. (2019). Hubungan antara obesitas sentral dengan kejadian dislipidemia pada karyawan Universitas Tarumanagara pengunjung poliklinik Fakultas Kedokteran Universitas Tarumanagara November 2016 - April 2017. *Tarumanagara Medical Journal*, vol. (1), no. (2), pp. 352–360.
- Visceral fat - *what is visceral fat and why is it important?*: Tanita Europe (2023) TANITA EUROPE B.V. Available at: <https://tanita.eu/understanding-your-measurements/visceral-fat> (Accessed: 24 June 2024).
- Thompson, & Rader. (2001). *Arteriosclerosis, Thrombosis, and Vascular Biology*. The American Heart Association.
- Tomioka, K., Iwamoto, J., Saeki, K., et al. (2011). Reliability and Validity of the International -Physical Activity Questionnaire (IPAQ) in Elderly Adults: The Fujiwara-kyo Study. *Japan Epidemiological Association*, vol (21), no. (6), pp. 459–465.

- Vekic, J., Zeljkovic, A., *et al.* (2019). Obesity and dyslipidemia. *Metabolism*, vol. (92), pp. 71–81.
- Waspadji, S., Suryono, S., Sukarji, K. & Kresnawan, S.A.T. (2010). *Pengkajian Status Gizi*. Jakarta: Balai Penerbit FKUI.
- Watuseke, A. E, Polii, H., Wowor, P. M. (2016). Gambaran Kadar Trigliserida pada Pasien Usia Produktif di Puskesmas Bahu Kecamatan Malalayang Kota Manado Periode November 2014 - Desember 2014. *Jurnal e-Biomedik (eBm)*, vol. (4), no. (2), pp. 1-5.
- World Health Organization. (1995). *Epidemiology and Prevention of Cardiovascular Diseases in Elderly People*. WHO Technical Report Series, pp. 853. Genewa.
- World Health Organization. (2000). *Obesity: Preventing and Managing the Global Epidemic*. WHO Technical Report Series, pp. 894. Genewa.
- World Health Organization. (2007). *Global Strategy on diet, physical activity and health: Physical Activity*. <http://www.who.int>.
- World Health Organization. 2008. *Waist Circumference and Waist-Hip Ratio*. Geneva: World Health Organization.
- World Health Organization. (2010). *Global recommendations on physical activity for health*. Switzerland: WHO Press.
- Zheng, W., Chen, Y., Zhao, A. Xue, Y., Zheng, Y., Mu, Z., Wang, P., Zhang, Y. (2016). Associations of sedentary behavior and physical activity with physical measurements and dyslipidemia in school-age children: a cross-sectional study. *BMC Public Health*, vol. (16): 1186.