

## DAFTAR PUSTAKA

- Al Rashid, A., Ahmed, W., Khalid, M. Y., & Koç, M. (2021). Vat photopolymerization of polymers and polymer composites: Processes and applications. Dalam *Additive Manufacturing* (Vol. 47). Elsevier B.V. <https://doi.org/10.1016/j.addma.2021.102279>
- Alandro, D., Nugraha, A. D., Maulana, I. A., Nugroho, A. D., Erlangga, W., & Muflikhun, M. A. (2024). Comprehensive assessment of hybrid GFRP-graphite *filler* using modified complex Arcan fixture: Experimental and simulation approach. *Composites Part A: Applied Science and Manufacturing*, 180. <https://doi.org/10.1016/j.compositesa.2024.108094>
- Aliyev, E., Filiz, V., Khan, M. M., Lee, Y. J., Abetz, C., & Abetz, V. (2019). Structural characterization of graphene oxide: Surface functional groups and fractionated oxidative debris. *Nanomaterials*, 9(8). <https://doi.org/10.3390/nano9081180>
- Ambrosio, D., Gabrion, X., Malécot, P., Amiot, F., & Thibaud, S. (2020). Influence of manufacturing parameters on the mechanical properties of projection *Stereolithography*-manufactured specimens. *International Journal of Advanced Manufacturing Technology*, 106(1–2), 265–277. <https://doi.org/10.1007/s00170-019-04415-5>
- ASTM. (2015). *Additive Manufacturing – General Principles –Terminology*. <http://www.ansi.org>.
- Boca, M. A., Sover, A., & Slătineanu, L. (2021). The Printing Parameters Effects on the Dimensional Accuracy of the Parts Made of *Photosensitive resin*. *Macromolecular Symposia*, 396(1). <https://doi.org/10.1002/masy.202000287>
- Brighenti, R., Marsavina, L., Marghitas, M. P., Montanari, M., Spagnoli, A., & Tatar, F. (2023). The effect of process parameters on mechanical characteristics of specimens obtained via DLP additive manufacturing

technology. *Materials Today: Proceedings*, 78, 331–336.  
<https://doi.org/10.1016/j.matpr.2023.01.092>

Callister Jr., William D., Rethwisch, David G.. (2015). *Materials science and engineering : an introduction* (9th ed.). New Jersey: John Wiley

Chiulan, I., Voicu, Ş. I., & Batalu, D. (2022). The Use of Graphene and Its Derivatives for the Development of Polymer Matrix Composites by Stereolithographic 3D Printing. Dalam *Applied Sciences (Switzerland)* (Vol. 12, Nomor 7). MDPI. <https://doi.org/10.3390/app12073521>

Campbell F.C (2010). *Structural Composite Materials*. United States of America. ASM Internasional.

de Freitas, A. de S. M., Rodrigues, J. S., Botaro, V. R., Lemes, A. P., Cruz, S. A., & Waldman, W. R. (2022). Formation of craze-like pattern in polypropylene UV-induced surface cracking. *Journal of Polymer Research*, 29(12). <https://doi.org/10.1007/s10965-022-03357-z>

Edaugal, J. P., Ribeiro, E. L., Mitchell, M. K., Cheng, X., Buckner, E. M., Chen, J., Ivanov, I. N., Ellermann, M., & Advincula, R. C. (2023). Digital Light Processing (DLP): 3D printing of polymer-based graphene oxide nanocomposites—Efficient antimicrobial material for biomedical devices. *MRS Communications*, 13(4), 594–602. <https://doi.org/10.1557/s43579-023-00390-x>

Fadlurrahman, Z., Alandro, D., Nonato, G., Santos, C., & Akhsin, M. (2023). *Mechanical and Chemical Properties of Matrix Composite : Curing Agent Ratio , Degassing Process , and Filler Effect*. June. <https://doi.org/10.1016/j.jer.2023.100120>

Feng, Z., Li, Y., Xin, C., Tang, D., Xiong, W., & Zhang, H. (2019). Fabrication of Graphene-Reinforced Nanocomposites with Improved Fracture Toughness in Net Shape for Complex 3D Structures via Digital Light Processing. *C*, 5(2), 25. <https://doi.org/10.3390/c5020025>

- Formlabs. (2022). *A Guide to Post-Curing Stereolithography (SLA) 3D Prints*.
- Gay, D. (2014). *Composite Materials: Design and Applications*, Third Edition (3rd ed.). CRC Press. <https://doi.org/10.1201/b17106>
- Guo, A., Li, S., Wang, S., Zhai, Z., Qu, P., Guo, S., Kong, H., Tang, R., Liu, C., Han, W., & Hu, Y. (2024). Digital light processing of multi-walled carbon nanotubes-reinforced *Photosensitive resin* composites: Effects on microstructures and mechanical properties. *Journal of Materials Research and Technology*, 28, 434–445. <https://doi.org/10.1016/j.jmrt.2023.11.187>
- Hanon, M. M., Ghaly, A., Zsidai, L., & Klébert, S. (2022). Tribological characteristics of digital light processing (DLP) 3D printed graphene/resin composite: Influence of graphene presence and process settings. *Materials and Design*, 218. <https://doi.org/10.1016/j.matdes.2022.110718>
- Hanon, M. M., Ghaly, A., Zsidai, L., Szakál, Z., Szabó, I., & Kátai, L. (2021). Investigations of the mechanical properties of dlp 3d printed graphene/resin composites. *Acta Polytechnica Hungarica*, 18(8), 143–161. <https://doi.org/10.12700/APH.18.8.2021.8.8>
- Huang, W., Wu, Y., Chen, W., Chen, H., He, J., Yan, J., Chen, C., Song, Y., Ji, H., & Xu, H. (2022). Reinforcement effect in printing precision and sintering performance for liquid crystal display *Stereolithography* additive manufacturing of alumina ceramics. *Ceramics International*. <https://doi.org/10.1016/j.ceramint.2022.07.328>
- Kaw, A.K. (2005). *Mechanics of Composite Materials* (2nd ed.). CRC Press. <https://doi.org/10.1201/9781420058291>
- Khine, Y. Y., Wen, X., Jin, X., Foller, T., & Joshi, R. (2022). Functional groups in graphene oxide. Dalam *Physical Chemistry Chemical Physics* (Vol. 9). Royal Society of Chemistry. <https://doi.org/10.1039/d2cp04082d>
- Kidalov, S., Voznyakovskii, A., Vozniakovskii, A., Titova, S., & Auchynnika, Y. (2023). The Effect of Few-Layer Graphene on the Complex of Hardness,

Strength, and Thermo Physical Properties of Polymer Composite Materials Produced by Digital Light Processing (DLP) 3D Printing. *Materials*, 16(3). <https://doi.org/10.3390/ma16031157>

Lin, D., Jin, S., Zhang, F., Wang, C., Wang, Y., Zhou, C., & Cheng, G. J. (2015). 3D *Stereolithography* printing of graphene oxide reinforced complex architectures. *Nanotechnology*, 26(43). <https://doi.org/10.1088/0957-4484/26/43/434003>

Markandan, K., & Lai, C. Q. (2020a). Enhanced mechanical properties of 3D printed graphene-polymer composite lattices at very low graphene concentrations. *Composites Part A: Applied Science and Manufacturing*, 129. <https://doi.org/10.1016/j.compositesa.2019.105726>

Markandan, K., & Lai, C. Q. (2020b). Enhanced mechanical properties of 3D printed graphene-polymer composite lattices at very low graphene concentrations. *Composites Part A: Applied Science and Manufacturing*, 129(November 2019), 105726. <https://doi.org/10.1016/j.compositesa.2019.105726>

Markandan, K., & Lai, C. Q. (2023). Fabrication, properties and applications of polymer composites additively manufactured with *filler* alignment control: A review. Dalam *Composites Part B: Engineering* (Vol. 256). Elsevier Ltd. <https://doi.org/10.1016/j.compositesb.2023.110661>

Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret ftir spectroscopy of organic material. *Indonesian Journal of Science and Technology*, 4(1), 97–118. <https://doi.org/10.17509/ijost.v4i1.15806>

Nguyen, M. T. H., Kim, J. H., Jang, W. T., Jung, Y. J., Park, E. J., Ha, T. H., Ahn, S. J., & Kim, Y. H. (2023). Role of GO and Photoinitiator Concentration on Curing Behavior of PEG-Based Polymer for DLP 3D Printing. *ACS Omega*. <https://doi.org/10.1021/acsomega.3c05378>

- Nugraha, A. D., Kumar, V. V., Gautama, J. P., Wiranata, A., Mangunkusumo, K. G. H., Rasyid, M. I., Dzanani, R., & Muflikhun, M. A. (2024). Investigating the Characteristics of Nano-Graphite Composites Additively Manufactured Using *Stereolithography*. *Polymers*, *16*(8), 1021. <https://doi.org/10.3390/polym16081021>
- Palaganas, J. O., Palaganas, N. B., Ramos, L. J. I., & David, C. P. C. (2019). 3D Printing of Covalent Functionalized Graphene Oxide Nanocomposite via *Stereolithography*. *ACS Applied Materials and Interfaces*, *11*(49), 46034–46043. <https://doi.org/10.1021/acsami.9b12071>
- Sang, J., Jiang, K., Li, R., Xu, G. L., Zhao, X. X., Gao, C., & Wei, Z. Z. (2023). Process Analysis of DLP Photocuring 3D Printing with Modified High-strength Resin. *Journal of Physics: Conference Series*, *2639*(1). <https://doi.org/10.1088/1742-6596/2639/1/012064>
- Shah, M., Ullah, A., Azher, K., Ur Rehman, A., Akturk, N., Juan, W., Tüfekci, C. S., & Salamci, M. U. (2023). The Influence of Nanoparticle Dispersions on Mechanical and Thermal Properties of Polymer Nanocomposites Using SLA 3D Printing. *Crystals*, *13*(2). <https://doi.org/10.3390/cryst13020285>
- Siripongpreda, T., Hoven, V. P., Narupai, B., & Rodthongku, N. (2023). Emerging 3D printing based on polymers and nanomaterial additives: Enhancement of properties and potential applications. Dalam *European Polymer Journal* (Vol. 184). Elsevier Ltd. <https://doi.org/10.1016/j.eurpolymj.2022.111806>
- Steyrer, B., Buseti, B., Harakály, G., Liska, R., & Stampfl, J. (2018). Hot Lithography vs. room temperature DLP 3D-printing of a dimethacrylate. *Additive Manufacturing*, *21*, 209–214. <https://doi.org/10.1016/j.addma.2018.03.013>
- Tilve-Martinez, D., Neri, W., Horaud, D., Vukadinovic, N., Berton, B., Desmedt, A., Yuan, J., Poulin, P., Tilve-Martínez, D., Neri, W., Tilve-Martínez, D., Neri, W., Horaud, D., Yuan, J., Poulin, P., Vukadinovic, N., & Berton, B. (2023). Graphene Oxide Based Transparent Resins For Accurate 3D Printing of

Conductiveterials GRAPHENE OXIDE BASED TRANSPARENT RESINS FOR ACCURATE 3D PRINTING OF CONDUCTIVE MATERIALS. *HAL Open science*. <https://doi.org/10.1002/adfm.202214954i>

Torrise, L., Cutroneo, M., Torrise, A., & Silipigni, L. (2022). Measurements on Five Characterizing Properties of Graphene Oxide and Reduced Graphene Oxide Foils. *Physica Status Solidi (A) Applications and Materials Science*, 219(6). <https://doi.org/10.1002/pssa.202100628>

Uysal, E., Çakir, M., & Ekici, B. (2021). Graphene oxide/epoxy acrylate nanocomposite production via SLA and importance of graphene oxide surface modification for mechanical properties. *Rapid Prototyping Journal*, 27(4), 682–691. <https://doi.org/10.1108/RPJ-06-2020-0114>

Wu, Y., An, C., & Guo, Y. (2023). 3D Printed Graphene and Graphene/Polymer Composites for Multifunctional Applications. Dalam *Materials* (Vol. 16, Nomor 16). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/ma16165681>

Xiang, D., Xu, Y., Bai, W., & Lin, H. (2021). Dental zirconia fabricated by *Stereolithography*: Accuracy, translucency and mechanical properties in different build orientations. *Ceramics International*, 47(20), 28837–28847. <https://doi.org/10.1016/j.ceramint.2021.07.044>

Yang, Z., Fan, J., Liu, Y., Nie, J., Yang, Z., & Kang, Y. (2021). Strengthening and weakening effects of particles on strength and ductility of SiC particle reinforced Al-Cu-Mg alloys matrix composites. *Materials*, 14(5), 1–11. <https://doi.org/10.3390/ma14051219>

Zhang, F., Zhu, L., Li, Z., Wang, S., Shi, J., Tang, W., Li, N., & Yang, J. (2021). The recent development of vat photopolymerization: A review. Dalam *Additive Manufacturing* (Vol. 48). Elsevier B.V. <https://doi.org/10.1016/j.addma.2021.102423>

Zhang, G., Song, D., Jiang, J., Li, W., Huang, H., Yu, Z., Peng, Z., Zhu, X., Wang, F., & Lan, H. (2023). Electrically assisted continuous vat photopolymerization 3D printing for fabricating high-performance ordered graphene/polymer composites. *Composites Part B: Engineering*, 250. <https://doi.org/10.1016/j.compositesb.2022.110449>