

DAFTAR PUSTAKA

- Abdel-Azeem, A. M., Abdel-Azeem, M. A., & Khalil, W. F. (2019). Endophytic Fungi as a New Source of Antirheumatoid Metabolites. In Bioactive Food as Dietary Interventions for Arthritis and Related Inflammatory Diseases (pp. 355–384). Elsevier. <https://doi.org/10.1016/B978-0-12-813820-5.00021-0>
- Abubacker, M. N., & Devi, P. (2014). In Vitro Antifungal Potentials of Bioactive Isolated from *Lepidagathis cristata* Willd. (Acanthaceae) Inflorescence. *Asian Pacific Journal of Tropical Medicine*, 7(S1), S190-3. [https://doi.org/10.1016/S1995-7645\(14\)60230-3](https://doi.org/10.1016/S1995-7645(14)60230-3)
- Abu-Lafi, S., Rayan, M., Masalha, M., Abu-Farich, B., Al-Jaas, H., Abu-Lafi, M., & Rayan, A. (2019). Phytochemical Composition and Biological Activities of Wild *Scolymus maculatus* L. *Medicines*, 6(2). <https://doi.org/10.3390/medicines6020053>
- Addai, Z. R., Abood, M. S., & Hlail, S. H. (2022). GC-MS Profiling, Antioxidants and Antimicrobial Activity of Prickly Pear (*Opuntia ficus-indica*) Pulp Extract. *Pharmacognosy Journal*. <https://doi.org/10.5530/pj.2022.14.32>
- Ahmadi, A. E.-S. (2022). Keanekaragaman Kapang Endofit Tanaman Pala (*Myristica fragrans*) Berdasarkan Daerah Internal Transcribed Spacer (ITS) rDNA. UIN Jakarta, Jakarta.
- Alam, B., Li, J., Gě, Q., Khan, M. A., Gōng, J., Mehmood, S., Yuán, Y., & Gōng, W. (2021). Endophytic Fungi: From Symbiosis to Secondary Metabolite Communications or Vice Versa? *Frontiers in Plant Science*, 12, 791033. <https://doi.org/10.3389/fpls.2021.791033>
- Albratty, M., Alhazmi, H. A., Meraya, A. M., Najmi, A., Alam, M. S., Rehman, Z., & Moni, S. S. (2021). Spectral Analysis and Antibacterial Activity of the Bioactive Principles of *Sargassum tenerrimum* J. Agardh Collected from the Red Sea, Jazan, Kingdom of Saudi Arabia. *Brazilian Journal of Biology*, 83, e249536. <https://doi.org/10.1590/1519-6984.249536>
- Altameme, H., Hameed, I., & Kareem, M. (2015). Analysis of Alkaloid Phytochemical Compounds in the Ethanolic Extract of *Datura stramonium* and Evaluation of Antimicrobial Activity. *African Journal of Biotechnology*, 14, 1668–1674.
- Aly, A. H., Debbab, A., & Proksch, P. (2011). Fungal Endophytes: Unique Plant Inhabitants With Great Promises. *Applied Microbiology and Biotechnology*, 90(6), 1829–1845. <https://doi.org/10.1007/s00253-011-3270-y>

- An, C., Ma, S., Shi, X., Xue, W., Liu, C., & Ding, H. (2020). Diversity and Antimicrobial Activity of Endophytic Fungi Isolated from *Chloranthus japonicus* Sieb in Qinling Mountains, China. *International Journal of Molecular Sciences*, 21(17), 5958. <https://doi.org/10.3390/ijms21175958>
- Andrews, J. M. (2001). Determination of Minimum Inhibitory Concentrations. *Journal of Antimicrobial Chemotherapy*, 48(suppl_1), 5–16. https://doi.org/10.1093/jac/48.suppl_1.5
- Anindyawati, T., & Praptiwi. (2019). A Study of Endophytic Fungi *Neofusicoccum ribis* From Gandaria (*Bouea macrophylla* Griffith) as Enzyme Inhibitor, Antibacterial, and Antioxidant. *Journal of Applied Biology and Biotechnology*, 7(1), 48–53. <https://doi.org/10.7324/JABB.2019.70109>
- Arifah, F., Aini, L. Q., & Muhibuddin, A. (2023). Molecular and Morphological Characterization of Fungi Isolated From Nutmeg (*Myristica fragrans*) in North Sulawesi, Indonesia. *Biodiversitas Journal of Biological Diversity*, 24(1). <https://doi.org/10.13057/biodiv/d240151>
- Ashmawy, N. A., Salem, M. Z. M., El-Hefny, M., Abd El-Kareem, M. S. M., El-Shanhorey, N. A., Mohamed, A. A., & Salem, A. Z. M. (2018). Antibacterial Activity of the Bioactive Compounds Identified in Three Woody Plants Against Some Pathogenic Bacteria. *Microbial Pathogenesis*, 121, 331–340. doi.org/10.1016/j.micpath.2018.05.032
- Aslam, B., Wang, W., Arshad, M. I., Khurshid, M., Muzammil, S., Rasool, M. H., Nisar, M. A., Alvi, R. F., Aslam, M. A., Qamar, M. U., Salamat, M. K. F., & Baloch, Z. (2018). Antibiotic Resistance: A Rundown of a Global Crisis. *Infection and Drug Resistance*, 11, 1645–1658. <https://doi.org/10.2147/IDR.S173867>
- Azeez, B. A. M. A., Sebah, F. S., & Alrubayae, I. M. N. (2019). Study of Antibacterial and Antifungal Efficacy of Alkaloid Isolated From Nutmeg (*Myristica fragrans*). *Journal of Pure and Applied Microbiology*, 13(4), 2105–2110. doi.org/10.22207/JPAM.13.4.22
- Azizah, N. N., Ardiyansyah, F., & Nurchayati, N. (2019). Studi Etnobotani Dan Upaya Konservasi Tanaman Yang Digunakan Sebagai Pengobatan Tradisional Perawatan Wanita Di Suku Using Kabupaten Banyuwangi. *Jurnal Biosense*, 2(02), 31–45.
- Bacon, C. W., White, J. F., & International Symbiosis Congress. (2000). *Microbial Endophytes*. M. Dekker.
- Badotti, F., De Oliveira, F. S., Garcia, C. F., Vaz, A. B. M., Fonseca, P. L. C., Nahum, L. A., Oliveira, G., & Góes-Neto, A. (2017). Effectiveness of ITS and Sub-Regions as DNA Barcode Markers for the Identification

- of Basidiomycota (Fungi). *BMC Microbiology*, 17(1), 42. <https://doi.org/10.1186/s12866-017-0958-x>
- Balouiri, M., Sadiki, M., & Ibnsouda, S. K. (2016). Methods for In Vitro Evaluating Antimicrobial Activity: A Review. *Journal of Pharmaceutical Analysis*, 6(2), 71–79. <https://doi.org/10.1016/j.jpha.2015.11.005>
- Balraj, T., Devi, G., & Lakshmanan, L. (2019). In Vitro Screening of Antioxidant, Free Radical Scavenging and Antimicrobial Potential of *Micrococca mercurialis* Whole Plant Extracts. *International Journal of Research in Pharmaceutical Sciences*, 10, 3251–3262. <https://doi.org/10.26452/ijrps.v10i4.1630>
- Bary, A. De. (1866). *Morphologie Und Physiologie Der Pilze, Flechten Und Myxomyceten*.
- Becker, J. M., Caldwell, G. A., & Zachgo, E. A. (1996). *Biotechnology: A Laboratory Course* (2nd ed.). Academic Press.
- Bellemain, E., Carlsen, T., Brochmann, C., Coissac, E., Taberlet, P., & Kauserud, H. (2010). ITS as an Environmental DNA Barcode for Fungi: An In Silico Approach Reveals Potential PCR Biases. *BMC Microbiology*, 10(1), 189. <https://doi.org/10.1186/1471-2180-10-189>
- Bengtsson-Palme, J. (2018). The Diversity of Uncharacterized Antibiotic Resistance Genes Can Be Predicted From Known Gene Variants—But Not Always. *Microbiome*, 6(1), 125. <https://doi.org/10.1186/s40168-018-0508-2>
- Cadamuro, R. D., Bastos, I. M. A. da S., de Freitas, A. C. O., Rosa, M. da S., Costa, G. de O., da Silva, I. T., Robl, D., Stoco, P. H., Sandjo, L. P., Treichel, H., Steindel, M., & Fongaro, G. (2023). Bioactivity Screening and Chemical Characterization of Biocompound From Endophytic *Neofusicoccum parvum* and *Buergenerula spartinae* Isolated From Mangrove Ecosystem. *Microorganisms*, 11(6), 1599. <https://doi.org/10.3390/microorganisms11061599>
- Caicedo, N. H., Davalos, A. F., Puente, P. A., Rodríguez, A. Y., & Caicedo, P. A. (2019). Antioxidant Activity of Exo-Metabolites Produced by *Fusarium oxysporum*: An Endophytic Fungus Isolated From Leaves of *Otoba gracilipes*. *MicrobiologyOpen*, 8(10). <https://doi.org/10.1002/mbo3.903>
- Cantón, E., Pemán, J., Viudes, A., Quindós, G., Gobernado, M., & Espinel-Ingroff, A. (2003). Minimum Fungicidal Concentrations of Amphotericin B for Bloodstream *Candida* Species. *Diagnostic Microbiology and Infectious Disease*, 45(3), 203–206. [https://doi.org/10.1016/S0732-8893\(02\)00525-4](https://doi.org/10.1016/S0732-8893(02)00525-4)

- Cartuche, L., Cruz, D., Ramírez, M. I., Bailón, N., & Malagón, O. (2015). Antibacterial and Cytotoxic Activity From the Extract and Fractions of a Marine-Derived Bacterium From the *Streptomyces* Genus. *Pharmaceutical Biology*, 53(12), 1826–1830. <https://doi.org/10.3109/13880209.2015.1010739>
- Caruso, D. J., Palombo, E. A., Moulton, S. E., & Zaferanloo, B. (2022). Exploring the Promise of Endophytic Fungi: A Review of Novel Antimicrobial Compounds. *Microorganisms*, 10(10), 1990. <https://doi.org/10.3390/microorganisms10101990>
- Carvalho, J. M., Paixão, L. K. O. da, Dolabela, M. F., Marinho, P. S. B., & Marinho, A. M. do R. (2016). Phytosterols Isolated From Endophytic Fungus *Colletotrichum gloeosporioides* (Melanconiaceae). *Acta Amazonica*, 46(1), 69–72. <https://doi.org/10.1590/1809-4392201500072>
- Casarrubias-Castillo, K., Montero-Vargas, J. M., Dabdoub-González, N., Winkler, R., Martinez-Gallardo, N. A., Zañudo-Hernández, J., Avilés-Arnaut, H., & Délano-Frier, J. P. (2020). Distinct Gene Expression and Secondary Metabolite Profiles in Suppressor of Prosystemin-Mediated Responses2 (spr2) Tomato Mutants Having Impaired Mycorrhizal Colonization. *PeerJ*, 8. <https://doi.org/10.7717/peerj.8888>
- Casciaro, B., Mangiardi, L., Cappiello, F., Romeo, I., Loffredo, M. R., Iazzetti, A., Calcaterra, A., Goggiamani, A., Ghirga, F., Mangoni, M. L., Botta, B., & Quaglio, D. (2020). Naturally-Occurring Alkaloids of Plant Origin as Potential Antimicrobials Against Antibiotic-Resistant Infections. *Molecules*, 25(16), 3619. <https://doi.org/10.3390/molecules25163619>
- Chen, X. Y., Qi, Y. D., Wei, J. H., Zhang, Z., Wang, D. L., Feng, J. D., & Gan, B. C. (2011). Molecular Identification of Endophytic Fungi From Medicinal Plant *Huperzia serrata* Based on rDNA ITS Analysis. *World Journal of Microbiology and Biotechnology*, 27(3), 495–503. <https://doi.org/10.1007/s11274-010-0480-x>
- Chitnis, V. R., Suryanarayanan, T. S., Nataraja, K. N., Prasad, S. R., Oelmüller, R., Shaanker, R. U. (2020). Fungal Endophyte-Mediated Crop Improvement: The Way Ahead. *Frontiers in Plant Science*, 11. doi:10.3389/fpls.2020.561007
- Chowdhary, K., Kaushik, N. (2015). Fungal Endophyte Diversity and Bioactivity in the Indian Medicinal Plant *Ocimum sanctum* Linn. *PLoS ONE*, 10(11), e0141444. doi:10.1371/journal.pone.0141444
- Clinical and Laboratory Standards Institute. (2012). Methods for Dilution Antimicrobial Susceptibility Tests for Bacteria That Grow Aerobically; Approved Standard. In *CLSI Document M07-A9*. Clinical and Laboratory Standards Institute, Wayne, PA.

- Clinical and Laboratory Standards Institute. (2008). Reference Method for Broth Dilution Antifungal Susceptibility Testing of Filamentous Fungi; Approved Standard. In *CLSI Document M38-A2*. Clinical and Laboratory Standards Institute, Wayne, PA.
- Clinical and Laboratory Standards Institute. (2002). Reference Method for Broth Dilution Antifungal Susceptibility Testing of Yeasts; Approved Standard. In *CLSI Document M27-A2*. Clinical and Laboratory Standards Institute, Wayne, PA.
- Clinical and Laboratory Standards Institute. (1999). Methods for Determining Bactericidal Activity of Antimicrobial Agents; Approved Guideline. In *CLSI Document M26-A*. Clinical and Laboratory Standards Institute, Wayne, PA.
- Crane, J. K., Broome, J. E., Lis, A. (2016). Biological Activities of Uric Acid in Infection Due to Enteropathogenic and Shiga-Toxigenic *Escherichia coli*. *Infection and Immunity*, 84(4), 976–988. doi:10.1128/IAI.01389-15
- Cronquist, A. (1981). An Integrated System of Classification of Flowering Plants. *An Integrated System of Classification of Flowering Plants*, 499–501.
- Crous, P. W., Hawksworth, D. L., Wingfield, M. J. (2015). Identifying and Naming Plant-Pathogenic Fungi: Past, Present, and Future. *Annual Review of Phytopathology*, 53, 247–267. doi:10.1146/annurev-phyto-080614-120245
- Das, B., Patra, S. (2017). Chapter 1 - Antimicrobials: Meeting the Challenges of Antibiotic Resistance Through Nanotechnology. In A. Ficaí & A. M. Grumezescu (Eds.), *Nanostructures for Antimicrobial Therapy, Micro and Nano Technologies*. Elsevier, pp. 1–22. doi:10.1016/B978-0-323-46152-8.00001-9
- Deepthi, V. C., Sumathi, S., Moossa, F., Elyas, K. (2018). Isolation and Identification of Endophytic Fungi with Antimicrobial Activities from the Leaves of *Elaeocarpus Sphaericus* (Gaertn.) K. Schum. and *Myristica Fragrans* Houtt. *International Journal of Pharmaceutical Sciences and Research*. doi:10.13040/IJPSR.0975-8232.9(7).2783-91
- Derbalah, A., Shebl, A. M., Elgobashy, S. F., Ahmad, A. A., Ramadan, N. E., Behiry, S. I., Abdelkhalek, A., Saleem, M. H., Al-Askar, A. A., Kamran, M., & Elsharkawy, M. M. (2022). Resistance Induction and Direct Antifungal Activity of Some Monoterpenes against *Rhizoctonia solani*, the Causal of Root Rot in *Common Bean*. *Life (Basel, Switzerland)*, 12(7), 1040. <https://doi.org/10.3390/life12071040>

- Dingle, J., McGee, P. A. (2003). Some Endophytic Fungi Reduce the Density of Pustules of *Puccinia Recondita* f. sp. *Tritici* in Wheat. *Mycological Research*, 107(3), 310–316. doi:10.1017/S0953756203007512
- Dissanayake, D., Kumar, N., Adikaram, N., Jayasinghe, L., Araya, H., Fujimoto, Y. (2020). Production of Small Molecules by an Endophytic Fungus, *Neofusicoccum Parvum*, from the Fruits of *Elaeocarpus Serratus*. *Asian Journal of Traditional Medicines*, 15, 47–54
- Dixon, D.M., Walsh, T.J. (1996). Antifungal Agents, in: Baron, S. (Ed.), *Medical Microbiology*. University of Texas Medical Branch at Galveston, Galveston (TX).
- Dolatabad, H. K., Javan-Nikkhah, M., Shier, W. T. (2017). Evaluation of Antifungal, Phosphate Solubilisation, and Siderophore and Chitinase Release Activities of Endophytic Fungi from *Pistacia Vera*. *Mycological Progress*, 16(8), 777–790. doi:10.1007/s11557-017-1315-Z
- Du, W., Yao, Z., Li, J., Sun, C., Xia, J., Wang, B., Shi, D., Ren, L. (2020). Diversity and Antimicrobial Activity of Endophytic Fungi Isolated from *Securinega Suffruticosa* in the Yellow River Delta. *PLoS ONE*, 15(3), e0229589. doi:10.1371/journal.pone.0229589
- Dwivedi, Dr. G., Maurya, A., Singh, V., Khan, F., Gupta, M., Singh, M., Darokar, M., Srivastava, S. (2018). Synergy of Clavine Alkaloid ‘Chanoclavine’ with Tetracycline Against Multi Drug Resistant *E. coli*. *Journal of Biomolecular Structure and Dynamics*, 37, 1–47. doi:10.1080/07391102.2018.1458654
- El Shafay, S. M., Ali, S. S., El-Sheekh, M. M. (2016). Antimicrobial Activity of Some Seaweeds Species from Red Sea, Against Multidrug Resistant Bacteria. *Egyptian Journal of Aquatic Research*, 42(1), 65–74. doi:10.1016/j.ejar.2015.11.006
- Espinel-Ingroff, A., Fothergill, A., Peter, J., Rinaldi, M. G., Walsh, T. J. (2002). Testing Conditions for Determination of Minimum Fungicidal Concentrations of New and Established Antifungal Agents for *Aspergillus* spp.: NCCLS Collaborative Study. *Journal of Clinical Microbiology*, 40(9), 3204–3208. doi:10.1128/JCM.40.9.3204-3208.2002
- Firáková, S., Šturdíková, M., Múčková, M. (2007). Bioactive Secondary Metabolites Produced by Microorganisms Associated with Plants. *Biologia*, 62(3), 251–257. doi:10.2478/s11756-007-0044-1

- Foxman, B. (2012). Chapter 5 - A Primer of Molecular Biology. In B. Foxman (Ed.), *Molecular Tools and Infectious Disease Epidemiology*. Academic Press, pp. 53–78. doi:10.1016/B978-0-12-374133-2.00005-8
- García-Alegría, A. M., Anduro-Corona, I., Pérez-Martínez, C. J., Guadalupe Corella-Madueño, M. A., Rascón-Durán, M. L., Astiazaran-Garcia, H. (2020). Quantification of DNA Through the NanoDrop Spectrophotometer: Methodological Validation Using Standard Reference Material and Sprague Dawley Rat and Human DNA. *International Journal of Analytical Chemistry*, 2020, 8896738. doi:10.1155/2020/8896738
- Gardes, M., Bruns, T. D. (1993). ITS Primers with Enhanced Specificity for Basidiomycetes - Application to the Identification of Mycorrhizae and Rusts. *Molecular Ecology*, 2(2), 113–118. doi:10.1111/j.1365-294X.1993.tb00005.x
- Gashgari, R., Gherbawy, Y., Ameen, F., Alsharari, S. (2016). Molecular Characterization and Analysis of Antimicrobial Activity of Endophytic Fungi From Medicinal Plants in Saudi Arabia. *Jundishapur Journal of Microbiology*, 9(1). doi:10.5812/jjm.26157
- González, A. M., Tracanna, M. I., Amani, S. M., Schuff, C., Poch, M. J., Bach, H., Catalán, C. A. N. (2012). Chemical Composition, Antimicrobial and Antioxidant Properties of the Volatile Oil and Methanol Extract of *Xenophyllum Poposum*. *Natural Product Communications*, 7(12), 1663–1666.
- Gullberg, J., Jonsson, P., Nordström, A., Sjöström, M., Moritz, T. (2004). Design of Experiments: An Efficient Strategy to Identify Factors Influencing Extraction and Derivatization of *Arabidopsis Thaliana* Samples in Metabolomic Studies with Gas Chromatography/Mass Spectrometry. *Analytical Biochemistry*, 331(2), 283–295. doi:10.1016/j.ab.2004.04.037
- Gupta, A. D., Bansal, V. K., Babu, V., Maithil, N. (2013). Chemistry, Antioxidant and Antimicrobial Potential of Nutmeg (*Myristica Fragrans* Houtt.). *Journal of Genetic Engineering and Biotechnology*, 11(1), 25–31. doi:10.1016/j.jgeb.2012.12.001
- Hall, T. (2021). BioEdit: A User-Friendly Biological Sequence Alignment Editor and Analysis Program for Windows 95/98/NT.
- Hameed, I., Fadhil, L., Kamal, S. (2015). Analysis of Bioactive Chemical Compounds of *Aspergillus Niger* by Using Gas Chromatography-Mass

Spectrometry and Fourier-Transform Infrared Spectroscopy. *Journal of Pharmacognosy and Phytotherapy*, 7, 132–163.
doi:10.5897/JPP2015.0354

Hanafy, S. M., Abd El-Shafea, Y. M., Saleh, W. D., Fathy, H. M. (2021). Chemical Profiling, In Vitro Antimicrobial and Antioxidant Activities of Pomegranate, Orange and Banana Peel-Extracts Against Pathogenic Microorganisms. *Journal of Genetic Engineering and Biotechnology*, 19, 80. doi:10.1186/s43141-021-00151-0

Hanin, N.A., Fitriasari, P.D. (2019). Identification of Endophytic Fungi from Fruits and Seeds of Jambolana (*Syzygium cumini* L.) Skeels. *IOP Conf. Ser.: Earth Environ. Sci.* 276, 012060. doi:10.1088/1755-1315/276/1/012060

Harris, J.L. (1986). Modified method for fungal slide culture. *J Clin Microbiol*, 24 (3), 460–461

Hawas, U. W., El-Desouky, S., Abou El-Kassem, L., & Elkhateeb, W. (2015). Alternariol derivatives from *Alternaria alternata*, an endophytic fungus residing in red sea soft coral, inhibit HCV NS3/4A protease. *Applied Biochemistry and Microbiology*, 51(5), 579–584.
<https://doi.org/10.1134/S0003683815050099>

Heatley, N.G. (1944). A method for the assay of penicillin. *Biochemical Journal*. 38 (1), 61–65. doi:10.1042/bj0380061

Hepsibha, T. B., R, G. D., & L, L. (2019). In vitro screening of antioxidant, free radical scavenging and antimicrobial potential of *Micrococca mercurialis* whole plant extracts. *International Journal of Research in Pharmaceutical Sciences*, 10(4), Article 4. Doi 10.26452/ijrps.v10i4.1571

Ismail, U., Hamayun, M., Hussain, A., Afzal Khan, S., Iqbal, A., & Lee, I.-J. (2019). *Aspergillus flavus* Promoted the Growth of Soybean and Sunflower Seedlings at Elevated Temperature. *BioMed Research International*, 2019, e1295457. <https://doi.org/10.1155/2019/1295457>

Iwu, M.M. (2014). *Handbookzhao of African medicinal plants*, 2nd ed. ed. CRC Press, Boca Raton, FL.

Jahajeeah, D., Bhoyroo, V., & Ranghoo-Sanmukhiya, M. (2023). Antimicrobial properties and metabolite profiling of the ethyl acetate fractions of *Sinularia polydactyla* and *Cespitularia simplex* surrounding Mauritius Island. *Indo Pacific Journal of Ocean Life*, 7(2), Article 2. <https://doi.org/10.13057/oceanlife/o070202>

- Jalil, M. T. M., Zakaria, N. A., Suhaimi, N. S. M., & Ibrahim, D. (2022). Crude extracts of an endophytic fungus attenuate the growth of pathogenic bacteria in aquaculture. *Iranian Journal of Microbiology*, 14(3), 383–394. <https://doi.org/10.18502/ijm.v14i3.9780>
- Jia, M., Chen, L., Xin, H.-L., Zheng, C.-J., Rahman, K., Han, T., Qin, L.-P. (2016). A Friendly Relationship Between Endophytic Fungi and Medicinal Plants: A Systematic Review. *Frontiers in Microbiology*, 7, 906. doi:10.3389/fmicb.2016.00906
- Jiang, Y., Wu, J., Kawagishi, H., Jiang, C., Zhou, Q., Tong, Z., Tong, Y., & Wang, P. (2022). Study on Secondary Metabolites of Endophytic Fungus, *Aspergillus fumigatus*, from *Crocus sativus* L. Guided byUHPLC-HRMS/MS-Based Molecular Network. *International Journal of Analytical Chemistry*, 2022, 7067665. <https://doi.org/10.1155/2022/7067665>
- Kaluarachchi, M., Lewis, M.R., Lindrockon, J.C. (2017). Standardized Protocols for MS-Based Metabolic Phenotyping, in: Encyclopedia of Spectroscopy and Spectrometry. *Elsevier*, pp. 224–231. doi:10.1016/B978-0-12-409547-2.12134-1
- Karmanah, K., Susanto, S., Widodo, W.D., Santosa, E. (2020). The Fruit Characteristics of Ambon Forest Nutmeg (*Myristica fatua* Houtt) and Banda Nutmeg (*Myristica fragrans* Houtt). *Jurnal Ilmu Pertanian Indonesia*. 25 (2).mab doi:10.18343/jipi.25.2.292
- Kaur, N., Arora, D.S., Kalia, N., Kaur, M. (2020). Bioactive potential of endophytic fungus *Chaetomium globosum* and GC–MS analysis of its responsible components. *Sci Rep* 10 (1), 18792. doi:10.1038/s41598-020-75722-1
- Khameneh, B., Iranshahy, M., Soheili, V., Fazly Bazzaz, B.S. (2019). Review on plant antimicrobials: a mechanistic viewpoint. *Antimicrobial Resistance & Infection Control* 8(1) , 118. doi:10.1186/s13756-019-0559-6
- Khan, N., Afroz, F., Begum, Mst. N., Roy Rony, S., Sharmin, S., Moni, F., Mahmood Hasan, C., Shaha, K., & Sohrab, Md. H. (2018). Endophytic *Fusarium solani*: A rich source of cytotoxic and antimicrobial naphthaquinone and aza-anthraquinone derivatives. *Toxicology Reports*, 5, 970–976. <https://doi.org/10.1016/j.toxrep.2018.08.016>
- Kong, K., Huang, Z., Shi, S., Pan, W., Zhang, Y., (2023). Diversity, antibacterial and phytotoxic activities of culturable endophytic fungi from *Pinellia pedatisecta* and *Pinellia ternata*. *BMC Microbiology*, 23 (1), 30. doi:10.1186/s12866-022-02741-5

- Krishnappa, S., Karthik, Y., Pratap, G. K., Shantaram, M., Umarajashekhar, A., Soumya, J., Bhatt, B., Sayed, S. M., Alhelaify, S. S., Aharthy, O. M., & Mushtaq, M. (2024). Exploration of bioactive compounds from *Olea dioica* in Western Ghats of Karnataka using GC-MS. *3 Biotech*, *14*(3), 63. <https://doi.org/10.1007/s13205-023-03888-2>
- Kuete, V. (2017). Chapter 23 - *Myristica fragrans*: A Review, in: Kuete, Victor (Ed.), *Medicinal Spices and Vegetables from Africa*. Academic Press, pp. 497–512. doi:10.1016/B978-0-12-809286-6.00023-6
- Kumar R, V., Gosipatala, S. B., Kumar, R., Srivastava, D., Singh, V., Suman, K., Tripathi, D. K., Verma, A., Mishra, A., Vishwakarma, K. K., Singh, S. A., Pandey, T., Agarwal, S., Elyies, M., Singh, I., Sah, P. K., Sharma, C., Parag, R., Saxena, P., ... Poluri, K. M. (2023). Characterization, Antioxidant, and Antimicrobial Properties of *Mulberry Lattices*. *ACS Omega*, *8*(50), 47758–47772. <https://doi.org/10.1021/acsomega.3c06069>
- Lafraxo, S., El Moussaoui, A., A Bin Jordan, Y., El Barnossi, A., Chebaibi, M., Baammi, S., Ait Akka, A., Chebbac, K., Akhazzane, M., Chelouati, T., Nafidi, H.-A., Farid, K., Bourhia, M., & Bari, A. (2022). GC-MS Profiling, *In Vitro* Antioxidant, Antimicrobial, and *In Silico* NADPH Oxidase Inhibition Studies of Essential Oil of *Juniperus thurifera* Bark. *Evidence-Based Complementary and Alternative Medicine*, *2022*, e6305672. <https://doi.org/10.1155/2022/6305672>
- Larson, E. R., & Crandall, S. G. (2023). Recovery of the soil fungal microbiome after steam disinfection to manage the plant pathogen *Fusarium solani*. *Frontiers in Plant Science*, *14*. <https://doi.org/10.3389/fpls.2023.1128518>
- Lee, J.C., Lobkovsky, E., Pliam, N.B., Strobel, G., Clardy, J. (1995). Subglutinols A and B: Immunosuppressive compounds from the endophytic fungus *Fusarium subglutinans*. *J. Org. Chem.* *60* (22), 7076–7077. doi:10.1021/jo00127a001
- Lee, J.-H., Park, Y., Choi, J. R., Lee, E. K., Kim, H.-S. (2010). Comparisons of Three Automated Systems for Genomic DNA Extraction in a Clinical Diagnostic Laboratory. *Yonsei Med J*, *51*(1), 104–110. doi:10.3349/ymj.2010.51.1.104
- Leylaie, S., Zafari, D. (2018). Antiproliferative and Antimicrobial Activities of Secondary Metabolites and Phylogenetic Study of Endophytic *Trichoderma* Species From *Vinca* Plants. *Frontiers in Microbiology*, *9*, 1484. doi:10.3389/fmicb.2018.01484

- Liang, N., Neužil-Bunešová, V., Tejnecký, V., Gänzle, M., Schwab, C. (2021). 3-Hydroxypropionic acid contributes to the antibacterial activity of glycerol metabolism by the food microbe *Limosilactobacillus reuteri*. *Food Microbiol*, 98, 103720. doi:10.1016/j.fm.2020.103720
- Lim, S. M., Agatonovic-Kustrin, S., Lim, F. T., Ramasamy, K. (2021). High-performance thin layer chromatography-based phytochemical and bioactivity characterisation of anticancer endophytic fungal extracts derived from marine plants. *Journal of Pharmaceutical and Biomedical Analysis*, 193, 113702. doi:10.1016/j.jpba.2020.113702
- Liu, J., Liu, Y., Wang, Y., Abozeid, A., Zu, Y.-G., Zhang, X.-N., Tang, Z.-H. (2017). GC-MS Metabolomic Analysis to Reveal the Metabolites and Biological Pathways Involved in the Developmental Stages and Tissue Response of *Panax ginseng*. *Molecules*, 22(3), 496. doi:10.3390/molecules22030496
- Liu, J. Y., Song, Y. C., Zhang, Z., Wang, L., Guo, Z. J., Zou, W. X., Tan, R. X. (2004). *Aspergillus fumigatus* CY018, an Endophytic Fungus in *Cynodon dactylon* as a Versatile Producer of New and Bioactive Metabolites. *Journal of Biotechnology*, 114(3), 279–287. doi:10.1016/j.jbiotec.2004.07.008
- Lombard, L., Serrato-Diaz, L. M., Cheewangkoon, R., French-Monar, R. D., Decock, C., Crous, P. W. (2014). Phylogeny and Taxonomy of the Genus *Gliocephalotrichum*. *Persoonia: Molecular Phylogeny and Evolution of Fungi*, 32, 127. doi:10.3767/003158514X680261
- Mabberley, D. J. (1987). *The Plant-Book*. Cambridge University Press, New York.
- Mączka, W., Duda-Madej, A., Grabarczyk, M., Wińska, K. (2022). Natural Compounds in the Battle Against Microorganisms—Linalool. *Molecules*, 27(20), 6928. doi:10.3390/molecules27206928
- Madasu, R. H. B., Muvva, V., Munaganti, R. K., Dorigondla, K. R., Yenamandra, V. (2017). Bioactive-Guided Fractionation of Diols from *Streptomyces* sp. MSL. 3 *Biotech*, 7(1), 59. doi:10.1007/s13205-017-0649-1
- Mahata, P.K., Dass, R.S., Pan, A., Muthusamy, B. (2022). Substantive Morphological Descriptions, Phylogenetic Analysis and Single Nucleotide Polymorphisms of *Aspergillus* Species From *Foeniculum vulgare*. *Front. Microbiol*, 13. doi:10.3389/fmicb.2022.832320
- Makky, E. A., AlMatar, M., Mahmood, M. H., Ting, O. W., Qi, W. Z. (2021). Evaluation of the Antioxidant and Antimicrobial Activities of Ethyl

Acetate Extract of *Saccharomyces cerevisiae*. *Food Technol Biotechnol*, 59(2), 127–136. doi:10.17113/ftb.59.02.21.6658

- Malathi, K., An, Anbarasu, Ramaiah, S. (2017). Ethyl Iso-allocholate from a Medicinal Rice *Karungkavuni* Inhibits Dihydropteroate Synthase in *Escherichia coli*: A Molecular Docking and Dynamics Study. *Indian Journal of Pharmaceutical Sciences*, 78(6), 780–788. doi:10.4172/pharmaceutical-sciences.1000184
- Manganyi, M. C., Regnier, T., Tchatchouang, C.-D. K., Bezuidenhout, C. C., Ateba, C. N. (2019). Antibacterial Activity of Endophytic Fungi Isolated From *Sceletium tortuosum* L. (*Kougoed*). *Ann Microbiol*, 69(6), 659–663. doi:10.1007/s13213-019-1444-5
- Marchese, A., Arciola, C. R., Barbieri, R., Silva, A. S., Nabavi, S. F., Tsetegho Sokeng, A. J., ... Nabavi, S. M. (2017). Update on Monoterpenes as Antimicrobial Agents: A Particular Focus on p-Cymene. *Materials (Basel)*, 10(8), 947. doi:10.3390/ma10080947
- Marei, G. I. K., Abdelgaleil, S. A. M. (2018). Antifungal Potential and Biochemical Effects of Monoterpenes and Phenylpropenes on Plant. *Plant Protection Science*, 54(1), 9–16. doi:10.17221/9/2017-PPS
- Martinez, N., Leite, L. G., Harakava, R., Touray, M., Hazir, S., Chacon-Orozco, J., ... Bueno, C. J. (2023). Disease caused by *Neofusicoccum parvum* in pruning wounds of grapevine shoots and its control by *Trichoderma* spp. and *Xenorhabdus szentirmaii*. *Fungal Biology*, 127(1), 865–871. doi:10.1016/j.funbio.2022.12.002
- Matute, D. R., Sepúlveda, V. E. (2019). Fungal Species Boundaries in the Genomics Era. *Fungal Genet Biol*, 131, 103249. doi:10.1016/j.fgb.2019.103249
- Maxwell, A. (1997). DNA Gyrase as a Drug Target. *Trends in Microbiology*, 5(3), 102–109. doi:10.1016/S0966-842X(96)10085-8
- McBain, A. J., Bartolo, R. G., Catrenich, C. E., Charbonneau, D., Ledder, R. G., Gilbert, P. (2003). Effects of a Chlorhexidine Gluconate-Containing Mouthwash on the Vitality and Antimicrobial Susceptibility of In Vitro Oral Bacterial Ecosystems. *Appl Environ Microbiol*, 69(8), 4770–4776. doi:10.1128/AEM.69.8.4770-4776.2003
- Mefteh, F.B., Daoud, A., Chenari Bouket, A., Alenezi, F.N., Luptakova, L., Rateb, M.E., Kadri, A., Gharsallah, N., Belbahri, L. (2017). Fungal Root Microbiome from Healthy and Brittle Leaf Diseased Date Palm Trees (*Phoenix dactylifera* L.) Reveals a Hidden Untapped Arsenal of

Antibacterial and Broad Spectrum Antifungal Secondary Metabolites.
Front. Microbiol. doi:10.3389/fmicb.2017.00307

- Mishra, V. K., Passari, A. K., Chandra, P., Leo, V. V., Kumar, B., Uthandi, S., ... Singh, B. P. (2017). Determination and Production of Antimicrobial Compounds by *Aspergillus clavatonanicus* Strain MJ31, an Endophytic Fungus from *Mirabilis jalapa* L. Using UPLC-ESI-MS/MS and TD-GC-MS Analysis. *PloS One*, 12(10), e0186234. doi:10.1371/journal.pone.0186234
- Molina-Hernandez, J. B., Landi, L., De Flaviis, R., Laika, J., Romanazzi, G., Chaves-Lopez, C. (2023). Memahami Mekanisme Kerja Plasma Dingin Atmosfer Terhadap Mitigasi Stres yang Disebabkan oleh Jamur: Kasus *Aspergillus chevalieri*. *Innovative Food Science & Emerging Technologies*, 90, 103492. doi:10.1016/j.ifset.2023.103492
- Moorcraft, S. Y., Gonzalez, D., Walker, B. A. (2015). Understanding Next Generation Sequencing in Oncology: A Guide for Oncologists. *Critical Reviews in Oncology/Hematology*, 96(3), 463–474. doi:10.1016/j.critrevonc.2015.06.007
- Morales-Sánchez, V., Díaz, C. E., Trujillo, E., Olmeda, S. A., Valcarcel, F., Muñoz, R., Andrés, M. F., & González-Coloma, A. (2021). Bioactive Metabolites from the Endophytic Fungus *Aspergillus* sp. SPH2. *Journal of Fungi*, 7(2). <https://doi.org/10.3390/jof7020109>
- Motlagh, M. R. S., Jahangiri, B., Kulus, D., Tymoszuk, A., Kaviani, B. (2022). Endophytic Fungi as Potential Biocontrol Agents Against *Rhizoctonia solani* J.G. Kühn, the Causal Agent of Rice Sheath Blight Disease. *Biology (Basel)*, 11(9), 1282. doi:10.3390/biology11091282
- Naeim, H., El-Hawiet, A., Abdel Rahman, R. A., Hussein, A., El Demellawy, M. A., Embaby, A. M. (2020). Antibacterial activity of *Centaurea pumilio* L. root and aerial part extracts against some multidrug resistant bacteria. *BMC Complementary Medicine and Therapies*, 20(1), 79. doi:10.1186/s12906-020-2876-y
- Newell, P. D., Fricker, A. D., Roco, C. A., Chandrangsu, P., Merkel, S. M. (2013). A Small-Group Activity Introducing the Use and Interpretation of BLAST. *J Microbiol Biol Educ*, 14(2), 238–243. doi:10.1128/jmbe.v14i2.637
- Ngobisa, A. I. C. N., Zainal Abidin, M. A., Wong, M. Y., Wan Noordin, M. W. D. (2013). *Neofusicoccum ribis* Associated with Leaf Blight on Rubber (*Hevea brasiliensis*) in Peninsular Malaysia. *Plant Pathol J*, 29(1), 10–16. doi:10.5423/PPJ.OA.07.2012.0110

- Niazi, S. K., Basavarajappa, D. S., Kumaraswamy, S. H., Bepari, A., Hiremath, H., Nagaraja, S. K., ... Nayaka, S. (2023). GC-MS Based Characterization, Antibacterial, Antifungal and Anti-Oncogenic Activity of Ethyl Acetate Extract of *Aspergillus niger* Strain AK-6 Isolated from Rhizospheric Soil. *Curr Issues Mol Biol*, 45(5), 3733–3756. doi:10.3390/cimb45050241
- Nicoletti, R., Ferranti, P., Caira, S., Misso, G., Castellano, M., Di Lorenzo, G., Caraglia, M. (2014). *Myrtucommulone* production by a strain of *Neofusicoccum australe* endophytic in myrtle (*Myrtus communis*). *World J Microbiol Biotechnol*, 30(3), 1047–1052. doi:10.1007/s11274-013-1523-x
- Nisa, H., Kamili, A. N. (2019). Fungal Endophytes from Medicinal Plants as a Potential Source of Bioactive Secondary Metabolites and Volatile Organic Compounds: An Overview. In J.-M. Mérillon & K. G. Ramawat (Eds.), *Bioactive Molecules in Food, Reference Series in Phytochemistry* (pp. 1–11). Springer International Publishing. doi:10.1007/978-3-319-76900-4_29-1
- Nisa, H., Kamili, A. N., Nawchoo, I. A., Shafi, S., Shameem, N., Bandh, S. A. (2015). Fungal endophytes as prolific source of phytochemicals and other bioactive natural products: A review. *Microbial Pathogenesis*, 82, 50–59. doi:10.1016/j.micpath.2015.04.001
- Nurhalimah, S., Rahmawati, S. I., Hermanianto, J., Nurjanah, S., Izzati, F., Septiana, E., ... Putra, M. (2021). AKTIVITAS ANTIOKSIDAN DARI METABOLIT SEKUNDER KAPANG ENDOFIT MANGROVE *Aegiceras corniculatum*. *Biopropal Industri*, 12, 51. doi:10.36974/jbi.v12i1.6539
- Nurhasanah, Rafly, M., Papuangan, N. (2020). Endophytic Mycoflora from Mace and Seed of Nutmeg (*Myristica fragrans* Houtt) as a Source of Antifungal Compounds. In *5th International Conference on Food, Agriculture and Natural Resources (FANRes 2019)*, Atlantis Press, pp. 381–384. doi:10.2991/aer.k.200325.075
- Oliveira, M. N., Santos, L. S., Guilhon, G. M. S. P., Santos, A. S., Ferreira, I. C. S., Lopes-Junior, M. L., ... Oliveira, M. C. F. (2011). Novel anthraquinone derivatives produced by *Pestalotiopsis guepinii*, an endophytic of the medicinal plant *Virola michelii* (*Myristicaceae*). *J. Braz. Chem. Soc.*, 22(5), 993–996. doi:10.1590/S0103-50532011000500025
- Olufunmiso, O., Onibudo, T., Cooposamy, R., Ashafa, T., Afolayan, A. (2018). Bioactive Compounds and in vitro Antimicrobial Activities of Ethanol

Stem Bark Extract of *Trilepisium madagascariense* DC. *International Journal of Pharmacology*, 14, 901–912. doi:10.3923/ijp.2018.901.912

- Pappas, M. L., Liapoura, M., Papantoniou, D., Avramidou, M., Kavroulakis, N., Weinhold, A., ... Papadopoulou, K. K. (2018). The Beneficial Endophytic Fungus *Fusarium solani* Strain K Alters Tomato Responses Against Spider Mites to the Benefit of the Plant. *Front. Plant Sci.*, 9. doi:10.3389/fpls.2018.01603
- Periasamy, G., Karim, A., Gibrelibanos, M., Gebremedhin, G., Gilani, A.-H. (2016). Nutmeg (*Myristica fragrans* Houtt.) Oils. In: *Essential Oils in Food Preservation, Flavor and Safety*. Elsevier, pp. 607–616. doi:10.1016/B978-0-12-416641-7.00069-9
- Petrini, O. (1991). Fungal Endophytes of Tree Leaves. In: J. H. Andrews & S. S. Hirano (Eds.), *Microbial Ecology of Leaves, Brock/Springer Series in Contemporary Bioscience*. Springer New York, NY, pp. 179–197. doi:10.1007/978-1-4612-3168-4_9
- Petrov, K., Petrova, P. (2021). Current Advances in Microbial Production of Acetoin and 2,3-Butanediol by *Bacillus* spp. *Fermentation*, 7(4), 307. doi:10.3390/fermentation7040307
- Pitra, H., Haerullah, A., Papuangan, N. (2017). studi pengetahuan lokal masyarakat moya tentang pemanfaatan tumbuhan sebagai obat tradisional. *saintifik*, 1(1), 45–49. doi:10.33387/sjk.v1i1.352
- Plodpai, P., Chuenchitt, S., Petcharat, V., Chakthong, S., Voravuthikunchai, S. P. (2013). Anti-*Rhizoctonia solani* activity by *Desmos chinensis* extracts and its mechanism of action. *Crop Protection*, 43, 65–71. doi:10.1016/j.cropro.2012.09.004
- Poczai, P., Hyvönen, J. (2010). Nuclear ribosomal spacer regions in plant phylogenetics: problems and prospects. *Mol Biol Rep*, 37(4), 1897–1912. doi:10.1007/s11033-009-9630-3
- Puig, A. S., Keith, L. M., Matsumoto, T. K., Gutierrez, O. A., Marelli, J. P. (2021). Virulence tests of *Neofusicoccum parvum*, *Lasiodiplodia theobromae*, and *Phytophthora palmivora* on *Theobroma cacao*. *Eur J Plant Pathol*, 159(4), 851–862. doi:10.1007/s10658-021-02210-1
- Qian, Y.-M., Chen, Q.-M., Chen, W.-H., Yin, Q.-Y., Yang, J.-N., Hui, Y. (2024). Secondary Metabolites of Endophytic Fungi *Aspergillus fumigatus* from *Scutellaria formosana*. *Chem Nat Compd*, 60(1), 192–194. doi:10.1007/s10600-024-04287-6

- Rahmi, D., Praptiwi, Simajuntak, P., Ilyas, M., Agusta, A. (2023). The antioxidant activity of endophytic fungal extract of nutmeg plant (*Myristica fragrans* Houtt.) from Cimande West Java, Indonesia. *IOP Conf. Ser.: Earth Environ. Sci.*, 1271(1), 012063. doi:10.1088/1755-1315/1271/1/012063
- Rakhmawatie, M. D., Wibawa, T., Lisdiyanti, P., Pratiwi, W. R., Damayanti, E., Mustofa, E. (2021). Potential secondary metabolite from Indonesian Actinobacteria (InaCC A758) against *Mycobacterium tuberculosis*. *Iran J Basic Med Sci*, 24(8), 1058–1068. doi:10.22038/ijbms.2021.56468.12601
- Ramachandran, V. S., Rathakrishnan, M., Mudimbaimannar, V. K., Ravindran, M. B., Venkatesh, A., Dinakar, J. (2023). Evaluation of Antimicrobial Effect of Herbal Medicaments - Mangosteen, Turmeric, Babul Extracts, and Chlorhexidine against *Candida albicans* Biofilm in Endodontics: An In Vitro Study. *Journal of Orofacial Sciences*, 15(1), 69. doi:10.4103/jofs.jofs_134_23
- Ramesh, R., Munshi, A., Panda, S. K. (1992). Polymerase chain reaction. *Natl Med J India*, 5(3), 115–119.
- Rashad, Y. M., Abdalla, S. A., Shehata, A. S. (2022). *Aspergillus flavus* YRB2 from *Thymelaea hirsuta* (L.) Endl., a non-aflatoxigenic endophyte with ability to overexpress defense-related genes against *Fusarium* root rot of maize. *BMC Microbiology*, 22(1), 229. doi:10.1186/s12866-022-02651-6
- Rivas, A. C. da S., Lopes, P. M., de Azevedo Barros, M. M., Costa Machado, D. C., Alviano, C. S., Alviano, D. S. (2012). Biological Activities of α -Pinene and β -Pinene Enantiomers. *Molecules*, 17(6), 6305–6316. doi:10.3390/molecules17066305
- Rockwood, A. L., Kushnir, M. M., Clarke, N. J. (2018). Mass Spectrometry. In: *Principles and Applications of Clinical Mass Spectrometry*. Elsevier, pp. 33–65. doi:10.1016/B978-0-12-816063-3.00002-5
- Rodriguez, R., Redman, R. (2008). More than 400 million years of evolution and some plants still can't make it on their own: plant stress tolerance via fungal symbiosis. *Journal of Experimental Botany*, 59(5), 1109–1114. doi:10.1093/jxb/erm342
- Rouis-Soussi, L., El Ayeb-Zakhama, A., Aouni, M., Flamini, G., Ben Jannet, H., harzallah-Skhiri, F. (2014). Chemical composition and antibacterial activity of essential oils from the Tunisian *Allium Nigrum* L. *EXCLI Journal*, 13, 526–535. doi:10.17877/DE290R-170

- Sadeghi, F., Samsampour, D., Seyahooei, M.A., Bagheri, A., Soltani, J. (2019). Diversity and Spatiotemporal Distribution of Fungal Endophytes Associated with *Citrus reticulata* cv. Siyadoo. *Curr Microbiol*, 76 (3) , 279–289. doi:10.1007/s00284-019-01632-9
- Sadrati, N., Zerroug, A., Demirel, R., Harzallah, D. (2023). Anti-multidrug-resistant *Staphylococcus aureus* and anti-dermatophyte activities of secondary metabolites of the endophytic fungus *Penicillium brevicompactum* ANT13 associated with the Algerian endemic plant *Abies numidica*. *Arch Microbiol*, 205(4), 110. doi:10.1007/s00203-023-03452-9
- Salem, M.Z.M., Zayed, M.Z., Ali, H.M., Abd El-Kareem, M.S.M. (2016). Chemical composition, antioxidant and antibacterial activities of extracts from *Schinus molle* wood branch growing in Egypt. *J Wood Sci*, 62(6), 548–561. doi:10.1007/s10086-016-1583-2
- Salvatore, M.M., Nicoletti, R., Salvatore, F., Naviglio, D., Andolfi, A. (2018). GC-MS approach for screening metabolites produced by marine-derived *Aspergillus*. *Marine Chemistry*, 206, 19–33. doi:10.1016/j.marchem.2018.08.003
- Sambrook, J., Fritsch, E.R., Maniatis, T. (1989). *Molecular Cloning: A Laboratory Manual* (2nd ed.). Cold Spring Harbor Laboratory Press.
- Sanger, F., Air, G.M., Barrell, B.G., Brown, N.L., Coulson, A.R., Fiddes, J.C., Hutchison, C.A., Slocombe, P.M., Smith, M. (1977). Nucleotide sequence of bacteriophage ϕ X174 DNA. *Nature*, 265(5596), 687–695. doi:10.1038/265687a0
- Santos, I.P. dos, Silva, L.C.N. da, Silva, M.V. da, Araújo, J.M. de, Cavalcanti, M. da S., Lima, V.L. de M. (2015). Antibacterial activity of endophytic fungi from leaves of *Indigofera suffruticosa* Miller (*Fabaceae*). *Front. Microbiol. doi:10.3389/fmicb.2015.00350
- Santra, H.K., Dutta, R., Banerjee, D. (2024). Antifungal activity of bio-active cell-free culture extracts and volatile organic compounds (VOCs) synthesized by endophytic fungal isolates of Garden Nasturtium. *Scientific Reports*, 14. doi:10.1038/s41598-024-60948-0
- Sarsaiya, S., Jain, A., Jia, Q., Fan, X., Shu, F., Chen, Z., Zhou, Q., Shi, J., Chen, J. (2020). Molecular identification of endophytic fungi and their pathogenicity evaluation against *Dendrobium nobile* and *Dendrobium officinale*. *Int J Mol Sci*, 21(1), 316. doi:10.3390/ijms21010316

- Sathiyaseelan, A., Saravanakumar, K., Mariadoss, A.V.A., Kim, K.M., Wang, M.-H. (2021). Antibacterial activity of ethyl acetate extract of endophytic fungus (*Paraconiothyrium brasiliense*) through targeting dihydropteroate synthase (DHPS). *Process Biochem*, 111, 27–35. doi:10.1016/j.procbio.2021.10.010
- Schneider, T., Sahl, H.-G. (2010). An oldie but a goodie – cell wall biosynthesis as antibiotic target pathway. *Int J Med Microbiol*, 300(2–3), 161–169. doi:10.1016/j.ijmm.2009.10.005
- Schoch, C.L., Seifert, K.A., Huhndorf, S., Robert, V., Spouge, J.L., Levesque, C.A., Chen, W., Consortium, F.B. (2012). Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for Fungi. *PNAS*, 109(16), 6241–6246. doi:10.1073/pnas.1117018109
- Schulz, B., Boyle, C. (2005). The endophytic continuum. *Mycological Research*, 109(6), 661–686. doi:10.1017/S095375620500273X
- Scorzoni, L., de Paula e Silva, A.C.A., Marcos, C.M., Assato, P.A., de Melo, W.C.M.A., de Oliveira, H.C., Costa-Orlandi, C.B., Mendes-Giannini, M.J.S., Fusco-Almeida, A.M. (2017). Antifungal Therapy: New advances in the understanding and treatment of mycosis. *Front Microbiol*. doi:10.3389/fmicb.2017.00036
- Scribano, D., Sarshar, M., Prezioso, C., Lucarelli, M., Angeloni, A., Zagaglia, C., Palamara, A., Ambrosi, C. (2020). D-Mannose treatment neither affects uropathogenic *Escherichia coli* properties nor induces stable FimH modifications. *Molecules*, 25. doi:10.3390/molecules25020316
- Sebastianes, F.L.S., Cabedo, N., El Aouad, N., Valente, A.M.M.P., Lacava, P.T., Azevedo, J.L., Pizzirani-Kleiner, A.A., Cortes, D. (2012). 3-hydroxypropionic acid as an antibacterial agent from endophytic fungi *Diaporthe phaseolorum*. *Curr Microbiol*, 65(5), 622–632. doi:10.1007/s00284-012-0206-4
- Seifert, K.A., Gams, W. (2011). The genera of Hyphomycetes – 2011 update. *Persoonia*, 27, 119–129. doi:10.3767/003158511X617435
- Serrato-Diaz, L.M., Latoni-Brailowsky, E.I., Rivera-Vargas, L.I., Goenaga, R., French-Monar, R.D. (2012). First report of *Gliocephalotrichum bulbilium* and *G. simplex* causing fruit rot of rambutan in Puerto Rico. *Plant Dis*, 96(8), 1225. doi:10.1094/PDIS-02-12-0210-PDN
- Shah, A.M., Shakeel-U-Rehman, null, Hussain, A., Mushtaq, S., Rather, M.A., Shah, A., Ahmad, Z., Khan, I.A., Bhat, K.A., Hassan, Q.P. (2017). Antimicrobial investigation of selected soil actinomycetes isolated

from unexplored regions of Kashmir Himalayas, India. *Microb Pathog*, 110, 93–99. doi:10.1016/j.micpath.2017.06.017

Sharma, D., Pramanik, A., Agrawal, P.K. (2016). Evaluation of bioactive secondary metabolites from endophytic fungus *Pestalotiopsis neglecta* BAB-5510 isolated from leaves of *Cupressus torulosa* D.Don. *3 Biotech*, 6(2), 210. doi:10.1007/s13205-016-0518-3

Sharma, R.K., Bibi, S., Chopra, H., Khan, M.S., Aggarwal, N., Singh, I., Ahmad, S.U., Hasan, M.M., Moustafa, M., Al-Shehri, M., Alshehri, A., Kabra, A. (2022). In silico and in vitro screening constituents of *Eclipta alba* leaf extract to reveal antimicrobial potential. *Evid Based Complement Alternat Med*, 2022, 3290790. doi:10.1155/2022/3290790

Shen, N., Chen, Z., Cheng, G., Lin, W., Qin, Y., Xiao, Y., Chen, H., Tang, Z., Li, Q., Yuan, M., Bu, T. (2023). Diversity, chemical constituents and biological activities of endophytic fungi from *Alisma orientale* (Sam.) Juzep. *Front Microbiol*, 14, 1190624. doi:10.3389/fmicb.2023.1190624

Shwab, E.K., Keller, N.P. (2008). Regulation of secondary metabolite production in filamentous ascomycetes. *Mycological Research*, 112(2), 225–230. doi:10.1016/j.mycres.2007.08.021

Sieber, T.N. (2007). Endophytic fungi in forest trees: are they mutualists? *Fungal Biology Reviews*, 21(2–3), 75–89. doi:10.1016/j.fbr.2007.05.004

Silva, F. de A., Liotti, R.G., Boleti, A.P. de A., Reis, É. de M., Passos, M.B.S., Santos, E.L. dos, Sampaio, O.M., Januário, A.H., Branco, C.L.B., Silva, G.F. da, Mendonça, E.A.F. de, Soares, M.A. (2018). Diversity of cultivable fungal endophytes in *Paullinia cupana* (Mart.) Ducke and bioactivity of their secondary metabolites. *PLOS ONE*, 13(4), e0195874. doi:10.1371/journal.pone.0195874

Singab, A.N.B., Elkhawas, Y.A., Al-Sayed, E., Elissawy, A.M., Fawzy, I.M., Mostafa, N.M. (2023). Antimicrobial activities of metabolites isolated from endophytic *Aspergillus flavus* of *Sarcophyton ehrenbergi* supported by in-silico study and NMR spectroscopy. *Fungal Biol Biotechnol*, 10, 16. doi:10.1186/s40694-023-00161-2

Singha, W.J., Deka, H. (2024). Chapter 11 - Instrumental characterization of matured vermicompost produced from organic waste, in: Huang, K., Bhat, S.A., Li, F., Kumar, V. (Eds.), *Earthworm Technology in Organic Waste Management, Waste And The Environment: Underlying Burdens and Management Strategies*. Elsevier, pp. 231–255. doi:10.1016/B978-0-443-16050-9.00017-7

- Skutkova, H., Vitek, M., Krizkova, S., Kizek, R., Provaznik, I. (2013). Preprocessing and classification of electrophoresis gel images using dynamic time warping. *International Journal of Electrochemical Science*, 8(2), 1609–1622.
- Slepecky, R. A., Starmer, W. T. (2009). Phenotypic plasticity in fungi: A review with observations on *Aureobasidium pullulans*. *Mycologia*, 101(6), 823–832. doi:10.3852/08-197
- Song, J., Lee, E.J., Kim, M., Oh, H., Ko, S., Lee, D. (2019). Metabolites from the Antarctic psychrophilic fungus *Pseudogymnoascus* sp. SF001. *Marine Drugs*, 17(9), 507. doi:10.3390/md17090507
- Song, L., Xie, W., Zhao, Y., Lv, X., Yang, H., Zeng, Q., Zheng, Z., Yang, X. (2019). Synthesis, antimicrobial, moisture absorption and retention activities of kojic acid-grafted konjac glucomannan oligosaccharides. *Polymers (Basel)*, 11(12), 1979. doi:10.3390/polym11121979
- Song, Z., Sun, Y. J., Xu, S., Li, G., Yuan, C., Zhou, K. (2023). Secondary metabolites from the endophytic fungus *Fusarium decemcellulare* F25 and their antifungal activities. *Frontiers in Microbiology*, 14, Article 1127971. doi:10.3389/fmicb.2023.1127971
- Srivastava, R., Mukerjee, A., Verma, A. (2015). GC-MS analysis of phytocomponents in pet ether fraction of *Wrightia tinctoria* seed. *Phcog J*, 7(4), 249–253. doi:10.5530/pj.2015.4.7
- Stierle, A., Strobel, G., Stierle, D. (1993). Taxol and taxane production by *Taxomyces andreanae*, an endophytic fungus of Pacific yew. *Science*, 260(5105), 214–216. doi:10.1126/science.8097061
- Strobel, G. A., Hess, W. M. (1997). Glucosylation of the peptide leucinostatin A, produced by an endophytic fungus of European yew, may protect the host from leucinostatin toxicity. *Chemistry & Biology*, 4(7), 529–536. doi:10.1016/S1074-5521(97)90325-2
- Sundar, R. D. V., Arunachalam, S. (2024). Endophytic fungi of *Tradescantia pallida* mediated targeting of multi-drug resistant human pathogens. *Saudi Journal of Biological Sciences*, 31(3), Article 103937. doi:10.1016/j.sjbs.2024.103937
- Tan, R. X., Zou, W. X. (2001). Endophytes: A rich source of functional metabolites (1987 to 2000). *Nat. Prod. Rep.*, 18(4), 448–459. doi:10.1039/b100918o

- Tang, P., Zhang, Z., Niu, L., Gu, C., Zheng, W., Cui, H., Yuan, X. (2021). *Fusarium solani* G6, a novel vitexin-producing endophytic fungus: Characterization, yield improvement and osteoblastic proliferation activity. *Biotechnol Lett*, 43(7), 1371–1383. doi:10.1007/s10529-021-03118-w
- Tawfik, N., Tawfike, A., Abdou, R., Abbott, G., Abdelmohsen, U., Edrada-Ebel, R., Haggag, E. (2017). Metabolomics and dereplication study of the endophytic fungus *Aspergillus chevalieri* in search of bioactive natural compounds. *Journal of Advanced Pharmacy Research*. doi:10.21608/aprh.2017.1567
- Torres-Navarrete, C. R. (2016). Numerical characterization of harbor oscillations in the Port of Ensenada, Mexico. *OJMS*, 06(03), 395–404. doi:10.4236/ojms.2016.63033
- Van Gils, C., Cox, P. A. (1994). Ethnobotany of nutmeg in the Spice Islands. *Journal of Ethnopharmacology*, 42(2), 117–124. doi:10.1016/0378-8741(94)90105-8
- Wahyu, R., Sriwati, R., Hakim, L. (2019). Eksplorasi dan potensi cendawan endofit asal tanaman pala (*Myristica fragrans* Houtt) sebagai agens pengendali hayati penyakit mati ranting. *Jurnal Agrista*, 23(3), 159–169.
- Walsh, C. (2003). Where will new antibiotics come from? *Nat Rev Microbiol*, 1(1), 65–70. doi:10.1038/nrmicro727
- Waqas, M., Khan, A. L., Kamran, M., Hamayun, M., Kang, S.-M., Kim, Y.-H., Lee, I.-J. (2012). Endophytic fungi produce gibberellins and indoleacetic acid and promote host-plant growth during stress. *Molecules*, 17(9), 10754–10773. doi:10.3390/molecules170910754
- Warmerdam, D. O., Wolthuis, R. M. F. (2019). Keeping ribosomal DNA intact: A repeating challenge. *Chromosome Res*, 27(1), 57–72. doi:10.1007/s10577-018-9594-z
- Watanabe, T. (2010). *Pictorial atlas of soil and seed fungi: Morphologies of cultured fungi and key to species*, 3rd ed. CRC Press/Taylor & Francis.
- White, T. J., Bruns, T., Lee, S., Taylor, J. (1990). Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In *PCR Protocols* (pp. 315–322). Elsevier. doi:10.1016/B978-0-12-372180-8.50042-1

- WHO. (2020). Antimicrobial resistance. Retrieved from <https://www.who.int/news-room/fact-sheets/detail/antimicrobial-resistance>. Diakses Tanggal 10 November 2022.
- Wilson, D. (1995). Endophyte: The evolution of a term, and clarification of its use and definition. *Oikos*, 73(2), 274. doi:10.2307/3545919
- Wu, H.-Y., Chan, K.-T., But, G. W.-C., Shaw, P.-C. (2021). Assessing the reliability of medicinal *Dendrobium* sequences in GenBank for botanical species identification. *Sci Rep*, 11(1), Article 3439. doi:10.1038/s41598-021-82385-z
- Xing, Y.-M., Chen, J., Cui, J.-L., Chen, X.-M., Guo, S.-X. (2011). Antimicrobial activity and biodiversity of endophytic fungi in *Dendrobium devonianum* and *Dendrobium thyrsiflorum* from Vietnam. *Curr Microbiol*, 62(4), 1218–1224. doi:10.1007/s00284-010-9848-2
- Yang, R.-H., Su, J.-H., Shang, J.-J., Wu, Y.-Y., Li, Y., Bao, D.-P., Yao, Y.-J. (2018). Evaluation of the ribosomal DNA internal transcribed spacer (ITS), specifically ITS1 and ITS2, for the analysis of fungal diversity by deep sequencing. *PLOS ONE*, 13(10), Article e0206428. doi:10.1371/journal.pone.0206428
- Ye, H.-T., Luo, S.-Q., Yang, Z.-N., Wang, Y.-S., Ding, Q. (2021). Latent pathogenic fungi in the medicinal plant *Houttuynia cordata* Thunb. are modulated by secondary metabolites and colonizing microbiota originating from soil. *Pol J Microbiol*, 70(3), 359–372. doi:10.33073/pjm-2021-034
- Yun, Y.H., Hyun, M.W., Suh, D.Y., Kim, Y.M., Kim, S.H. (2009). Identification and Characterization of *Eurotium rubrum* Isolated from Meju in Korea. *Mycobiology*, 37 (4), 251–257. doi:10.4489/MYCO.2009.37.4.251
- Zakariyah, R. F., Ajijolakewu, K. A., Ayodele, A. J., Folami-A, B. I., Samuel, E. P., Otuoze, S. O., Abdulrauf, L. B., Ahmed, R. N. (2024). Progress in endophytic fungi secondary metabolites: Biosynthetic gene cluster reactivation and advances in metabolomics. *Bulletin of the National Research Centre*, 48(1), Article 44. doi:10.1186/s42269-024-01199-x
- Zhang, D., Yi, W., Ge, H., Zhang, Z., Wu, B. (2019). Bioactive streptoglutaramides A–J from the marine-derived *Streptomyces* sp. ZZ741. *J Nat Prod*, 82(10), 2800–2808. doi:10.1021/acs.jnatprod.9b00481
- Zhang, H., Yang, M.-F., Zhang, Q., Yan, B., Jiang, Y.-L. (2022). Screening for broad-spectrum antimicrobial endophytes from *Rosa roxburghii* and

multi-omic analyses of biosynthetic capacity. *Front. Plant Sci.*, 13. doi:10.3389/fpls.2022.1060478

Zhao, H., Huang, L., Xiao, C. L., Liu, J., Wei, J., Gao, X. (2010). Influence of culture media and environmental factors on mycelial growth and conidial production of *Diplocarpon mali*. *Lett Appl Microbiol*, 50(6), 639–644. doi:10.1111/j.1472-765X.2010.02847.x

Zhao, X., Wu, H., Wei, J., Yang, M. (2019). Quantification and characterization of volatile constituents in *Myristica fragrans* Houtt. by gas chromatography-mass spectrometry and gas chromatography quadrupole-time-of-flight mass spectrometry. *Indust Crops Prod*, 130, 137–145. doi:10.1016/j.indcrop.2018.12.064

Zihad, S. M. N. K., Hasan, M. T., Sultana, M. S., Nath, S., Nahar, L., Rashid, M. A., Uddin, S. J., Sarker, S. D., Shilpi, J. A. (2022). Isolation and characterization of antibacterial compounds from *Aspergillus fumigatus*: An endophytic fungus from a mangrove plant of the Sundarbans. *Evidence-Based Complementary and Alternative Medicine*, 2022, Article e9600079. doi:10.1155/2022/9600079

Zin, May W. W., Buttachon, S., Dethoup, T., Pereira, J. A., Gales, L., Inácio, Â., ... Kijjoa, A. (2017). Antibacterial and Antibiofilm Activities of the Metabolites Isolated From the Culture of the Mangrove-Derived Endophytic Fungus *Eurotium chevalieri* KUFA 0006. *Phytochemistry*, 141, 86–97. doi:10.1016/j.phytochem.2017.05.015

Živković, S., Stojanović, S., Ivanović, Ž., Gavrilović, V., Popović, T., & Balaž, J. (2010). Screening of antagonistic activity of microorganisms against *Colletotrichum acutatum* and *Colletotrichum gloeosporioides*. *Archives of Biological Sciences*, 62(3), 611–623. doi:10.2298/ABS1003611Z