

DAFTAR PUSTAKA

- Adamu, B. F., Gao, J., Jhatial, A. K., & Kumelachew, D. M. (2021). A review of medicinal plant-based bioactive electrospun nano fibrous wound dressings. *Materials & Design*, 209, 109942. <https://doi.org/10.1016/j.matdes.2021.109942>
- Adeli, H., Khorasani, M. T., & Parvazinia, M. (2019). Wound dressing based on electrospun PVA/chitosan/starch nanofibrous mats: Fabrication, antibacterial and cytocompatibility evaluation and in vitro healing assay. *International Journal of Biological Macromolecules*, 122, 238–254. <https://doi.org/10.1016/j.ijbiomac.2018.10.115>
- Ajitha, B., Reddy, Y. A. K., & Reddy, P. S. (2015). Biosynthesis of silver nanoparticles using Momordica charantia leaf broth: Evaluation of their innate antimicrobial and catalytic activities. *Journal of Photochemistry and Photobiology B: Biology*, 146, 1–9. <https://doi.org/10.1016/j.jphotobiol.2015.02.017>
- Akhmetova, A., & Heinz, A. (2020). Electrospinning Proteins for Wound Healing Purposes: Opportunities and Challenges. *Pharmaceutics*, 13(1), 4. <https://doi.org/10.3390/pharmaceutics13010004>
- Ali Raza Naqvi, S., Nadeem, S., Komal, S., Ali Asad Naqvi, S., Samee Mubarik, M., Yaqub Qureshi, S., Ahmad, S., Abbas, A., Zahid, M., Khan, N.-U.-H., Shujat Raza, S., & Aslam, N. (2019). Antioxidants: Natural Antibiotics. In *Antioxidants*. IntechOpen. <https://doi.org/10.5772/intechopen.84864>
- Alippilakkotte, S., Kumar, S., & Sreejith, L. (2017). Fabrication of PLA/Ag nanofibers by green synthesis method using Momordica charantia fruit extract for wound dressing applications. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 529, 771–782. <https://doi.org/10.1016/j.colsurfa.2017.06.066>
- Ambekar, R. S., & Kandasubramanian, B. (2019). Advancements in nanofibers for wound dressing: A review. *European Polymer Journal*, 117, 304–336. <https://doi.org/10.1016/j.eurpolymj.2019.05.020>
- Asanarong, O., Minh Quan, V., Boonrungsiman, S., & Sukyai, P. (2021). Bioactive wound dressing using bacterial cellulose loaded with papain composite: Morphology, loading/release and antibacterial properties. *European Polymer Journal*, 143, 110224. <https://doi.org/10.1016/j.eurpolymj.2020.110224>
- Augustine, R., Rehman, S. R. U., Ahmed, R., Zahid, A. A., Sharifi, M., Falahati, M., & Hasan, A. (2020). Electrospun chitosan membranes containing bioactive and therapeutic agents for enhanced wound healing. *International Journal of Biological Macromolecules*, 156, 153–170. <https://doi.org/10.1016/j.ijbiomac.2020.03.207>
- Balouiri, M., Sadiki, M., & Ibnsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6(2), 71–79. <https://doi.org/10.1016/j.jpha.2015.11.005>

- Bazmandeh, A. Z., Mirzaei, E., Fadaie, M., Shirian, S., & Ghasemi, Y. (2020). Dual spinneret electrospun nanofibrous/gel structure of chitosan-gelatin/chitosan-hyaluronic acid as a wound dressing: In-vitro and in-vivo studies. *International Journal of Biological Macromolecules*, 162, 359–373. <https://doi.org/10.1016/j.ijbiomac.2020.06.181>
- Bhardwaj, N., & Kundu, S. C. (2010). Electrospinning: A fascinating fiber fabrication technique. *Biotechnology Advances*, 28(3), 325–347. <https://doi.org/10.1016/j.biotechadv.2010.01.004>
- Bilhim, T., Pisco, J. M., Duarte, M., & Oliveira, A. G. (2011). Polyvinyl Alcohol Particle Size for Uterine Artery Embolization: A Prospective Randomized Study of Initial Use of 350–500 μ m Particles versus Initial Use of 500–700 μ m Particles. *Journal of Vascular and Interventional Radiology*, 22(1), 21–27. <https://doi.org/10.1016/j.jvir.2010.09.018>
- Bishnoi, A., Tiwari, R. K., Chanda, S., Ajmal, G., & Bonde, G. V. (2023). Elecrospon nanofibers: The versatile platform as a drug delivery system in healthcare. *Journal of Drug Delivery Science and Technology*, 90, 105127. <https://doi.org/10.1016/j.jddst.2023.105127>
- Bonferoni, M. C., Rossi, S., Sandri, G., Caramella, C., Del Fante, C., Perotti, C., Miele, D., Vigani, B., & Ferrari, F. (2019). Bioactive Medications for the Delivery of Platelet Derivatives to Skin Wounds. *Current Drug Delivery*, 16(5), 472–483. <https://doi.org/10.2174/1381612825666190320154406>
- Bouarab-Chibane, L., Forquet, V., Lantéri, P., Clément, Y., Léonard-Akkari, L., Oulahal, N., Degraeve, P., & Bordes, C. (2019). Antibacterial Properties of Polyphenols: Characterization and QSAR (Quantitative Structure–Activity Relationship) Models. *Frontiers in Microbiology*, 10. <https://doi.org/10.3389/fmicb.2019.00829>
- Bužarovska, A., Dinescu, S., Lazar, A. D., Serban, M., Pircalabioru, G. G., Costache, M., Gualandi, C., & Avérous, L. (2019). Nanocomposite foams based on flexible biobased thermoplastic polyurethane and ZnO nanoparticles as potential wound dressing materials. *Materials Science and Engineering: C*, 104, 109893. <https://doi.org/10.1016/j.msec.2019.109893>
- Byrne, H. J., Bonnier, F., McIntyre, J., & Parachalil, D. R. (2020). Quantitative analysis of human blood serum using vibrational spectroscopy. *Clinical Spectroscopy*, 2, 100004. <https://doi.org/10.1016/j.clispe.2020.100004>
- Chao, C.-Y., Sung, P.-J., Wang, W.-H., & Kuo, Y.-H. (2014). Anti-Inflammatory Effect of Momordica Charantia in Sepsis Mice. *Molecules*, 19(8), 12777–12788. <https://doi.org/10.3390/molecules190812777>
- Chen, K., Wang, F., Liu, S., Wu, X., Xu, L., & Zhang, D. (2020). In situ reduction of silver nanoparticles by sodium alginate to obtain silver-loaded composite wound dressing with enhanced mechanical and antimicrobial property. *International Journal of Biological Macromolecules*, 148, 501–509. <https://doi.org/10.1016/j.ijbiomac.2020.01.156>
- Chen, L., Zhang, L., Zhang, H., Sun, X., Liu, D., Zhang, J., Zhang, Y., Cheng, L., Santos, H. A., & Cui, W. (2021). Programmable immune activating electrospun fibers for skin regeneration. *Bioactive Materials*, 6(10), 3218–3230. <https://doi.org/10.1016/j.bioactmat.2021.02.022>

- Chinnappan, B. A., Krishnaswamy, M., Xu, H., & Hoque, M. E. (2022). Electrospinning of Biomedical Nanofibers/Nanomembranes: Effects of Process Parameters. *Polymers*, 14(18), 3719. <https://doi.org/10.3390/polym14183719>
- Cui, H., Liu, M., Yu, W., Cao, Y., Zhou, H., Yin, J., Liu, H., Que, S., Wang, J., Huang, C., Gong, C., & Zhao, G. (2021). Copper Peroxide-Loaded Gelatin Sponges for Wound Dressings with Antimicrobial and Accelerating Healing Properties. *ACS Applied Materials & Interfaces*, 13(23), 26800–26807. <https://doi.org/10.1021/acsami.1c07409>
- Cuong, D. M., Arasu, M. V., Jeon, J., Park, Y. J., Kwon, S.-J., Al-Dhabi, N. A., & Park, S. U. (2017). Medically important carotenoids from *Momordica charantia* and their gene expressions in different organs. *Saudi Journal of Biological Sciences*, 24(8), 1913–1919. <https://doi.org/10.1016/j.sjbs.2017.11.039>
- Fahimirad, S., & Ajallouei, F. (2019). Naturally-derived electrospun wound dressings for target delivery of bio-active agents. *International Journal of Pharmaceutics*, 566, 307–328. <https://doi.org/10.1016/j.ijpharm.2019.05.053>
- Ganesh, M., Aziz, A. S., Ubaidulla, U., Hemalatha, P., Saravanakumar, A., Ravikumar, R., Peng, M. M., Choi, E. Y., & Jang, H. T. (2016). Sulfanilamide and silver nanoparticles-loaded polyvinyl alcohol-chitosan composite electrospun nanofibers: Synthesis and evaluation on synergism in wound healing. *Journal of Industrial and Engineering Chemistry*, 39, 127–135. <https://doi.org/10.1016/j.jiec.2016.05.021>
- Hajji, S., Chaker, A., Jridi, M., Maalej, H., Jellouli, K., Boufi, S., & Nasri, M. (2016). Structural analysis, and antioxidant and antibacterial properties of chitosan-poly (vinyl alcohol) biodegradable films. *Environmental Science and Pollution Research*, 23(15), 15310–15320. <https://doi.org/10.1007/s11356-016-6699-9>
- Hashmi, M., Ullah, S., & Kim, I. S. (2020a). Electrospun *Momordica charantia* incorporated polyvinyl alcohol (PVA) nanofibers for antibacterial applications. *Materials Today Communications*, 24, 101161. <https://doi.org/10.1016/j.mtcomm.2020.101161>
- Hashmi, M., Ullah, S., & Kim, I. S. (2020b). Electrospun *Momordica charantia* incorporated polyvinyl alcohol (PVA) nanofibers for antibacterial applications. *Materials Today Communications*, 24, 101161. <https://doi.org/10.1016/j.mtcomm.2020.101161>
- Hlaing, S., & Aun Fc Kyaw, H. (2005). Phytochemical Studies OH *Momordica* spp. Linn, and Extraction and Isolation of Charantin from the fruit of *M.charantia* L. In *Jour. Myan. Acad. Arts & Sc* (Vol. 4). https://inis.iaea.org/collection/NCLCollectionStore/_Public/40/057/40057379.pdf
- Huang, C., Yuan, W., Chen, J., Wu, L.-P., & You, T. (2023). Construction of Smart Biomaterials for Promoting Diabetic Wound Healing. *Molecules*, 28(3), 1110. <https://doi.org/10.3390/molecules28031110>
- Inkson, B. J. (2016). Scanning electron microscopy (SEM) and transmission electron microscopy (TEM) for materials characterization. In *Materials*

- Characterization Using Nondestructive Evaluation (NDE) Methods* (pp. 17–43). Elsevier. <https://doi.org/10.1016/B978-0-08-100040-3.00002-X>
- Irantash, S., Gholipour-Kanani, A., Najmoddin, N., & Varsei, M. (2024). A hybrid structure based on silk fibroin/PVA nanofibers and alginate/gum tragacanth hydrogel embedded with cardamom extract. *Scientific Reports*, *14*(1), 14010. <https://doi.org/10.1038/s41598-024-63061-4>
- Islam, Md. S., & Karim, M. R. (2010). Fabrication and characterization of poly(vinyl alcohol)/alginate blend nanofibers by electrospinning method. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *366*(1–3), 135–140. <https://doi.org/10.1016/j.colsurfa.2010.05.038>
- Jin, S. G. (2022). Production and Application of Biomaterials Based on Polyvinyl alcohol (PVA) as Wound Dressing. *Chemistry – An Asian Journal*, *17*(21). <https://doi.org/10.1002/asia.202200595>
- Juncos Bombin, A. D., Dunne, N. J., & McCarthy, H. O. (2020). Electrospinning of natural polymers for the production of nanofibres for wound healing applications. *Materials Science and Engineering: C*, *114*, 110994. <https://doi.org/10.1016/j.msec.2020.110994>
- Keseru, A., Andronie, L., Pop, I., Rotaru, A., Maniutiu, D., Coroian, A., & Raducu, C. (2016). Characterization of Momordica charantia Using FT-IR Spectroscopy. *Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca. Horticulture*, *73*(2), 245. <https://doi.org/10.15835/buasvmcn-hort:12161>
- Keshvardoostchokami, M., Majidi, S. S., Huo, P., Ramachandran, R., Chen, M., & Liu, B. (2020). Electrospun Nanofibers of Natural and Synthetic Polymers as Artificial Extracellular Matrix for Tissue Engineering. *Nanomaterials*, *11*(1), 21. <https://doi.org/10.3390/nano11010021>
- Khajavi, R., & Damerchely, R. (2007). Effect of Polyvinyl Alcohol Concentration in Spinning Dope on Diameter, Beads and HHS of Produced Nanofibers. *Pakistan Journal of Biological Sciences*, *10*(2), 314–317. <https://doi.org/10.3923/pjbs.2007.314.317>
- Kiti, K., Thanomsilp, C., & Suwantong, O. (2022). The potential use of colorimetric pH sensor from Clitoria ternatea flower for indicating bacterial infection in wound dressing application. *Microchemical Journal*, *177*, 107277. <https://doi.org/10.1016/j.microc.2022.107277>
- Kuznetsova, T. A., Andryukov, B. G., Besednova, N. N., Zaporozhets, T. S., & Kalinin, A. V. (2020). Marine Algae Polysaccharides as Basis for Wound Dressings, Drug Delivery, and Tissue Engineering: A Review. *Journal of Marine Science and Engineering*, *8*(7), 481. <https://doi.org/10.3390/jmse8070481>
- Lan, X., Liu, Y., Wang, Y., Tian, F., Miao, X., Wang, H., & Tang, Y. (2021). Coaxial electrospun PVA/PCL nanofibers with dual release of tea polyphenols and ϵ -poly (L-lysine) as antioxidant and antibacterial wound dressing materials. *International Journal of Pharmaceutics*, *601*, 120525. <https://doi.org/10.1016/j.ijpharm.2021.120525>
- Lee, J. S., Choi, K. H., Ghim, H. Do, Kim, S. S., Chun, D. H., Kim, H. Y., & Lyoo, W. S. (2004). Role of molecular weight of atactic poly(vinyl alcohol) (PVA)

- in the structure and properties of PVA nanofabric prepared by electrospinning. *Journal of Applied Polymer Science*, 93(4), 1638–1646. <https://doi.org/10.1002/app.20602>
- Leena, M. M., Yoha, K. S., Moses, J. A., & Anandharamakrishnan, C. (2021). Nanofibers in Food Applications. In *Innovative Food Processing Technologies* (pp. 634–650). Elsevier. <https://doi.org/10.1016/B978-0-08-100596-5.22952-1>
- Liaw, C.-C., Huang, H.-C., Hsiao, P.-C., Zhang, L.-J., Lin, Z.-H., Hwang, S.-Y., Hsu, F.-L., & Kuo, Y.-H. (2014). 5β,19-Epoxycucurbitane Triterpenoids from *Momordica charantia* and Their Anti-Inflammatory and Cytotoxic Activity. *Planta Medica*, 81(01), 62–70. <https://doi.org/10.1055/s-0034-1383307>
- Liu, X., Xu, H., Zhang, M., & Yu, D.-G. (2021). Electrospun Medicated Nanofibers for Wound Healing: Review. *Membranes*, 11(10), 770. <https://doi.org/10.3390/membranes11100770>
- Mansur, H. S., Sadahira, C. M., Souza, A. N., & Mansur, A. A. P. (2008). FTIR spectroscopy characterization of poly (vinyl alcohol) hydrogel with different hydrolysis degree and chemically crosslinked with glutaraldehyde. *Materials Science and Engineering: C*, 28(4), 539–548. <https://doi.org/10.1016/j.msec.2007.10.088>
- Mihai, M. M., Dima, M. B., Dima, B., & Holban, A. M. (2019). Nanomaterials for Wound Healing and Infection Control. *Materials*, 12(13), 2176. <https://doi.org/10.3390/ma12132176>
- Monika, P., Chandraprabha, M. N., Rangarajan, A., Waiker, P. V., & Chidambara Murthy, K. N. (2022). Challenges in Healing Wound: Role of Complementary and Alternative Medicine. *Frontiers in Nutrition*, 8. <https://doi.org/10.3389/fnut.2021.791899>
- Mostaço-Guidolin, L. B., Murakami, L. S., Nomizo, A., & Bachmann, L. (2009). Fourier Transform Infrared Spectroscopy of Skin Cancer Cells and Tissues. *Applied Spectroscopy Reviews*, 44(5), 438–455. <https://doi.org/10.1080/05704920903042098>
- Mouro, C., Dunne, C. P., & Gouveia, I. C. (2020). Designing New Antibacterial Wound Dressings: Development of a Dual Layer Cotton Material Coated with Poly(Vinyl Alcohol)_Chitosan Nanofibers Incorporating Agrimonia eupatoria L. Extract. *Molecules*, 26(1), 83. <https://doi.org/10.3390/molecules26010083>
- Mouro, C., & Gouveia, I. C. (2024). Electrospun wound dressings with antibacterial function: a critical review of plant extract and essential oil incorporation. *Critical Reviews in Biotechnology*, 44(4), 641–659. <https://doi.org/10.1080/07388551.2023.2193859>
- Mozaffari, A., & Gashti, P. (2022). Effect of voltage and distance in electrospinning of Gelatin. *The Iranian Journal of Textile Nano-Bio Modification*, 1(2), 32–38. www.ijtnbm.irTel:.
- Mwambete, K. D. (2009). The in vitro antimicrobial activity of fruit and leaf crude extracts of *Momordica charantia*: a Tanzania medicinal plant. *African Health Sciences*, 9(1), 34–39.
- Nauman, S., Lubineau, G., & Alharbi, H. F. (2021). Post Processing Strategies for the Enhancement of Mechanical Properties of ENMs (Electrospun

- Nanofibrous Membranes): A Review. *Membranes*, 11(1), 39. <https://doi.org/10.3390/membranes11010039>
- Park, J.-C., Ito, T., Kim, K.-O., Kim, K.-W., Kim, B.-S., Khil, M.-S., Kim, H.-Y., & Kim, I.-S. (2010). Electrospun poly(vinyl alcohol) nanofibers: effects of degree of hydrolysis and enhanced water stability. *Polymer Journal*, 42(3), 273–276. <https://doi.org/10.1038/pj.2009.340>
- Putatunda, C., Solanki, P., Pathania, S., Kumar, A., & Walia, A. (2023). Screening strategies. In *Basic Biotechniques for Bioprocess and Bioentrepreneurship* (pp. 23–46). Elsevier. <https://doi.org/10.1016/B978-0-12-816109-8.00002-7>
- Rafieian, S., Mahdavi, H., & Masoumi, M. E. (2021). Improved mechanical, physical and biological properties of chitosan films using Aloe vera and electrospun PVA nanofibers for wound dressing applications. *Journal of Industrial Textiles*, 50(9), 1456–1474. <https://doi.org/10.1177/1528083719866932>
- Raj, R., Dubey, S., Sharma, G., Singh, S., Joshi, R., Mongia, P., & Minz, S. (2024). Mechanistic approaches to nanostructured materials for wound dressing and healing. In *Nanotechnological Aspects for Next-Generation Wound Management* (pp. 71–100). Elsevier. <https://doi.org/10.1016/B978-0-323-99165-0.00014-9>
- Robson, M. C., Steed, D. L., & Franz, M. G. (2001). Wound healing: Biologic features and approaches to maximize healing trajectories. *Current Problems in Surgery*, 38(2), A1-140. <https://doi.org/10.1067/msg.2001.111167>
- Santiago-Morales, J., Amariei, G., Letón, P., & Rosal, R. (2016). Antimicrobial activity of poly(vinyl alcohol)-poly(acrylic acid) electrospun nanofibers. *Colloids and Surfaces B: Biointerfaces*, 146, 144–151. <https://doi.org/10.1016/j.colsurfb.2016.04.052>
- Sinha, S., Das, S., Saha, B., Paul, D., & Basu, B. (2023). Anti-microbial, anti-oxidant, and anti-breast cancer properties unraveled in yeast carotenoids produced via cost-effective fermentation technique utilizing waste hydrolysate. *Frontiers in Microbiology*, 13. <https://doi.org/10.3389/fmicb.2022.1088477>
- Swapna, G., & Kumar, B. K. (2020). FTIR Spectroscopy-a novel approach for identification of bioactive compounds in Momordica charantia L. *Int.J.Curr.Microbiol.App.Sci*, 9(10), 4073–4076. <https://doi.org/10.20546/ijcmas.2020.910.467>
- Takeo, M., Lee, W., & Ito, M. (2015). Wound Healing and Skin Regeneration. *Cold Spring Harbor Perspectives in Medicine*, 5(1), a023267–a023267. <https://doi.org/10.1101/cshperspect.a023267>
- Teixeira, M. A., Amorim, M. T. P., & Felgueiras, H. P. (2019). Poly(Vinyl Alcohol)-Based Nanofibrous Electrospun Scaffolds for Tissue Engineering Applications. *Polymers*, 12(1), 7. <https://doi.org/10.3390/polym12010007>
- Thermo Nicolet. (2001). *Introduction to FTIR Spectrometry*. Thermo Nicolet Inc: Madison, USA. Thermo Nicolet Inc.
- Toriello, M., Afsari, M., Shon, H., & Tijing, L. (2020). Progress on the Fabrication and Application of Electrospun Nanofiber Composites. *Membranes*, 10(9), 204. <https://doi.org/10.3390/membranes10090204>

- Velnar, T., Bailey, T., & Smrkolj, V. (2009). The Wound Healing Process: An Overview of the Cellular and Molecular Mechanisms. *Journal of International Medical Research*, 37(5), 1528–1542. <https://doi.org/10.1177/147323000903700531>
- Vernon-Parry, K. D. (2000). Scanning electron microscopy: an introduction. *III-Vs Review*, 13(4), 40–44. [https://doi.org/10.1016/S0961-1290\(00\)80006-X](https://doi.org/10.1016/S0961-1290(00)80006-X)
- Verno-Parry, K. (2000). Scanning electron microscopy: An introduction. *Elsevier*, 13(4), 40–44.
- Vimala Bharathi, S. K., Murugesan, P., Moses, J. A., & Anandharamakrishnan, C. (2021). Recent Trends in Nanocomposite Packaging Materials. In *Innovative Food Processing Technologies* (pp. 731–755). Elsevier. <https://doi.org/10.1016/B978-0-08-100596-5.23027-8>
- Wang, Y., Deng, Z., Wang, X., Shi, Y., Lu, Y., Fang, S., & Liang, X. (2021). Formononetin/methyl- β -cyclodextrin inclusion complex incorporated into electrospun polyvinyl-alcohol nanofibers: Enhanced water solubility and oral fast-dissolving property. *International Journal of Pharmaceutics*, 603, 120696. <https://doi.org/10.1016/j.ijpharm.2021.120696>
- Weng, W., Chi, J., Yu, Y., Zhang, C., Shi, K., & Zhao, Y. (2021). Multifunctional Composite Inverse Opal Film with Multiactives for Wound Healing. *ACS Applied Materials & Interfaces*, 13(3), 4567–4573. <https://doi.org/10.1021/acsami.0c20805>
- Xiao Liu, M., & Jia, G. (2018). Modern Wound Dressing Using Polymers/Biopolymers. *Journal of Material Science & Engineering*, 07(03). <https://doi.org/10.4172/2169-0022.1000454>
- Xie, Y., Yang, W., Tang, F., Chen, X., & Ren, L. (2014a). Antibacterial Activities of Flavonoids: Structure-Activity Relationship and Mechanism. *Current Medicinal Chemistry*, 22(1), 132–149. <https://doi.org/10.2174/0929867321666140916113443>
- Xie, Y., Yang, W., Tang, F., Chen, X., & Ren, L. (2014b). Antibacterial Activities of Flavonoids: Structure-Activity Relationship and Mechanism. *Current Medicinal Chemistry*, 22(1), 132–149. <https://doi.org/10.2174/0929867321666140916113443>
- Xue, J., Wu, T., Dai, Y., & Xia, Y. (2019). Electrospinning and Electrospun Nanofibers: Methods, Materials, and Applications. *Chemical Reviews*, 119(8), 5298–5415. <https://doi.org/10.1021/acs.chemrev.8b00593>
- Zhao, K., Kang, S.-X., Yang, Y.-Y., & Yu, D.-G. (2021). Electrospun Functional Nanofiber Membrane for Antibiotic Removal in Water: Review. *Polymers*, 13(2), 226. <https://doi.org/10.3390/polym13020226>
- Zhao, X., Pei, D., Yang, Y., Xu, K., Yu, J., Zhang, Y., Zhang, Q., He, G., Zhang, Y., Li, A., Cheng, Y., & Chen, X. (2021). Green Tea Derivative Driven Smart Hydrogels with Desired Functions for Chronic Diabetic Wound Treatment. *Advanced Functional Materials*, 31(18). <https://doi.org/10.1002/adfm.202009442>