

DAFTAR PUSTAKA

- Ali, MMM 2016, 'Development of Strain and Pressure Sensors on Flexible and Stretchable Platforms', viewed 10 September 2023, (https://scholarworks.wmich.edu/masters_theses)
- Amjadi, M, Kyung, KU, Park, I & Sitti, M 2016, 'Stretchable, Skin-Mountable, and Wearable Strain Sensors and Their Potential Applications: A Review', *Advanced Functional Materials*, vol. 26, no. 11, pp. 1678–1698, DOI:10.1002/adfm.201504755
- Amjadi, M, Pichitpajongkit, A, Lee, S, Ryu, S & Park, I 2014, 'Highly Stretchable and Sensitive Strain Sensor based on Silver Nanowire-Elastomer Nanocomposite', *ACS Nano*, vol. 8, no. 5, pp. 5154–5163, DOI:10.1021/nn501204t
- Ansari, AA & Kamil, M 2021, 'Effect of Print Speed and Extrusion Temperature on Properties of 3D Printed PLA using Fused Deposition Modeling Process', *Materials Today: Proceedings*, vol. 45, DOI:10.1016/j.matpr.2021.02.137
- Antony, J 2014, *Design of Experiments for Engineers and Scientists (Second Edition)*, Elsevier, viewed 19 June 2024, DOI:10.1016/C2012-0-03558-2
- Blaz, NV, Zivanov, LD, Kistic, MG & Menicanin, AB 2022, 'Fully 3D Printed Rolled Capacitor based on Conductive ABS Composite Electrodes', *Electrochemistry Communications*, vol. 134, DOI:10.1016/j.elecom.2021.107178
- Chaijaya, I 2018, 'Optimasi Parameter Proses pada Mesin 3D Printer Jenis Fused Deposition Modeling terhadap Kekuatan Tarik', viewed 10 September 2023, (<https://etd.repository.ugm.ac.id/penelitian/detail/160114>)
- Chen, X, Zhang, X, Xiang, D, Wu, Y, Zhao, C, Li, H, Li, Z, Wang, P & Li, Y 2022, '3D Printed High-Performance Spider Web-like Flexible Strain Sensors with Directional Strain Recognition based on Conductive Polymer Composites', *Materials Letters*, vol. 306, DOI:10.1016/j.matlet.2021.130935
- Cheng, XY, Peng, SQ, Wu, LX & Sun, Q 2023, '3D-Printed Stretchable Sensor based on Double Network PHI/PEDOT:PSS Hydrogel Annealed with Cosolvent of H₂O and DMSO', *Chemical Engineering Journal*, vol. 470, DOI:10.1016/j.cej.2023.144058
- Duran, MM, Moro, G, Zhang, Y & Islam, A 2023, '3D Printing of Silicone and Polyurethane Elastomers for Medical Device Application: A Review', *Advances in Industrial and Manufacturing Engineering*, vol. 7, DOI:10.1016/j.aime.2023.100125

- Elgeneidy, K, Neumann, G, Jackson, M & Lohse, N 2018, 'Directly Printable Flexible Strain Sensors for Bending and Contact Feedback of Soft Actuators', *Frontiers Robotics AI*, vol. 5, DOI:10.3389/frobt.2018.00002
- Feng, S, Guo, J, Guan, F, Sun, J, Song, X, He, J & Yang, Q 2023, 'Preparation of 3D Printable Polyvinyl Alcohol based Conductive Hydrogels via Incorporating K-Carrageenan for Flexible Strain Sensors', *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, vol. 676, DOI:10.1016/j.colsurfa.2023.132141
- Gong, F, Cheng, X, Fang, B, Cheng, C, Liu, Y & You, Z 2023, 'Prospect of 3D Printing Technologies in Maintenance of Asphalt Pavement Cracks and Potholes', *Journal of Cleaner Production*, vol. 397, DOI:10.1016/j.jclepro.2023.136551
- Guo, B, Zhong, Y, Chen, X, Yu, S & Bai, J 2023, '3D Printing of Electrically Conductive and Degradable Hydrogel for Epidermal Strain Sensor', *Composites Communications*, vol. 37, DOI:10.1016/j.coco.2022.101454
- Guo, Z, Liu, W & Tang, A 2022, 'Stretchable, Adhesive, Antifreezing and 3D Printable Double-Network Hydrogel for Flexible Strain Sensors', *European Polymer Journal*, vol. 164, DOI:10.1016/j.eurpolymj.2021.110977
- Hadi, A, Kadauw, A & Zeidler, H 2023, 'The Effect of Printing Temperature and Moisture on Tensile Properties of 3D Printed Glass Fiber Reinforced Nylon 6', *Materials Today: Proceedings*, vol. 91, pp. 48–55, DOI:10.1016/j.matpr.2023.04.641
- Hardman, D, Hughes, J, Thuruthel, TG, Gilday, K & Iida, F 2021, '3D Printable Sensorized Soft Gelatin Hydrogel for Multi-Material Soft Structures', *IEEE Robotics and Automation Letters*, vol. 6, no. 3, pp. 5269–5275, DOI:10.1109/LRA.2021.3072600
- Heinrich, A 2021, *3D Printing of Optical Components*, Springer Cham, viewed 29 November 2023, DOI:10.1007/978-3-030-58960-8
- Hidayat, MA 2012, 'Response-surface dan Taguchi: Sebuah Alternatif atau Kompetisi dalam Optimasi secara Praktis', *Prosiding Seminar Nasional Industrialisasi Madura*, pp. 134–139, viewed 12 July 2024, (<https://repository.ubaya.ac.id/3393/>)
- Huang, X, Yin, Z & Wu, H 2021, 'Structural Engineering for High-Performance Flexible and Stretchable Strain Sensors', *Advanced Intelligent Systems*, vol. 3, DOI:10.1002/aisy.202000194
- Khalid, MAU & Chang, SH 2022, 'Flexible Strain Sensors For Wearable Applications Fabricated Using Novel Functional Nanocomposites: A Review', *Composite Structures*, vol. 284, DOI:10.1016/j.compstruct.2022.115214

- Khosravani, MR & Reinicke, T 2020, '3D-Printed Sensors: Current Progress and Future Challenges', *Sensors and Actuators A: Physical*, vol. 305, DOI:10.1016/j.sna.2020.111916
- Kim, S, Oh, J, Jeong, D & Bae, J 2019, 'Direct Wiring of Eutectic Gallium-Indium to A Metal Electrode for Soft Sensor System', *ACS Applied Materials and Interfaces*, vol. 11, DOI:10.1021/acsami.9b05363
- Kohestanian, M, Hasany, M, Shabankareh, ANT & Mehrli, M 2023, 'Fabricating of A Custom 3D-Printed Setup for Evaluating Gel-Based Strain Sensors', *Alexandria Engineering Journal*, vol. 76, pp. 517–523, DOI:10.1016/j.aej.2023.06.058
- Li, B, Liang, W, Zhang, L, Ren, F & Xuan, F 2022, 'TPU/CNTs Flexible Strain Sensor with Auxetic Structure via A Novel Hybrid Manufacturing Process ff Fused Deposition Modeling 3D Printing and Ultrasonic Cavitation-Enabled Treatment', *Sensors And Actuators A: Physical*, vol. 340, DOI:10.1016/j.sna.2022.113526
- Lin, H, Liu, D, Zhou, Y, Liu, M, Huang, C, Fu, Q, Deng, K, Huang, Y, Huang, X, Zhang, P, Cao, L & Huang, X 2024, 'A Flexible PTI-CNT Strain Sensor with High Stretchable and Sensitive for Human Movement and Vocal Cord Vibration Monitoring', *Polymer*, vol. 299, DOI:10.1016/j.polymer.2024.126887
- Liu, H, Zhang, H, Han, W, Lin, H, Li, R, Zhu, J & Huang, W 2021, '3D Printed Flexible Strain Sensors: From Printing to Devices and Signals', *Advanced Materials*, vol. 33, no. 8, DOI:10.1002/adma.202004782
- Liu, L, Xiang, D, Wu, Y, Zhou, Z, Li, H, Zhao, C & Li, Y 2021, 'Conductive Polymer Composites Based Flexible Strain Sensors by 3d Printing: A Mini-Review', *Frontiers in Materials*, vol. 8, DOI:10.3389/fmats.2021.725420
- Liu, W, Zhou, J, Ma, Y, Wang, J & Xu, J 2017, 'Fabrication of PLA Filaments and Its Printable Performance', *IOP Conference Series: Materials Science and Engineering*, vol. 275, no. 1, DOI:10.1088/1757-899X/275/1/012033
- Ma, C, Zhu, B, Qian, Z, Ren, L, Yuan, H & Meng, Y 2023, '3D-Printing of Conductive Inks Based Flexible Tactile Sensor for Monitoring of Temperature, Strain and Pressure', *Journal of Manufacturing Processes*, vol. 87, pp. 1–10, DOI:10.1016/j.jmapro.2023.01.008
- Mazlan, MA, Anas, MA, Izmin, NAN & Abdullah, AH 2023, 'Effects of Infill Density, Wall Perimeter and Layer Height in Fabricating 3d Printing Products', *Materials*, vol. 16, no. 2, DOI:10.3390/ma16020695

- Mittal, M 2015, 'Application of Taguchi Method for Optimization of Process Parameters in Improving the Productivity of Corrugation Operation', *International Journal of Research*, vol. 2, no. 10, pp. 537–545, DOI:10.13140/RG.2.2.27982.15688
- Mwema, FM & Akinlabi, ET 2020, 'Basics of Fused Deposition Modelling (FDM)', *SpringerBriefs in Applied Sciences and Technology*, DOI:10.1007/978-3-030-48259-6_1
- Montgomery, DC 2013, *Design and Analysis of Experiments (Eight Edition)*, John Wiley & Sons.
- Nalbant, M, Gokkaya, H & Sur, G 2007, 'Application of Taguchi Method in the Optimization of Cutting Parameters for Surface Roughness in Turning', *Materials & Design*, vol. 28, no. 4, pp. 1379–1385, DOI:10.1016/j.matdes.2006.01.008
- Nurgesang, FA, Dhewanto, SA, Ridlwan, M & Paryanto 2022, 'The Effect of Printing Speed and Nozzle Temperature on Tensile Strength, Geometry, and Surface Roughness of a Product Printed using ABS Filament', *Simposium Nasional RAPI XXI*, pp. 152–156, viewed 19 June 2024, (<https://proceedings.ums.ac.id/index.php/rapi/article/view/2614>)
- Poompiew, N, Pattananuwat, P, Aumnate, C, Román, AJ, Osswald, TA & Potiyaraj, P 2023, '3D Printable Resin/Carbon Nanotube Composites for Wearable Strain Sensors: Enhancing Mechanical And Electrical Properties', *Journal of Science: Advanced Materials and Devices*, vol. 8, no. 2, DOI:10.1016/j.jsamd.2023.100546
- Rodriguez-Parada, L, de la Rosa, S & Mayuet, PF 2021, 'Influence of 3D-Printed TPU Properties for the Design of Elastic Products', *Polymers*, vol. 13, no. 15, DOI:10.3390/polym13152519
- Rojko, A 2017, 'Industry 4.0 Concept: Background and Overview', *International Journal of Interactive Mobile Technologies*, vol. 11, no. 5, pp. 77–90, DOI:10.3991/ijim.v11i5.7072
- Sawyer, SF 2009, 'Analysis of Variance: The Fundamental Concepts', *The Journal of Manual & Manipulative Therapy*, vol. 17, no. 2, pp. 27–38, DOI:10.1179/jmt.2009.17.2.27e
- Shahriar, MA 2022, 'Additive Manufacturing of Stretchable Piezo-Resistive Sensors: Fabrication and Performance Evaluation', viewed 10 September 2023, (<https://rc.library.uta.edu/uta-ir/handle/10106/31041?show=full>)
- Shahrubudin, N, Lee, TC & Ramlan, R 2019, 'An Overview on 3D Printing Technology: Technological, Materials, and Applications', *Procedia Manufacturing*, vol. 35, pp. 1286–1296, DOI:10.1016/j.promfg.2019.06.089

- Siarkowski, AL, Rodrigues, BS & Morimoto, NI 2013, 'Fabrication of Phosphorus Doped Polysilicon Thin-Film Strain Gauges using A 50 Microns Silicon Substrate Thickness', *Journal of Physics: Conference Series*, vol. 421, no. 1, DOI:10.1088/1742-6596/421/1/012010
- Sixt, J, Davoodi, E, Salehian, A & Toyserkani, E 2023, 'Characterization And Optimization of 3d-Printed, Flexible Vibration Strain Sensors With Triply Periodic Minimal Surfaces', *Additive Manufacturing*, vol. 61, DOI:10.1016/j.addma.2022.103274
- Smith, A 2018, 'Design and Fabrication of FDM 3D Printed Strain Sensors', viewed 10 September 2023, (<https://digitalcommons.latech.edu/theses>)
- Sorimpuk, NP, Choong, WH & Chua, B 2022, 'Thermoforming Characteristics of PLA/TPU Multi-Material Specimens Fabricated with Fused Deposition Modelling under Different Temperatures', *Polymers*, vol. 14, no. 20, DOI:10.3390/polym14204304
- Stojkovic, JR, Turudija, R, Vitkovic, N, Gorski, F, Pacurar, A, Plesa, A, Ianosi-Andreeva-Dimitrova, A & Pacurar, R 2023, 'An Experimental Study on the Impact of Layer Height and Annealing Parameters on the Tensile Strength and Dimensional Accuracy of FDM 3D Printed Parts', *Materials*, vol. 16, no. 13, DOI:10.3390/ma16134574
- Vaidya, S, Ambad, P & Bhosle, S 2018, 'Industry 4.0 - A Glimpse', *Procedia Manufacturing*, vol. 20, pp. 233–238, DOI:10.1016/j.promfg.2018.02.034
- Waheed, S, Cabot, JM, Smejkal, P, Farajikhah, S, Sayyar, S, Innis, PC, Beirne, S, Barnsley, G, Lewis, TW, Breadmore, MC & Paull, B 2019, 'Three-Dimensional Printing of Abrasive, Hard, and Thermally Conductive Synthetic Microdiamond-Polymer Composite using Low-Cost Fused Deposition Modeling Printer', *ACS Applied Materials and Interfaces*, vol. 11, no. 4, pp. 4353–4363, DOI:10.1021/acsami.8b18232
- Wang, J, Yang, B, Lin, X, Gao, L, Liu, T, Lu, Y & Wang, R 2020, 'Research of TPU Materials for 3d Printing Aiming at Non-Pneumatic Tires by FDM Method', *Polymers*, vol. 12, no. 11, pp. 1–19, DOI:10.3390/polym12112492
- Xiang, D, Zhang, X, Li, Y, Harkin-Jones, E, Zheng, Y, Wang, L, Zhao, C & Wang, P 2019, 'Enhanced Performance of 3D Printed Highly Elastic Strain Sensors of Carbon Nanotube/Thermoplastic Polyurethane Nanocomposites via Non-Covalent Interactions', *Composites Part B: Engineering*, vol. 176, DOI:10.1016/j.compositesb.2019.107250
- Xue, F, Peng, Q, Ding, R, Li, P, Zhao, X, Zheng, H, Xu, L, Tang, Z, Zhang, X & He, X 2024, 'Ultra-Sensitive, Highly Linear, and Hysteresis-Free Strain Sensors Enabled by Gradient Stiffness Sliding Strategy ', *Flexible Electronics*, vol. 8, no. 14, DOI:10.1038/s41528-024-00301-7

- Yadavalli, VR, Myadam, AK & Telu, SB 2024, 'FDM 3D-Print on Thermoplastic Polyurethane (TPU) with Different Process Parameters using Gyroid And Zigzag Infill Patterns', DOI:10.4236/oalib.1111203
- Yan, W, Tian, X, Zhang, D, Zhou, Y & Wang, Q 2023, '3D Printing of Stretchable Strain Sensor Based on Continuous Fiber Reinforced Auxetic Structure', *Chinese Journal of Mechanical Engineering: Additive Manufacturing Frontiers*, vol. 2, no. 2, pp. 100073, DOI:10.1016/j.cjmeam.2023.100073
- Yang, X, Ren, H, Wu, C, Xiong, Y & Ge, Q 2021, 'Flexible Strain Sensors Fabricated by Fused Deposition Modeling-Based Multimaterial 3D Printing with Conductive Polyurethane Composites', *2021 27th International Conference on Mechatronics and Machine Vision in Practice (M2VIP)*, pp. 546–551. DOI: 10.1109/M2VIP49856.2021.9665130
- Zhang, H, Lowe, A, Kaira, A & Yu, Y 2021, 'A Flexible Strain Sensor Based on Embedded Ionic Liquid', *Sensors*, vol. 21, pp. 5760. DOI: 10.3390/s21175760
- Zhao, C, Xia, Z, Wang, X, Nie, J, Huang, P & Zhao, S 2020, '3D-Printed Highly Stable Flexible Strain Sensor Based On Silver-Coated-Glass Fiber-Filled Conductive Silicon Rubber', *Materials and Design*, vol. 193, DOI:10.1016/j.matdes.2020.108788
- Zhao, Y, Zhong, M, Li, S, Qing, Z, Xing, X, Gong, G, Yan, R, Qin, W, Shen, J, Zhang, H, Jiang, Y, Wang, Z & Zhou, C 2023, 'Flexible Wearable Strain Sensors Based on Laser-Induced Graphene for Monitoring Human Physiological Signals', *Polymers*, vol. 15, pp. 3553, DOI:10.3390/polym15173553