

DAFTAR PUSTAKA

- Abdulhameed, O., Al-Ahmari, A., Ameen, W., & Mian, S. H., 2019, Additive manufacturing: Challenges, trends, and applications, *Advances in Mechanical Engineering*, Vol.11, No.2.
- Akhmad, S., Arendra, A. and Mu'alim., 2021, Environmentally friendly plastic tiles for substituting wooden board, and its processing machine design, *IOP Conference Series: Materials Science and Engineering*, Vol.1125, No.1, pp. 012105.
- Amoako, G., Mensah-Amoah, P., Sam, F., & Sackey, S. S., 2018, Some mechanical properties of coconut fiber reinforced polyethylene composite to control environmental waste in Ghana, *Energy and Environment Research*, Vol.8, No.1, pp.1.
- Anderson, I., 2017, Mechanical Properties of Specimens 3D Printed with Virgin and Recycled Polylactic Acid. *3D Printing and Additive Manufacturing*, Vol. 4, No. 2, pp. 110–115.
- Ansari, A. A., & Kamil, M., 2021, Effect of print speed and extrusion temperature on properties of 3D printed PLA using fused deposition modeling process, *Materials Today: Proceedings*, Vol.45, pp.5462–5468.
- ASTM D638: Tensile Properties Plastics, <https://www.zwickroell.com/industries/plastics/thermoplastics-and-thermosetting-molding-materials/tensile-properties-astm-d638/>
- Atakok, G., Kam, M., & Koc, H. B., 2022, Tensile, three-point bending and impact strength of 3D printed parts using PLA and recycled PLA filaments: A statistical investigation, *Journal of Materials Research and Technology*, Vol.18, pp.1542–1554.
- Askeland, D. R., & Fulay, P. P., 2009, *Essentials of materials science and engineering*. Cengage Learning.
- Attaran, M., 2017, The rise of 3-D printing: The advantages of additive manufacturing over traditional manufacturing. *Business Horizons*, Vol. 60, No. 5, pp. 677–688.
- Awasthi, P., & Banerjee, S. S., 2021, Fused deposition modeling of thermoplastic elastomeric materials: Challenges and opportunities. *Additive Manufacturing*, Vol. 46, pp. 102177.
- Babagowda, N., Math, R. K., Goutham, R., & Prasad, K. S., 2018, Study of Effects on Mechanical Properties of PLA Filament which is blended with Recycled PLA Materials. *IOP Conference Series. Materials Science and Engineering*, Vol. 310, pp. 012103.
- Baran, E., & Erbil, H., 2019, Surface modification of 3D printed PLA objects by Fused Deposition Modeling: A Review. *Colloids and Interfaces*, Vol. 3, No. 2, pp. 43.
- Bergaliyeva, S., Sales, D. L., Delgado, F. J., Bolegenova, S., & Molina, S. I., 2023, Manufacture and Characterization of Polylactic Acid Filaments Recycled from Real Waste for 3D Printing. *Polymers*, Vol. 15, No. 9, pp. 2165.

- Callister, W. D., & Rethwisch, D. G., 2014, *Materials science and engineering: An introduction*, 9Eth ed., Wiley.
- Cano-Vicent, A., Tambuwala, M. M., Hassan, Sk. S., Barh, D., Aljabali, A. A. A., Birkett, M., Arjunan, A., & Serrano-Aroca, Á., 2021, Fused deposition modelling: Current status, methodology, applications and future prospects. *Additive Manufacturing*, Vol. 47, pp. 102378.
- Chotiprayon, P., Chaisawad, B., & Yoksan, R., 2020, Thermoplastic cassava starch/poly(lactic acid) blend reinforced with coir fibres. *International Journal of Biological Macromolecules*, Vol. 156, pp. 960–968.
- Cuiffo, M., Snyder, J., Elliott, A., Romero, N., Kannan, S., & Halada, G., 2017, Impact of the Fused Deposition (FDM) Printing Process on Polyactic Acid (PLA) Chemistry and Structure. *Applied Sciences*, Vol. 7, No. 6, pp. 579.
- DeStefano, V., Khan, S., & Tabada, A. (2020). Applications of PLA in modern medicine. *Engineered Regeneration*, Vol. 1, pp. 76–87.
- Dong, Y., Ghataura, A., Takagi, H., Haroosh, H. J., Nakagaito, A. N., & Lau, K.-T., 2014, Polyactic acid (PLA) biocomposites reinforced with Coir Fibres: Evaluation of mechanical performance and Multifunctional Properties. *Composites Part A: Applied Science and Manufacturing*, Vol. 63, pp. 76–84.
- Finnerty, J., Rowe, S., Howard, T., Connolly, S., Doran, C., Devine, D. M., Gately, N. M., Chyzna, V., Portela, A., Bezerra, G. S., McDonald, P., & Colbert, D. M., 2023, Effect of mechanical recycling on the mechanical properties of PLA-based natural fiber-reinforced composites. *Journal of Composites Science*, Vol. 7, No. 4, pp. 141.
- Girish, B. M., Siddesh, H. S., & Satish, B. M., 2019, Taguchi Grey Relational Analysis for parametric optimization of severe plastic deformation process. *SN Applied Sciences*, Vol. 1, No. 8.
- Godec, D., Gonzales-Gutierrez, J., Nordin, A., Pei, E., & Alcazar, J. U., 2022, *Guide to Additive Manufacturing*. SPRINGER INTERNATIONAL PU.
- Hidalgo-Salazar, M. Á., Correa-Aguirre, J. P., Montalvo-Navarrete, J. M., Lopez-Rodriguez, D. F., & Rojas-González, A. F. (2020). Recycled Polypropylene-Coffee Husk and Coir Coconut biocomposites: Morphological, Mechanical, thermal and environmental studies. *IntechOpen eBooks*.
- Hosokawa, M. N., & Paiva, J. M., 2023, Flexural properties of recycled ABS/recycled carbon fiber fabric composites. *AIP Conference Proceedings*.
- Huang, J., Qin, Q., & Wang, J., 2020, A review of Stereolithography: Processes and Systems. *Processes*, Vol. 8, No. 9, pp.1138.
- Hussain, M., Khan, S. M., Shafiq, M., & Abbas, N., 2024, A review on PLA-based biodegradable materials for biomedical applications. *Giant*, Vol. 18, pp. 100261.
- Krishnaian, K., & Shahabudeen, P., 2012, *Applied Design of experiments and Taguchi Methods*. PHI Learning Private Limited.
- Kuo, C.-C., Chen, J.-Y., & Chang, Y.-H., 2021, Optimization of process parameters for fabricating polyactic acid filaments using design of experiments approach. *Polymers*, Vol. 13, No. 8, pp. 1222.

- Lei, Y., Wu, Q., Yao, F., & Xu, Y., 2007, Preparation and properties of recycled HDPE/natural fiber composites. *Composites Part A: Applied Science and Manufacturing*, Vol. 38, No. 7, pp. 1664–1674.
- Lim, L.-T., Auras, R., & Rubino, M., 2008, Processing Technologies for poly(lactic acid). *Progress in Polymer Science*, Vol. 33, No. 8, pp. 820–852.
- Liu, Z., Lei, Q., & Xing, S., 2019, Mechanical characteristics of wood, ceramic, metal and carbon fiber-based PLA composites fabricated by FDM. *Journal of Materials Research and Technology*, Vol. 8, No. 5, pp. 3741–3751.
- Loos, M., 2015, *Carbon nanotube reinforced composites*. Elsevier.
- Mészáros, L., Horváth, A., Vas, L. M., & Petrény, R., 2023a, Investigation of the correlations between the microstructure and the tensile properties multi-scale composites with a polylactic acid matrix, reinforced with carbon nanotubes and carbon fibers, with the use of the fiber bundle cell theory. *Composites Science and Technology*, Vol. 242, pp. 110154.
- Mohammed, M. I., Mohan, M., Das, A., D. Johnson, M., Singh Badwal, P., McLean, D., & Gibson, I., 2017, A low carbon footprint approach to the reconstitution of plastics into 3D-printer filament for enhanced waste reduction. *KnE Engineering*, Vol 2, No. 2, pp. 234.
- Montgomery, D. C., 2013, *Design and analysis of Experiments*, 8th ed., John Wiley & Sons.
- Montgomery, D. C., & Runger, G. C., 2011, *Applied Statistics and probability for Engineers*, 5th ed., Wiley.
- Mwema, F. M., & Akinlabi, E. T., 2020, Basics of Fused Deposition Modelling (FDM). *Fused Deposition Modeling*, pp. 1–15.
- Najafi, S.K., 2013, Use of recycled plastics in wood plastic composites – a review. *Waste Management*, Vol. 33, No. 9, pp. 1898–1905.
- Nofar, M., Sacligil, D., Carreau, P. J., Kamal, M. R., & Heuzey, M.-C., 2019, Poly (lactic acid) blends: Processing, properties and applications. *International Journal of Biological Macromolecules*, Vol. 125, pp. 307–360.
- Pandzic, A., Hodzic, D., & Milovanovic, A., 2019, Influence of material colour on mechanical properties of PLA material in FDM technology. In *Annals of DAAAM International Symposium on Intelligent Manufacturing and Automation*, pp. 0555–0561.
- Pérez-Fonseca, A. A., González-López, M. E., & Robledo-Ortíz, J. R., 2023. Reprocessing and Recycling of Poly(Lactic Acid): a review. *Journal of Polymers and the Environment*, Vol. 31, No. 10, pp. 4143–4159.
- Sandanamsamy, L., Harun, W. S. W., Ishak, I., Romlay, F. R. M., Kadirgama, K., Ramasamy, D., ... Tsumori, F., 2022, A comprehensive review on fused deposition modelling of polylactic acid. *Progress in Additive Manufacturing*. Springer Science and Business Media Deutschland GmbH.
- Saputra, T. H., Hutama, A. S., Ningsih, A., & Pamasaria, H. A., 2022, Analisa parameter 3D printing TIPE FDM TERHADAP Akurasi dimensi Dengan Filamen Berbahan Daur ulang plastik low density polyethylene (LDPE) Dan Polypropylene (PP). *Sebatik*, Vol. 26. No. 1, pp. 9–16.

- Simon, Ž., Stojcevski, F., Dharmasiri, B., Henderson, L. C., & Amini, N., 2024, Circular economy-driven additive manufacturing: A model for recycling PLA/copper composites through multi-extrusion processing. *Journal of Industrial and Engineering Chemistry/Journal of Industrial and Engineering Chemistry - Korean Society of Industrial and Engineering Chemistry*, Vol. 130, pp. 392–400.
- Singh, A. K., Bedi, R., & Kaith, B. S., 2021, Composite materials based on recycled polyethylene terephthalate and their properties – A comprehensive review. *Composites Part B: Engineering*, Vol. 219, pp. 108928.
- Sonjaya, M. L., Mutmainnah, M., & Hidayat, M. F., 2022, Construction of plastic waste extruding machine to produce filaments of 3D Printing Machine. *International Journal of Mechanics*, Vol. 16, pp. 82–90.
- Sun, Z., Zhang, L., Liang, D., Xiao, W., & Lin, J., 2017, Mechanical and thermal properties of PLA biocomposites reinforced by coir fibers. *International Journal of Polymer Science*, Vol. 2017, pp. 1–8.
- Syaifuddin, M., Suryanto, H., & Suprayitno, S., 2021, The effect of multi-extrusion process of polylactic acid on tensile strength and fracture morphology of filament product. *Journal of Mechanical Engineering Science and Technology*, Vol. 5, No. 1, pp. 62–72.
- Tümer, E. H., & Erbil, H. Y., 2021, Extrusion-based 3D printing applications of PLA Composites: A Review. *Coatings*, Vol. 11, No. 4, pp. 390.
- Wang, Y., Sultana, J., Rahman, M. M., Ahmed, A., Azam, A., Mushtaq, R. T., & Rehman, M., 2022, A sustainable and biodegradable building block: Review on mechanical properties of bamboo fibre reinforced PLA polymer composites and their emerging applications. *Fibers and Polymers*, Vol. 23, No. 12, pp. 3317–3342.
- Wickramasinghe, S., Do, T., & Tran, P., 2020, FDM-based 3D printing of Polymer and associated composite: A review on mechanical properties, defects and treatments. *Polymers*, Vol. 12, No. 7, pp. 1529.
- Yeh, S.-K., Agarwal, S., & Gupta, R. K., 2009, Wood–plastic composites formulated with virgin and recycled ABS. *Composites Science and Technology*, Vol. 69, No. 13, pp. 2225–2230.
- Zhao, X. G., Hwang, K., Lee, D., Kim, T., & Kim, N., 2018, Enhanced mechanical properties of self-polymerized polydopamine-coated recycled PLA filament used in 3D printing. *Applied Surface Science*, Vol. 441, pp. 381–387.
- Zhang, F., Wei, M., Viswanathan, V. V., Swart, B., Shao, Y., Wu, G., & Zhou, C., 2017, 3D printing technologies for Electrochemical Energy Storage. *Nano Energy*, Vol. 40, pp. 418–431.
- Zhou, Y., Al Talib, A. A. M., & Ee, J. Y. C., 2022, Recycling Of High Density Polyethylene Plastics (Hdpe) Reinforced With Coconut Fibers For Floor Tiles. *Journal of Pharmaceutical Negative Results*, Vol. 13, No. 07, pp. 2136–2143.