

DAFTAR PUSTAKA

- Agil M. 2021. Identifikasi tumbuhan famili leguminosae sebagai penyusun struktur Vegetasi hutan kayu putih. *Borneo Journal of Science and Mathematics Education* 1(1): 7-16.
- Alamu E, Adesokan M, Fawole S, Maziya-Dixon B, Mehreteab T, Chikoye D. 2023. *Gliricidia sepium* (Jacq.) Walp applications for enhancing soil fertility and crop nutritional qualities. *Forests* 14(3): 635.
- Alokabel K, Lay Y, Wonlele, T. 2017. Penentuan kelas kuat kayu lokal di pulau timor sebagai bahan konstruksi. *Jurnal Teknik Sipil* 2(2): 139-148.
- Alviya, I. 2011. Efisiensi dan produktivitas industri kayu olahan indonesia periode 2004-2007 dengan pendekatan non parametrik data envelopment analysis. *Jurnal Penelitian Sosial dan Ekonomi Kehutanan* 8(2): 122-138.
- Ambrose E, Jusoh I, Duju A, Welman N. 2022. Effects of incision, forced-air drying, and pressure pretreatments on wet pockets, drying rate, and drying defects of acacia mangium Wood. *Bio Resources* 17(1).
- Artaningsih N, Habibah N, Nyoman M. 2018. Aktivitas antibakteri ekstrak etanol daun gamal (*gliricidia sepium*) pada berbagai konsentrasi terhadap pertumbuhan bakteri *streptococcus mutans* secara in-vitro. *Jurnal Kesehatan* 9(3): 336-345.
- Aryanto SP, Chuzaemi IS, Ipu MS. 2022. *Leguminosa pohon*. MNC Publishing, Malang.
- Aydin I, Colakoglu G. 2005. Effects of surface inactivation, high temperature drying and preservative treatment on surface roughness and colour of alder and beech wood. *Applied Surface Science* 252(2): 430-440.
- Baranski J, Konopka A, Vilkovska T, Klement I, Vilkovský P. 2020. Deformation and surface color changes of beech and oak wood lamellas resulting from the drying process. *Bio Resources* 15(4): 8965-8980.
- Basri E, Triantoro RG, Wahyudi W. 2007. The drying properties and schedules of five wood species from west papua. *Jurnal Ilmu dan Teknologi Kayu Tropis* 5(2): 57-62.
- Basri E, Rulliaty S. 2008. Pengaruh sifat fisik dan anatomi terhadap sifat pengeringan enam jenis kayu. *Jurnal Penelitian Hasil Hutan* 26(3): 253-262.
- Basri E, Wahyudi I. 2013. Sifat dasar kayu jati plus perhutani dari berbagai umur dan kaitannya dengan sifat dan kualitas pengeringan. *Jurnal Penelitian Hasil Hutan* 31(2): 93-102.

- Belt T, Rautkari L, Laine K, Hill CA. 2013. Cupping behaviour of surface densified Scots pine wood: The effect of process parameters and correlation with density profile characteristics. *Journal of Materials Science* 48: 6426-6430.
- Berberović A, Milota MR. 2011. Impact of wood variability on the drying rate at different moisture content levels. *Forest Products Journal* 61(6): 435-442.
- Bergman R. 2021. Drying and control of moisture content and dimensional changes. *Forest Product Laboratory* 13(2): 1-21.
- Berrocal A, Moya R, Rodríguez AM, Muñoz F. 2017. Drying of plantation-grown tectona grandis wood with daily-controlled drying rate schedules. *Journal of Tropical Forest Science* 29 (1): 69-79.
- Bond, BH, Espinoza O. 2016. A decade of improved lumber drying technology. *Current Forestry Reports* 2: 106-118.
- Borrega M, Kärenlampi PP. 2010. Three mechanisms affecting the mechanical properties of spruce wood dried at high temperatures. *Journal of Wood Science* 56: 87-94.
- Botter-Kuisch H P, Van DBJ, Baetens JM, Van AJ. 2020. Cracking the code: real-time monitoring of wood drying and the occurrence of cracks. *Wood Science and Technology* 54(4): 1029-1049.
- Chai H, Chen X, Cai Y, Zhao J. 2019. Artificial neural network modeling for predicting wood moisture content in high frequency vacuum drying process. *Forests* 10(1): 16.
- Chen M, Li S, Lyu J. 2019. Physical and mechanical properties of *Cupressus funebris* Endl. wood. *Materials Science and Engineering* 493 (1).
- Dewi SH. (2014). Sifat mekanik kayu keruing untuk konstruksi. *Jurnal Saintis* 13(1).
- Dewi, NP, Pratama IA, Juanita J. 2023. Karakteristik sifat fisika dan mekanika kayu jati sumbawa sebagai bahan konstruksi. *Empiricism Journal* 4(1): 320-325.
- El-Amin EE, Mahmoud AE. 2015. Effect of air drying, solar-assisted air drying and sticker thickness on mahogany (*Khaya senegalensis*) wood. *Forest Research* 4(3).
- Fuller JJ, Ross RJ, Damm JR. 1995. Nondestructive evaluation of honeycomb and surface checks in red oak lumber. *Forest Products Journal* 45(5): 42.
- Gao Y, Fu Z, Zhou Y, Gao X, Zhou F, Cao H. 2022. Moisture-related shrinkage behavior of wood at macroscale and cellular level. *Polymers* 14(22): 1-12.
- Gezici-Koç Ö, Erich SJ, Huinink HP, Van LG, Adan OC. 2017. Bound and free water distribution in wood during water uptake and drying as measured by 1D magnetic resonance imaging. *Cellulose*: 24: 535-553.

- Haftkhani AR, Abdoli F, Sepehr A, Mohebbi B. 2021. Regression and ANN models for predicting MOR and MOE of heat-treated fir wood. *Journal of Building Engineering* 42.
- Hudaedi D, Hariyadi H, Anwar S. 2018. Potensi gamal (*Gliricidia sepium*) sebagai bahan baku pembangkit listrik tenaga biomassa studi kasus: Kabupaten Manggarai Timur (NTT). *Journal of Environmental Engineering and Waste Management* 3(1): 13-20.
- Ishiguri F, Masubuchi N, Yokota S, Yoshizawa N. 2005. Changes in the physical and chemical properties of six Japanese softwoods caused by lengthy smoke-heating treatment. *Journal of Wood Science* 51: 161-166.
- Kass AJ. 1975. Effect of incising on bending properties of redwood dimension lumber. US Department of Agriculture: Forest Service, Washington, DC.
- Kolb J. 2008. Systems in timber engineering. Deutsche Nationalbibliothek, German.
- Korkut S, Keskin H, Ünsal Ö, Bajraktari A. 2010. Kiln drying properties of Rowan (*Sorbus aucuparia* L.) lumber. International IUFRO Wood Drying Conference, 200-207.
- Kpikpi WM, Sackey, I. 2012. *Gliricidia sepium* (Jacq.) Walp: Hardwood with potential for pulp and paper-making. *Canadian Journal of Pure & Applied Sciences* 6(2): 1961-1966.
- Kretschmann DE. 2010. Mechanical properties of wood. *Environments* 5.
- Kretschmann DE, Green DW. 1996. Modeling moisture content-mechanical property relationships for clear southern pine. *Wood and Fiber Science*, 320-337.
- Lee CJ. 2020. Effect of Kerfing and incising pretreatments on high-temperature drying characteristics of cedar and larch boxed-heart timbers with less than 150 mm in cross section size. *Journal of the Korean Wood Science and Technology* 48(3): 345-363.
- Lehringer C, Richter K, Schwarze FW, Militz H. 2009. A review on promising approaches for liquid permeability improvement in softwoods. *Wood and Fiber Science* 41(4): 373-385.
- Listyanto T, Ando K, Yamauchi H, Hattori N. 2013. Microwave and steam injection drying of CO₂ laser incised Sugi lumber. *Journal of Wood Science* 59(4), 282-289.
- Listyanto T, Darmawan Y S, Pujiarti R, Hidayati F, Lukmandaru G, Sulistyo J. 2016. Development of drying schedule of superior and conventional teak wood of ten years-old planted in Blora, Central Java. *Jurnal Ilmu Kehutanan* 10(1): 65-73.

- Listyanto T, Nichols JD, Glencross K, Schoer L. 2020. Variation in density and shrinkage of six eucalyptus species and interspecific hybrid combinations at three sites in Northern New South Wales. *Materials Science and Engineering* 935(1).
- Listyanto T, Poedyastanto EPF, Abqorah SM, Lukmandaru G. 2021. Specific gravity, extractive content, and natural durability of balsa (*Ochroma pyramidale*) wood at 3 and 4 years old. *Earth and Environmental Science* 891(1).
- Listyanto T, Rahman F, Swargarini H. 2016. Kualitas pengeringan kayu mahoni pada berbagai variasi kerapatan incising dengan dua skedul pengeringan suhu tinggi. *Jurnal Ilmu Kehutanan* 10(2): 119-128.
- Listyanto, T. 2016. *Teknologi pengeringan kayu dan aplikasinya di Indonesia*. UGM Press, Yogyakarta.
- Liu J, Wang X. 2016. Effect of drying temperature and relative humidity on contraction stress in wood. *Bio Resources* 11(3): 6625-6638.
- Lowery DP, Kimball KE. 1966. *Quality of high-temperature drying*. US Department of Agriculture, Washington DC.
- Luhan G, Damiri M, Joni H, Mujaffar A. 2019. Pengaruh bagian kayu dan ketebalan stiker pada pengeringan alami terhadap sifat fisika kayu gerunggang (*Cratogeomys arborescens* Bl.). *Hutan Tropika* 14(1): 60-70.
- Ma Q, Zhao Z, Wang T, Yi S. 2015. Effects of moisture on drying rate of micro explosion pretreated fast growing poplar wood. *Wood Research* 60(6): 899-906.
- Maiti R. 2012. *Crop plant anatomy*. Cabi, United Kingdom.
- Marsoem SN, Prasetyo VE, Sulistyio J, Sudaryono S, Lukmandaru G. 2015. Studi mutu kayu jati di hutan rakyat gunungkidul. *Jurnal Ilmu Kehutanan* 9(2): 117-127.
- Mauladdini R, Syafii W, Nawawi DS. 2022. Pengaruh zat ekstraktif kayu gamal (*Gliricidia Sepium* Jacq.) terhadap nilai kalor. *Jurnal Penelitian Hasil Hutan* 40(2): 125-134.
- McMillen JM. 1958. *Stresses in wood during drying*. US Department of Agriculture, Washington DC.
- Morrell JJ, Gupta R, Winandy JE, Riyanto DS. 1998. Effect of incising and preservative treatment on shear strength of nominal 2-inch lumber. *Wood and Fiber Science*, 374-381.
- Mutaqin DJ, Nurhayani FO, Rahayu NH. 2022. Performa industri hutan kayu dan strategi pemulihan pascapandemi Covid-19. *Bappenas Working Papers* 5(1): 48-62.

- Oltean L, Teischinger A, Hansmann C. 2007. Influence of temperature on cracking and mechanical properties of wood during wood drying. *Bio Resources* 2(4): 789-811.
- Oluwafemi OA, Adegbeniga SO. 2007. Preliminary report on utilization potential of *Gliricidia sepium* (Jacq.) Steud for timber. *Research Journal of Forestry* 1(2): 80-85.
- Penvern H, Zhou M, Maillet B, Courtier-Murias D, Scheel M, Perrin J, Coussot P. 2020. How bound water regulates wood drying. *Physical Review Applied* 14(5).
- Priadi T, Giyarto GT. 2019. Profil suhu dan kadar air kayu dalam pengeringan oven pemanas dan gelombang mikro. *Jurnal Ilmu Dan Teknologi Kayu Tropis* 17(2): 160-171.
- Quintanar IA, Angeles G, Zavala HJ. 2009. Anatomy, hydraulic and physical indexes of *Gliricidia sepium* (Jacq.) Steud. wood. *Madera y Bosques* 15(2): 71-91.
- Rahman MA, Das AK, Saha SR, Uddin MM, Rahman MM. 2019. Morpho-physiological response of *Gliricidia sepium* to seawater-induced salt stress. *The Agriculturist* 17(1): 66-75.
- Ramage MH, Burrridge H, Busse WM, Fereday G, Reynolds T, Shah DU, Scherman O. 2017. The use of timber in construction. *Renewable and Sustainable Energy Reviews* 68: 333-359.
- Restu M, Mappangaja B. 2005. Produksi polong dan biji tanaman gamal (*Gliricidia sepium*) dari berbagai provenansi dengan pemupukan NPK. *Jurnal Perennial* 2(1): 21-24.
- Riki JTB, Anguruwa GT, Oluwadare AO. 2021. Physical and mechanical propoerties of within and between trees of *Gliricidia sepium* Steud wood grown for timber. *Pro Ligno* 17(3).
- Rodin VV. 2019. One and two dimensional NMR in studying wood–water interaction at moisturizing spruce anisotropy of water self-diffusion. *Colloids and Interfaces* 3(3): 54.
- Rosen HN. 1995. Drying of wood and wood products. *Handbook of Industrial Drying* 2: 899-920.
- Sihole D. 2019. Pengaruh pengeringan konveksi terhadap kecepatan pengeringan kayu. *Jurnal Teknologi Technoscientia*, 52-56.
- Simpson WT. 1996. Method to estimate dry-kiln schedules and species groupings: tropical and temperate hardwoods. US Department of Agriculture, Washington DC.
- Simpson WT. 1987. Laser incising to increase drying rate of wood. *Wood and Fiber Science*, 9-25.

- Simpson WT. 1984. Maintaining lumber quality in press drying by manipulating sawing patterns. *Wood and Fiber Science*, 411-426.
- Simpson W, Tenwolde A. 1999. Physical properties and moisture relations of wood. *The Encyclopedia of Wood*. US Department of Agriculture, Washington DC.
- Simpson WT, Tschernitz JL. 1998. Effect of thickness variation on warp in high-temperature drying plantation-grown loblolly pine 2 by 4's. *Wood and Fiber Science*, 165-174.
- Simpson WT. 1988. Press drying as a means of controlling warp in lumber. *Western Dry Kiln Association*. US Department of Agriculture, Washington DC.
- Sitanggang JP, Sucipto T, Azhar I. 2015. Pengaruh kadar perekat urea formaldehida terhadap kualitas papan partikel dari kayu gamal (*Gliricidia sepium*). *Peronema Forestry Science Journal* 4(2): 166-174.
- Soi A. 2020. Pengaruh perbandingan level tepung gamal (*Gliricidia sepium*) dan tepung lamtoro (*Leucaena leucocephala*) terhadap kualitas fisik wafer sebagai pakan ternak ruminansia kecil. *Journal of Animal Science* 5(2): 19-20.
- Suarna IW, Suryani NN, Budiasa KM, Trisnadewi AS, Wirawan IW. 2015. Peran tanaman pakan gamal (*Gliricidia sepium*) dalam konservasi lahan pasca tambang. *Seminar Nasional HITPI 4*: 263-269.
- Supriyati W, Prayitno TA, Soemardi S, Marsoem SM. 2014. Heartwood proportion and physical mechanical properties of three diameter class of gelam wood (*Melaleuca* sp) from Central Kalimantan. *Jurnal Ilmu dan Teknologi Kayu Tropis* 12(1): 56-64.
- Tari SM, Madhoushi M. 2013. Kiln drying schedule based on diffusion theory. *World of Sciences Journal* 1: 9-24.
- Thybring EE, Fredriksson M, Zelinka SL, Glass SV. 2022. Water in wood: A review of current understanding and knowledge gaps. *Forests* 13(12): 1-30.
- Truscott SL, Turner IW. 2005. A heterogeneous three-dimensional computational model for wood drying. *Applied Mathematical Modelling* 29(4): 381-410.
- Tschernitz JL, Simpson WT. 1979. Solar-heated forced-air, lumber dryer for tropical latitudes. *Solar Energy* 22(1): 563-566.
- Winandy JJ, Morrell, Lebow ST. 1995. Effects of incising on treatability and strength. *Forest Product Society Proceedings* 7308: 65-69.
- Winandy JE, Morrell JJ. 1998. Effects of incising on lumber strength and stiffness: relationships between incision density and depth, species, and MSR grade. *Wood and Fiber Science* 2: 185-197.

- Winandy JE, Rowell RM. 2005. Handbook of wood chemistry and wood composites. CRC Press, United States of America.
- Xiang Z, Peralta P, Peszlen I. 2012. Lumber drying stresses and mitigation of cross-sectional deformation. Wood and Fiber Science, 94-102.
- Yang DQ, Normand D. 2012. Hardwood initiative development of new processes and technologies in the hardwood industry: Transformative technologies program project. FPInnovation, Quebec.
- Zink-Sharp A. 2003. The mechanical properties of wood. Blackwell Publishing, Australia.
- Zitting A, Paajanen A, Rautkari L, Penttilä PA. 2021. Deswelling of microfibril bundles in drying wood studied by small-angle neutron scattering and molecular dynamics. Cellulose 28: 10765-10776.
- Zziwa A, Mugambwa R, Kizito S, Sseremba OE, Syofuna A. 2012. Basic density, modulus of elasticity and modulus of rupture of *Artocarpus heterophyllus*. Uganda Journal of Agricultural Sciences 13(1): 15-23.