

DAFTAR PUSTAKA

- Abebe, P., Asfaw, Z., Bekele, T., & Agize, M. (2018). Diversity, Use and Conservation of Spices and Condiments in the Home Gardens (Derkuwa) of Konta Special District (Woreda), Southern Ethiopia. *International Journal of Current Research and Academic Review*, 6(3), 27–42.
- Adibuduge, Y., & Senevirathne, M. (2023). Potential of Nutmeg (*Myristica fragrans* Houtt) Leaf Extracts as a Source of Functional Ingredients with Antibacterial, Antifungal and Antioxidant Activities. *The Journal of Agricultural Sciences*, 18(2), 221–236.
- Adnan, A., Navia, Z. I., Silvia, M., Antika, M., Suwardi, A. B., Baihaqi, B., & Yakob, M. (2022). Diversity of Herbs and Spices Plants and Their Importance in Traditional Medicine in the South Aceh District, Indonesia. *Biodiversitas*, 23(7), 3836-3843.
- Aghababaei, F., & Hadidi, M. 2023. Recent Advances in Potential Health Benefits of Quercetin. *Pharmaceuticals*, 16:1020, 1-31.
- Anita, D., Avtar, S., & Ritu, M. Antioxidants of Clove (*Syzygium Aromaticum*) Prevent Metal Induced Oxidative Damage of Biomolecules. *International Research Journal Of Pharmacy*, 6(4), 273-280.
- Arcusa, R., Villaño, D., Marhuenda, J., Cano, M. Á., Cerdá, B., & Zafrilla, P. (2022). Potential Role of Ginger (*Zingiber officinale* Roscoe) in the Prevention of Neurodegenerative Diseases. *Frontiers in Nutrition*, 9:809621, 1-14.
- Arfin, S., Jha, N. K., Jha, S., Kesari, K. K., Ruokolainen, J., Roychoudhury, S., Rath, B., & Kumar, D. (2021). Oxidative Stress in Cancer Cell Metabolism. *Antioxidants*, 10(5), 642.
- Ashokkumar, K., Vellaikumar, S., Murugan, M., Dhanya, M. K., & Aiswarya, S. (2020). Compositional Variation in the Leaf, Mace, Kernel, and Seed Essential Oil of Nutmeg (*Myristica fragrans* Houtt.) from the Western Ghats, India. *Natural Product Research*, 36(1), 432–435.
- Ashokkumar, K., Murugan, M., Dhanya, M. K., & Warkentin, T. D. (2020). Botany, Traditional Uses, Phytochemistry and Biological Activities of Cardamom [*Elettaria cardamomum* (L.) Maton] – A critical review. *Journal of Ethnopharmacology*, 246. 1-10
- Assa, J. R., Widjanarko, S. B., Kusnadi, J., & Berhimpon, S. (2014). Antioxidant Potential of Flesh, Seed and Mace of Nutmeg (*Myristica fragrans* Houtt). *International Journal of ChemTech Research*, 6(4), 2460–2468.
- Arslan, K. (2023). The Antioxidant, Antimicrobial, and Total Phenolic Potential of Clove Extracts for Inhibition of Food Pathogens. *Journal of Science and Technology*. 16(2), 453–464.

- Ayoka, T. O., Ezema, B. E., Eze, C. N., & Nnadi, C. O. (2022). Antioxidants for the prevention and treatment of non-communicable diseases. *Journal of Exploratory Research in Pharmacology*, 7(3), 178-188.
- Bincy, B., Archana, K. P., Dhanya, V. I., & Aneesa, P. A. (2021). *A Comprehensive Review on Bioactive and Therapeutic Potential of Indian Nutmeg Myristica fragrans* (Houtt). Advances in Bioscience and Biotechnology Research. India : Darshan Publishers.
- Brainina, K., Stozhko, N. Y., & Vidrevich, M. (2019). Antioxidants: Terminology, Methods, and future Considerations. *Antioxidants*, 8(8), 297.
- Carrillo-Martinez, E. J., Flores-Hernández, F. Y., Salazar-Montes, A. M., Nario-Chaidez, H. F., & Hernández-Ortega, L. D. (2024). Quercetin, a Flavonoid with Great Pharmacological Capacity. *Molecules*, 29:1000, 1-31.
- Chang, J. S., Wang, K. C., Yeh, C. F., Shieh, D. E., & Chiang, L. C. (2013). Fresh ginger (*Zingiber officinale*) Has Anti-Viral Activity Against Human Respiratory Syncytial Virus in Human Respiratory Tract Cell Lines. *Journal of Ethnopharmacology*, 145(1), 146–151.
- Chao, L. K., Hua, K., Hsu, H., Cheng, S., Lin, I., Chen, C., Chen, S., & Chang, S. (2007). Cinnamaldehyde Inhibits Pro-Inflammatory Cytokines Secretion From Monocytes/Macrophages Through Suppression of Intracellular Signaling. *Food and Chemical Toxicology*, 46(1), 220–231.
- Chaudhary, P., Janmeda, P., Docea, A. O., Yeskaliyeva, B., Razis, A. F. A., Modu, B., Călina, D., & Sharifi-Rad, J. (2023). Oxidative Stress, Free Radicals and Antioxidants: Potential Crosstalk in the Pathophysiology of Human Diseases. *Frontiers in Chemistry*, 11, 1-24.
- Chew, Y. L., Khor, M. A., & Lim, Y. Y. (2021). Choices of Chromatographic Methods as Stability Indicating Assays for Pharmaceutical Products: A review. *Heliyon*, 7:2021, 1-12.
- Cizmarova B., Hubkova B., & Birkova A. (2023). Quercetin as an Effective Antioxidant Against Superoxide Radical. *Functional Food Science*, 3(3), 15-25.
- Cortés-Rojas, D. F., de Souza, C. R. F., & Oliveira, W. P. (2014). Clove (*Syzygium aromaticum*): a Precious Spice. *Asian Pacific Journal of Tropical Biomedicine*, 4(2), 90–96.
- Elkhateeb, Y. A. M., & Alshammary, M. R. (2017). Effects of fast foods in relation to free radicals and antioxidants. *American Journal of Laboratory Medicine*, 2(6), 156.
- Dewata, I. P., Wipradnyadewi, P. A. S., & Widarta, I. W. R. (2017). Pengaruh Suhu dan Lama Penyeduhan terhadap Aktivitas Antioksidan dan Sifat Sensoris Teh Herbal Daun Alpukat (*Persea americana* Mill.). *Jurnal ITEPA*, 6(2), 30-39.

- Dharma, M. A., Nocianitri, K. A., & Yusasrini, N. L. A. (2020). Pengaruh Metode Pengeringan Simplisia terhadap Kapasitas Antioksidan Wedang Uwuh. *Jurnal Ilmu dan Teknologi Pangan*, 9(1), 88-95.
- Dong, Q., He, D., Ni, X., Zhou, H., & Yang, H. (2019). Comparative Study on Phenolic Compounds, Triterpenoids, and Antioxidant Activity of Ganoderma Lucidum Affected by Different Drying Methods. *Journal of Food Measurement and Characterization*, 13(4), 3198–3205.
- Fauziah, I. N., Prangdimurti, E., & Palupi, N. S. (2022). Bioaccessibility of Antioxidant Capacity of Wedang Uwuh a Traditional Indonesian Beverage by Gastrointestinal Digestion. *Current Research in Nutrition and Food Science*, 11(1), 376–388.
- Firdawati, N., Kuntana, Y. P., Ghozali, M., Utama, G. L., Panigoro, R., & Safitri, R. (2023). Antioxidant Activity of Sappan Wood Extract (Caesalpinia sappan L.) As An Adjuvant and Substitution in Blood Serum of Rats (Rattus norvegicus) Iron Overload Model. *IOP Conference Series*, 1211(1), 1-12.
- Fitri, H. A., & Pamungkasih, C. O. (2022). Pengaruh Proses Pembuatan Tisane “Wedang Uwuh” terhadap Kandungan Polifenol dan Aktifitas Penangkap Radikal Bebasnya. *Pharmacy*, 19(1), 108.
- Flieger, J., & Flieger, M. (2020). The [DPPH•/DPPH-H]-HPLC-DAD Method on Tracking the Antioxidant Activity of Pure Antioxidants and Goutweed (Aegopodium podagraria L.) Hydroalcoholic Extracts. *Molecules*, 25:6005, 1-17..
- García-Casal, M. N., Peña-Rosas, J. P., & Malavé, H. G. (2016). Sauces, Spices, and Condiments: Definitions, Potential Benefits, Consumption Patterns, and Global Markets. *Annals of the New York Academy of Sciences*, 1379(1), 3–16.
- Gengatharan, A., & Rahim, M. H. A. (2023). The Application of Clove Extracts as a Potential Functional Component in Active Food Packaging Materials and Model Food Systems: a Mini-Review. *Applied Food Research*, 3(1), 1-7.
- Ghafoor, K., Juhaimi, F. A., Özcan, M. M., Uslu, N., Babiker, E. E., & Ahmed, I. a. M. (2020). Total Phenolics, Total Carotenoids, Individual Phenolics and Antioxidant Activity of Ginger (Zingiber officinale) Rhizome as Affected by Drying Methods. *Lebensmittel Wissenschaft Technologie*, 126:109354, 1-7.
- Gowder, S. J. T., & Devaraj, H. (2010). A Review of The Nephrotoxicity of The Food Flavor Cinnamaldehyde. *Current Bioactive Compounds*, 6(2), 106–117.
- Güler, Ç., Toy, E., Öztürk, F., Güneş, D., Karabulut, A. B., & Otlı, Ö. (2015). Evaluation of Salivary Total Oxidant-Antioxidant Status and DNA Damage of Children Undergoing Fixed Orthodontic Therapy. *Angle Orthodontist*, 85(2), 239–244.

- Gupta, M. K., Ghuge, A., Parab, M., Al-Refaei, Y., Khandare, A., Dand, N., & Waghmare, N. (2022). A comparative review on High-Performance Liquid Chromatography (HPLC), Ultra Performance Liquid Chromatography (UPLC) & High-Performance Thin Layer Chromatography (HPTLC) with current updates. *Current Issues in Pharmacy and Medical Sciences*, 35(4), 224-228.
- Gupta, A. D., Bansal, V., Babu, V., & Maithil, N. (2013). Chemistry, Antioxidant and Antimicrobial Potential of Nutmeg (*Myristica fragrans* Houtt). *Journal of Genetic Engineering and Biotechnology*, 11(1), 25–31.
- Gutiérrez-Del-Río, I., López-Ibáñez, S., Magadán-Corpas, P., Fernández-Calleja, L., Pérez-Valero, Á., Tuñón-Granda, M., Miguélez, E. M., & Villar, C. J. (2021). Terpenoids and Polyphenols as Natural Antioxidant Agents in Food Preservation. *Antioxidants*, 10:1264, 1-33.
- Hafshah, M., Rohmah, A., & Mardiyah, A. (2022). Potential of Secang Wood (*Caesalpinia sappan* L.) Ethanol Extract as Antioxidant and Sun-Protection. *Al-Kimia*, 10(2), 126-132.
- Han, Y. A., Song, C. W., Koh, W., Yon, G. H., Kim, Y. S., Ryu, S. Y., Kwon, H. J., & Lee, K. H. (2012). Anti-inflammatory Effects of the *Zingiber officinale* Roscoe Constituent 12-Dehydrogingerdione in Lipopolysaccharide-stimulated Raw 264.7 Cells. *Phytotherapy Research*, 27(8), 1200–1205.
- Herdiana, D. D., Utami, R., & Anandito, R. B. K. (2014). Kinetika Degradasi Termal Aktivitas Antioksidan pada Minuman Tradisional Wedang Uwuh Siap Minum. *Jurnal Teknosains Pangan*, 3(3), 44-53.
- Hossain, M. B., Ahmed, L., Martin-Diana, A. B., Brunton, N. P., & Barry-Ryan, C. (2023). Individual and Combined Antioxidant Activity of Spices and Spice Phenolics. *Antioxidants*, 12(2), 1-12.
- Hosseinzadeh, A., Juybari, K. B., Fatemi, M. J., Kamarul, T., Bagheri, A., Tekiyehmaroof, N., & Sharifi, A. M. (2017). Protective Effect of Ginger (*Zingiber officinale* Roscoe) Extract against Oxidative Stress and Mitochondrial Apoptosis Induced by Interleukin-1 β in Cultured Chondrocytes. *Cells Tissues Organs*, 204(5–6), 241–250.
- Huang, T., Fu, H., Ho, C. T., Tan, D., Huang, Y., & Pan, M. (2007). Induction of Apoptosis by Cinnamaldehyde from Indigenous Cinnamon *Cinnamomum Osmophloeum* Kaneh Through Reactive Oxygen Species Production, Glutathione Depletion, and Caspase Activation in Human Leukemia k562 Cells. *Food Chemistry*, 103(2), 434–443.
- Igual, M., Garcia-Martinez, E., Camacho, M. M., & Martinez-Navarrete, N. (2011). Changes in Flavonoid Content of Grapefruit Juice Caused by Thermal Treatment and Storage. *Innovative Food Science and Emerging Technologies*, 12(1), 153-162.

- Ilunga, S. K., Kandawa-Schulz, M., Loftly, H. E., & Lyantagaye, S. L. (2018). Anticancer, Antioxidant, and Antimicrobial Screening of Extracts From Selected Medicinal Plants From Oshikoto, Namibia. *Bioteknologi*, 15(2), 51–65.
- Ismail, I. N. H., Hamid, N. A., Latip, S. N. H. M., Mohd, Z. W. Z. W., & Ramli, N. W. (2022). A Review of Extraction and HPLC Methods Used For Melastomataceae and Asteraceae Leaves in The Analysis of Flavonoids. *IOP Conference Series*, 1059:12019, 1-13.
- Isnindar, I., & Luliana, S. (2020). Synergism of Antioxidant Activity Combination of Buas-Buas (*Premnaserratifolia* Linn.), Meniran (*Phyllanthusniruri* L.), Secang (*Caesalpiniasappan*) and Roselle (*Hibiscus sabdarifa*) Extracts. *Majalah Obat Tradisional*, 25(3), 140-146.
- Jan, R., Gani, A., & Dar, M. M. (2022). Bioactive Characterization of Ultrasonicated Ginger (*Zingiber officinale*) And Licorice (*Glycyrrhiza Glabra*) Freeze Dried Extracts. *Ultrasonics Sonochemistry*, 88:106048, 1-15.
- Jain, S., Sangma, T. K., Shukla, S. P., & Mediratta, P. K. (2014). Effect of *Cinnamomum Zeylanicum* Extract on Scopolamine-Induced Cognitive Impairment and Oxidative Stress in Rats. *Nutritional Neuroscience*, 18(5), 210–216.
- Jiang, T. (2019). Health Benefits of Culinary Herbs and Spices. *Journal of AOAC International*, 102(2), 395–411.
- Juergens, L. J., Tuleta, I., Stoeber, M., Racké, K., & Juergens, U. R. (2018). Regulation of Monocyte Redox Balance by 1,8-Cineole (Eucalyptol) Controls Oxidative Stress and Pro-Inflammatory Responses In Vitro: A New Option to Increase the Antioxidant Effects of Combined Respiratory Therapy with Budesonide and Formoterol? *Synergy*, 7, 1–9.
- Juliana, D., Aisyah, S. I., Priosoeryanto, B. P., & Nurcholis, W. (2022). Optimization of Cardamom (*Amomum compactum*) Fruit Extraction Using the Box–Behnken Design Focused on Polyphenol Extraction with Antioxidant Activity. *Journal of Applied Pharmaceutical Science*, 12(6), 194–209.
- Kalantari, H.; Foruozandeh, H.; Khodayar, M.J.; Siahpoosh, A.; Saki, N.; Kheradmand, P. (2018). Antioxidant and Hepatoprotective Effects of Capparis spinosa L. Fractions and Quercetin on Tert-Butyl Hydroperoxide-Induced Acute Liver Damage in Mice. *Journal of Traditional and Complementary Medicine*, 8(1), 120–127.
- Kedare, S. B., & Singh, R. P. (2011). Genesis and Development of DPPH Method of Antioxidant Assay. *Journal of Food Science and Technology*, 48(4), 412–422.
- Kementerian Kesehatan RI. (2019). Pokok Pokok Hasil Riskesdas (Riset Kesehatan Dasar) 2018. Jakarta: Kementerian Kesehatan RI.

- Khan, M. A., Zhou, C., Zheng, P., Zhao, M., & Liang, L. (2021). Improving Physicochemical Stability of Quercetin-Loaded Hollow Zein Particles with Chitosan/Pectin Complex Coating. *Antioxidants*, 10:1476, 1-16.
- Kornienko, J., Smirnova, S. I., Pugovkina, N. A., Ivanova, J. S., Shilina, M. A., Grinchuk, T. M., Shatrova, A. N., Aksenov, N. D., Zenin, V. V., Nikolsky, N. N., & Lyublinskaya, O. G. (2019). High Doses of Synthetic Antioxidants Induce Premature Senescence in Cultivated Mesenchymal Stem Cells. *Scientific Reports*, 9:1296, 1-13.
- Lau, M. A., Suseno, B. K., & Sudrajat, S. E. (2022). Wedang Uwuh: Minuman Herbal Kaya Antioksidan Dari Yogyakarta. *Jurnal MedScientiae*, 1 (1), 10–14.
- Li, Y., Yao, J., Han, C., Yang, J., Chaudhry, M. T., Wang, S., Liu, H., & Yin, Y. (2016). Quercetin, Inflammation and Immunity. *Nutrients*, 8:167, 1-14.
- Liang, S., Mijatovic, J., Li, A., Koemel, N. A., Nasir, R., Toniutti, C., Bell-Anderson, K., Skilton, M. R., & O'Leary, F. (2022). Dietary Patterns and Non-Communicable Disease Biomarkers: A Network Meta-Analysis and Nutritional Geometry Approach. *Nutrients*, 15(1), 76.
- Lin, S., Zhang, H., Simal-Gandara, J., Cheng, K., Wang, M., Cao, H., & Xiao, J. (2022). Investigation of New Products of Quercetin Formed in Boiling Water via UPLC-Q-TOF-MS-MS Analysis. *Food Chemistry*, 386:132747, 1-12.
- Liu, K. (2022). Different Types of Antioxidants and its Importance. *Oxidants and Antioxidants in Medical Science*, 11(1), 1.
- Lewoyehu, M., & Amare, M. (2019). Comparative Evaluation of Analytical Methods for Determining the Antioxidant Activities of Honey: A Review. *Cogent Food & Agriculture*, 5:1685059, 1-25.
- Lone, Z. A., & Jain, N. K. (2022). Phytochemical Analysis of Clove (*Syzygium aromaticum*) Dried Flower Buds Extract and its Therapeutic Importance. *Journal of Drug Delivery and Therapeutics*, 12(4), 87–92.
- Lumingkewas, M., Manarisip, J., Indriaty, F., Walangitan, A., Mandei, J., & Suryanto, E. (2014). Aktivitas Antifotoooksidan dan Komposisi Fenolik dari Daun Cengkeh (*Eugenia aromatic* L.). *Majalah Ilmiah Chemistry Progress*, 7(2), 96-105.
- Lv, Q., Wu, Y., Chen, L., & Dai, J. (2023). "Ghost peaks" in Reversed-Phase Liquid Chromatography Separation of An Electron-Rich Aniline Compound: Mechanism and Solution for This Phenomenon. *Journal of Chromatography*, 1:1707, 1-11.
- Vargas-Madriz, Á. F., Kuri-García, A., Luzardo-Ocampo, I., Vargas-Madriz, H., Pérez-Ramírez, I. F., Anaya-Loyola, M. A., Ferriz-Martínez, R. A., Roldán-Padrón, O., Hernández-Sandoval, L., Guzmán-Maldonado, S. H., & Chávez-Servín, J. L. (2023). Impact of Drying Process on the Phenolic Profile and Antioxidant Capacity of Raw and Boiled Leaves and

Inflorescences of *Chenopodium berlandieri* ssp. *berlandieri*. *Molecules*, 28:7235, 1-13.

- Maharani, A. I., Riskierdi, F., Febriani, I., Kurnia, K. A., Natasyam A. R., Ilahi, N. F., & Farma, S. A. (2021). Peran Antioksidan Alami Berbahan Dasar Pangan Lokal dalam Mencegah Efek Radikal Bebas. *Prosiding Universitas Negeri Padang*, 390-400.
- Mao, Q., Xu, X. Y., Cao, S. Y., Gan, R., Corke, H., Beta, T., & Li, H. B. (2019). Bioactive Compounds and Bioactivities of Ginger (*Zingiber officinale* Roscoe). *Foods*, 8(6), 185.
- Masaenah, E., Elya, B., Setiawan, H. S., Fadhilah, Z., & Arianti, V. (2021). Quantification of Andrographolide in *Andrographis paniculata* (Burm.f.) Nees, Myricetin in *Syzygium cumini* (L.) Skeels, and Brazilin in *Caesalpinia sappan* L. by HPLC Method. *Pharmacognosy Journal*, 13(6), 1437–1444.
- Maurya, A.K., & Vinayak, M. (2015). Modulation Of PKC Signaling and Induction of Apoptosis Through Suppression of Reactive Oxygen Species and Tumor Necrosis Factor Receptor 1 (TNFR1): Key Role of Quercetin in Cancer Prevention. *Tumour Biology : the Journal of the International Society for Oncodevelopmental Biology and Medicine*. 36(11), 8913-8924.
- Milani, J. M., Amuzadeh, A., & Moetamedzadegan, A. (2018). Effect of Different Additives on Antioxidant Capacity of Black Tea. *Journal of Culinary Science & Technology*, 18(2), 67–76.
- Moon, Y., Lee, H., & Lee, S. (2018). Inhibitory Effects of Three Monoterpenes From Ginger Essential Oil on Growth and Aflatoxin Production of *Aspergillus Flavus* and Their Gene Regulation in Aflatoxin Biosynthesis. *Applied Biological Chemistry*, 61(2), 243–250.
- Morikawa, T., Hachiman, I., Matsuo, K., Nishida, E., Ninomiya, K., Hayakawa, T., Yoshie, O., Muraoka, O., & Nakayama, T. (2016). Neolignans from the Arils of *Myristica fragrans* as Potent Antagonists of CC Chemokine Receptor 3. *Journal of Natural Products*, 79(8), 2005–2013.
- Mueller, M., Weinmann, D., Toegel, S., Hölzer, W., Unger, F. M., & Viernstein, H. (2016). Compounds from *Caesalpinia Sappan* with Anti-Inflammatory Properties in Macrophages and Chondrocytes. *Food & Function*, 7(3), 1671–1679.
- Mustafa, I., & Chin, N. L. (2023). Antioxidant Properties of Dried Ginger (*Zingiber officinale* Roscoe) var. Bentong. *Foods*. 12:178, 1-18.
- Nagore, D., Kuber, V., Patil, P., & Deshmukh, T. (2013). Simultaneous Assessment and Validation of Reverse Phase-High Performance Liquid Chromatography Method for Quercetin, Eugenol, Myristicin, and Safrole from Nutmeg, Fruit and Mace. *Chronicles of Young Scientists*, 4(1), 9-17.
- Nile, S. H., & Park, S. W. (2015). Chromatographic Analysis, Antioxidant, Anti-Inflammatory, and Xanthine Oxidase Inhibitory Activities of Ginger Extracts

and It's Reference Compounds. *Industrial Crops and Products*, 70, 238–244.

- Niu, Y., Wang, S., Li, C., Wang, J., Liu, Z., & Kang, W. (2020). Effective Compounds from *Caesalpinia sappan* L. on the Tyrosinase In Vitro and In Vivo. *Natural Product Communications*, 15(4), 1-8.
- Nugraha, N. S., Listyani, T. A., & Septiarini, A. D. (2022). The Antioxidant Test and Determination of Phenolic Content In Packaged Green Tea Using The FRAP Method. *Science and Community Pharmacy Journal*, 1(2), 59-68.
- Nurmila., Sinay, H., & Watuguly, T. (2019). Identifikasi dan Analisis Kadar Flavonoid Ekstrak Getah Angsana (*Pterocarpus indicus* Willd) di Dusun Wanath Kecamatan Leihitu Kabupaten Maluku Tengah. *Biopendix*, 5(2), 65-71.
- Nurmilasari, N., Ginting, B., & Helwati, H. (2017). Isolation Of Antioxidant Compounds of Methanol Extract of Nutmeg Leaves (*Myristica fragrans* Houtt). *Jurnal Natural*, 17(1), 49–57.
- Olas, B. (2018). Berry phenolic Antioxidants – Implications for Human Health? *Frontiers in Pharmacology*, 9(78), 1-14.
- Omoba, O. S., Olagunju, A. I., Salawu, S. O., & Boligon, A. A. (2019). HPLC-DAD Phenolic Profiling and In Vitro Antioxidant Activities of Three Prominent Nigerian Spices. *Preventive Nutrition and Food Science*, 24(2), 179–186.
- Palupi, D. A., Lina, R. N., Susiloningrum, D., Sugiarti, L., Pratiwi, Y., Wijaya, H. M., Rahmawaty, A., Amiroh, S. A., Safitri, L. A., Caesary, C. D., & Nida, K. (2022). Pembuatan Wedang Uwuh untuk Meningkatkan Imunitas Tubuh Bersama Pengurus PKK Desa Jepang Kecamatan Mejobo Kudus. *Jurnal Pengabdian Kesehatan*. 5(3), 270-278.
- Palupi, N. S., Wardiani, L. I., & Nurtama, B. (2016). Optimasi Formula Kuah Jahe dalam Pengembangan Wedang Tahu sebagai Pangan Fungsional. *Jurnal Teknologi dan Industri Pangan*. 27(1), 95-104.
- Phan, M. A. T., Paterson, J., Bucknall, M., & Arcot, J. (2017). Interactions Between Phytochemicals from Fruits and Vegetables: Effects on Bioactivities and Bioavailability. *Critical Reviews in Food Science and Nutrition*, 58(8), 1310–1329.
- Pramesthi, D., Ardyati, I., & Slamet, A. (2020). Potensi Tumbuhan Rempah dan Bumbu yang Digunakan dalam Masakan Lokal Buton sebagai Sumber Belajar. *Biodik: Jurnal Ilmiah Pendidikan Biologi*, 6(3), 225-232.
- Putri, D. K., Tukiran., Suyatno., Sabila, F. I. (2021). Antioxidant Activity from The Combination Ethanol Extract Secang Wood (*Caesalpinia sappan* L.) And Red Ginger Rhizome (*Zingiber officinale* Roxb.). *International Joint Conference on Science and Engineering*, 209(1), 143-147.

- Rababah, T. M., Al-u'datt, M., Alhamad, M., Al-Mahasneh, M., Ereifej, K., Andrade, J., Altarifi, B., Almajwal, A., Yang, W. (2015). Effects of Drying Process on Total Phenolics, Antioxidant Activity and Flavonoid Contents of Common Mediterranean Herbs. *International Journal of Agricultural and Biological Engineering*, 8(2), 145-150.
- Rahayu, D. U. C., Hakim, R. A., Mawarni, S. A., & Satriani, A. R. (2022). Indonesian Cinnamon (*Cinnamomum burmannii*): Extraction, Flavonoid Content, Antioxidant Activity, and Stability in the Presence of Ascorbic Acid. *Cosmetics*, 9:57, 1-15.
- Ravindran, P. N., Nirmal-Babu, K., & Shylaja, M. R. (2004). *Cinnamon and Cassia*. Boca Raton : CRC Press.
- Romero, A., Forero, M., Sequeda-Castañeda, L. G., Grismaldo, A., Iglesias, J., Celis-Zambrano, C. A., Schuler, I., & Morales, L. (2018). Effect of Ginger Extract on Membrane Potential Changes and Akt Activation on a Peroxide-Induced Oxidative Stress Cell Model. *Journal of King Saud University - Science*, 30(2), 263–269.
- Salehi, B., Machin, L., Monzote, L., Sharifi-Rad, J., Ezzat, S. M., Salem, M. A., Merghany, R. M., Mahdy, N. M. E., Kılıç, C. S., Sytar, O., Sharifi-Rad, M., Sharopov, F., Martins, N., Martorell, M., & Cho, W. C. (2020). Therapeutic Potential of Quercetin: New insights and Perspectives for Human Health. *ACS Omega*, 5(20), 11849–11872.
- Sandrasari, D. A., Andarwulan, N., Faridah, D. N., & Dewi, F. N. (2023). Identifikasi Komponen Aktif Jahe Merah (*Zingiber officinale* Roscoe var. *Rubrum*) sebagai Sumber Antioksidan dengan Pendekatan Metabolomik Berbasis HPLC. *Alchemy: Jurnal Penelitian Kimia*, 19(1), 32.
- Santos, C. M., & Silva, A. M. S. (2020). The Antioxidant Activity of Prenylflavonoids. *Molecules*, 25: 696, 1-33.
- Sarumathy, K., Vijay, T., Palani, S., Sakthivel, K., & Rajan, M.D. Antioxidant and Hepatoprotective Effects of *Caesalpinia Sappan* Against Acetaminophen-Induced Hepatotoxicity in Rats. *International Journal of Clinical Pharmacology and Therapeutics*, 1(1), 19–31.
- Septiyani, R., & Rahmawati, E. (2019). Perbedaan Aktivitas Antioksidan pada Minuman Tradisional Wedang Uwuh Original, Seduh, Celup, Instan dan Sirup. *Chemica : Jurnal Teknik Kimia (E-journal)*, 6(1), 23.
- Seyedsadjadi, N., & Grant, R. (2020). The potential benefit of monitoring oxidative stress and inflammation in the Prevention of Non-Communicable Diseases (NCDs). *Antioxidants*, 10(1), 15.
- Sharifi-Rad, M., Kumar, N. V. A., Zucca, P., Varoni, E. M., Dini, L., Panzarini, E. P., Rajković, J., Fokou, P. V. T., Azzini, E., Peluso, I., Mishra, A. P., Nigam, M., Rayess, Y. E., Beyrouthy, M. E., Polito, L., Iriti, M., Martins, N., Martorell, M., Docea, A. O., . . . Sharifi-Rad, J. (2020). Lifestyle, Oxidative

- Stress, and Antioxidants: Back and Forth in the Pathophysiology of Chronic Diseases. *Frontiers in Physiology*, 11(694), 1-21.
- Shekhar, T., & Anju, G. (2014). Antioxidant Activity by DPPH Radical Scavenging Method of *Ageratum conyzoides*. *American Journal of Ethnomedicine*, 1(4), 244.
- Simarmata, O., Lolong, D., Pangaribuan, L., Sulistiyowati, N., & Sulistiowati, E. (2018). Penyebab Kematian di Kabupaten Gianyar tahun 2010-2012. *Buletin Penelitian Kesehatan* 46(2), 77-86.
- Sinarsih, N. K., & Anton, S. S. (2022). Kajian Kimia Wedang uwuh sebagai Minuman Kesehatan Herbal Tradisional. *Jurnal Yoga Dan Kesehatan*, 5(1), 1-13.
- Singletary, K. (2022). Cardamom Potential Health Benefits. *Food Sci*, 57(1), 38-49.
- Sinurat, J. P., Krisdianilo, V., Karo, R. M. B., & Berutu, R. (2020). Analysis of Total Terpenoids from *Maniltoa Grandiflora* (A. Gray) Scheff Leaves Using TLC and HPLC Methods. *Stannum : Jurnal Sains dan Terapan Kimia*, 2(2), 5-9.
- Srimathi, P. K., & Vijayalakshmi, K. (2017). Investigation of Antioxidant Potential of Quercetin and Hesperidin: An in vitro Approach. *Asian Journal of Pharmaceutical and Clinical Research*, 10(1), 83-86.
- Stoner, G. D. (2013). Ginger: Is it Ready for Prime Time? *Cancer Prevention Research*, 6(4), 257-262.
- Sumarni, W., Sudarmin, S., & Sumarti, S. S. (2019). The Scientification of Jamu: a Study of Indonesia's Traditional Medicine. *Journal of Physics*, 1321(3), 1-8.
- Syafitri, D. M., Levita, J., Mutakin, M., & Diantini, A. (2018). A Review: Is Ginger (*Zingiber officinale* var. Roscoe) Potential for Future Phytomedicine?. *Indonesian Journal of Applied Sciences (IJAS)*, 8(1), 1-6.
- Tafzi, F. (2019). Bioactivity Of Cinnamon (*Cinamomum* sp). *Indonesian Food Science and Technology Journal*, 3(1), 18-22.
- Tumanduk, R., Massi, M. N., Agus, R., & Hamid, F. (2023). Analisis Residu Amoksisilin Pada Hepar dan Ventrikulus Ayam Petelur di Pasar Tradisional Makassar. *Jurnal Ilmu Alam dan Lingkungan*, 14(2), 20-28.
- Thomas, A. N. (2012). *S. Tanaman Obat Tradisional*. Yogyakarta: Penerbit Kanisius.
- Vij, T., Anil, P. P., Shams, R., Dash, K. K., Kalsi, R., Pandey, V. K., Harsányi, E., Kovács, B., & Shaikh, A. M. (2023). A Comprehensive Review on Bioactive Compounds Found in *Caesalpinia sappan*. *Molecules*, 28:6247, 1-22.
- Wang, J., Su, B., Jiang, H., Cui, N., Zong-Yuan, Y., Yang, Y., & Sun, Y. (2020). Traditional Uses, Phytochemistry and Pharmacological Activities of The

- Genus *Cinnamomum* (Lauraceae): A review. *Fitoterapia*, 146:104675, 1-21.
- Wang, Y., Sun, S., & Zhou, Y. (2011). Extract of the Dried Heartwood of *Caesalpinia Sappan* L. Attenuates Collagen-Induced Arthritis. *Journal of Ethnopharmacology*, 136(1), 271–278.
- Wang, Y. C., Wang, V., & Chen, B. H. (2023). Analysis of Bioactive Compounds in Cinnamon Leaves and Preparation of Nanoemulsion and Byproducts for Improving Parkinson's Disease in Rats. *Frontiers in Nutrition*, 10(1), 1-15.
- Wang, J., & Zhao, X. H. (2016). Degradation Kinetics of Fisetin and Quercetin in Solutions Affected by Medium Ph, Temperature and Co-Existing Proteins. *Journal of the Serbian Chemical Society*, 81(3), 243-253.
- Winangsih., Prihastanti, E., & Parman, S. (2013). Pengaruh Metode Pengeringan terhadap Kualitas Simplisia Lempuyang Wangi (*Zingiber aromaticum* L.). *Buletin Anatomi dan Fisiologi*, 11(1), 19-25.
- Winarsi, H., Yuniaty, A., & Warsinah. (2019). Antioxidant Exploration In Cardamom Rhizome Potential as A Functional Food Ingredient. *IOP Conference Series*, 217, 1-6.
- Winasih, P. A., Supriyadi., & Turahman, T. (2023). Uji Aktivitas Antioksidan Wedang Uwuh dengan Variasi Formula Jenis Jahe dan Waktu Penyeduhan. *Jurnal Sains dan Kesehatan*, 5(5), 633-643.
- Xia, J., Wan, Y., Wu, J., Yang, Y., Xu, J., Zhang, L., Liu, D., Chen, L., Tang, F., Ao, H., & Peng, C. (2022). Therapeutic Potential of Dietary Flavonoid Hyperoside Against Non-Communicable Diseases: Targeting Underlying Properties of Diseases. *Critical Reviews in Food Science and Nutrition*, 1–31.
- Xu, J. G., Liu, T., Hu, Q. P., & Cao, X. M. (2016). Chemical Composition, Antibacterial Properties and Mechanism of Action of Essential Oil from Clove Buds Against *Staphylococcus Aureus*. *Molecules*, 21(9), 1194, 1-13.
- Xu, D., Hu, M. J., Wang, Y. Q., & Cui, Y. L. (2019). Antioxidant activities of quercetin and its complexes for medicinal application. *Molecules*, 24(6), 1123, 1-15.
- Yaseen, O. K., & Mohammed, M. K. A. (2022). Analytical Detection of Phytochemical Compounds in *Cinnamomum Zeylanicum* Bark Extract. *Egyptian Journal of Chemistry*, 66(4), 265-273.
- Yashin, A. Y., Yashin, Y. I., Xia, X., & Nemzer, B. (2017). Antioxidant Activity of Spices and Their Impact on Human Aearth: a review. *Antioxidants*, 6:70, 1-33.
- Yohana, W., Wiharja, R., Sufiawati, I., & Khaerunnisa, D. F. (2019). Decreasing Respiratory Rate, Blood Pressure and Pulse After Drinking Secang in Prehypertension Patients. *Journal of Advanced Medical and Dental Sciences Research*, 7(8), 34-36.

- Yuniati, Y., Azmi, D. D., Nurandriea, E., Qadariyah, L., & Mahfud, M. (2023). Parametric Study and Characterization of Sappan Wood (*Caesalpinia Sappan Linn*) Natural Red Colorant Extract with Ultrasonic Assisted Extraction Method. *ASEAN Journal of Chemical Engineering*, 23(1), 103-112.
- Zhang, F., Zhang, J., Qu, J., Zhang, Q., Prasad, C., & Wei, Z. (2017). Assessment of Anti-Cancerous Potential Of 6-Gingerol (Tongling White Ginger) and It's Synergy With Drugs on Human Cervical Adenocarcinoma Cells. *Food and Chemical Toxicology*, 109, 910–922.