

DAFTAR PUSTAKA

- Abdi, N., & Mizrahi, Y. (2012). Effects of methyl bromide and storage time on postharvest behavior of three different cultivars of pitaya fruit. *Israel Journal of Plant Sciences*, 60, 319–324. <https://doi.org/10.1560/ijps.60.3.319>
- Abirami, K., Swain, S., Baskaran, V. *et al.* (2021). Distinguishing three Dragon fruit (*Hylocereus* spp.) species grown in Andaman and Nicobar Islands of India using morphological, biochemical and molecular traits. *Sci Rep* 11, 2894. <https://doi.org/10.1038/s41598-021-81682-x>
- Ben-Asher, J., Nobel, P. S., Yossof, E., & Mizrahi, Y. (2006). Net CO₂ uptake rates for *Hylocereus undatus* and *Selenicereus megalanthus* under field conditions: Drought influence and a novel method for analyzing temperature dependence. *Photosynthetica*, 44, 181–186.
- Betancur, Jorge & R., Sandra & J., Elena. (2020). Morphological characterization of the red dragon fruit - *Selenicereus undatus* (Haw.) D.R. Hunt – under growing conditions in the municipality of San Jerónimo (Antioquia, Colombia). *Revista Facultad Nacional de Agronomía Medellín*. 73. 9019-9027. 10.15446/rfnam.v73n1.77735.
- Chang, F. R., Yen, C. R., Chen, Y. W., & Chang, L. R. (1997). Flowering and fruit growth of pitaya (*Hylocereus undatus* Britt. & Rose). Taichung District Agricultural Improvement Station, Annual Report.
- Elizabeth J. Mitcham. (2020). Dragon Fruit : Recommendations for Maintaining Postharvest Quality. UC Davis Postharvest Center
- Gunasena, H. P. M., Pushpakumara, D. K. N. G., & Kariyawasam, M. (2007). dragon fruit *Hylocereus undatus* (Haw.) Britton and Rose. Underutilized fruit trees in Sri Lanka, 1, 110–141.
- Ho, Q. T., Verboven, P., Mebatsion, H. K., Verlinden, B. E., Vandewalle, S., & Nicolaï, B. M. (2009). Microscale mechanisms of gas exchange in fruit tissue. *New Phytologist*, 182(1), 163–174. <https://doi.org/10.1111/j.1469-8137.2008.02732.x>
- Ho, Q. T., Verboven, P., Verlinden, B. E., Lammertyn, J., Vandewalle, S., & Nicolaï, B. M. (2008). A continuum model for metabolic gas exchange in pear fruit. *PLoS Computational Biology*, 4(3), 1–13. <https://doi.org/10.1371/journal.pcbi.1000023>
- Jalgaonkar, Kirti & Mahawar, Manoj & Bibwe, Bhushan & Kannaujia, Pankaj. (2020). Postharvest Profile, Processing and Waste Utilization of Dragon Fruit (*Hylocereus* Spp.): A Review. *Food Reviews International*. 38. 1–27. 10.1080/87559129.2020.1742152.
- Kamairudin, N., Gani, S. S., Masoumi, H. R., & Hashim, P. (2014). Optimization of natural lipstick formulation based on pitaya (*Hylocereus polyrhizus*) seed oil using D-optimal mixture experimental design. *Molecules* (Basel, Switzerland), 19(10), 16672–16683. <https://doi.org/10.3390/molecules191016672>
- Lichtenzveig, J., Abbo, S., Nerd, A., Tel-Zur, N., & Mizrahi, Y. (2000). Cytology and mating systems in the climbing cacti *Hylocereus* and *Selenicereus*. *American journal of botany*, 87(7), 1058–1065.

- Lim, H. K., Tan, C. P., Karim, R., Ariffin, A. A., & Bakar, J. (2010). Chemical composition and DSC thermal properties of two species of *Hylocereus cacti* seed oil: *Hylocereus undatus* and *Hylocereus polyrhizus*. *Food Chemistry*, 119(4), 1326-1331.
- Montoya-Arroyo, A., Schweiggert, R. M., Pineda-Castro, M. L., Sramek, M., Kohlus, R., Carle, R., & Esquivel, P. (2014). Characterization of cell wall polysaccharides of purple pitaya (*Hylocereus* sp.) pericarp. *Food Hydrocolloids*, 35, 557-564.
- Nishikito, D. F., Borges, A. C. A., Laurindo, L. F., Otoboni, A. M. M. B., Direito, R., Goulart, R. A., Nicolau, C. C. T., Fiorini, A. M. R., Sinatora, R. V., & Barbalho, S. M. (2023). Anti-Inflammatory, Antioxidant, and Other Health Effects of Dragon Fruit and Potential Delivery Systems for Its Bioactive Compounds. *Pharmaceutics*, 15(1), 159. <https://doi.org/10.3390/pharmaceutics15010159>
- Nerd, A., & Neumann, P. M. (2004). Phloem water transport maintains stem growth in a drought-stressed crop cactus (*Hylocereus undatus*). *Journal of the American Society for Horticultural Science*, 129(4), 486-490.
- Robert E. Paull. (2014). Dragon Fruits : Postharvest Quality-Maintenance Guidelines. *Journal of Fruits, Nut, and Beverage Crops*. F-N28.
- Rokhani Hasbullah. (2007). Teknik Pengukuran Laju Respirasi Produk Holtikultura Pada Kondisi Atmosfir Terkendali, Bagian 1 : Metode Sistem Tertutup. *Jurnal Keteknikaan Pertanian*. 22 (1), 419-428.
- Paul, V., Pandey, R., & Srivastava, G. C. (2012). The fading distinctions between classical patterns of ripening in climacteric and non-climacteric fruit and the ubiquity of ethylene-An overview. *Journal of food science and technology*, 49(1), 1–21. <https://doi.org/10.1007/s13197-011-0293-4>
- Qu Y, Nong Q, Jian S, Lu H, Zhang M, Xia K. (2020). An AP2/ERF Gene, HuERF1, from Pitaya (*Hylocereus undatus*) Positively Regulates Salt Tolerance. *International Journal of Molecular Sciences*. 21(13):4586. <https://doi.org/10.3390/ijms21134586>
- Sánchez, C., Fischer, G., & Sanjuanelo, D. W. (2013). Stomatal behavior in fruits and leaves of the purple passion fruit (*Passiflora edulis* Sims) and fruits and cladodes of the yellow pitaya [*Hylocereus megalanthus* (K. Schum. ex Vaupel) Ralf Bauer]. *Agronomía Colombiana*, 31(1), 38-47.
- Sousa, G. G. D., Sousa, S. B., Pereira, A. C. D. S., Marques, V. B., Silva, M. L. D., & Lopes, J. D. S. (2021). Effect of saline water and shading on dragon fruit ('pitaya') seedling growth. *Revista Brasileira de Engenharia Agrícola e Ambiental*, 25(8), 547-552.
- Souza, R., Peruch, G., & Santos Pires, A. C. dos. (2012). Oxygen Scavengers: An Approach on Food Preservation. *Structure and Function of Food Engineering*. doi:10.5772/48453
- Stintzing, F. C., Herbach, K. M., Mosshammer, M. R., Carle, R., Yi, W., Sellappan, S., Akoh, C. C., Bunch, R., & Felker, P. (2005). Color, betalain pattern, and antioxidant properties of cactus pear (*Opuntia* spp.) clones. *Journal of agricultural and food chemistry*, 53(2), 442–451. <https://doi.org/10.1021/jf048751y>

- Trindade AR, Paiva P, Lacerda V, Marques N, Neto L, Duarte A. (2023). Pitaya as a New Alternative Crop for Iberian Peninsula: Biology and Edaphoclimatic Requirements. *Plants*. 12(18):3212. <https://doi.org/10.3390/plants12183212>
- Tutut Puji Lestari. (2016). Analisis Karakteristik Ekstrak Betasianin Kulit Buah Naga *Hylocereus polyrhizus* dan *Hylocereus undatus* Serta Uji Stabilitas Organoleptik Jelly Sebagai Media Pembelajaran Atlas. *Jurnal Pendidikan Biologi Indonesia*. 02 (1). 78-87.
- F. Le Bellec, F. Vaillant. (2011). 12 - Pitahaya (pitaya) (*Hylocereus* spp.). In Woodhead Publishing Series in Food Science, Technology and Nutrition, Postharvest Biology and Technology of Tropical and Subtropical Fruits, Woodhead Publishing. Pages 247-273e. <https://doi.org/10.1533/9780857092618.247>.
- Wakchaure GC, Choudhari JD, Kukde RB and Reddy KS (2023) Postharvest Technology of Dragon Fruit. Technical Bulletin No. 41, ICAR–National Institute of Abiotic Stress Management, Baramati, Pune, Maharashtra, India, pp. 45.
- Yuqing, H., Weiyuan, Y., Ling, M., Guangping, X., Zhongfeng, Z., Danjuan, Z., Daxing, G. (2015). Physiological effect on *Hylocereus undulatus* and *Hylocereus undatus* under simulated karst soil water deficiency. *Journal of Resources and Ecology*, 6(4), 269-275.