

DAFTAR PUSTAKA

- Anonim, 2013, *Sixth ed. Internasional Diabetes Federation*.
- Arba, M., Ruslin, Nursan, Maulidiyah, Tjahjor D.H., 2018, Hubungan Kuantitatif Struktur-Aktivitas (HKSA) dan Penambatan Molekul Senyawa Turunan Benzamida sebagai Inhibitor Alosterik Mitogen Enhanced Kinase (MEK), *Jurnal Kimia VALENSI*, 4(1), 42-51.
- Armunanto, R., dan Sudiono, S., 2004, Relation of Electronic Structures with Their Antimalarial Activities on Artemisinin Derivatives, *Indo. J. Chem.*, 4, 212-217.
- Banupriya, G., Sribalan, R., Fathima, S. A. R., & Padmini, V. (2018). Synthesis of β -Ketoamide Curcumin Analogs for Anti-Diabetic and AGEs Inhibitory Activities. *Chemistry & Biodiversity*, 15(8), 1-8.
- Berná, G., Oliveras-López, M., Jurado-Ruíz, E., Tejedo, J., Bedoya, F., Soria, B. and Martín, F., 2014, Nutrigenetics and nutrigenomics insights into diabetes etiopathogenesis, *Nutrients*, 6, 5338–5369.
- Berná, G., Oliveras-López, M., Jurado-Ruíz, E., Tejedo, J., Bedoya, F., Soria, B. and Martín, F., 2014, Nutrigenetics and Nutrigenomics Insights into Diabetes Etiopathogenesis. *Nutrients*, 6(11), 5338-5369.
- Butler, A.E., Janson, J., Bonner-Weir, S., Ritzel, R., Rizza, R.A. and Butler, P.C., 2003, Betacell deficit and increased beta-cell apoptosis in humans with type 2 diabetes. *Diabetes*, 52, 102–110.
- Delsy, E.V.Y., Iswanto, P., Winaryo, S., 2017, Analisis Hubungan Kuantitatif Struktur dan Nilai Konsentrasi Misel Kritik Surfaktan Anionik dengan Metode Semi empiris AM1, *Molekul*, 12(1), 53-60.
- Dib, S. and Gomes, M., 2009, Etiopathogenesis of type 1 diabetes mellitus: prognostic factors for the evolution of residual β cell function, *Diabetology & Metabolic Syndrome*, 1(1), 17-27.
- Fessenden, R. J. dan Fessenden, J. S., 1999, *Kimia Organik*, Jilid 1, Edisi ketiga, Penerbit. Erlangga, Jakarta.
- Gersh, B., Sliwa, K., Mayosi, B. and Yusuf, S., 2010, Novel therapeutic concepts The epidemic of cardiovascular disease in the developing world: global implications. *European Heart Journal*, 31(6), 642-648.
- Guilherme, A., Virbasius, J.V., Puri, V. and Czech, M.P., 2008, Adipocyte dysfunctions linking obesity to insulin resistance and type 2 diabetes. *Nat. Rev. Mol. Cell Biol.*, 9, 367–377.

- Guo, L.P., Jiang, T.F., Lv, Z.H., and Wang, Y.H., 2010, Screening α -Glucosidase Inhibitors from Traditional Chinese Drugs by Capillary Electrophoresis with Electrophoretically Mediated Microanalysis, *J. Pham. Biomed. Anal.*, 53, 1250–1253.
- Gupta, S., Kismali, G. and Aggarwal, B., 2013, Curcumin, a component of turmeric: From farm to pharmacy, *BioFactors*, 39(1), 2-13.
- Hung, H.Y., Qian, K., Morris-Natschke, S.L., Hsu, C.S. and Lee, K.H., 2012, Recent discovery of plant-derived anti-diabetic natural products, *Nat. Prod. Rep.*, 29, 580–606.
- Isnaeni, L., Kasmui, Kusuma, S.B.W., 2016, Kajian Hubungan Kuantitatif Struktur dan Aktivitas Antioksidan Senyawa Analog Kalkon, *Indo. J.Chem.*, 5(2).
- Kholish, Ach., 2016, *Analisis QSAR untuk Desain Senyawa Antikanker Prostat, Pankreas, dan Kolon dari Analog Kurkumin Monoketon*, Thesis, UGM, Yogyakarta.
- Liu, S., Guo, X., Wu, B., Yu, H., Zhang, X. and Li, M., 2014, Arsenic induces diabetic effects through beta-cell dysfunction and increased gluconeogenesis in mice. *Scientific Reports*, 4(1).
- Mardianingrum, R., Nuraisah, A., Ruswanto, 2018, Hubungan Kuantitatif Struktur Aktivitas Antimalaria Senyawa Turunan Quinolone-Pyrazolopyridine, *JoP*, 1(3), 136-142.
- Mayfield, J., 1998, Diagnosis and Classification of Diabetes Mellitus: New Cretria, *Am. Fam. Physician*, 58, 1355–1362.
- Miar, M., Shiroudi, A., Pourshamsian, K., Oliaey, A.R., Hatamjafari, F., 2020, Theoretical Investigation on the HOMO-LUMO Gap and Global Reactivity Descriptor Studies, Natural Bond Orbital, and Nucleus-Independent Chemical Shifts Analyses of 3-Phenylbenzo[d]thiazole-2-(3H)-Imine and Its Para-Substituted Derivatives: Solvent and Substituent Effects, *J. Chem. Res.*, 45, 147-158.
- Mishra, M., Mishra, V.K., Senger, P., Pathak, A.K., Kashaw, S.K., 2014, Exploring QSAR Studies on 4-Substitued Quinazoline Derivatives as Antimalarial Compounds for the Development of Predictive Models, *Med. Chem. Res.*, 23, 1397-1405.
- Sharma, R., Steward, W. and Gescher, A., 2007. Pharmacokinetics and Pharmacodynamics of Curcumin. *Advances in Experimental Medicine and Biology*, 453-470.
- Shinde, J., Taldone, T., Barlette, M., Kunaparaju, N., Bo, H., and Kumar, S., 2008, α -Glucosidase Inhibitory Activity of *Syzygium cumini*, Skeels

- Seed Kernal In Vitro and in Goto-Kakizaki (GK) Rats, *J. Chem. Educ.*, 343, 1278–1281.
- Veerasamy, R., Rajak, H., Jain, A., Sivadasan, S., Varghese, C.P., Agrawal, R.K., 2011, Validation of QSAR Models – Strategic and Importance, *Int. J. Drug Des Discov.*, 2, 511-519.
- Wang, N. S., 2009, *Experiment no. 5: Starch Hydrolysis by Amylase*, Department of Chemical & Biomolecular Engineering, University of Maryland.
- Wells, G.B., Dipiro, J.T., Schwinghammer, T.L., and Dipiro, C.V., 2009, *Pharmacotherapy Handbook*, 7 th Edition, McGraw-Hill Companies, Inc., New York.
- Weyer, C., Bogardus, C., Mott, D. and Pratley, R., 1999, The natural history of insulin secretory dysfunction and insulin resistance in the pathogenesis of type 2 diabetes mellitus. *Journal of Clinical Investigation*, 104(6), 787-794.
- Zargartalebi, M., Barati, N., Kharrat, R., 2014, Influences of hydrophilic and Hydrophobic Silica Nanoparticles on Anionic Surfactant Properties: Interfacial and Adsorption Behaviors, *J. Petro. Sci. Eng.*, 119, 36-43.